

# Full wwPDB X-ray Structure Validation Report (i)

#### Aug 20, 2023 - 06:18 AM EDT

PDB ID	:	2GVD
Title	:	Complex Of Gs- With The Catalytic Domains Of Mammalian Adenylyl Cy-
		clase: Complex With TNP-ATP and Mn
Authors	:	Mou, TC.; Sprang, S.R.
Deposited on	:	2006-05-02
Resolution	:	2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.35
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution
wietric	$(\# { m Entries})$	$(\# { m Entries},  { m resolution}  { m range}({ m \AA}))$
$R_{free}$	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain							
1	А	225	41%	41%	• 16%					
2	В	212	52%	36%	• 11%					
3	С	394	48%	32%	• 18%					



#### 2 GVD

# 2 Entry composition (i)

There are 9 unique types of molecules in this entry. The entry contains 5758 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Adenylate cyclase type 5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	А	190	Total 1484	C 933	N 260	О 274	S 17	0	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	476	MET	VAL	engineered mutation	UNP P30803
А	356	MET	-	initiating methionine	UNP P30803
А	357	HIS	-	expression tag	UNP P30803
А	358	HIS	-	expression tag	UNP P30803
А	359	HIS	-	expression tag	UNP P30803
А	360	HIS	-	expression tag	UNP P30803
А	361	HIS	-	expression tag	UNP P30803
А	362	HIS	-	expression tag	UNP P30803

• Molecule 2 is a protein called Adenylate cyclase type 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	В	189	Total 1467	C 936	N 242	O 279	S 10	0	0	0

• Molecule 3 is a protein called Guanine nucleotide-binding protein G(s), alpha subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	С	322	Total 2635	C 1673	N 456	0 494	S 12	0	0	0

• Molecule 4 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	2	Total Mn 2 2	0	0
			Co	ntinued on r	next page

worldwide



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	С	1	Total Mn 1 1	0	0

• Molecule 5 is METHYLPIPERAZINOFORSKOLIN (three-letter code: FKP) (formula:  $C_{30}H_{50}N_2O_7$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	А	1	Total 39	C 30	N 2	O 7	0	0

• Molecule 6 is SPIRO(2,4,6-TRINITROBENZENE[1,2A]-2O',3O'-METHYLENE-ADENIN E-TRIPHOSPHATE (three-letter code: 128) (formula:  $C_{16}H_{17}N_8O_{19}P_3$ ).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	Δ	1	Total	С	Ν	Ο	Р	0	0
0	A		46	16	8	19	3	0	

• Molecule 7 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	С	1	Total Cl 1 1	0	0

• Molecule 8 is 5'-GUANOSINE-DIPHOSPHATE-MONOTHIOPHOSPHATE (three-letter code: GSP) (formula:  $C_{10}H_{16}N_5O_{13}P_3S$ ).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf			
8	С	1	Total 32	C 10	N 5	0 13	Р 3	S 1	0	0

• Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	А	11	Total O 11 11	0	0
9	В	15	$\begin{array}{cc} \text{Total} & \text{O} \\ 15 & 15 \end{array}$	0	0
9	С	25	TotalO2525	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Adenylate cyclase type 5

#### W234 1172 0173 E155 E164 T210 K211 V217 N218 F219 H220 H220 F222 F222 D223 3201 1203 1204 L297 A298 E299 E299 K300 V301 L302 C304 C304 K305 K305 K305 K305 K305 S306 K305 S306 S306 S306 S306 S306 S311 F312 F312 F238 N239 1244 1245 F246 Y2<mark>53</mark> N254 M255 V256 1257 I257 **R258** E259 D260 N261 N261 T263 N264 N265 L266 C265 C266 C266 C268 N292 K293 Q294 7280 7281 7282 7283 7283 7285 7285 0240 1241 H362 F363 C365 A366 A366 A366 A366 A371 I372 I372 R373 R373 F376 F376 1382 TLE GLN MET MET HIS LEU ARG GLN TYR GLU LEU LEU T335 R336 Y318



# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants	118.20Å 133.40Å 70.60Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution(A)	14.96 - 2.90	Depositor
	45.32 - 2.80	EDS
% Data completeness	82.5 (14.96-2.90)	Depositor
(in resolution range)	73.3(45.32-2.80)	EDS
$R_{merge}$	(Not available)	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.92 (at 2.81 \text{\AA})$	Xtriage
Refinement program	CNS 1.1	Depositor
B B.	0.245 , $0.279$	Depositor
$n, n_{free}$	0.237 , $0.273$	DCC
$R_{free}$ test set	925 reflections $(4.12\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	32.0	Xtriage
Anisotropy	0.900	Xtriage
Bulk solvent $k_{sol}(e/A^3)$ , $B_{sol}(A^2)$	0.33 , $50.4$	EDS
L-test for twinning <sup>2</sup>	$ < L >=0.46, < L^2>=0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.88	EDS
Total number of atoms	5758	wwPDB-VP
Average B, all atoms $(Å^2)$	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.57% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

# 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: GSP, FKP, CL, MN, 128

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond	angles
	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.40	0/1512	0.49	0/2038
2	В	0.47	0/1492	0.51	0/2014
3	С	0.46	0/2691	0.51	0/3643
All	All	0.44	0/5695	0.51	0/7695

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1484	0	1452	95	0
2	В	1467	0	1470	64	0
3	С	2635	0	2582	123	0
4	А	2	0	0	0	0
4	С	1	0	0	0	0
5	А	39	0	50	4	0
6	А	46	0	13	3	0
7	С	1	0	0	0	0
8	С	32	0	12	3	0
9	A	11	0	0	3	0



0 0	Jerre Prese Prese						
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes	
9	В	15	0	0	2	0	
9	С	25	0	0	4	0	
All	All	5758	0	5579	278	0	

Continued from previous page...

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (278) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:503:GLN:HA	9:A:45:HOH:O	1.50	1.10
1:A:508:SER:HB3	1:A:511:VAL:HG23	1.51	0.93
1:A:541:GLU:HG3	1:A:565:LEU:HD12	1.55	0.88
3:C:207:ILE:HG12	3:C:224:VAL:HG12	1.55	0.88
1:A:452:ARG:HG2	1:A:454:ASP:H	1.41	0.85
2:B:907:GLU:HG2	9:B:28:HOH:O	1.75	0.84
3:C:282:LEU:HA	3:C:285:ILE:HD13	1.58	0.84
1:A:424:ASP:HB3	2:B:1013:GLN:HG2	1.65	0.77
3:C:254:ASN:HD21	3:C:300:LYS:HD3	1.50	0.77
6:A:584:128:H2'	2:B:1025:ASN:HD22	1.47	0.77
3:C:255:MET:HB2	3:C:265:ARG:HD2	1.65	0.76
2:B:1062:ILE:HD13	2:B:1063:ASN:N	2.02	0.75
3:C:257:ILE:HG12	3:C:259:GLU:HG2	1.69	0.74
1:A:401:THR:HA	1:A:404:ALA:HB3	1.68	0.74
5:A:583:FKP:H201	5:A:583:FKP:H173	1.67	0.74
3:C:210:THR:HB	3:C:221:MET:HB3	1.67	0.73
1:A:528:ILE:H	1:A:528:ILE:HD13	1.52	0.73
3:C:257:ILE:HD12	3:C:268:GLU:HG2	1.70	0.72
1:A:452:ARG:HH11	1:A:452:ARG:HB2	1.53	0.72
1:A:403:LEU:H	1:A:403:LEU:HD23	1.54	0.71
1:A:499:LEU:HA	1:A:502:TRP:HE1	1.53	0.71
6:A:584:128:N3	9:A:68:HOH:O	2.24	0.71
2:B:906:LYS:HB2	2:B:909:LEU:HB3	1.73	0.71
2:B:890:ALA:HB1	2:B:996:LEU:HD11	1.74	0.69
1:A:479:VAL:HG12	1:A:480:ASN:H	1.58	0.69
1:A:452:ARG:HB2	1:A:452:ARG:NH1	2.07	0.69
2:B:905:ASN:HB2	2:B:910:GLU:HB2	1.73	0.69
3:C:365:CYS:H	3:C:371:ASN:ND2	1.91	0.69
3:C:372:ILE:HD12	3:C:373:ARG:N	2.08	0.68
1:A:422:ARG:HA	1:A:425:LYS:HE3	1.75	0.68
1:A:452:ARG:HD3	1:A:454:ASP:HB3	1.76	0.67



	A L O	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
2:B:948:THR:HG22	2:B:968:HIS:HB2	1.75	0.67
3:C:88:LYS:O	3:C:92:VAL:HG23	1.95	0.66
5:A:583:FKP:H193	5:A:583:FKP:H202	1.76	0.66
1:A:379:PHE:CZ	3:C:281:TRP:HB3	2.31	0.65
1:A:460:VAL:O	1:A:464:MET:HG2	1.97	0.65
1:A:484:ARG:HH21	1:A:519:ALA:HA	1.62	0.65
3:C:364:THR:HA	3:C:371:ASN:HD21	1.62	0.65
2:B:1029:ARG:HG3	2:B:1064:VAL:HG13	1.80	0.64
1:A:474:ARG:NH2	1:A:482:ASN:HD21	1.95	0.63
2:B:1033:THR:HG22	2:B:1059:ARG:HH22	1.64	0.63
3:C:244:ILE:HB	3:C:287:VAL:HG22	1.81	0.63
1:A:470:ILE:HG21	1:A:483:MET:HG2	1.80	0.63
2:B:1021:GLY:O	2:B:1024:VAL:HG22	1.99	0.63
1:A:526:ILE:N	1:A:526:ILE:HD12	2.14	0.62
1:A:404:ALA:HA	1:A:412:LEU:HD11	1.81	0.62
1:A:506:VAL:HG23	1:A:511:VAL:HG11	1.82	0.62
3:C:119:LEU:H	3:C:119:LEU:HD12	1.63	0.62
1:A:467:ILE:O	1:A:470:ILE:HG22	1.99	0.62
1:A:398:GLU:OE1	1:A:523:ALA:HB2	2.00	0.62
3:C:166:SER:HB2	3:C:171:LEU:HD23	1.80	0.61
1:A:479:VAL:HG12	1:A:480:ASN:N	2.14	0.61
2:B:990:SER:O	2:B:991:PHE:HB2	2.00	0.61
1:A:378:MET:HE1	3:C:283:ARG:HG2	1.82	0.60
3:C:61:ARG:O	3:C:65:VAL:HB	2.01	0.60
1:A:378:MET:CE	3:C:283:ARG:H	2.15	0.60
2:B:1026:VAL:HG21	2:B:1067:LYS:HZ2	1.67	0.60
2:B:1044:GLU:CD	2:B:1044:GLU:H	2.04	0.60
3:C:183:ASP:HA	3:C:186:LYS:HD3	1.84	0.60
1:A:435:ILE:HD11	1:A:445:VAL:HB	1.84	0.59
1:A:530:LYS:H	1:A:530:LYS:HD3	1.67	0.59
2:B:918:ILE:HG12	2:B:986:ILE:HD13	1.82	0.59
1:A:378:MET:HE1	3:C:283:ARG:H	1.66	0.59
1:A:536:LEU:HD21	1:A:540:TYR:HB2	1.84	0.59
1:A:477:THR:OG1	1:A:478:GLY:N	2.35	0.59
1:A:497:LEU:HD23	1:A:507:TRP:CH2	2.38	0.59
3:C:107:VAL:HG23	3:C:108:ALA:N	2.18	0.59
3:C:163:TYR:OH	3:C:176:GLN:HB2	2.03	0.58
1:A:437:ILE:HG12	1:A:442:TYR:HD1	1.68	0.58
2:B:879:HIS:N	9:B:13:HOH:O	2.37	0.58
1:A:470:ILE:HD12	1:A:483:MET:SD	2.44	0.58
2:B:1001:ASN:ND2	2:B:1002:HIS:H	2.02	0.58



	h h o	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
3:C:297:LEU:O	3:C:301:VAL:HG23	2.04	0.58
3:C:109:ALA:O	3:C:113:LEU:HG	2.04	0.57
3:C:59:GLN:HG3	3:C:372:ILE:HG12	1.86	0.57
3:C:341:ILE:HB	9:C:398:HOH:O	2.04	0.57
3:C:364:THR:HG22	3:C:375:VAL:HG11	1.85	0.57
2:B:984:ASP:HA	2:B:987:ASN:HD22	1.69	0.57
1:A:392:ILE:HD11	1:A:492:VAL:CG1	2.35	0.57
1:A:452:ARG:HH11	1:A:452:ARG:CB	2.17	0.57
1:A:408:THR:HB	9:A:11:HOH:O	2.03	0.57
3:C:336:ARG:CZ	9:C:422:HOH:O	2.53	0.56
3:C:255:MET:CB	3:C:265:ARG:HD2	2.33	0.56
3:C:365:CYS:H	3:C:371:ASN:HD22	1.51	0.56
1:A:454:ASP:OD2	1:A:457:HIS:HB2	2.05	0.56
3:C:88:LYS:HG2	3:C:90:THR:HG22	1.87	0.56
1:A:393:LEU:C	1:A:393:LEU:HD23	2.25	0.56
3:C:119:LEU:HD21	3:C:128:VAL:HG21	1.88	0.55
2:B:1045:THR:O	2:B:1049:LEU:HG	2.06	0.55
3:C:307:LYS:HB2	3:C:310:ASP:OD2	2.07	0.55
2:B:879:HIS:HB2	2:B:1007:ALA:O	2.06	0.55
3:C:99:LEU:HD11	3:C:182:ILE:CD1	2.37	0.55
3:C:44:LEU:HA	3:C:222:PHE:HB2	1.88	0.55
3:C:366:ALA:HB3	8:C:395:GSP:N7	2.22	0.55
2:B:887:VAL:HG21	2:B:1024:VAL:HG12	1.89	0.55
3:C:119:LEU:HD12	3:C:119:LEU:N	2.22	0.54
3:C:100:LYS:O	3:C:104:GLU:HG2	2.07	0.54
1:A:422:ARG:HH21	1:A:425:LYS:HD2	1.72	0.54
2:B:914:LEU:O	2:B:918:ILE:HG13	2.08	0.54
1:A:456:ALA:O	1:A:460:VAL:HG23	2.07	0.54
3:C:353:GLY:HA3	3:C:357:HIS:NE2	2.23	0.54
1:A:392:ILE:HD11	1:A:492:VAL:HG11	1.89	0.54
3:C:372:ILE:HA	3:C:375:VAL:HG22	1.89	0.54
3:C:245:ILE:HA	9:C:404:HOH:O	2.07	0.53
2:B:1007:ALA:HB1	2:B:1017:TYR:OH	2.08	0.53
3:C:179:LEU:O	3:C:182:ILE:HG12	2.08	0.53
1:A:551:ASN:HD22	1:A:552:ALA:N	2.05	0.53
3:C:179:LEU:HA	3:C:182:ILE:HD11	1.91	0.53
3:C:254:ASN:ND2	3:C:300:LYS:HD3	2.20	0.53
1:A:501:LYS:HD2	2:B:936:LYS:O	2.09	0.53
3:C:121:ASN:HB2	3:C:124:ASN:ND2	2.24	0.53
3:C:213:GLN:OE1	3:C:216:LYS:HA	2.08	0.52
3:C:253:TYR:CE1	3:C:308:ILE:HG12	2.44	0.52



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:A:527:HIS:NE2	1:A:561:THR:HB	2.24	0.52
3:C:331:ASP:HB3	3:C:334:VAL:HG23	1.92	0.52
1:A:397:ILE:HG21	1:A:400:PHE:HD1	1.75	0.52
1:A:473:VAL:HB	1:A:481:VAL:HG21	1.91	0.51
3:C:294:GLN:HG3	3:C:363:PHE:HB3	1.92	0.51
2:B:936:LYS:HD2	2:B:944:TYR:OH	2.11	0.51
1:A:542:VAL:HG12	1:A:564:ILE:HD13	1.93	0.51
2:B:966:TYR:HA	2:B:968:HIS:CE1	2.46	0.51
1:A:382:ILE:HD12	1:A:382:ILE:O	2.11	0.51
2:B:891:SER:O	2:B:996:LEU:HD12	2.11	0.51
3:C:99:LEU:HD11	3:C:179:LEU:HD23	1.93	0.51
2:B:1055:THR:OG1	2:B:1076:ASN:HB2	2.10	0.51
3:C:191:VAL:O	3:C:191:VAL:HG13	2.10	0.51
1:A:397:ILE:HD13	1:A:483:MET:SD	2.51	0.51
3:C:143:PRO:HB2	3:C:145:GLU:OE1	2.11	0.51
2:B:888:MET:HG3	2:B:1000:ILE:HG12	1.92	0.51
1:A:434:ARG:HD2	1:A:435:ILE:N	2.26	0.50
3:C:234:TRP:HB3	3:C:238:PHE:HE1	1.76	0.50
3:C:280:ARG:HA	3:C:283:ARG:NH1	2.25	0.50
2:B:1030:MET:CE	2:B:1042:THR:HG23	2.42	0.50
2:B:888:MET:HG2	2:B:889:PHE:N	2.25	0.50
3:C:54:SER:O	3:C:58:LYS:HG3	2.12	0.50
3:C:257:ILE:CG1	3:C:259:GLU:HG2	2.38	0.50
2:B:1033:THR:HG22	2:B:1059:ARG:NH2	2.26	0.50
2:B:1050:GLN:HA	2:B:1054:TYR:O	2.12	0.49
1:A:473:VAL:O	1:A:477:THR:HG23	2.12	0.49
1:A:551:ASN:HD22	1:A:552:ALA:H	1.60	0.49
1:A:516:HIS:HB3	1:A:551:ASN:OD1	2.13	0.49
3:C:172:ILE:HD12	3:C:174:CYS:SG	2.52	0.49
1:A:505:ASP:HB3	1:A:507:TRP:CZ2	2.47	0.49
2:B:886:CYS:HB2	2:B:969:ILE:HD13	1.94	0.49
1:A:434:ARG:HD2	1:A:434:ARG:C	2.33	0.49
3:C:257:ILE:HD12	3:C:268:GLU:CG	2.42	0.48
2:B:1009:VAL:HG13	2:B:1016:GLN:N	2.29	0.48
3:C:239:ASN:HD22	3:C:240:ASP:H	1.61	0.48
1:A:436:LYS:HE2	1:A:503:GLN:HB3	1.95	0.47
1:A:551:ASN:ND2	1:A:552:ALA:N	2.62	0.47
2:B:1061:ILE:CG2	2:B:1069:ASP:HB3	2.44	0.47
3:C:58:LYS:HA	3:C:61:ARG:NH1	2.29	0.47
3:C:124:ASN:O	3:C:128:VAL:HG23	2.14	0.47
1:A:470:ILE:HG12	1:A:470:ILE:O	2.14	0.47



	1.5	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
3:C:103:ILE:HG23	3:C:104:GLU:N	2.28	0.47
1:A:426:LEU:HB3	1:A:462:MET:HE3	1.94	0.47
3:C:43:LEU:HD12	3:C:221:MET:HE3	1.96	0.47
3:C:318:TYR:OH	3:C:321:PRO:HD3	2.13	0.47
2:B:879:HIS:HB3	2:B:1008:GLY:HA3	1.96	0.47
2:B:1022:ASN:HD21	2:B:1067:LYS:NZ	2.13	0.47
3:C:59:GLN:CG	3:C:372:ILE:HG12	2.45	0.47
3:C:285:ILE:N	3:C:285:ILE:HD12	2.30	0.47
2:B:1013:GLN:HA	2:B:1013:GLN:NE2	2.30	0.47
3:C:318:TYR:O	3:C:336:ARG:NH2	2.48	0.47
3:C:254:ASN:HA	3:C:311:TYR:CE2	2.49	0.47
3:C:183:ASP:HA	3:C:186:LYS:CD	2.45	0.46
2:B:906:LYS:O	2:B:907:GLU:HB2	2.15	0.46
3:C:211:LYS:NZ	3:C:220:HIS:HE1	2.13	0.46
3:C:119:LEU:H	3:C:119:LEU:CD1	2.28	0.46
3:C:267:GLN:HG3	3:C:271:ASN:HD21	1.81	0.46
1:A:523:ALA:O	1:A:525:ARG:HG2	2.15	0.46
3:C:166:SER:CB	3:C:171:LEU:HD23	2.45	0.46
3:C:292:ASN:ND2	3:C:293:LYS:HG3	2.31	0.46
1:A:394:PHE:HB2	1:A:518:GLU:HB2	1.97	0.46
1:A:470:ILE:HD13	1:A:482:ASN:C	2.36	0.46
2:B:894:ASP:O	2:B:897:GLU:HG2	2.15	0.46
3:C:246:PHE:CE2	3:C:273:PHE:HB2	2.50	0.46
2:B:1033:THR:HG21	2:B:1062:ILE:HG12	1.97	0.46
3:C:257:ILE:CG2	3:C:263:THR:HB	2.46	0.46
1:A:466:MET:O	1:A:469:ALA:HB3	2.15	0.45
3:C:151:LYS:HG2	3:C:155:GLU:OE2	2.16	0.45
3:C:257:ILE:CD1	3:C:259:GLU:HG2	2.46	0.45
1:A:437:ILE:HG12	1:A:442:TYR:CD1	2.49	0.45
3:C:203:LEU:HD23	3:C:204:THR:N	2.30	0.45
3:C:266:LEU:HD23	3:C:312:PHE:CZ	2.51	0.45
1:A:530:LYS:HD3	1:A:530:LYS:N	2.30	0.45
2:B:1009:VAL:HA	2:B:1016:GLN:O	2.17	0.45
1:A:408:THR:OG1	1:A:411:GLU:HG3	2.16	0.45
3:C:201:ARG:HB2	8:C:395:GSP:O3'	2.17	0.45
1:A:487:ILE:HB	1:A:528:ILE:HG22	1.97	0.45
5:A:583:FKP:H162	2:B:896:LYS:HA	1.98	0.45
2:B:951:SER:O	2:B:952:ALA:HB2	2.16	0.45
3:C:53:LYS:NZ	3:C:226:GLY:HA3	2.31	0.45
1:A:522:LYS:HE3	1:A:550:ARG:HH22	1.82	0.45
2:B:891:SER:HB3	2:B:943:THR:HG23	1.98	0.45



	A h o	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
3:C:195:GLN:HA	3:C:195:GLN:NE2	2.31	0.45
3:C:307:LYS:HB3	3:C:309:GLU:OE1	2.17	0.45
3:C:63:LEU:HD11	3:C:372:ILE:CD1	2.47	0.45
5:A:583:FKP:H201	5:A:583:FKP:C17	2.41	0.45
3:C:241:VAL:O	3:C:241:VAL:HG13	2.17	0.45
1:A:530:LYS:H	1:A:530:LYS:CD	2.29	0.44
3:C:121:ASN:HB2	3:C:124:ASN:HD22	1.83	0.44
3:C:256:VAL:C	3:C:265:ARG:HG3	2.38	0.44
2:B:1062:ILE:HD13	2:B:1063:ASN:H	1.77	0.44
3:C:280:ARG:HA	3:C:283:ARG:HH11	1.82	0.44
1:A:484:ARG:O	1:A:518:GLU:HG2	2.18	0.44
6:A:584:128:N6	2:B:1028:SER:OG	2.51	0.44
1:A:481:VAL:HG23	1:A:481:VAL:O	2.17	0.44
1:A:461:GLU:O	1:A:464:MET:HB2	2.18	0.43
2:B:995:LYS:HD2	2:B:1037:ASP:OD2	2.18	0.43
3:C:123:GLU:OE1	3:C:123:GLU:N	2.48	0.43
3:C:164:GLU:HB3	3:C:305:LYS:NZ	2.34	0.43
3:C:95:ILE:HG23	3:C:178:PHE:CE1	2.53	0.43
1:A:434:ARG:HG3	1:A:434:ARG:HH11	1.83	0.43
3:C:42:ARG:HA	3:C:220:HIS:HB2	2.01	0.43
3:C:372:ILE:O	3:C:376:PHE:HB2	2.18	0.43
1:A:420:PHE:HA	1:A:423:PHE:HB2	2.00	0.43
3:C:362:HIS:O	3:C:364:THR:HG23	2.19	0.43
2:B:922:PHE:CG	2:B:979:LEU:HD22	2.54	0.43
2:B:1001:ASN:ND2	2:B:1002:HIS:N	2.66	0.43
2:B:1033:THR:HG21	2:B:1062:ILE:CG1	2.49	0.43
1:A:449:PRO:HG2	1:A:450:GLU:H	1.83	0.43
1:A:513:LEU:O	1:A:517:MET:HG2	2.19	0.43
1:A:462:MET:HG3	1:A:466:MET:SD	2.58	0.43
1:A:463:GLY:O	1:A:467:ILE:HG13	2.18	0.42
1:A:433:LEU:O	1:A:444:CYS:HB2	2.19	0.42
3:C:365:CYS:N	3:C:371:ASN:ND2	2.64	0.42
1:A:493:HIS:HB2	1:A:507:TRP:O	2.20	0.42
2:B:1009:VAL:HG13	2:B:1016:GLN:O	2.19	0.42
3:C:100:LYS:HA	3:C:146:PHE:HZ	1.83	0.42
3:C:257:ILE:HG22	3:C:263:THR:HB	2.02	0.42
3:C:298:ALA:O	3:C:302:LEU:HG	2.19	0.42
2:B:1048:ILE:O	2:B:1052:LEU:HG	2.20	0.42
3:C:100:LYS:C	3:C:102:ALA:H	2.22	0.42
3:C:127:ARG:O	3:C:131:ILE:HG12	2.20	0.42
1:A:550:ARG:HG2	1:A:550:ARG:HH11	1.84	0.42



	A l O	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:A:408:THR:HG23	1:A:411:GLU:OE2	2.19	0.42
1:A:526:ILE:N	1:A:526:ILE:CD1	2.82	0.42
3:C:245:ILE:HG23	9:C:404:HOH:O	2.19	0.42
3:C:372:ILE:HD12	3:C:372:ILE:C	2.39	0.42
3:C:98:ASN:O	3:C:102:ALA:HB2	2.19	0.42
1:A:434:ARG:HG3	1:A:434:ARG:NH1	2.34	0.42
2:B:964:ARG:HG3	2:B:964:ARG:HH11	1.85	0.42
1:A:425:LYS:O	1:A:429:GLU:HG3	2.20	0.41
3:C:154:TRP:CZ2	3:C:160:ARG:NH1	2.88	0.41
3:C:260:ASP:OD1	3:C:262:GLN:N	2.50	0.41
3:C:239:ASN:HD22	3:C:240:ASP:N	2.17	0.41
3:C:239:ASN:ND2	3:C:240:ASP:N	2.68	0.41
1:A:390:VAL:HG22	1:A:490:GLY:O	2.19	0.41
3:C:58:LYS:HA	3:C:61:ARG:HH12	1.86	0.41
3:C:88:LYS:C	3:C:92:VAL:HG23	2.41	0.41
3:C:174:CYS:HB3	3:C:199:ARG:O	2.20	0.41
3:C:322:GLU:OE1	3:C:322:GLU:HA	2.20	0.41
1:A:435:ILE:HD11	1:A:445:VAL:CB	2.49	0.41
2:B:915:LEU:HA	2:B:918:ILE:HD12	2.03	0.41
3:C:53:LYS:HE3	3:C:224:VAL:O	2.20	0.41
3:C:99:LEU:HD21	3:C:182:ILE:HD12	2.01	0.41
3:C:372:ILE:HA	3:C:375:VAL:CG2	2.51	0.41
3:C:107:VAL:HG23	3:C:108:ALA:H	1.84	0.41
3:C:218:ASN:N	3:C:218:ASN:HD22	2.18	0.41
1:A:485:VAL:HB	1:A:526:ILE:HA	2.01	0.41
1:A:491:ARG:HH21	2:B:901:GLU:HB3	1.85	0.41
1:A:379:PHE:CD1	1:A:379:PHE:N	2.88	0.41
1:A:386:LYS:HE3	1:A:491:ARG:HD2	2.03	0.41
2:B:918:ILE:HA	2:B:986:ILE:HD11	2.02	0.41
2:B:937:ILE:HG13	2:B:945:MET:HE2	2.03	0.41
3:C:160:ARG:O	3:C:163:TYR:HB3	2.21	0.41
3:C:293:LYS:HG2	8:C:395:GSP:C6	2.56	0.41
1:A:496:VAL:HG21	1:A:502:TRP:CE3	2.56	0.41
2:B:879:HIS:CB	2:B:1008:GLY:HA3	2.51	0.41
3:C:257:ILE:HG12	3:C:259:GLU:H	1.86	0.41
1:A:401:THR:OG1	2:B:1065:LYS:HE3	2.21	0.40
2:B:1009:VAL:HG13	2:B:1016:GLN:C	2.42	0.40
2:B:897:GLU:HG3	2:B:898:PHE:N	2.37	0.40
3:C:100:LYS:HG2	3:C:104:GLU:OE1	2.22	0.40
3:C:229:ASP:O	3:C:232:ARG:HG2	2.22	0.40
2:B:879:HIS:N	2:B:879:HIS:CD2	2.90	0.40



Continued	from	nrovioue	naae
Continueu	jiom	pretious	paye

Atom-1	Atom-1 Atom-2		Clash overlap (Å)	
3:C:55:THR:CG2	3:C:366:ALA:HB1	2.51	0.40	

There are no symmetry-related clashes.

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	188/225~(84%)	170 (90%)	15 (8%)	3~(2%)	9 32
2	В	185/212~(87%)	174 (94%)	10 (5%)	1 (0%)	29 61
3	С	318/394~(81%)	285 (90%)	32 (10%)	1 (0%)	41 71
All	All	691/831 (83%)	629 (91%)	57 (8%)	5 (1%)	22 54

All (5) Ramachandran outliers are listed below:

Mol	Chain	$\mathbf{Res}$	Type
1	А	377	MET
1	А	378	MET
1	А	478	GLY
3	С	353	GLY
2	В	1013	GLN

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric Outliers		Percentiles		
1	А	159/189~(84%)	157~(99%)	2(1%)	69	90	
2	В	162/184~(88%)	159~(98%)	3~(2%)	57	84	
3	С	290/351~(83%)	285~(98%)	5(2%)	60	86	
All	All	611/724 (84%)	601 (98%)	10 (2%)	62	86	

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	528	ILE
1	А	530	LYS
2	В	879	HIS
2	В	921	ASP
2	В	1062	ILE
3	С	186	LYS
3	С	221	MET
3	С	239	ASN
3	С	283	ARG
3	С	357	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	385	GLN
1	А	430	ASN
1	А	482	ASN
1	А	509	ASN
1	А	515	ASN
1	А	551	ASN
2	В	879	HIS
2	В	992	ASN
2	В	1001	ASN
2	В	1013	GLN
2	В	1016	GLN
2	В	1022	ASN
2	В	1025	ASN
2	В	1050	GLN
2	В	1076	ASN
3	С	97	ASN
3	С	98	ASN
3	С	218	ASN
3	С	220	HIS



Continued from previous page...

Mol	Chain	Res	Type
3	С	267	GLN
3	С	271	ASN
3	С	362	HIS
3	С	371	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 5.6 Ligand geometry (i)

Of 7 ligands modelled in this entry, 4 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Iol Type Chain Bog		Tiple	Bond lengths			Bond angles			
	туре	Unam	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	128	А	584	4	33,50,50	<mark>3.92</mark>	15 (45%)	36,80,80	2.51	12 (33%)
5	FKP	А	583	-	39,42,42	2.44	16 (41%)	49,68,68	1.82	9 (18%)
8	GSP	С	395	4	26,34,34	2.21	6 (23%)	27,54,54	1.80	8 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	128	А	584	4	-	2/22/80/80	0/5/5/5
5	FKP	А	583	-	-	12/14/97/97	0/4/4/4
8	GSP	С	395	4	-	2/17/38/38	0/3/3/3

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z = Observed(Å)		Ideal(Å)
6	А	584	128	PB-O2B	-10.92	1.04	1.55
6	А	584	128	O2'-C1F	9.77	1.54	1.41
6	А	584	128	O3'-C1F	8.73	1.53	1.41
6	А	584	128	PB-O1B	-8.60	1.20	1.50
8	С	395	GSP	PG-O2G	-8.20	1.28	1.54
5	А	583	FKP	C10-C5	5.78	1.66	1.56
5	А	583	FKP	C9-C11	5.62	1.59	1.53
6	А	584	128	C5F-C6F	4.88	1.51	1.37
5	А	583	FKP	C12-C11	4.67	1.57	1.50
5	А	583	FKP	C4-C5	4.25	1.62	1.56
8	С	395	GSP	C8-N7	-4.12	1.28	1.35
5	А	583	FKP	C6-C7	3.97	1.61	1.53
6	А	584	128	C2-N3	3.83	1.38	1.32
6	А	584	128	C4-N3	3.62	1.40	1.35
6	А	584	128	C5'-C4'	3.45	1.62	1.51
8	С	395	GSP	O4'-C1'	3.44	1.45	1.41
5	А	583	FKP	C27-C26	-3.43	1.38	1.51
5	А	583	FKP	C2-C1	3.40	1.57	1.52
5	А	583	FKP	C17-C8	3.39	1.57	1.51
6	А	584	128	PG-01G	3.04	1.60	1.50
6	А	584	128	C2'-C3'	3.00	1.59	1.53
5	А	583	FKP	C5-C6	2.91	1.63	1.54
5	А	583	FKP	C3-C2	2.77	1.59	1.53
6	А	584	128	C3'-C4'	-2.77	1.45	1.52
5	А	583	FKP	C20-C10	2.63	1.58	1.53
6	А	584	128	C8-N7	-2.54	1.30	1.34
5	А	583	FKP	C22-C21	2.53	1.58	1.50
5	А	583	FKP	C25-N1	2.44	1.53	1.47
5	А	583	FKP	C29-N1	2.41	1.53	1.46
6	А	584	128	PG-O3G	-2.36	1.45	1.54
8	С	395	GSP	C6-N1	2.30	1.41	1.37
6	А	584	128	C2-N1	2.30	1.38	1.33
6	А	584	128	PA-O1A	2.27	1.58	1.50
5	А	583	FKP	C23-C22	2.14	1.60	1.52
5	А	583	FKP	C26-N1	2.07	1.52	1.46
8	С	395	GSP	C5-C4	-2.04	1.37	1.43



Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	Ideal(Å)
8	С	395	GSP	PB-O1B	-2.03	1.43	1.50

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
6	А	584	128	O3'-C1F-C6F	-6.74	101.25	110.47
5	А	583	FKP	C10-C5-C4	-6.09	111.39	116.46
8	С	395	GSP	O6-C6-N1	6.08	127.83	120.65
5	А	583	FKP	C19-C4-C18	-5.16	100.28	107.89
6	А	584	128	O4'-C1'-C2'	-5.10	97.75	106.59
6	А	584	128	O2'-C1F-C2F	-5.04	103.57	110.47
6	А	584	128	O2'-C2'-C3'	4.91	111.42	103.58
6	А	584	128	N3-C2-N1	-4.82	121.15	128.68
6	А	584	128	PA-O3A-PB	3.69	145.49	132.83
5	А	583	FKP	C19-C4-C5	3.55	124.29	111.86
5	А	583	FKP	C17-C8-C7	-3.50	104.04	111.53
5	А	583	FKP	C19-C4-C3	-3.15	102.56	109.03
6	А	584	128	O3'-C3'-C2'	2.91	108.23	103.58
6	А	584	128	O2G-PG-O3B	2.88	114.28	104.64
6	А	584	128	O4'-C4'-C3'	-2.78	98.92	104.87
6	А	584	128	C2'-C3'-C4'	2.69	110.11	103.72
5	А	583	FKP	C4-C5-C6	-2.60	111.28	115.17
8	С	395	GSP	PA-O3A-PB	-2.55	124.08	132.83
6	А	584	128	C5'-C4'-C3'	2.39	122.33	114.40
8	С	395	GSP	C5-C6-N1	-2.34	109.82	113.95
8	С	395	GSP	C2'-C3'-C4'	2.32	107.15	102.64
8	С	395	GSP	O2A-PA-O1A	2.24	123.30	112.24
5	А	583	FKP	C20-C10-C1	-2.20	104.42	107.68
8	С	395	GSP	O4'-C1'-C2'	-2.16	103.76	106.93
5	А	583	FKP	O7-C11-C12	-2.13	117.61	122.02
8	С	395	GSP	O3G-PG-O3B	2.07	111.56	104.64
6	А	584	128	O2'-C1F-C6F	2.07	113.30	110.47
8	С	395	GSP	O3'-C3'-C4'	-2.03	105.18	111.05
5	А	583	FKP	O4-C21-C22	2.02	115.85	111.50

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	А	583	FKP	C6-C7-O4-C21
5	А	583	FKP	C8-C7-O4-C21
5	А	583	FKP	O1-C13-C14-C15



Mol	Chain	Res	Type	Atoms
5	А	583	FKP	C12-C13-C14-C15
5	А	583	FKP	C16-C13-C14-C15
6	А	584	128	C3'-C4'-C5'-O5'
5	А	583	FKP	C23-C24-C25-N1
6	А	584	128	O4'-C4'-C5'-O5'
5	А	583	FKP	C24-C25-N1-C26
5	А	583	FKP	C24-C25-N1-C29
5	А	583	FKP	O5-C21-O4-C7
5	А	583	FKP	C22-C21-O4-C7
8	С	395	GSP	PA-O3A-PB-O1B
5	А	583	FKP	O4-C21-C22-C23
8	С	395	GSP	PA-O3A-PB-O2B
5	А	583	FKP	O5-C21-C22-C23

Continued from previous page...

There are no ring outliers.

3 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	А	584	128	3	0
5	А	583	FKP	4	0
8	С	395	GSP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









# 5.7 Other polymers (i)

There are no such residues in this entry.



# 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	190/225~(84%)	0.28	12 (6%) 20 16	21, 56, 102, 127	0
2	В	189/212~(89%)	-0.19	1 (0%) 91 91	13, 35, 68, 106	0
3	С	322/394~(81%)	-0.20	2 (0%) 89 89	15, 38, 75, 95	0
All	All	701/831 (84%)	-0.06	15 (2%) 63 61	13, 42, 81, 127	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	476	MET	4.8
1	А	474	ARG	4.5
1	А	479	VAL	4.0
1	А	475	GLU	3.6
1	А	477	THR	3.1
1	А	473	VAL	3.1
1	А	478	GLY	2.7
3	С	304	GLY	2.6
1	А	429	GLU	2.3
3	С	39	ALA	2.3
2	В	966	TYR	2.3
1	А	470	ILE	2.2
1	А	472	LEU	2.2
1	А	471	SER	2.2
1	А	376	ASP	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q < 0.9
6	128	А	584	46/46	0.88	0.25	60,70,87,92	0
4	MN	С	396	1/1	0.91	0.12	40,40,40,40	0
5	FKP	А	583	39/39	0.92	0.26	18,26,77,78	0
4	MN	А	581	1/1	0.95	0.17	56, 56, 56, 56	0
7	CL	С	397	1/1	0.96	0.07	25,25,25,25	0
8	GSP	С	395	32/32	0.97	0.16	11,26,59,61	0
4	MN	А	582	1/1	0.99	0.15	20,20,20,20	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.











# 6.5 Other polymers (i)

There are no such residues in this entry.

