



Full wwPDB EM Validation Report ⓘ

Nov 7, 2022 – 12:49 PM JST

PDB ID : 5H64
EMDB ID : EMD-6668
Title : Cryo-EM structure of mTORC1
Authors : Yang, H.; Wang, J.; Liu, M.; Chen, X.; Huang, M.; Tan, D.; Dong, M.; Wong, C.C.L.; Wang, J.; Xu, Y.; Wang, H.
Deposited on : 2016-11-10
Resolution : 4.40 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2549	
1	a	2549	
2	B	1335	
2	b	1335	
3	C	326	
3	c	326	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 45252 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine/threonine-protein kinase mTOR.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	2101	Total	C	N	O	S	0	0
			15617	9886	2788	2849	94		
1	a	2101	Total	C	N	O	S	0	0
			15617	9886	2788	2849	94		

- Molecule 2 is a protein called Regulatory-associated protein of mTOR.



Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	797	Total	C	N	O	S	0	0
			4553	2817	832	894	10		
2	b	797	Total	C	N	O	S	0	0
			4553	2817	832	894	10		


- Molecule 3 is a protein called Target of rapamycin complex subunit LST8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	317	Total	C	N	O	S	0	0
			2456	1526	436	476	18		
3	c	317	Total	C	N	O	S	0	0
			2456	1526	436	476	18		




● Molecule 1: Serine/threonine-protein kinase mTOR





- Molecule 3: Target of rapamycin complex subunit LST8





- Molecule 3: Target of rapamycin complex subunit LST8



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	115039	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	8.25	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	22500	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.066	Depositor
Minimum map value	-0.020	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.0142	Depositor
Map size (Å)	391.962, 391.962, 391.962	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.30654, 1.30654, 1.30654	Depositor

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.56	4/15910 (0.0%)	0.78	38/21634 (0.2%)
1	a	0.56	4/15910 (0.0%)	0.78	38/21634 (0.2%)
2	B	0.40	1/4567 (0.0%)	0.73	13/6217 (0.2%)
2	b	0.40	1/4567 (0.0%)	0.73	13/6217 (0.2%)
3	C	0.49	0/2514	0.68	1/3426 (0.0%)
3	c	0.49	0/2514	0.68	1/3426 (0.0%)
All	All	0.53	10/45982 (0.0%)	0.76	104/62554 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	47
1	a	0	46
2	B	0	14
2	b	0	14
3	C	0	4
3	c	0	4
All	All	0	129

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	2313	TRP	CB-CG	-7.38	1.36	1.50
1	a	2313	TRP	CB-CG	-7.37	1.36	1.50
1	A	1619	TRP	CB-CG	-6.24	1.39	1.50
1	a	1619	TRP	CB-CG	-6.22	1.39	1.50
1	a	842	TRP	CB-CG	-5.75	1.40	1.50
1	A	842	TRP	CB-CG	-5.71	1.40	1.50
1	a	1620	TRP	CB-CG	-5.34	1.40	1.50
1	A	1620	TRP	CB-CG	-5.32	1.40	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	b	115	PRO	N-CD	5.13	1.55	1.47
2	B	115	PRO	N-CD	5.12	1.55	1.47

All (104) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	b	114	GLN	C-N-CD	-17.81	81.41	120.60
2	B	114	GLN	C-N-CD	-17.81	81.41	120.60
1	a	1113	LEU	CA-CB-CG	-10.98	90.05	115.30
1	A	1113	LEU	CA-CB-CG	-10.97	90.06	115.30
2	b	115	PRO	CA-N-CD	-10.09	97.38	111.50
2	B	115	PRO	CA-N-CD	-10.08	97.39	111.50
2	B	158	PRO	CA-N-CD	-9.13	98.72	111.50
2	b	158	PRO	CA-N-CD	-9.12	98.73	111.50
1	A	757	LEU	CA-CB-CG	-7.50	98.06	115.30
1	a	757	LEU	CA-CB-CG	-7.49	98.06	115.30
2	b	217	LEU	CB-CG-CD1	-7.10	98.93	111.00
2	B	217	LEU	CB-CG-CD1	-7.08	98.96	111.00
1	a	225	PRO	N-CA-CB	6.82	111.48	103.30
1	A	225	PRO	N-CA-CB	6.81	111.48	103.30
1	A	915	VAL	C-N-CA	6.64	138.29	121.70
1	a	915	VAL	C-N-CA	6.63	138.28	121.70
1	A	1114	LEU	CA-CB-CG	-6.61	100.09	115.30
1	a	1114	LEU	CA-CB-CG	-6.61	100.10	115.30
1	A	555	PRO	N-CA-CB	6.58	111.19	103.30
1	a	2115	LEU	CB-CG-CD1	-6.54	99.88	111.00
1	A	2115	LEU	CB-CG-CD1	-6.54	99.88	111.00
1	a	555	PRO	N-CA-CB	6.53	111.13	103.30
2	B	156	PRO	N-CA-CB	6.53	111.13	103.30
2	b	156	PRO	N-CA-CB	6.53	111.13	103.30
2	b	157	ARG	C-N-CD	-6.41	106.50	120.60
2	B	157	ARG	C-N-CD	-6.41	106.51	120.60
2	B	352	LEU	C-N-CA	6.34	137.54	121.70
2	b	352	LEU	C-N-CA	6.33	137.54	121.70
2	B	878	PRO	N-CA-CB	6.33	110.89	103.30
2	b	878	PRO	N-CA-CB	6.33	110.89	103.30
1	A	891	LEU	CA-CB-CG	-6.29	100.83	115.30
1	a	891	LEU	CA-CB-CG	-6.29	100.83	115.30
1	a	529	PRO	N-CA-CB	6.27	110.83	103.30
1	a	2305	LEU	CA-CB-CG	-6.25	100.92	115.30
1	A	529	PRO	N-CA-CB	6.25	110.80	103.30
1	A	2305	LEU	CA-CB-CG	-6.23	100.97	115.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	b	256	PRO	N-CA-CB	6.22	110.77	103.30
1	a	1180	LEU	CA-CB-CG	-6.22	100.99	115.30
1	A	1180	LEU	CA-CB-CG	-6.22	101.00	115.30
2	B	256	PRO	N-CA-CB	6.16	110.69	103.30
1	A	1873	LEU	CA-CB-CG	6.11	129.35	115.30
2	B	420	LEU	CA-CB-CG	-6.11	101.25	115.30
2	b	420	LEU	CA-CB-CG	-6.11	101.25	115.30
1	a	1873	LEU	CA-CB-CG	6.10	129.33	115.30
1	A	869	LEU	CA-CB-CG	6.09	129.30	115.30
1	a	869	LEU	CA-CB-CG	6.06	129.25	115.30
1	A	310	PRO	N-CA-CB	6.03	110.54	103.30
1	A	551	PRO	N-CA-CB	6.03	110.54	103.30
1	a	310	PRO	N-CA-CB	6.03	110.54	103.30
1	A	225	PRO	C-N-CA	6.01	136.74	121.70
1	a	551	PRO	N-CA-CB	6.01	110.52	103.30
1	a	225	PRO	C-N-CA	6.00	136.71	121.70
1	a	696	LEU	CA-CB-CG	-5.99	101.53	115.30
1	A	351	PRO	N-CA-CB	5.98	110.48	103.30
1	A	696	LEU	CA-CB-CG	-5.97	101.56	115.30
1	a	351	PRO	N-CA-CB	5.97	110.47	103.30
1	A	558	PRO	N-CA-CB	5.95	110.44	103.30
1	A	998	LEU	CA-CB-CG	-5.93	101.66	115.30
1	a	998	LEU	CA-CB-CG	-5.92	101.68	115.30
1	a	558	PRO	N-CA-CB	5.91	110.39	103.30
2	b	133	LEU	CA-CB-CG	-5.84	101.87	115.30
1	A	397	PRO	N-CA-CB	5.83	110.30	103.30
2	B	133	LEU	CA-CB-CG	-5.83	101.89	115.30
1	a	397	PRO	N-CA-CB	5.82	110.29	103.30
1	a	1609	PRO	N-CA-CB	5.82	110.29	103.30
1	a	1688	PRO	C-N-CA	-5.81	107.19	121.70
1	A	1609	PRO	N-CA-CB	5.80	110.27	103.30
1	A	1688	PRO	C-N-CA	-5.80	107.19	121.70
1	a	404	PRO	N-CA-CB	5.78	110.23	103.30
1	A	404	PRO	N-CA-CB	5.77	110.23	103.30
1	A	231	PRO	N-CA-CB	5.75	110.20	103.30
1	a	231	PRO	N-CA-CB	5.74	110.19	103.30
1	a	1550	LEU	CA-CB-CG	-5.66	102.28	115.30
1	A	1550	LEU	CA-CB-CG	-5.66	102.29	115.30
2	B	879	PRO	N-CA-CB	5.60	110.02	103.30
1	a	324	PRO	N-CA-CB	5.60	110.02	103.30
1	a	1096	LEU	CA-CB-CG	-5.59	102.43	115.30
2	b	879	PRO	N-CA-CB	5.58	110.00	103.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1096	LEU	CA-CB-CG	-5.58	102.47	115.30
1	A	324	PRO	N-CA-CB	5.58	109.99	103.30
1	a	315	PRO	N-CA-CB	5.51	109.92	103.30
1	A	315	PRO	N-CA-CB	5.50	109.89	103.30
1	a	574	PRO	N-CA-CB	5.46	109.85	103.30
1	a	1190	ILE	C-N-CA	5.45	135.33	121.70
1	A	574	PRO	N-CA-CB	5.44	109.82	103.30
1	A	1190	ILE	C-N-CA	5.43	135.28	121.70
1	A	349	PRO	N-CA-CB	5.42	109.80	103.30
1	A	1087	SER	C-N-CD	-5.41	108.69	120.60
1	a	349	PRO	N-CA-CB	5.40	109.78	103.30
1	a	1087	SER	C-N-CD	-5.39	108.73	120.60
1	a	1115	LEU	CA-CB-CG	-5.36	102.97	115.30
1	A	1115	LEU	CA-CB-CG	-5.36	102.98	115.30
1	a	828	LEU	CA-CB-CG	-5.15	103.45	115.30
1	A	828	LEU	CA-CB-CG	-5.15	103.46	115.30
1	A	1907	LEU	CA-CB-CG	-5.15	103.46	115.30
1	a	1907	LEU	CA-CB-CG	-5.14	103.48	115.30
3	C	224	LEU	CA-CB-CG	-5.09	103.59	115.30
3	c	224	LEU	CA-CB-CG	-5.09	103.59	115.30
2	B	510	VAL	C-N-CA	5.08	134.41	121.70
2	b	510	VAL	C-N-CA	5.08	134.41	121.70
1	A	636	LEU	CA-CB-CG	-5.08	103.62	115.30
1	a	636	LEU	CA-CB-CG	-5.08	103.62	115.30
1	A	568	PRO	N-CA-CB	5.01	109.31	103.30
1	a	568	PRO	N-CA-CB	5.01	109.31	103.30

There are no chirality outliers.

All (129) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1025	SER	Peptide
1	A	1028	ARG	Peptide
1	A	1067	PHE	Peptide
1	A	1075	ILE	Peptide
1	A	1082	PHE	Peptide
1	A	1087	SER	Peptide
1	A	1109	ASP	Peptide
1	A	1124	ALA	Peptide
1	A	1125	PRO	Peptide
1	A	1148	PHE	Peptide
1	A	1310	TYR	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	1444	GLU	Peptide
1	A	1472	ASP	Peptide
1	A	1582	SER	Peptide
1	A	1605	TYR	Peptide
1	A	1732	ILE	Peptide
1	A	1762	GLN	Peptide
1	A	1787	TYR	Peptide
1	A	1809	GLN	Peptide
1	A	1895	SER	Peptide
1	A	1899	ASN	Peptide
1	A	1950	ARG	Peptide
1	A	2127	SER	Peptide
1	A	226	LYS	Peptide
1	A	257	ARG	Peptide
1	A	260	ARG	Peptide
1	A	261	ILE	Peptide
1	A	275	SER	Peptide
1	A	324	PRO	Peptide
1	A	331	VAL	Peptide
1	A	352	ALA	Peptide
1	A	603	VAL	Peptide
1	A	628	ARG	Peptide
1	A	714	THR	Peptide
1	A	716	GLY	Peptide
1	A	718	LEU	Peptide
1	A	776	LEU	Peptide
1	A	836	LYS	Peptide
1	A	856	GLU	Peptide
1	A	857	PRO	Peptide
1	A	874	THR	Peptide
1	A	899	HIS	Peptide
1	A	900	LYS	Peptide
1	A	914	ALA	Peptide
1	A	970	MET	Peptide
1	A	989	PHE	Peptide
1	A	990	LEU	Peptide
2	B	1070	VAL	Peptide
2	B	1096	TRP	Peptide
2	B	114	GLN	Peptide
2	B	157	ARG	Peptide
2	B	161	ASN	Peptide
2	B	343	VAL	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
2	B	371	PRO	Peptide
2	B	408	PHE	Peptide
2	B	429	PRO	Peptide
2	B	445	HIS	Peptide
2	B	474	PRO	Peptide
2	B	494	ILE	Peptide
2	B	498	ILE	Peptide
2	B	644	VAL	Peptide
3	C	172	SER	Peptide
3	C	20	TYR	Peptide
3	C	214	THR	Peptide
3	C	260	ILE	Peptide
1	a	1025	SER	Peptide
1	a	1028	ARG	Peptide
1	a	1067	PHE	Peptide
1	a	1075	ILE	Peptide
1	a	1082	PHE	Peptide
1	a	1087	SER	Peptide
1	a	1109	ASP	Peptide
1	a	1124	ALA	Peptide
1	a	1125	PRO	Peptide
1	a	1148	PHE	Peptide
1	a	1310	TYR	Peptide
1	a	1444	GLU	Peptide
1	a	1472	ASP	Peptide
1	a	1582	SER	Peptide
1	a	1605	TYR	Peptide
1	a	1732	ILE	Peptide
1	a	1762	GLN	Peptide
1	a	1787	TYR	Peptide
1	a	1895	SER	Peptide
1	a	1899	ASN	Peptide
1	a	1950	ARG	Peptide
1	a	2127	SER	Peptide
1	a	226	LYS	Peptide
1	a	257	ARG	Peptide
1	a	260	ARG	Peptide
1	a	261	ILE	Peptide
1	a	275	SER	Peptide
1	a	324	PRO	Peptide
1	a	331	VAL	Peptide
1	a	352	ALA	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	a	603	VAL	Peptide
1	a	628	ARG	Peptide
1	a	714	THR	Peptide
1	a	716	GLY	Peptide
1	a	718	LEU	Peptide
1	a	776	LEU	Peptide
1	a	836	LYS	Peptide
1	a	856	GLU	Peptide
1	a	857	PRO	Peptide
1	a	874	THR	Peptide
1	a	899	HIS	Peptide
1	a	900	LYS	Peptide
1	a	914	ALA	Peptide
1	a	970	MET	Peptide
1	a	989	PHE	Peptide
1	a	990	LEU	Peptide
2	b	1070	VAL	Peptide
2	b	1096	TRP	Peptide
2	b	114	GLN	Peptide
2	b	157	ARG	Peptide
2	b	161	ASN	Peptide
2	b	343	VAL	Peptide
2	b	371	PRO	Peptide
2	b	408	PHE	Peptide
2	b	429	PRO	Peptide
2	b	445	HIS	Peptide
2	b	474	PRO	Peptide
2	b	494	ILE	Peptide
2	b	498	ILE	Peptide
2	b	644	VAL	Peptide
3	c	172	SER	Peptide
3	c	20	TYR	Peptide
3	c	214	THR	Peptide
3	c	260	ILE	Peptide

5.2 Too-close contacts [\(i\)](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	2089/2549 (82%)	1654 (79%)	386 (18%)	49 (2%)	6	37
1	a	2089/2549 (82%)	1656 (79%)	384 (18%)	49 (2%)	6	37
2	B	767/1335 (58%)	608 (79%)	132 (17%)	27 (4%)	3	29
2	b	767/1335 (58%)	609 (79%)	131 (17%)	27 (4%)	3	29
3	C	315/326 (97%)	281 (89%)	33 (10%)	1 (0%)	41	76
3	c	315/326 (97%)	281 (89%)	33 (10%)	1 (0%)	41	76
All	All	6342/8420 (75%)	5089 (80%)	1099 (17%)	154 (2%)	9	36

All (154) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	225	PRO
1	A	351	PRO
1	A	404	PRO
1	A	568	PRO
1	A	664	ILE
1	A	837	ARG
1	A	1091	ILE
1	A	1092	VAL
2	B	96	GLN
2	B	115	PRO
2	B	143	GLU
2	B	425	GLU
2	B	488	ARG
2	B	489	PRO
2	B	807	VAL
1	a	225	PRO
1	a	351	PRO
1	a	404	PRO
1	a	568	PRO
1	a	664	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	a	837	ARG
1	a	1091	ILE
1	a	1092	VAL
2	b	96	GLN
2	b	115	PRO
2	b	143	GLU
2	b	425	GLU
2	b	488	ARG
2	b	489	PRO
2	b	807	VAL
1	A	717	ARG
1	A	778	ALA
1	A	838	GLN
1	A	919	GLU
1	A	987	VAL
1	A	1067	PHE
1	A	1068	LYS
2	B	91	LEU
2	B	95	PRO
2	B	142	LYS
2	B	154	GLY
2	B	444	VAL
2	B	496	ALA
1	a	717	ARG
1	a	778	ALA
1	a	838	GLN
1	a	919	GLU
1	a	987	VAL
1	a	1067	PHE
1	a	1068	LYS
2	b	91	LEU
2	b	95	PRO
2	b	142	LYS
2	b	154	GLY
2	b	444	VAL
2	b	496	ALA
1	A	775	ILE
1	A	883	GLU
2	B	494	ILE
1	a	775	ILE
1	a	883	GLU
2	b	494	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	256	ASN
1	A	643	VAL
1	A	743	HIS
1	A	804	GLU
1	A	893	ALA
1	A	972	VAL
1	A	1079	LEU
1	A	1656	TYR
2	B	158	PRO
2	B	168	ASN
2	B	402	ALA
2	B	472	ILE
2	B	510	VAL
1	a	256	ASN
1	a	643	VAL
1	a	743	HIS
1	a	804	GLU
1	a	893	ALA
1	a	972	VAL
1	a	1079	LEU
1	a	1656	TYR
2	b	158	PRO
2	b	168	ASN
2	b	402	ALA
2	b	472	ILE
2	b	510	VAL
2	b	1075	TYR
1	A	857	PRO
1	A	865	LEU
1	A	867	VAL
1	A	1507	GLU
1	A	2078	LEU
1	A	2288	GLU
1	A	2326	VAL
1	A	2396	TYR
1	A	2420	ALA
2	B	493	PHE
2	B	497	LYS
2	B	630	SER
2	B	1075	TYR
2	B	1176	SER
1	a	857	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	a	865	LEU
1	a	867	VAL
1	a	1507	GLU
1	a	2078	LEU
1	a	2288	GLU
1	a	2326	VAL
1	a	2396	TYR
1	a	2420	ALA
2	b	493	PHE
2	b	497	LYS
2	b	630	SER
2	b	1176	SER
1	A	834	LEU
1	A	1699	ALA
1	A	1875	LYS
1	A	2264	GLU
1	A	2405	GLU
2	B	541	VAL
1	a	834	LEU
1	a	1699	ALA
1	a	1875	LYS
1	a	2264	GLU
1	a	2405	GLU
2	b	541	VAL
1	A	348	SER
1	A	712	ILE
1	a	348	SER
1	a	712	ILE
1	A	331	VAL
1	A	1027	ILE
1	a	331	VAL
1	a	1027	ILE
1	A	761	VAL
1	A	1008	ILE
1	A	1636	ILE
2	B	130	VAL
2	B	164	VAL
1	a	761	VAL
1	a	1008	ILE
1	a	1636	ILE
2	b	130	VAL
2	b	164	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	644	VAL
1	A	2250	ILE
1	A	2504	VAL
3	C	265	PRO
1	a	644	VAL
1	a	2250	ILE
1	a	2504	VAL
3	c	265	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1487/2220 (67%)	1485 (100%)	2 (0%)	93	97
1	a	1487/2220 (67%)	1485 (100%)	2 (0%)	93	97
2	B	185/1163 (16%)	167 (90%)	18 (10%)	8	29
2	b	177/1163 (15%)	160 (90%)	17 (10%)	8	29
3	C	269/276 (98%)	269 (100%)	0	100	100
3	c	269/276 (98%)	269 (100%)	0	100	100
All	All	3874/7318 (53%)	3835 (99%)	39 (1%)	77	86

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	660	LEU
1	A	1632	ASP
2	B	90	PRO
2	B	92	SER
2	B	95	PRO
2	B	127	VAL
2	B	159	THR
2	B	421	THR
2	B	897	VAL
2	B	902	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	918	PRO
2	B	924	PRO
2	B	1036	PRO
2	B	1040	VAL
2	B	1065	PRO
2	B	1068	THR
2	B	1088	THR
2	B	1162	PRO
2	B	1214	VAL
2	B	1244	PRO
1	a	660	LEU
1	a	1632	ASP
2	b	90	PRO
2	b	92	SER
2	b	95	PRO
2	b	127	VAL
2	b	159	THR
2	b	421	THR
2	b	897	VAL
2	b	902	PRO
2	b	918	PRO
2	b	924	PRO
2	b	1036	PRO
2	b	1065	PRO
2	b	1068	THR
2	b	1088	THR
2	b	1162	PRO
2	b	1214	VAL
2	b	1244	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (100) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	597	HIS
1	A	601	GLN
1	A	609	HIS
1	A	612	ASN
1	A	686	HIS
1	A	694	GLN
1	A	701	ASN
1	A	722	ASN
1	A	743	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	829	GLN
1	A	966	HIS
1	A	1084	HIS
1	A	1112	HIS
1	A	1196	ASN
1	A	1202	HIS
1	A	1206	HIS
1	A	1405	GLN
1	A	1420	ASN
1	A	1424	GLN
1	A	1439	HIS
1	A	1604	GLN
1	A	1716	HIS
1	A	1718	GLN
1	A	1729	GLN
1	A	1970	GLN
1	A	1988	HIS
1	A	1989	ASN
1	A	1992	ASN
1	A	1997	ASN
1	A	2055	HIS
1	A	2071	ASN
1	A	2106	HIS
1	A	2147	ASN
1	A	2180	HIS
1	A	2219	ASN
1	A	2265	HIS
1	A	2395	ASN
1	A	2410	HIS
1	A	2428	ASN
1	A	2494	ASN
1	A	2535	HIS
2	B	1105	ASN
2	B	1177	HIS
3	C	132	ASN
3	C	140	GLN
3	C	153	HIS
3	C	164	GLN
3	C	219	HIS
3	C	242	GLN
3	C	251	ASN
1	a	597	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	a	601	GLN
1	a	609	HIS
1	a	612	ASN
1	a	686	HIS
1	a	694	GLN
1	a	701	ASN
1	a	722	ASN
1	a	743	HIS
1	a	829	GLN
1	a	966	HIS
1	a	1084	HIS
1	a	1112	HIS
1	a	1196	ASN
1	a	1202	HIS
1	a	1206	HIS
1	a	1405	GLN
1	a	1420	ASN
1	a	1424	GLN
1	a	1439	HIS
1	a	1541	HIS
1	a	1604	GLN
1	a	1716	HIS
1	a	1718	GLN
1	a	1729	GLN
1	a	1970	GLN
1	a	1988	HIS
1	a	1989	ASN
1	a	1992	ASN
1	a	1997	ASN
1	a	2055	HIS
1	a	2106	HIS
1	a	2147	ASN
1	a	2180	HIS
1	a	2219	ASN
1	a	2265	HIS
1	a	2395	ASN
1	a	2410	HIS
1	a	2428	ASN
1	a	2494	ASN
1	a	2535	HIS
2	b	1105	ASN
2	b	1177	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	c	132	ASN
3	c	140	GLN
3	c	153	HIS
3	c	164	GLN
3	c	219	HIS
3	c	242	GLN
3	c	251	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-6668. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 150



Y Index: 170



Z Index: 141

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.0142. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 541 nm^3 ; this corresponds to an approximate mass of 489 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.227\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-6668 and PDB model 5H64. Per-residue inclusion information can be found in section 3 on page 4.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0142 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0142).















9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 77% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.0142) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7653	 0.2490
A	 0.7328	 0.2560
B	 0.8373	 0.2700
C	 0.8400	 0.1710
a	 0.7326	 0.2550
b	 0.8360	 0.2700
c	 0.8371	 0.1680

