



Full wwPDB X-ray Structure Validation Report ⓘ

May 21, 2020 – 02:37 am BST

PDB ID : 1H7B
Title : Structural basis for allosteric substrate specificity regulation in class III ribonucleotide reductases, native NRDD
Authors : Larsson, K.-M.; Andersson, J.; Sjoeborg, B.-M.; Nordlund, P.; Logan, D.T.
Deposited on : 2001-07-04
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1544 (2.48-2.44)
Clashscore	141614	1613 (2.48-2.44)
Ramachandran outliers	138981	1598 (2.48-2.44)
Sidechain outliers	138945	1598 (2.48-2.44)
RSRZ outliers	127900	1523 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	605	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4328 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ANAEROBIC RIBONUCLEOTIDE-TRIPHOSPHATE REDUCTASE LARGE CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	534	4213	2684	711	793	25	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	580	ALA	GLY	engineered mutation	UNP Q9T0V5

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	P		
2	A	1	5	4	1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	110	Total 110	O 110	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	98.02Å 98.02Å 242.42Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.87 – 2.45 19.86 – 2.45	Depositor EDS
% Data completeness (in resolution range)	94.8 (19.87-2.45) 94.9 (19.86-2.45)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.91 (at 2.44Å)	Xtrriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.224 , 0.258 0.225 , 0.258	Depositor DCC
R_{free} test set	3548 reflections (8.45%)	wwPDB-VP
Wilson B-factor (Å ²)	52.8	Xtrriage
Anisotropy	0.257	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 56.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4328	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.66	0/4306	0.84	6/5830 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	451	ARG	NE-CZ-NH2	-7.68	116.46	120.30
1	A	573	ASN	N-CA-C	-6.17	94.34	111.00
1	A	374	GLY	N-CA-C	6.11	128.37	113.10
1	A	451	ARG	NE-CZ-NH1	5.58	123.09	120.30
1	A	243	ASN	N-CA-C	5.12	124.82	111.00
1	A	268	ASP	N-CA-C	-5.07	97.31	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	139	TYR	Sidechain

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4213	0	4174	161	0
2	A	5	0	0	0	0
3	A	110	0	0	2	0
All	All	4328	0	4174	161	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (161) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:539:PRO:HB3	1:A:576:ARG:HH21	1.20	1.05
1:A:29:VAL:HG13	1:A:31:PRO:HD2	1.48	0.94
1:A:189:ASN:OD1	1:A:191:GLN:HB2	1.73	0.89
1:A:246:LYS:HD2	1:A:246:LYS:H	1.37	0.88
1:A:410:LEU:HD21	1:A:466:VAL:HG21	1.60	0.83
1:A:541:ASP:OD1	1:A:574:THR:HG22	1.78	0.83
1:A:420:LEU:HD12	1:A:423:MET:CE	2.09	0.82
1:A:420:LEU:HD12	1:A:423:MET:HE2	1.62	0.79
1:A:539:PRO:HB3	1:A:576:ARG:NH2	1.96	0.79
1:A:584:ASN:OD1	1:A:586:ASN:HB2	1.83	0.78
1:A:31:PRO:HB2	1:A:190:GLY:HA3	1.66	0.77
1:A:233:LYS:NZ	1:A:290:CYS:SG	2.53	0.76
1:A:492:ARG:HB2	1:A:492:ARG:HH11	1.51	0.75
1:A:185:LEU:HD11	1:A:193:PRO:HG2	1.69	0.74
1:A:151:ALA:HA	1:A:156:ILE:HD12	1.68	0.74
1:A:113:ALA:HB1	1:A:181:GLU:HG2	1.68	0.73
1:A:265:MET:HG2	1:A:582:LEU:HD21	1.69	0.73
1:A:492:ARG:CB	1:A:492:ARG:HH11	2.02	0.72
1:A:180:TYR:O	1:A:184:THR:HG23	1.90	0.72
1:A:311:ASN:ND2	1:A:313:GLY:H	1.89	0.71
1:A:166:LYS:HA	1:A:166:LYS:HE2	1.71	0.71
1:A:27:SER:HA	1:A:32:THR:HG21	1.70	0.71
1:A:29:VAL:CG1	1:A:31:PRO:HD2	2.20	0.71
1:A:301:THR:HG22	1:A:301:THR:O	1.92	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:513:MET:HG3	1:A:538:MET:CE	2.22	0.70
1:A:321:ARG:HD3	1:A:456:ASP:OD1	1.93	0.68
1:A:513:MET:HG3	1:A:538:MET:HE2	1.77	0.67
1:A:459:LYS:HD3	1:A:460:TYR:CE2	2.30	0.67
1:A:246:LYS:CD	1:A:246:LYS:H	2.09	0.65
1:A:410:LEU:CD2	1:A:466:VAL:HG21	2.27	0.65
1:A:240:GLU:HA	1:A:244:LEU:CD2	2.27	0.65
1:A:240:GLU:HG3	1:A:245:TYR:CE2	2.31	0.64
1:A:236:MET:HE1	1:A:253:ILE:HG22	1.81	0.63
1:A:574:THR:O	1:A:575:ILE:HD13	1.98	0.63
1:A:576:ARG:HH11	1:A:576:ARG:CG	2.11	0.62
1:A:240:GLU:HA	1:A:244:LEU:HD21	1.81	0.62
1:A:484:ILE:HG23	1:A:488:GLU:CG	2.30	0.62
1:A:244:LEU:HD23	1:A:244:LEU:H	1.63	0.62
1:A:484:ILE:HG22	1:A:485:THR:O	2.00	0.61
1:A:240:GLU:HG3	1:A:245:TYR:HE2	1.66	0.60
1:A:312:LEU:HD13	1:A:395:SER:HB3	1.84	0.59
1:A:419:ILE:O	1:A:423:MET:HG3	2.03	0.59
1:A:94:LEU:HD11	1:A:118:GLN:HG3	1.85	0.58
1:A:341:PHE:CE1	1:A:419:ILE:HD11	2.38	0.58
1:A:50:VAL:HG11	1:A:55:MET:HE2	1.85	0.58
1:A:542:LYS:O	1:A:572:MET:N	2.28	0.58
1:A:520:LEU:HG	1:A:538:MET:CE	2.34	0.58
1:A:263:LYS:HG2	1:A:514:LYS:HD3	1.85	0.57
1:A:185:LEU:O	1:A:185:LEU:HD12	2.04	0.56
1:A:335:GLN:NE2	1:A:335:GLN:HA	2.20	0.56
1:A:146:LYS:O	1:A:150:ASP:HB2	2.06	0.56
1:A:510:LEU:HD23	1:A:538:MET:HE2	1.87	0.56
1:A:263:LYS:C	1:A:264:ARG:HG2	2.27	0.56
1:A:198:THR:HG22	1:A:235:VAL:HB	1.88	0.55
1:A:492:ARG:HH11	1:A:492:ARG:CG	2.19	0.55
1:A:484:ILE:HG23	1:A:488:GLU:HB3	1.89	0.55
1:A:98:GLN:HG3	3:A:2019:HOH:O	2.07	0.55
1:A:55:MET:O	1:A:59:GLU:HG2	2.07	0.54
1:A:273:LYS:NZ	1:A:529:GLN:HE22	2.06	0.53
1:A:484:ILE:HG23	1:A:488:GLU:HG3	1.88	0.53
1:A:84:LEU:HA	1:A:87:MET:HE2	1.91	0.53
1:A:240:GLU:CA	1:A:244:LEU:HD21	2.39	0.53
1:A:328:ILE:HD11	3:A:2030:HOH:O	2.08	0.53
1:A:93:LYS:O	1:A:373:GLU:HG3	2.09	0.53
1:A:485:THR:HG23	1:A:488:GLU:CB	2.38	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:520:LEU:HG	1:A:538:MET:HE1	1.90	0.52
1:A:510:LEU:HD22	1:A:536:VAL:CG1	2.40	0.52
1:A:131:ASN:O	1:A:135:VAL:HG23	2.11	0.51
1:A:427:LEU:HD12	1:A:430:TRP:CE3	2.46	0.51
1:A:485:THR:HG23	1:A:488:GLU:HB2	1.92	0.51
1:A:87:MET:CE	1:A:115:ILE:HD13	2.41	0.51
1:A:576:ARG:HH11	1:A:576:ARG:HG3	1.76	0.51
1:A:194:PHE:N	1:A:194:PHE:CD1	2.77	0.50
1:A:233:LYS:HG2	1:A:266:TYR:OH	2.10	0.50
1:A:542:LYS:C	1:A:572:MET:H	2.10	0.50
1:A:576:ARG:CG	1:A:576:ARG:NH1	2.71	0.50
1:A:511:PRO:O	1:A:513:MET:HG2	2.11	0.50
1:A:527:ALA:HB1	1:A:531:LEU:HD11	1.94	0.50
1:A:241:GLY:HA2	1:A:248:ASP:OD1	2.11	0.50
1:A:189:ASN:CG	1:A:191:GLN:HB2	2.32	0.49
1:A:129:PHE:HB2	1:A:197:ILE:HD13	1.94	0.49
1:A:181:GLU:HG3	1:A:185:LEU:HD23	1.94	0.49
1:A:144:TYR:CE1	1:A:163:ALA:HB1	2.48	0.48
1:A:147:HIS:CE1	1:A:166:LYS:HB3	2.48	0.48
1:A:87:MET:HE3	1:A:115:ILE:HD13	1.94	0.48
1:A:204:ASP:HB3	1:A:207:GLU:HG3	1.94	0.48
1:A:419:ILE:HG23	1:A:420:LEU:HD13	1.96	0.48
1:A:60:SER:OG	1:A:62:ILE:HG12	2.14	0.48
1:A:576:ARG:HG3	1:A:585:PRO:HG3	1.95	0.48
1:A:478:VAL:HG21	1:A:489:LYS:HG3	1.96	0.48
1:A:205:TRP:CE2	1:A:206:THR:HG23	2.48	0.48
1:A:372:GLN:HG2	1:A:380:LEU:O	2.14	0.47
1:A:205:TRP:CZ2	1:A:206:THR:HG23	2.50	0.47
1:A:508:VAL:CG1	1:A:510:LEU:HD13	2.44	0.47
1:A:489:LYS:NZ	1:A:493:GLU:OE2	2.47	0.47
1:A:84:LEU:HA	1:A:87:MET:CE	2.44	0.47
1:A:484:ILE:HD11	1:A:492:ARG:HH22	1.80	0.46
1:A:508:VAL:HG12	1:A:510:LEU:HD13	1.97	0.46
1:A:510:LEU:HD22	1:A:536:VAL:HG13	1.98	0.46
1:A:238:VAL:HG23	1:A:238:VAL:O	2.15	0.46
1:A:185:LEU:HD12	1:A:185:LEU:C	2.36	0.46
1:A:140:VAL:CG1	1:A:206:THR:HG22	2.46	0.46
1:A:233:LYS:HG2	1:A:266:TYR:CZ	2.51	0.46
1:A:513:MET:HG3	1:A:538:MET:HE1	1.95	0.46
1:A:517:LEU:HD12	1:A:517:LEU:N	2.31	0.46
1:A:208:ARG:HD2	1:A:250:ASN:OD1	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:215:LEU:HD11	1:A:236:MET:HE3	1.96	0.45
1:A:301:THR:CG2	1:A:301:THR:O	2.63	0.45
1:A:246:LYS:HD2	1:A:246:LYS:N	2.18	0.45
1:A:186:PHE:HD2	1:A:190:GLY:HA2	1.81	0.45
1:A:335:GLN:HE21	1:A:335:GLN:HA	1.82	0.45
1:A:372:GLN:NE2	1:A:382:PRO:HG3	2.31	0.45
1:A:199:PHE:HE1	1:A:236:MET:HE3	1.82	0.45
1:A:484:ILE:HG23	1:A:488:GLU:CB	2.46	0.44
1:A:291:ARG:O	1:A:503:GLY:HA2	2.17	0.44
1:A:488:GLU:OE1	1:A:488:GLU:HA	2.17	0.44
1:A:204:ASP:O	1:A:208:ARG:HG3	2.17	0.44
1:A:93:LYS:HE2	1:A:95:GLY:O	2.17	0.44
1:A:349:PHE:HB2	1:A:430:TRP:CZ2	2.52	0.44
1:A:359:LEU:HB2	1:A:387:ILE:HD13	1.99	0.43
1:A:138:PRO:HA	1:A:141:LYS:HE2	2.01	0.43
1:A:154:TRP:O	1:A:155:GLN:C	2.56	0.43
1:A:78:ASN:HD22	1:A:311:ASN:ND2	2.16	0.43
1:A:311:ASN:HD21	1:A:313:GLY:H	1.64	0.43
1:A:541:ASP:HA	1:A:573:ASN:O	2.18	0.43
1:A:290:CYS:HB3	1:A:291:ARG:HD3	2.00	0.43
1:A:116:THR:HG1	1:A:129:PHE:HE2	1.64	0.43
1:A:199:PHE:HE1	1:A:236:MET:CE	2.31	0.43
1:A:411:VAL:HG21	1:A:415:ILE:CD1	2.49	0.43
1:A:419:ILE:HA	1:A:419:ILE:HD12	1.89	0.43
1:A:278:ILE:HD13	1:A:497:HIS:O	2.19	0.43
1:A:400:GLY:HA2	1:A:441:TYR:O	2.18	0.43
1:A:43:LYS:HG2	1:A:68:ILE:HG23	2.01	0.43
1:A:176:GLN:HB2	1:A:217:ASN:OD1	2.19	0.42
1:A:30:PHE:HB2	1:A:31:PRO:HD3	2.01	0.42
1:A:402:ILE:HG12	1:A:403:GLY:N	2.34	0.42
1:A:577:ARG:HB2	1:A:582:LEU:HD23	2.01	0.42
1:A:492:ARG:NH1	1:A:492:ARG:CG	2.81	0.42
1:A:181:GLU:CG	1:A:185:LEU:HD23	2.50	0.42
1:A:471:TRP:HD1	1:A:472:TYR:O	2.03	0.42
1:A:298:LYS:HA	1:A:303:ASN:O	2.20	0.42
1:A:314:VAL:HG22	1:A:398:SER:HB2	2.01	0.42
1:A:137:SER:HB3	1:A:138:PRO:HD3	2.01	0.42
1:A:240:GLU:HA	1:A:244:LEU:HD23	2.00	0.41
1:A:484:ILE:CG2	1:A:488:GLU:HB3	2.49	0.41
1:A:540:VAL:HG13	1:A:575:ILE:HB	2.01	0.41
1:A:53:PHE:HZ	1:A:350:GLU:HG2	1.85	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:167:THR:HG22	1:A:209:MET:HE3	2.03	0.41
1:A:218:ARG:O	1:A:264:ARG:CD	2.68	0.41
1:A:218:ARG:NH2	1:A:232:PRO:O	2.43	0.41
1:A:167:THR:HG22	1:A:209:MET:CE	2.50	0.41
1:A:478:VAL:HG12	1:A:492:ARG:HD2	2.03	0.41
1:A:393:GLY:HA2	1:A:437:ALA:HB2	2.03	0.41
1:A:176:GLN:O	1:A:180:TYR:HD1	2.03	0.40
1:A:199:PHE:O	1:A:236:MET:HA	2.21	0.40
1:A:218:ARG:O	1:A:264:ARG:HD2	2.21	0.40
1:A:68:ILE:HA	1:A:71:SER:O	2.21	0.40
1:A:240:GLU:HG3	1:A:245:TYR:CD2	2.57	0.40
1:A:140:VAL:HG11	1:A:209:MET:HE2	2.04	0.40
1:A:148:ILE:HA	1:A:148:ILE:HD13	1.85	0.40
1:A:240:GLU:CG	1:A:245:TYR:HE2	2.34	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	532/605 (88%)	492 (92%)	33 (6%)	7 (1%)	12 11

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	157	ALA
1	A	159	ALA
1	A	242	VAL
1	A	246	LYS
1	A	572	MET
1	A	543	CYS
1	A	475	SER

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	460/524 (88%)	426 (93%)	34 (7%)	13 16

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	29	VAL
1	A	36	LEU
1	A	47	LYS
1	A	96	ASN
1	A	103	LYS
1	A	104	SER
1	A	142	ARG
1	A	150	ASP
1	A	181	GLU
1	A	192	THR
1	A	195	VAL
1	A	206	THR
1	A	216	LYS
1	A	218	ARG
1	A	264	ARG
1	A	291	ARG
1	A	306	LEU
1	A	312	LEU
1	A	317	LEU
1	A	354	CYS
1	A	355	ARG
1	A	366	VAL
1	A	413	ARG
1	A	427	LEU
1	A	433	ARG
1	A	440	LEU
1	A	485	THR
1	A	492	ARG
1	A	510	LEU
1	A	520	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	540	VAL
1	A	574	THR
1	A	576	ARG
1	A	586	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	ASN
1	A	191	GLN
1	A	311	ASN
1	A	335	GLN
1	A	372	GLN
1	A	426	HIS
1	A	474	ASN
1	A	529	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PO4	A	1588	-	4,4,4	1.34	0	6,6,6	0.45	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	534/605 (88%)	0.11	24 (4%) 33 30	33, 54, 88, 101	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	543	CYS	8.6
1	A	587	GLU	4.8
1	A	572	MET	4.7
1	A	483	ASN	4.6
1	A	26	ASP	3.9
1	A	484	ILE	3.8
1	A	155	GLN	3.7
1	A	27	SER	3.7
1	A	586	ASN	3.6
1	A	319	LEU	3.4
1	A	152	GLU	2.7
1	A	481	GLU	2.7
1	A	247	ASP	2.6
1	A	585	PRO	2.4
1	A	162	TYR	2.4
1	A	322	ILE	2.4
1	A	320	PRO	2.3
1	A	210	ILE	2.2
1	A	488	GLU	2.1
1	A	515	ASN	2.1
1	A	480	VAL	2.1
1	A	149	GLU	2.1
1	A	485	THR	2.0
1	A	164	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	PO4	A	1588	5/5	0.97	0.16	60,64,70,73	0

6.5 Other polymers [i](#)

There are no such residues in this entry.