

Full wwPDB X-ray Structure Validation Report (i)

Dec 4, 2023 – 12:29 PM JST

PDB ID : 8HFV

Title : Crystal structure of CTSL in complex with K777

Authors: Wang, H.; Shao, M.; Sun, L.; Yang, H.

Deposited on : 2022-11-12

Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4.02b-467

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.36

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
Wiedrie	$(\# \mathrm{Entries})$	$(\# ext{Entries}, ext{ resolution range}(ext{Å}))$
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	A	220	93%	7%
1	В	220	90%	8% •
1	С	220	92%	7% •
1	D	220	93%	7%



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 7575 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Procathepsin L.


Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Λ	220	Total	С	N	О	S	0	0	0
1	A	220	1690	1057	280	340	13	U	U	
1	В	216	Total	С	N	О	S	0	0	0
1	Ъ	210	1653	1038	271	331	13	0	0	
1	С	218	Total	С	N	О	S	0	0	0
1		210	1672	1048	276	335	13	0	U	
1	D	220	Total	С	N	О	S	0	1	0
1	ש	220	1692	1059	278	342	13			

• Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	7	Total Zn 7 7	0	0
2	В	7	Total Zn 7 7	0	0
2	С	7	Total Zn 7 7	0	0
2	D	7	$\begin{array}{cc} \text{Total} & \text{Zn} \\ 7 & 7 \end{array}$	0	0

• Molecule 3 is CACODYLATE ION (three-letter code: CAC) (formula: C₂H₆AsO₂) (labeled as "Ligand of Interest" by depositor).






Mol	Chain	Residues	A	Aton	ıs		ZeroOcc	AltConf	
3	A	1	Total	As	С	О	0	0	
3	А	1	5	1	2	2	0	0	
3	A	1	Total	As	С	О	0	0	
3	Λ	1	5	1	2	2	0	U	
3	В	1	Total	As	С	Ο	0	0	
	ט	1	5	1	2	2	0	U	
3	В	1	Total	As	С	О	0	0	
	D	1	5	1	2	2	0		
3	$^{\mathrm{C}}$	1	Total	As	\mathbf{C}	Ο	0	0	
)	1	5	1	2	2	O	U	
3	\mathbf{C}	1	Total	As	\mathbf{C}	Ο	0	0	
	0	1	5	1	2	2	O	U	
3	D	1	Total	As	С	O	0	0	
	D	1	5	1	2	2	0	J	
3	D	1	Total	As	\mathbf{C}	Ο	0	0	
	ט	1	5	1	2	2			

• Molecule 4 is Nalpha-[(4-methylpiperazin-1-yl)carbonyl]-N-[(3S)-1-phenyl-5-(phenylsulf onyl)pentan-3-yl]-L-phenylalaninamide (three-letter code: 0IW) (formula: $C_{32}H_{40}N_4O_4S$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
1	Λ	1	Total	С	N	О	S	0	0
4	Λ	1	41	32	4	4	1	U	U
1	B	1	Total	С	N	О	S	0	0
4	Ъ	1	41	32	4	4	1	0	0
4	C	1	Total	С	N	О	S	0	0
4		1	41	32	4	4	1	0	0
1	D	1	Total	С	N	О	S	0	0
4	ש	1	41	32	4	4	1	0	0

• Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	168	Total O 168 168	0	0
5	В	167	Total O 167 167	0	0
5	С	152	Total O 152 152	0	0
5	D	149	Total O 149 149	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Procathepsin L





4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	163.15Å 38.30Å 147.39Å	Donositon
a, b, c, α , β , γ	90.00° 103.97° 90.00°	Depositor
Resolution (Å)	47.68 - 2.10	Depositor
Resolution (A)	47.68 - 2.10	EDS
% Data completeness	98.5 (47.68-2.10)	Depositor
(in resolution range)	98.5 (47.68-2.10)	EDS
R_{merge}	0.19	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.09 (at 2.10Å)	Xtriage
Refinement program	PHENIX 1.20.1-4487-000	Depositor
D D.	0.197 , 0.242	Depositor
R, R_{free}	0.197 , 0.242	DCC
R_{free} test set	1999 reflections (3.83%)	wwPDB-VP
Wilson B-factor (Å ²)	21.4	Xtriage
Anisotropy	0.612	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.39, 50.5	EDS
L-test for twinning ²	$ < L > = 0.47, < L^2> = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7575	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 43.18 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.8320e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, 0IW, CAC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
IVIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	A	0.28	0/1732	0.50	0/2343	
1	В	0.30	0/1694	0.51	0/2291	
1	С	0.28	0/1713	0.50	0/2316	
1	D	0.27	0/1734	0.50	0/2346	
All	All	0.28	0/6873	0.50	0/9296	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1690	0	1557	12	0
1	В	1653	0	1516	14	0
1	С	1672	0	1533	12	0
1	D	1692	0	1554	10	0
2	A	7	0	0	0	0
2	В	7	0	0	0	0
2	С	7	0	0	0	0
2	D	7	0	0	0	0
3	A	10	0	0	0	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	В	10	0	0	0	0
3	С	10	0	0	0	0
3	D	10	0	0	0	0
4	A	41	0	39	1	0
4	В	41	0	39	1	0
4	С	41	0	39	1	0
4	D	41	0	39	2	0
5	A	168	0	0	3	0
5	В	167	0	0	0	0
5	С	152	0	0	4	0
5	D	149	0	0	1	0
All	All	7575	0	6316	47	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (47) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:52:ASN:HD21	1:D:100:TYR:HD1	1.47	0.63
1:B:52:ASN:HD22	1:B:84:ASP:H	1.50	0.59
1:A:150:ILE:HD11	1:A:173:GLU:HG3	1.84	0.59
1:D:163:HIS:ND1	4:D:310:0IW:H11	2.20	0.57
1:B:195:MET:HE3	1:B:200:LYS:HG3	1.87	0.56
1:C:52:ASN:HD22	1:C:84:ASP:H	1.54	0.56
1:D:176:GLU:H	1:D:176:GLU:CD	2.09	0.56
1:C:7:TRP:CE2	1:C:130:GLY:HA2	2.42	0.55
1:B:195:MET:CE	1:B:200:LYS:HG3	2.36	0.54
1:C:117:LYS:NZ	5:C:410:HOH:O	2.40	0.53
1:A:52:ASN:HD21	1:A:100:TYR:HD1	1.55	0.53
1:B:173:GLU:OE2	1:B:200:LYS:HE3	2.09	0.53
1:A:163:HIS:ND1	4:A:310:0IW:H11	2.24	0.53
1:B:163:HIS:ND1	4:B:310:0IW:H11	2.24	0.52
1:C:52:ASN:ND2	1:C:84:ASP:H	2.07	0.51
1:A:191:GLU:OE1	1:A:191:GLU:N	2.36	0.51
1:C:118:GLN:HG3	1:C:121:ALA:CB	2.40	0.51
1:A:52:ASN:HD22	1:A:84:ASP:H	1.58	0.50
1:C:163:HIS:ND1	4:C:310:0IW:H11	2.26	0.50
1:D:148:GLU:HG2	1:D:195:MET:SD	2.51	0.49
1:D:7:TRP:CE2	1:D:130:GLY:HA2	2.47	0.49
1:B:52:ASN:ND2	1:B:84:ASP:H	2.09	0.49



Continued from previous page...

A + 1		Interatomic	Clash
Atom-1	Atom-2	${\rm distance}(\mathring{\rm A})$	overlap (Å)
1:B:121:ALA:O	1:B:124:LYS:HD3	2.13	0.49
1:D:161:MET:SD	1:D:161:MET:N	2.86	0.49
1:B:52:ASN:HD21	1:B:100:TYR:HD1	1.60	0.49
1:C:90:PRO:HA	5:C:401:HOH:O	2.12	0.48
1:C:118:GLN:HG3	1:C:121:ALA:HB3	1.95	0.48
1:B:180:ASN:N	1:B:180:ASN:OD1	2.47	0.48
1:C:86:GLU:O	5:C:401:HOH:O	2.20	0.48
1:D:67:GLY:HA2	4:D:310:0IW:O1	2.14	0.48
1:A:181:LYS:HE3	5:A:551:HOH:O	2.13	0.47
1:A:65:CYS:N	1:A:95:GLU:OE2	2.44	0.47
1:C:118:GLN:HE21	1:C:121:ALA:HB2	1.79	0.47
1:A:7:TRP:CE2	1:A:130:GLY:HA2	2.50	0.47
1:A:52:ASN:ND2	1:A:84:ASP:H	2.14	0.45
1:D:108:ASN:HB2	5:D:488:HOH:O	2.16	0.45
1:B:7:TRP:CE2	1:B:130:GLY:HA2	2.52	0.44
1:A:95:GLU:OE1	5:A:401:HOH:O	2.21	0.43
1:D:21:GLN:NE2	1:D:21:GLN:HA	2.33	0.43
1:B:121:ALA:HA	1:B:124:LYS:HD3	1.99	0.43
1:C:40:ARG:NH1	5:C:412:HOH:O	2.43	0.43
1:A:118:GLN:NE2	5:A:412:HOH:O	2.46	0.42
1:B:8:ARG:NH2	1:B:184:LEU:HD21	2.34	0.42
1:A:191:GLU:H	1:A:191:GLU:CD	2.21	0.41
1:B:103:LYS:HG2	1:D:44:ARG:HG3	2.03	0.41
1:B:8:ARG:HD3	1:B:198:TYR:CE2	2.57	0.40
1:C:172:PHE:HA	1:C:180:ASN:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	218/220 (99%)	215 (99%)	3 (1%)	0	100	100



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	В	212/220 (96%)	209 (99%)	3 (1%)	0	100	100
1	С	214/220 (97%)	206 (96%)	8 (4%)	0	100	100
1	D	219/220 (100%)	213 (97%)	6 (3%)	0	100	100
All	All	863/880 (98%)	843 (98%)	20 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	177/179 (99%)	175 (99%)	2 (1%)	73 79
1	В	171/179 (96%)	167 (98%)	4 (2%)	50 55
1	С	173/179 (97%)	170 (98%)	3 (2%)	60 67
1	D	177/179 (99%)	175 (99%)	2 (1%)	73 79
All	All	698/716 (98%)	687 (98%)	11 (2%)	62 69

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	89	TYR
1	A	156	CYS
1	В	89	TYR
1	В	124	LYS
1	В	155	ASP
1	В	156	CYS
1	С	89	TYR
1	С	156	CYS
1	С	176	GLU
1	D	89	TYR
1	D	156	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10)



such sidechains are listed below:

Mol	Chain	Res	Type
1	A	52	ASN
1	A	118	GLN
1	В	21	GLN
1	В	52	ASN
1	В	78	GLN
1	С	52	ASN
1	С	108	ASN
1	С	118	GLN
1	D	21	GLN
1	D	52	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 40 ligands modelled in this entry, 28 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Trino	Chain	Res	Link	Bond lengths			Bond angles		
MIOI	Type	Chain	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	CAC	С	308	2	0,4,4	-	-	0,6,6	-	-
3	CAC	D	309	2	0,4,4	-	-	0,6,6	-	-
4	0IW	D	310	1	44,44,44	0.45	1 (2%)	56,59,59	0.44	0



Mol	Т	Chain	Res	Link	Bo	ond leng	ths	Bond angles		
MIOI	Type	Chain	nes	Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	CAC	В	309	2	0,4,4	-	-	0,6,6	-	-
3	CAC	A	309	2	0,4,4	-	-	0,6,6	-	-
4	0IW	В	310	1	44,44,44	0.44	1 (2%)	56,59,59	0.37	0
3	CAC	В	308	2	0,4,4	-	-	0,6,6	-	-
3	CAC	С	309	2	0,4,4	-	-	0,6,6	-	-
3	CAC	D	308	2	0,4,4	-	-	0,6,6	-	-
4	0IW	С	310	1	44,44,44	0.53	1 (2%)	56,59,59	0.41	0
4	0IW	A	310	1	44,44,44	0.43	1 (2%)	56,59,59	0.38	0
3	CAC	A	308	2	0,4,4	-	-	0,6,6	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	0IW	A	310	1	-	6/37/47/47	0/4/4/4
4	0IW	D	310	1	-	4/37/47/47	0/4/4/4
4	0IW	С	310	1	-	4/37/47/47	1/4/4/4
4	0IW	В	310	1	-	6/37/47/47	1/4/4/4

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(\operatorname{\AA})$	$\operatorname{Ideal}(ext{\AA})$
4	С	310	0IW	C-N	-3.16	1.27	1.35
4	D	310	0IW	C-N	-2.57	1.29	1.35
4	В	310	0IW	C-N	-2.54	1.29	1.35
4	A	310	0IW	C-N	-2.50	1.29	1.35

There are no bond angle outliers.

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	310	0IW	C21-C11-S1-O11
4	В	310	0IW	C21-C11-S1-C41
4	В	310	0IW	C21-C11-S1-O11
4	В	310	0IW	C21-C11-S1-O2
4	С	310	0IW	C21-C11-S1-C41



Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	С	310	0IW	C21-C11-S1-O11
4	С	310	0IW	C21-C11-S1-O2
4	D	310	0IW	C21-C11-S1-O11
4	A	310	0IW	S1-C11-C21-C31
4	В	310	0IW	S1-C11-C21-C31
4	С	310	0IW	S1-C11-C21-C31
4	D	310	0IW	S1-C11-C21-C31
4	A	310	0IW	C21-C11-S1-C41
4	A	310	0IW	C21-C11-S1-O2
4	D	310	0IW	C21-C11-S1-C41
4	D	310	0IW	C21-C11-S1-O2
4	A	310	0IW	CA-CB-CG-CD2
4	A	310	0IW	CA-CB-CG-CD1
4	В	310	0IW	CA-CB-CG-CD2
4	В	310	0IW	CA-CB-CG-CD1

All (2) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	В	310	0IW	C2-C3-C5-C6-N1-N4
4	С	310	0IW	C2-C3-C5-C6-N1-N4

4 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	310	0IW	2	0
4	В	310	0IW	1	0
4	С	310	0IW	1	0
4	A	310	0IW	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



























































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	$\#\mathrm{RSRZ}{>}2$	$OWAB(A^2)$	Q < 0.9
1	A	$220/220 \; (100\%)$	0.09	1 (0%) 91 92	14, 21, 36, 57	4 (1%)
1	В	$216/220\ (98\%)$	0.06	4 (1%) 66 71	15, 22, 35, 57	1 (0%)
1	С	218/220 (99%)	0.13	5 (2%) 60 65	15, 22, 36, 69	3 (1%)
1	D	$220/220 \; (100\%)$	0.08	3 (1%) 75 78	15, 22, 35, 48	3 (1%)
All	All	874/880 (99%)	0.09	13 (1%) 73 77	14, 22, 36, 69	11 (1%)

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	178	ASP	6.3
1	В	179	ASN	5.2
1	A	1	ALA	5.0
1	С	179	ASN	4.6
1	В	1	ALA	3.9
1	D	1	ALA	3.6
1	С	177	SER	3.4
1	С	1	ALA	2.7
1	В	180	ASN	2.5
1	D	204	ASP	2.5
1	С	180	ASN	2.3
1	В	192	GLU	2.0
1	D	179	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\operatorname{B-factors}(\mathring{\mathbf{A}}^2)$	Q < 0.9
2	ZN	С	307	1/1	0.82	0.31	94,94,94,94	0
2	ZN	В	306	1/1	0.85	0.15	25,25,25,25	1
2	ZN	D	306	1/1	0.85	0.14	33,33,33,33	1
2	ZN	В	307	1/1	0.91	0.07	75,75,75,75	0
2	ZN	D	307	1/1	0.91	0.15	89,89,89,89	0
2	ZN	С	306	1/1	0.92	0.17	32,32,32,32	1
2	ZN	A	307	1/1	0.92	0.18	24,24,24,24	1
2	ZN	В	301	1/1	0.93	0.05	46,46,46,46	0
2	ZN	D	305	1/1	0.94	0.07	40,40,40,40	1
4	0IW	A	310	41/41	0.94	0.12	13,20,28,34	0
2	ZN	A	306	1/1	0.95	0.12	40,40,40,40	1
4	0IW	В	310	41/41	0.95	0.11	15,20,29,34	0
4	0IW	С	310	41/41	0.95	0.13	13,20,29,36	0
4	0IW	D	310	41/41	0.95	0.17	15,21,29,34	0
2	ZN	A	305	1/1	0.97	0.10	67,67,67,67	0
2	ZN	A	302	1/1	0.97	0.14	23,23,23,23	0
2	ZN	D	301	1/1	0.97	0.05	42,42,42,42	0
2	ZN	С	301	1/1	0.97	0.07	48,48,48,48	0
2	ZN	С	305	1/1	0.97	0.06	32,32,32,32	1
3	CAC	В	309	5/5	0.98	0.11	26,30,31,39	0
3	CAC	D	308	5/5	0.98	0.13	13,21,26,29	0
3	CAC	D	309	5/5	0.98	0.12	27,29,42,43	0
2	ZN	В	305	1/1	0.98	0.08	32,32,32,32	1
2	ZN	С	302	1/1	0.98	0.09	19,19,19,19	0
2	ZN	D	302	1/1	0.98	0.08	22,22,22,22	0
3	CAC	A	308	5/5	0.98	0.12	16,19,25,25	0
2	ZN	В	304	1/1	0.99	0.10	29,29,29,29	0
2	ZN	A	303	1/1	0.99	0.07	23,23,23,23	0
3	CAC	A	309	5/5	0.99	0.08	24,32,33,43	0
3	CAC	В	308	5/5	0.99	0.11	18,18,27,28	0
2	ZN	A	304	1/1	0.99	0.12	29,29,29,29	0
3	CAC	С	308	5/5	0.99	0.11	27,28,29,42	0



Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q<0.9
3	CAC	С	309	5/5	0.99	0.12	15,19,26,29	0
2	ZN	A	301	1/1	0.99	0.04	44,44,44,44	0
2	ZN	В	302	1/1	0.99	0.08	22,22,22,22	0
2	ZN	D	303	1/1	0.99	0.08	23,23,23,23	0
2	ZN	D	304	1/1	0.99	0.09	30,30,30,30	0
2	ZN	В	303	1/1	0.99	0.07	22,22,22,22	0
2	ZN	С	303	1/1	0.99	0.09	21,21,21,21	0
2	ZN	С	304	1/1	1.00	0.09	27,27,27,27	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ZN C 307:


 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)















Electron density around ZN D 306: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)




Electron density around ZN B 307:

 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)












Electron density around ZN D 307:


 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)



























Electron density around ZN D 305:























Electron density around 0IW C 310:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 0IW D 310:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)












Electron density around ZN A 305:










Electron density around ZN A 302: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)





Electron density around ZN D 301: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)



Electron density around ZN C 301:













Electron density around ZN C 305:















Electron density around CAC D 308: $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)









Electron density around ZN B 305:












Electron density around ZN C 302: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around ZN D 302:












Electron density around CAC A 308:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)














Electron density around ZN A 303:











Electron density around CAC A 309: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around ZN A 304:




















Electron density around ZN A 301: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)















Electron density around ZN B 303: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)









6.5 Other polymers (i)

There are no such residues in this entry.

