



Full wwPDB X-ray Structure Validation Report i

Jan 30, 2024 – 01:55 PM EST

PDB ID : 1HIW
Title : TRIMERIC HIV-1 MATRIX PROTEIN
Authors : Hill, C.P.; Worthylake, D.; Bancroft, D.P.; Christensen, A.M.; Sundquist, W.I.
Deposited on : 1996-02-28
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	Q	1003	-	-	X	-

2 Entry composition [\(i\)](#)


There are 3 unique types of molecules in this entry. The entry contains 5488 atoms, of which 140 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HIV-1 MATRIX PROTEIN.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	A	115	Total	C 915	N 573	O 166	S 174	2	0
1	B	110	Total	C 870	N 547	O 158	S 163	2	0
1	C	113	Total	C 898	N 563	O 163	S 170	2	0
1	Q	105	Total	C 838	N 526	O 151	S 159	2	0
1	R	112	Total	C 901	N 565	O 164	S 170	2	0
1	S	103	Total	C 816	N 515	O 148	S 151	2	0

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	Q	1	Total O S 5 4 1	0	0
2	R	1	Total O S 5 4 1	0	0
2	R	1	Total O S 5 4 1	0	0
2	R	1	Total O S 5 4 1	0	0
2	S	1	Total O S 5 4 1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	13	Total H O 39 26 13	0	0
3	B	3	Total H O 9 6 3	0	0
3	C	9	Total H O 27 18 9	0	0
3	Q	15	Total H O 45 30 15	0	0
3	R	20	Total H O 60 40 20	0	0
3	S	10	Total H O 30 20 10	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: HIV-1 MATRIX PROTEIN



- Molecule 1: HIV-1 MATRIX PROTEIN




- Molecule 1: HIV-1 MATRIX PROTEIN



- Molecule 1: HIV-1 MATRIX PROTEIN






- Molecule 1: HIV-1 MATRIX PROTEIN



- Molecule 1: HIV-1 MATRIX PROTEIN



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	64.42Å 91.16Å 74.00Å 90.00° 102.91° 90.00°	Depositor
Resolution (Å)	8.00 – 2.30 19.69 – 2.31	Depositor EDS
% Data completeness (in resolution range)	97.4 (8.00-2.30) 98.1 (19.69-2.31)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	2.17 (at 2.30Å)	Xtriage
Refinement program	X-PLOR 3.1	Depositor
R , R_{free}	0.259 , 0.332 0.248 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	36.5	Xtriage
Anisotropy	0.209	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 109.2	EDS
L-test for twinning ²	$< L > = 0.50$, $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	5488	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:
SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.68	0/927	0.72	0/1243
1	B	0.60	0/882	0.73	0/1185
1	C	0.63	0/910	0.67	0/1221
1	Q	0.62	0/850	0.72	0/1143
1	R	0.71	0/913	0.74	0/1223
1	S	0.60	0/828	0.71	0/1114
All	All	0.64	0/5310	0.71	0/7129

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
1	Q	0	2
1	R	0	3
1	S	0	1
All	All	0	8

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	11	GLY	Peptide
1	C	29	TYR	Mainchain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	Q	24	GLY	Mainchain
1	Q	91	ARG	Sidechain
1	R	20	ARG	Sidechain
1	R	39	ARG	Sidechain
1	R	88	VAL	Mainchain
1	S	16	TRP	Mainchain

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	915	0	937	23	0
1	B	870	0	881	33	0
1	C	898	0	917	37	0
1	Q	838	0	849	40	0
1	R	901	0	929	28	0
1	S	816	0	830	33	0
2	A	5	0	0	0	0
2	B	5	0	0	1	0
2	C	5	0	0	1	0
2	Q	5	0	0	3	0
2	R	15	0	0	0	0
2	S	5	0	0	1	0
3	A	13	26	0	2	0
3	B	3	6	0	0	0
3	C	9	18	0	0	0
3	Q	15	30	0	1	0
3	R	20	40	0	0	0
3	S	10	20	0	1	0
All	All	5348	140	5343	191	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (191) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:S:101:LEU:HA	1:S:104:ILE:HG12	1.48	0.91
1:B:99:GLU:O	1:B:103:LYS:HD2	1.78	0.84
1:Q:30:LYS:H	1:Q:33:HIS:HD2	1.26	0.83
1:C:55:GLU:HG2	1:C:58:ARG:NH1	1.95	0.81
1:S:7:VAL:N	1:S:52:GLU:HG2	1.96	0.81
1:Q:105:GLU:HA	1:Q:108:GLN:HE21	1.51	0.76
1:Q:30:LYS:N	1:Q:33:HIS:HD2	1.84	0.74
1:S:16:TRP:CZ3	1:S:84:VAL:HG12	2.22	0.74
1:S:16:TRP:HZ3	1:S:85:LEU:N	1.86	0.73
1:B:90:GLN:HE21	1:B:90:GLN:HA	1.52	0.73
1:C:90:GLN:NE2	1:C:90:GLN:HA	2.01	0.73
1:A:16:TRP:CH2	1:A:85:LEU:HD12	2.24	0.72
1:B:50:LEU:HB2	1:B:60:ILE:HD11	1.71	0.72
1:C:30:LYS:H	1:C:33:HIS:CE1	2.07	0.72
1:R:72:SER:O	1:R:76:ARG:HG3	1.91	0.70
1:B:90:GLN:HA	1:B:90:GLN:NE2	2.06	0.69
1:R:50:LEU:HB2	1:R:60:ILE:HD11	1.73	0.69
1:C:50:LEU:HB2	1:C:60:ILE:HD11	1.74	0.68
1:Q:55:GLU:HA	1:Q:58:ARG:HB3	1.76	0.67
1:Q:8:LEU:HD12	1:Q:13:LEU:HG	1.77	0.67
1:C:38:SER:O	1:C:42:GLU:HG2	1.95	0.66
1:B:23:PRO:HA	1:B:96:ASP:OD2	1.96	0.66
1:A:108:GLN:O	1:A:112:LYS:HG2	1.96	0.65
1:C:103:LYS:O	1:C:107:GLU:HG2	1.97	0.65
1:B:68:LEU:HD23	1:B:75:LEU:CD1	2.27	0.65
1:B:8:LEU:HD22	1:B:12:GLU:HG2	1.80	0.64
1:S:8:LEU:HD22	1:S:34:ILE:HD11	1.79	0.63
1:Q:47:ASN:HB3	1:Q:50:LEU:HD13	1.78	0.63
1:C:73:GLU:HG2	1:C:76:ARG:NH2	2.15	0.61
1:B:20:ARG:NE	1:B:25:GLY:O	2.32	0.61
1:B:30:LYS:CB	1:B:32:LYS:HG2	2.32	0.60
1:S:94:VAL:HA	1:S:99:GLU:OE1	2.01	0.60
1:C:90:GLN:HA	1:C:90:GLN:HE21	1.64	0.60
1:R:9:SER:O	1:R:13:LEU:HB2	2.02	0.60
1:A:16:TRP:CZ3	1:A:84:VAL:HG12	2.37	0.60
1:R:28:GLN:O	1:R:30:LYS:HE3	2.02	0.60
1:A:13:LEU:HD11	1:A:31:LEU:HG	1.84	0.59
1:Q:25:GLY:HA2	3:Q:902:HOH:O	2.01	0.59
1:Q:16:TRP:CZ3	1:Q:85:LEU:HD13	2.38	0.59
1:A:49:GLY:O	1:A:52:GLU:HG2	2.02	0.59
1:S:27:LYS:HB2	2:S:1006:SO4:O1	2.03	0.59
1:Q:27:LYS:HD2	2:Q:1003:SO4:O4	2.03	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:R:17:GLU:HA	1:R:29:TYR:O	2.03	0.58
1:Q:105:GLU:HA	1:Q:108:GLN:NE2	2.16	0.58
1:B:30:LYS:HG2	1:B:32:LYS:HD3	1.85	0.57
1:Q:72:SER:O	1:Q:76:ARG:HG2	2.04	0.57
1:R:111:SER:HA	1:R:114:LYS:HE2	1.86	0.57
1:C:7:VAL:HA	1:C:52:GLU:HB3	1.86	0.57
1:S:90:GLN:HB2	1:S:92:ILE:HG13	1.86	0.57
1:A:97:THR:O	1:A:100:ALA:HB3	2.05	0.57
1:B:30:LYS:HB2	1:B:32:LYS:HG2	1.86	0.57
1:C:54:SER:OG	1:C:89:HIS:HB3	2.04	0.57
1:Q:40:GLU:O	1:Q:44:PHE:HD2	1.87	0.56
1:S:94:VAL:HB	1:S:99:GLU:HB3	1.87	0.56
1:A:116:GLN:O	1:A:119:ALA:HB3	2.04	0.56
1:Q:20:ARG:HG2	1:Q:20:ARG:NH1	2.21	0.56
1:Q:63:GLN:O	1:Q:66:PRO:HD2	2.06	0.56
1:R:100:ALA:O	1:R:104:ILE:HG12	2.07	0.55
1:C:20:ARG:HA	1:C:28:GLN:HA	1.89	0.55
1:Q:27:LYS:HB2	2:Q:1003:SO4:O3	2.07	0.54
1:Q:54:SER:OG	1:Q:89:HIS:HB3	2.08	0.54
1:B:41:LEU:HD11	1:B:60:ILE:HD13	1.90	0.54
1:A:25:GLY:HA3	3:A:936:HOH:O	2.08	0.54
1:C:55:GLU:O	1:C:59:GLN:HG3	2.08	0.53
1:Q:98:LYS:NZ	1:Q:98:LYS:HB3	2.24	0.53
1:Q:20:ARG:HG2	1:Q:20:ARG:HH11	1.72	0.53
1:S:101:LEU:HA	1:S:104:ILE:CG1	2.30	0.53
1:R:111:SER:HB2	1:R:114:LYS:HE2	1.91	0.52
1:B:111:SER:O	1:B:115:ALA:HB2	2.10	0.52
1:C:73:GLU:HG2	1:C:76:ARG:CZ	2.40	0.52
1:R:99:GLU:O	1:R:103:LYS:HD2	2.09	0.52
1:S:95:LYS:HG3	3:S:946:HOH:O	2.09	0.52
1:S:19:ILE:O	1:S:28:GLN:HB3	2.10	0.52
1:Q:30:LYS:H	1:Q:33:HIS:CD2	2.16	0.52
1:A:80:ASN:HB3	1:A:97:THR:HG21	1.92	0.51
1:S:37:ALA:O	1:S:41:LEU:HG	2.11	0.51
1:B:47:ASN:HB3	1:B:50:LEU:CD1	2.40	0.51
1:Q:108:GLN:HA	1:Q:111:SER:OG	2.11	0.51
1:R:39:ARG:HH11	1:R:39:ARG:HG3	1.75	0.51
1:S:41:LEU:HD12	1:S:48:PRO:HA	1.93	0.51
1:B:80:ASN:O	1:B:83:ALA:HB3	2.10	0.51
1:B:16:TRP:O	1:B:29:TYR:HB2	2.12	0.51
1:C:72:SER:O	1:C:76:ARG:HG3	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:R:73:GLU:OE2	1:R:76:ARG:HD3	2.11	0.50
1:C:35:VAL:O	1:C:39:ARG:HG2	2.12	0.49
1:A:90:GLN:O	1:A:91:ARG:HB2	2.12	0.49
1:C:40:GLU:O	1:C:44:PHE:CD1	2.66	0.49
1:C:90:GLN:HB3	1:C:92:ILE:HG13	1.95	0.49
1:Q:106:GLU:O	1:Q:109:ASN:ND2	2.45	0.49
1:R:70:THR:HB	1:S:46:VAL:HG13	1.95	0.49
1:C:30:LYS:N	1:C:33:HIS:ND1	2.60	0.49
1:B:104:ILE:O	1:B:108:GLN:HG3	2.13	0.48
1:Q:83:ALA:HB1	1:Q:104:ILE:HD13	1.94	0.48
1:C:39:ARG:O	1:C:42:GLU:HG3	2.13	0.48
1:R:16:TRP:CZ3	1:R:85:LEU:HG	2.48	0.48
1:S:32:LYS:HD2	1:S:32:LYS:H	1.79	0.48
1:Q:20:ARG:NH1	1:Q:25:GLY:O	2.47	0.48
1:B:20:ARG:HH21	1:B:26:LYS:HA	1.79	0.48
1:B:95:LYS:HB2	1:B:99:GLU:OE2	2.13	0.48
1:C:55:GLU:HG2	1:C:58:ARG:HH12	1.78	0.48
1:S:80:ASN:O	1:S:83:ALA:HB3	2.13	0.48
1:S:17:GLU:HA	1:S:29:TYR:O	2.14	0.48
1:S:90:GLN:CB	1:S:92:ILE:HG13	2.43	0.47
1:S:29:TYR:CE2	1:S:84:VAL:HG21	2.49	0.47
1:S:101:LEU:HD23	1:S:104:ILE:HD11	1.97	0.47
1:S:22:ARG:HB3	1:S:23:PRO:HD2	1.97	0.47
1:A:20:ARG:HD3	1:A:25:GLY:O	2.15	0.47
1:B:85:LEU:O	1:B:89:HIS:HB2	2.14	0.47
1:Q:65:GLN:HB3	1:Q:66:PRO:HD3	1.97	0.47
1:S:16:TRP:CH2	1:S:85:LEU:HD12	2.50	0.47
1:A:102:ASP:O	1:A:106:GLU:HG2	2.16	0.46
1:B:35:VAL:O	1:B:39:ARG:HG3	2.15	0.46
1:Q:94:VAL:HG22	1:Q:99:GLU:HB3	1.97	0.46
1:A:76:ARG:NH1	3:A:957:HOH:O	2.48	0.46
1:A:84:VAL:O	1:A:88:VAL:HG23	2.16	0.46
1:R:65:GLN:HB3	1:R:66:PRO:HD3	1.98	0.46
1:C:63:GLN:HE21	1:C:63:GLN:HB3	1.55	0.46
1:Q:42:GLU:HG3	1:Q:48:PRO:HG3	1.97	0.46
1:C:7:VAL:O	1:C:89:HIS:HE1	1.99	0.45
1:R:112:LYS:O	1:R:116:GLN:NE2	2.49	0.45
1:S:30:LYS:H	1:S:33:HIS:CD2	2.35	0.45
1:B:25:GLY:HA3	2:B:1008:SO4:O4	2.17	0.45
1:B:21:LEU:HD22	1:B:27:LYS:HB3	1.97	0.45
1:B:50:LEU:CB	1:B:60:ILE:HD11	2.42	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Q:19:ILE:HB	1:Q:29:TYR:HD2	1.82	0.45
1:A:36:TRP:HZ3	1:A:78:LEU:HA	1.81	0.45
1:Q:22:ARG:NH1	2:Q:1003:SO4:S	2.90	0.45
1:C:36:TRP:CH2	1:C:77:SER:OG	2.70	0.45
1:C:108:GLN:O	1:C:112:LYS:HB2	2.17	0.45
1:B:96:ASP:OD2	1:B:98:LYS:HB3	2.17	0.44
1:Q:8:LEU:CD1	1:Q:13:LEU:HG	2.44	0.44
1:Q:63:GLN:OE1	1:S:70:THR:OG1	2.34	0.44
1:A:104:ILE:O	1:A:108:GLN:HG3	2.17	0.44
1:B:41:LEU:HD11	1:B:60:ILE:CD1	2.46	0.44
1:Q:107:GLU:O	1:Q:109:ASN:N	2.50	0.44
1:B:94:VAL:HG12	1:B:103:LYS:HD3	1.99	0.44
1:C:107:GLU:HG2	1:C:107:GLU:H	1.55	0.44
1:Q:56:GLY:O	1:Q:60:ILE:HG13	2.18	0.44
1:C:30:LYS:HA	1:C:30:LYS:CE	2.48	0.44
1:C:90:GLN:CB	1:C:92:ILE:HG13	2.48	0.44
1:Q:20:ARG:HB3	1:Q:25:GLY:HA3	1.99	0.44
1:R:15:LYS:NZ	1:R:91:ARG:HA	2.33	0.44
1:R:8:LEU:HD21	1:R:85:LEU:HD23	2.00	0.44
1:C:113:LYS:HD3	1:C:113:LYS:HA	1.75	0.43
1:Q:76:ARG:N	1:Q:76:ARG:HD2	2.33	0.43
1:R:41:LEU:HD12	1:R:48:PRO:HA	2.00	0.43
1:B:30:LYS:HB3	1:B:32:LYS:HG2	2.00	0.43
1:R:23:PRO:HA	1:R:96:ASP:CG	2.39	0.43
1:S:41:LEU:HD11	1:S:60:ILE:HD13	1.99	0.43
1:A:65:GLN:CB	1:A:66:PRO:HD3	2.49	0.43
1:A:99:GLU:O	1:A:103:LYS:HB2	2.19	0.43
1:Q:19:ILE:HD12	1:Q:94:VAL:HG12	1.99	0.43
1:Q:47:ASN:HD22	1:Q:50:LEU:CD1	2.32	0.43
1:A:36:TRP:CZ2	1:A:40:GLU:HG3	2.53	0.43
1:C:115:ALA:HA	1:C:119:ALA:HB3	2.00	0.43
1:C:30:LYS:HA	1:C:30:LYS:HE3	2.00	0.43
1:S:38:SER:O	1:S:41:LEU:HB2	2.19	0.43
1:R:39:ARG:HH11	1:R:39:ARG:CG	2.31	0.43
1:C:13:LEU:HA	1:C:16:TRP:HB3	2.01	0.43
1:R:39:ARG:O	1:R:42:GLU:HG3	2.18	0.43
1:C:27:LYS:HE3	2:C:1007:SO4:O1	2.19	0.42
1:A:50:LEU:HD22	1:A:56:GLY:HA2	2.00	0.42
1:C:103:LYS:HD3	1:C:103:LYS:HA	1.87	0.42
1:R:47:ASN:HB3	1:R:50:LEU:HG	2.01	0.42
1:Q:40:GLU:O	1:Q:44:PHE:CD2	2.71	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Q:55:GLU:O	1:Q:59:GLN:HG3	2.19	0.42
1:S:16:TRP:CZ3	1:S:84:VAL:CG1	2.99	0.42
1:C:8:LEU:CD1	1:C:16:TRP:HB2	2.49	0.42
1:Q:11:GLY:HA2	1:Q:14:ASP:OD2	2.20	0.42
1:R:111:SER:O	1:R:114:LYS:HG2	2.19	0.42
1:S:8:LEU:HB3	1:S:13:LEU:HD13	2.02	0.42
1:Q:7:VAL:O	1:Q:89:HIS:HE1	2.02	0.42
1:B:19:ILE:HB	1:B:29:TYR:HD2	1.85	0.42
1:S:9:SER:OG	1:S:12:GLU:HG3	2.20	0.41
1:C:17:GLU:HA	1:C:29:TYR:O	2.21	0.41
1:S:8:LEU:HD22	1:S:34:ILE:CD1	2.48	0.41
1:R:21:LEU:HD12	1:R:27:LYS:HB2	2.02	0.41
1:A:99:GLU:CG	1:A:103:LYS:HE3	2.50	0.41
1:A:99:GLU:HG2	1:A:103:LYS:HE3	2.02	0.41
1:A:26:LYS:NZ	1:R:117:GLN:HE21	2.19	0.41
1:B:85:LEU:HD13	1:B:85:LEU:HA	1.90	0.41
1:B:64:LEU:HD22	1:B:75:LEU:HD21	2.03	0.41
1:R:50:LEU:CB	1:R:60:ILE:HD11	2.48	0.41
1:S:99:GLU:O	1:S:103:LYS:HG2	2.21	0.41
1:R:86:TYR:CZ	1:R:90:GLN:HG3	2.56	0.41
1:C:16:TRP:CZ2	1:C:34:ILE:HG13	2.56	0.40
1:C:80:ASN:O	1:C:84:VAL:HG23	2.20	0.40
1:B:80:ASN:O	1:B:84:VAL:HG23	2.21	0.40
1:B:7:VAL:HG13	1:B:51:LEU:O	2.22	0.40
1:R:54:SER:OG	1:R:90:GLN:HG2	2.22	0.40
1:S:23:PRO:HD3	1:S:98:LYS:HG3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	113/133 (85%)	110 (97%)	3 (3%)	0	100 100
1	B	108/133 (81%)	98 (91%)	8 (7%)	2 (2%)	8 7
1	C	111/133 (84%)	102 (92%)	7 (6%)	2 (2%)	8 7
1	Q	103/133 (77%)	96 (93%)	5 (5%)	2 (2%)	8 7
1	R	110/133 (83%)	104 (94%)	6 (6%)	0	100 100
1	S	101/133 (76%)	87 (86%)	11 (11%)	3 (3%)	4 2
All	All	646/798 (81%)	597 (92%)	40 (6%)	9 (1%)	11 11

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	23	PRO
1	Q	110	LYS
1	B	23	PRO
1	B	45	ALA
1	Q	25	GLY
1	S	10	GLY
1	S	32	LYS
1	C	114	LYS
1	S	85	LEU

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	98/113 (87%)	79 (81%)	19 (19%)	1 1
1	B	92/113 (81%)	75 (82%)	17 (18%)	1 1
1	C	96/113 (85%)	80 (83%)	16 (17%)	2 2
1	Q	91/113 (80%)	76 (84%)	15 (16%)	2 2
1	R	98/113 (87%)	84 (86%)	14 (14%)	3 3
1	S	87/113 (77%)	70 (80%)	17 (20%)	1 1
All	All	562/678 (83%)	464 (83%)	98 (17%)	2 2

All (98) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	LEU
1	A	21	LEU
1	A	26	LYS
1	A	31	LEU
1	A	32	LYS
1	A	43	ARG
1	A	55	GLU
1	A	63	GLN
1	A	73	GLU
1	A	75	LEU
1	A	85	LEU
1	A	95	LYS
1	A	96	ASP
1	A	98	LYS
1	A	103	LYS
1	A	105	GLU
1	A	107	GLU
1	A	113	LYS
1	A	116	GLN
1	B	20	ARG
1	B	21	LEU
1	B	22	ARG
1	B	53	THR
1	B	55	GLU
1	B	63	GLN
1	B	67	SER
1	B	69	GLN
1	B	70	THR
1	B	81	THR
1	B	85	LEU
1	B	89	HIS
1	B	90	GLN
1	B	93	ASP
1	B	97	THR
1	B	103	LYS
1	B	109	ASN
1	C	26	LYS
1	C	30	LYS
1	C	38	SER
1	C	42	GLU
1	C	53	THR
1	C	63	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	65	GLN
1	C	73	GLU
1	C	85	LEU
1	C	90	GLN
1	C	91	ARG
1	C	96	ASP
1	C	103	LYS
1	C	107	GLU
1	C	110	LYS
1	C	111	SER
1	Q	13	LEU
1	Q	14	ASP
1	Q	20	ARG
1	Q	27	LYS
1	Q	31	LEU
1	Q	43	ARG
1	Q	53	THR
1	Q	54	SER
1	Q	58	ARG
1	Q	65	GLN
1	Q	69	GLN
1	Q	85	LEU
1	Q	94	VAL
1	Q	104	ILE
1	Q	107	GLU
1	R	13	LEU
1	R	18	LYS
1	R	20	ARG
1	R	23	PRO
1	R	30	LYS
1	R	39	ARG
1	R	54	SER
1	R	55	GLU
1	R	70	THR
1	R	73	GLU
1	R	91	ARG
1	R	95	LYS
1	R	103	LYS
1	R	111	SER
1	S	7	VAL
1	S	8	LEU
1	S	13	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	S	18	LYS
1	S	19	ILE
1	S	22	ARG
1	S	32	LYS
1	S	38	SER
1	S	39	ARG
1	S	63	GLN
1	S	65	GLN
1	S	67	SER
1	S	74	GLU
1	S	81	THR
1	S	85	LEU
1	S	93	ASP
1	S	99	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	63	GLN
1	B	89	HIS
1	B	90	GLN
1	B	108	GLN
1	C	63	GLN
1	C	90	GLN
1	Q	33	HIS
1	Q	47	ASN
1	Q	65	GLN
1	Q	108	GLN
1	Q	109	ASN
1	R	69	GLN
1	R	90	GLN
1	R	108	GLN
1	R	117	GLN
1	S	33	HIS
1	S	59	GLN
1	S	63	GLN
1	S	90	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	R	1001	-	4,4,4	0.38	0	6,6,6	0.61	0
2	SO4	S	1006	-	4,4,4	0.85	0	6,6,6	1.36	1 (16%)
2	SO4	C	1007	-	4,4,4	0.79	0	6,6,6	0.55	0
2	SO4	R	1005	-	4,4,4	0.88	0	6,6,6	0.45	0
2	SO4	B	1008	-	4,4,4	0.64	0	6,6,6	0.17	0
2	SO4	Q	1003	-	4,4,4	0.96	0	6,6,6	0.66	0
2	SO4	A	1002	-	4,4,4	0.45	0	6,6,6	0.58	0
2	SO4	R	1004	-	4,4,4	0.83	0	6,6,6	0.74	0

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	S	1006	SO4	O3-S-O2	2.44	122.04	109.31

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	S	1006	SO4	1	0
2	C	1007	SO4	1	0
2	B	1008	SO4	1	0
2	Q	1003	SO4	3	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	115/133 (86%)	0.33	9 (7%) 13 17	9, 23, 62, 89	0
1	B	110/133 (82%)	0.87	14 (12%) 3 5	19, 39, 65, 95	0
1	C	113/133 (84%)	0.59	9 (7%) 12 16	18, 33, 69, 84	0
1	Q	105/133 (78%)	0.47	8 (7%) 13 18	16, 31, 58, 95	0
1	R	112/133 (84%)	0.31	7 (6%) 20 25	13, 26, 49, 81	0
1	S	103/133 (77%)	0.60	6 (5%) 23 29	22, 38, 55, 72	0
All	All	658/798 (82%)	0.53	53 (8%) 12 16	9, 33, 62, 95	0

All (53) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	118	ALA	6.5
1	B	115	ALA	5.9
1	C	82	ILE	5.5
1	C	118	ALA	5.5
1	B	23	PRO	5.0
1	B	113	LYS	4.9
1	A	120	ALA	4.4
1	C	115	ALA	4.4
1	R	84	VAL	4.1
1	A	119	ALA	4.0
1	Q	84	VAL	4.0
1	B	116	GLN	4.0
1	B	91	ARG	3.8
1	A	121	ASP	3.8
1	S	84	VAL	3.7
1	A	115	ALA	3.7
1	R	117	GLN	3.6
1	B	84	VAL	3.4
1	B	26	LYS	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	Q	85	LEU	3.1
1	B	19	ILE	3.1
1	R	82	ILE	3.1
1	C	85	LEU	3.1
1	C	116	GLN	3.1
1	B	82	ILE	3.1
1	Q	83	ALA	3.1
1	R	118	ALA	3.1
1	B	85	LEU	3.0
1	S	81	THR	3.0
1	Q	111	SER	3.0
1	S	109	ASN	3.0
1	S	82	ILE	3.0
1	Q	81	THR	2.8
1	A	84	VAL	2.7
1	C	81	THR	2.7
1	C	117	GLN	2.6
1	S	85	LEU	2.6
1	Q	82	ILE	2.6
1	C	113	LYS	2.5
1	Q	43	ARG	2.4
1	A	111	SER	2.4
1	B	25	GLY	2.4
1	S	83	ALA	2.3
1	A	83	ALA	2.3
1	R	116	GLN	2.3
1	A	82	ILE	2.2
1	B	27	LYS	2.2
1	B	83	ALA	2.2
1	B	114	LYS	2.1
1	C	24	GLY	2.1
1	R	85	LEU	2.1
1	R	114	LYS	2.0
1	Q	109	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	B	1008	5/5	0.79	0.34	135,135,135,136	0
2	SO4	R	1004	5/5	0.86	0.20	74,75,76,78	0
2	SO4	S	1006	5/5	0.91	0.24	57,61,62,63	0
2	SO4	Q	1003	5/5	0.93	0.16	35,40,42,45	0
2	SO4	C	1007	5/5	0.94	0.12	48,52,54,58	0
2	SO4	R	1005	5/5	0.95	0.14	46,48,50,51	0
2	SO4	R	1001	5/5	0.98	0.10	35,36,40,41	0
2	SO4	A	1002	5/5	0.99	0.09	35,39,41,42	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.