

Aug 7, 2023 – 08:29 PM JST

PDB ID	:	8HKX
EMDB ID	:	EMD-34862
Title	:	Cryo-EM Structures and Translocation Mechanism of Crenarchaeota Ribo-
		some
Authors	:	Wang, Y.H.; Zhou, J.
Deposited on	:	2022-11-28
Resolution	:	3.14 Å(reported)
This is	a I	Full wwPDB EM Validation Report for a publicly released PDB entry

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1. dev 50
MolProbity	:	4.02b-467
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.9
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 3.14 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f EM} {f structures} \ (\#{f Entries})$
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for $\geq=3, 2, 1$ and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq=5\%$ The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
			6%	
1	A16S	1501	75% 23'	% ••
			13%	
2	AS2P	196	100%	
			8%	
3	AS4E	240	99%	•
			8%	
4	AS4P	166	99%	•
			<u>6%</u>	
5	AS5P	204	100%	
			39%	
6	AS6E	105	99%	•
7	AS8E	126	100%	



Mol	Chain	Length	Quality of chain	
8	AS8P	130	100%	
9	S11P	128	6% 	
10	S12P	143	8%	
11	S15P	149	5% 	
12	S17P	111	8%	
13	S24E	96	100%	
14	S27E	59	7%	
15	S21E	180	9%	
10	ASSD	201	10%	
10	ASSE	102	31%	·
10	ASTP	193	97%	•
18	AS9P	136	100%	
19	S10P	100	99% 31%	
20	S13P	147	97%	•
21	S14P	52	96%	·
22	S17E	62	45%	
23	S19E	150	23%	
24	S19P	115	9%	.
25	S28E	63	95%	5%
26	SL7A	123	40%	6%
27	S27A	54	63% ·	35%
28	А	57	93%	7%



2 Entry composition (i)

There are 28 unique types of molecules in this entry. The entry contains 59656 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a RNA chain called 16s rRNA (1491-MER).

Mol	Chain	Residues		1		AltConf	Trace		
1	A16S	1491	Total 32023	C 14261	N 5925	O 10346	Р 1491	0	0

• Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues		At	AltConf	Trace			
2	AS2P	196	Total 1587	C 1022	N 277	O 286	${S \over 2}$	0	0

• Molecule 3 is a protein called 30S ribosomal protein S4e.

Mol	Chain	Residues		Ate		AltConf	Trace		
3	AS4E	240	Total 1925	C 1238	N 335	0 348	${S \atop 4}$	0	0

• Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues		At	oms	AltConf	Trace		
4	AS4P	166	Total 1370	C 874	N 252	0 241	${ m S} { m 3}$	0	0

• Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues		Ate		AltConf	Trace		
5	AS5P	204	Total 1600	C 1028	N 277	0 287	S 8	0	0

• Molecule 6 is a protein called 30S ribosomal protein S6e.

Mol	Chain	Residues		At	\mathbf{oms}	AltConf	Trace		
6	AS6E	105	Total 805	C 506	N 149	0 147	${ m S} { m 3}$	0	0



• Molecule 7 is a protein called 30S ribosomal protein S8e.

Mol	Chain	Residues		Ato	ms	AltConf	Trace	
7	AS8E	126	Total 993	C 619	N 187	O 187	0	0

• Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues		At	oms			AltConf	Trace
8	AS8D	130	Total	С	Ν	Ο	S	0	0
0	ADDI	150	1028	661	181	182	4	0	0

• Molecule 9 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues		At	oms			AltConf	Trace
9	S11P	128	Total 960	C 595	N 190	0 173	${ m S} { m 2}$	0	0

• Molecule 10 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues		At	\mathbf{oms}			AltConf	Trace
10	S12P	143	Total 1103	C 701	N 209	0 189	${S \over 4}$	0	0

• Molecule 11 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues		At	oms			AltConf	Trace
11	S15P	149	Total 1225	C 778	N 228	0 214	${S \atop 5}$	0	0

• Molecule 12 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues		At	oms	AltConf	Trace		
12	S17P	111	Total 885	C 557	N 165	O 160	${ m S} { m 3}$	0	0

• Molecule 13 is a protein called 30S ribosomal protein S24e.

Mol	Chain	Residues		Ato	ms		AltConf	Trace
13	S24E	96	Total 759	C 479	N 133	O 147	0	0

• Molecule 14 is a protein called 30S ribosomal protein S27e.



Mol	Chain	Residues		Atc	\mathbf{ms}	AltConf	Trace		
14	\$27E	50	Total	С	Ν	Ο	\mathbf{S}	0	0
14	02112		458	294	83	76	5	0	0

• Molecule 15 is a protein called 30S ribosomal protein S3Ae.

Mol	Chain	Residues		Ate	AltConf	Trace			
15	S3AE	189	Total 1545	C 1004	N 264	0 276	S 1	0	0

• Molecule 16 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues		Ate	AltConf	Trace			
16	AS3P	201	Total 1576	C 1020	N 274	0 278	$\frac{S}{4}$	0	0

• Molecule 17 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues		At	oms	AltConf	Trace		
17	AS7P	193	Total 1537	C 969	N 285	O 279	${S \atop 4}$	0	0

• Molecule 18 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues		At	oms	AltConf	Trace		
18	AS9P	136	Total 1096	C 692	N 200	0 197	${f S}{7}$	0	0

• Molecule 19 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues		At	oms	AltConf	Trace		
19	S10P	100	Total 824	C 522	N 154	0 142	S 6	0	0

• Molecule 20 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	S13P	147	Total 1204	C 753	N 230	0 217	$\begin{array}{c} \mathrm{S} \\ 4 \end{array}$	0	0

• Molecule 21 is a protein called 30S ribosomal protein S14 type Z.



Mol	Chain	Residues		Atc	\mathbf{ms}	AltConf	Trace		
21	S14P	52	Total	С	N	0	S	0	0
		-	432	273	85	69	5	_	-

• Molecule 22 is a protein called 30S ribosomal protein S17e.

Mol	Chain	Residues		Aton	ıs	AltConf	Trace	
22	S17E	62	Total 517	C 326	N 92	O 99	0	0

• Molecule 23 is a protein called 30S ribosomal protein S19e.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	S19E	150	Total 1239	C 801	N 223	0 213	${ m S} { m 2}$	0	0

• Molecule 24 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	S19P	115	Total 969	C 620	N 181	O 163	${ m S}{ m 5}$	0	0

• Molecule 25 is a protein called 30S ribosomal protein S28e.

Mol	Chain	Residues		Aton	ıs	AltConf	Trace	
25	S28E	63	Total 498	C 308	N 99	O 91	0	0

• Molecule 26 is a protein called 50S ribosomal protein L7Ae.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	SL7A	123	Total 935	C 593	N 155	0 184	${ m S} { m 3}$	0	0

• Molecule 27 is a protein called 30S ribosomal protein S27ae.

Mol	Chain	Residues		Ato	\mathbf{ms}	AltConf	Trace		
27	S27A	35	Total 277	C 174	N 53	0 44	S 6	0	0

• Molecule 28 is a protein called 30S ribosomal protein.



Mol	Chain	Residues		Aton	ıs	AltConf	Trace	
28	А	57	Total 286	C 171	N 57	O 58	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Chain A16S: 75% 23%
- Molecule 1: 16s rRNA (1491-MER)





Chain AS8E:

100%





• Molecule 8: 30S ribosomal protein S8

Chain AS8P:	100%
14 P90 P90 R94 V133	
• Molecule 9: 30S ribosomal protein S11	
Chain S11P:	99% .
R5 E6 B68 B112 R102 R123 V132	
• Molecule 10: 30S ribosomal protein S12	
Chain S12P:	99% .
G3 84 K5 K28 G109 G110 G110 H111 K141 K141 K142 Q143 K144 F145 F145	
• Molecule 11: 30S ribosomal protein S15	
Chain S15P:	98% .
M1 M2 K4 S12 C19 P21 P21 P21 P21 P21 P21 P21 P21 P21 P21	
• Molecule 12: 30S ribosomal protein S17	
Chain S17P:	98% •
K3 G5 G5 E14 H31 H31 E35 E35 E36 K113 K113	
• Molecule 13: 30S ribosomal protein S24e	
Chain S24E:	100%

• Molecule 14: 30S ribosomal protein S27e



Chain S27E: 100%	
M K2 K2 CB CB CB CB CB CB CB CB CB CB CB CB CB	
\bullet Molecule 15: 30S ribosomal protein S3Ae	
Chain S3AE: 96% ·	•
19 R10 R10 K14 R30 R30 R30 R14 B39 140 R39 R41 B39 R41 R39 R41 R41 R41 R41 R44 R	
• Molecule 16: 30S ribosomal protein S3	
Chain AS3P: 99%	•
V2 P40 P40 C58 C59 C59 C57 F73 E77 F73 E77 F73 E77 F73 F73 F73 F73 F73 F73 F73 F	
• Molecule 17: 30S ribosomal protein S7	
Chain AS7P: 97%	-
E3 N4 E6 E6 E6 E6 E6 E6 E6 E6 E6 E6 E6 E6 E6	Ray T95 G96 G97 N98 A110 A110 E113 E114
E115 V116 T117 T117 T117 C123 C123 C124 V125 V125 V125 A129 A171 A172 A172 A172 A172 A177 A177 A177	
• Molecule 18: 30S ribosomal protein S9	
Chain AS9P: 100%	•
A4 A4 B5 B6 A C1 C1 C1 C1 C1 C1 C1 C1 C1 C1 C1 C1 C1	
• Molecule 19: 30S ribosomal protein S10	
Chain S10P: 99%	!
T3 K4 T31 T31 C32 C32 C32 C32 C32 C32 C32 C32 C32 C32	
• Molecule 20: 30S ribosomal protein S13	
^{31%} Chain S13P: 97% ·	
PROTEIN DATA BANK	







• Molecule 27: 30S ribosomal protein S27ae

	15%						
Chain S27A:		639	%			•	35%
		• •	• ••	• •	•		
GLN SER LYS LYS ALA VAL VAL ARG TYR TYR	GLU VAL GLU GLU GLN GLN ASP SER ILE LYS ILEU LEU K31	P36 141	M46 L49 E50	C54 G58	I 63 G 64 K 65		
• Molecule 28	8: 30S ribosoma	l prot	ein				





4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	98366	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	26.7	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT $(4k \ge 4k)$	Depositor
Maximum map value	4.666	Depositor
Minimum map value	-2.157	Depositor
Average map value	0.005	Depositor
Map value standard deviation	0.080	Depositor
Recommended contour level	0.46	Depositor
Map size (Å)	413.06, 413.06, 413.06	wwPDB
Map dimensions	380, 380, 380	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.087, 1.087, 1.087	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond angles	
WIOI	Ullalli	RMSZ	# Z > 5	RMSZ	# Z > 5
1	A16S	0.40	1/35845~(0.0%)	0.91	80/55934~(0.1%)
2	AS2P	0.27	0/1621	0.54	0/2202
3	AS4E	0.27	0/1956	0.56	0/2635
4	AS4P	0.28	0/1399	0.55	0/1883
5	AS5P	0.28	0/1631	0.52	0/2200
6	AS6E	0.29	0/815	0.62	0/1093
7	AS8E	0.29	0/1005	0.55	0/1342
8	AS8P	0.27	0/1046	0.51	0/1410
9	S11P	0.26	0/976	0.60	0/1315
10	S12P	0.27	0/1120	0.57	0/1495
11	S15P	0.28	0/1250	0.56	0/1677
12	S17P	0.28	0/899	0.54	0/1203
13	S24E	0.28	0/769	0.51	0/1034
14	S27E	0.28	0/465	0.51	0/618
15	S3AE	0.28	0/1573	0.59	1/2115~(0.0%)
16	AS3P	0.29	0/1599	0.55	0/2147
17	AS7P	0.29	0/1561	0.61	1/2105~(0.0%)
18	AS9P	0.29	0/1115	0.60	0/1496
19	S10P	0.27	0/840	0.59	0/1132
20	S13P	0.28	0/1221	0.62	1/1634~(0.1%)
21	S14P	0.33	0/441	0.69	0/583
22	S17E	0.28	0/523	0.50	0/696
23	S19E	0.30	0/1267	0.58	0/1705
24	S19P	0.31	0/986	0.57	0/1310
25	S28E	0.30	0/500	0.70	0/669
26	SL7A	0.36	0/946	0.66	2/1272~(0.2%)
27	S27A	0.29	0/284	0.54	0/374
All	All	0.35	1/63653~(0.0%)	0.80	85/93279~(0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.



Mol	Chain	#Chirality outliers	#Planarity outliers
3	AS4E	0	1
10	S12P	0	1
11	S15P	0	1
15	S3AE	0	2
26	SL7A	0	2
All	All	0	7

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A16S	94	G	N9-C4	-5.03	1.33	1.38

All (85) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	A16S	381	С	N3-C2-O2	-10.55	114.52	121.90
1	A16S	94	G	N3-C4-N9	-9.69	120.19	126.00
15	S3AE	181	LEU	CA-CB-CG	9.11	136.25	115.30
1	A16S	57	С	N3-C2-O2	-9.02	115.59	121.90
1	A16S	25	С	N3-C2-O2	-8.61	115.87	121.90
1	A16S	144	С	N3-C2-O2	-8.18	116.17	121.90
1	A16S	1083	С	C6-N1-C2	-8.17	117.03	120.30
1	A16S	1180	С	N3-C2-O2	-7.96	116.33	121.90
1	A16S	94	G	N3-C4-C5	7.60	132.40	128.60
1	A16S	94	G	N3-C2-N2	-7.54	114.62	119.90
1	A16S	94	G	C4-N9-C1'	-7.42	116.85	126.50
1	A16S	711	С	N3-C2-O2	-7.22	116.85	121.90
1	A16S	1253	С	N1-C2-O2	6.91	123.05	118.90
1	A16S	1189	С	C2-N1-C1'	6.90	126.39	118.80
1	A16S	94	G	C8-N9-C1'	6.86	135.91	127.00
1	A16S	717	С	N3-C2-O2	-6.85	117.11	121.90
17	AS7P	40	LEU	CA-CB-CG	6.66	130.62	115.30
1	A16S	381	С	N1-C2-O2	6.66	122.89	118.90
1	A16S	52	U	C5-C4-O4	-6.60	121.94	125.90
1	A16S	1192	G	C5-C6-O6	6.60	132.56	128.60
1	A16S	151	С	N3-C2-O2	-6.58	117.29	121.90
1	A16S	711	С	N1-C2-O2	6.45	122.77	118.90
1	A16S	894	С	N3-C2-O2	-6.39	117.42	121.90
1	A16S	1189	С	N1-C2-O2	6.38	122.73	118.90
1	A16S	1024	С	N3-C2-O2	-6.31	117.48	121.90
1	A16S	1129	С	C2-N1-C1'	6.27	125.69	118.80
26	SL7A	15	LEU	CA-CB-CG	6.22	129.60	115.30
1	A16S	892	G	C4-N9-C1'	6.16	134.50	126.50



α \cdot \cdot \cdot	C	•	
Continued	trom	nremons	naae
Continucu	110110	preduous	paycon
		1	1 0

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	$Ideal(^{o})$
1	A16S	1192	G	N1-C6-O6	-6.12	116.23	119.90
1	A16S	52	U	C2-N1-C1'	6.07	124.98	117.70
1	A16S	1132	С	N1-C2-O2	6.06	122.54	118.90
1	A16S	1133	С	N3-C2-O2	-6.06	117.66	121.90
1	A16S	1083	С	N3-C2-O2	-6.05	117.66	121.90
1	A16S	1082	С	N1-C2-O2	6.00	122.50	118.90
1	A16S	892	G	C6-C5-N7	-5.99	126.81	130.40
1	A16S	568	С	N3-C2-O2	-5.93	117.75	121.90
1	A16S	144	С	N1-C2-O2	5.90	122.44	118.90
1	A16S	354	С	N3-C2-O2	-5.83	117.82	121.90
1	A16S	892	G	N3-C4-N9	5.77	129.46	126.00
1	A16S	1144	G	N3-C4-N9	5.77	129.46	126.00
1	A16S	892	G	C8-N9-C1'	-5.72	119.57	127.00
1	A16S	894	С	N1-C2-O2	5.70	122.32	118.90
1	A16S	1253	С	N3-C2-O2	-5.70	117.91	121.90
1	A16S	52	U	C5-C6-N1	5.67	125.53	122.70
1	A16S	25	С	C6-N1-C2	-5.62	118.05	120.30
1	A16S	937	U	C2-N1-C1'	5.62	124.44	117.70
1	A16S	1189	С	C6-N1-C1'	-5.61	114.07	120.80
1	A16S	1192	G	N3-C4-N9	-5.55	122.67	126.00
1	A16S	94	G	N1-C2-N2	5.53	121.18	116.20
1	A16S	894	С	C5-C4-N4	5.52	124.07	120.20
1	A16S	370	G	C5-C6-O6	5.52	131.91	128.60
1	A16S	14	G	C5-C6-O6	5.47	131.88	128.60
1	A16S	1082	С	C2-N1-C1'	5.46	124.81	118.80
1	A16S	1192	G	N9-C4-C5	5.46	107.58	105.40
1	A16S	94	G	C6-C5-N7	5.43	133.66	130.40
1	A16S	720	С	C2-N1-C1'	5.40	124.74	118.80
1	A16S	1497	С	C2-N1-C1'	5.40	124.74	118.80
1	A16S	52	U	N3-C4-O4	5.39	123.18	119.40
20	S13P	27	LEU	CA-CB-CG	5.39	127.71	115.30
1	A16S	1132	С	C2-N1-C1'	5.37	124.71	118.80
1	A16S	653	А	P-O3'-C3'	5.35	126.12	119.70
1	A16S	14	G	N1-C6-O6	-5.35	116.69	119.90
1	A16S	502	С	N1-C2-O2	5.34	122.10	118.90
26	SL7A	50	LEU	CA-CB-CG	5.30	127.50	115.30
1	A16S	937	U	N3-C2-O2	-5.27	118.51	122.20
1	A16S	937	U	N1-C2-O2	5.24	126.47	122.80
1	A16S	1091	G	C5-C6-O6	5.24	131.74	128.60
1	A16S	955	С	N3-C2-O2	-5.21	118.25	121.90
1	A16S	1179	С	N1-C2-O2	5.21	122.03	118.90
1	A16S	1315	A	P-O3'-C3'	5.20	125.94	119.70



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	A16S	541	G	P-O3'-C3'	5.19	125.93	119.70
1	A16S	1044	A	N7-C8-N9	5.18	116.39	113.80
1	A16S	1195	G	C4-N9-C1'	5.17	133.22	126.50
1	A16S	1076	С	C2-N1-C1'	5.17	124.48	118.80
1	A16S	1180	С	C6-N1-C2	-5.16	118.24	120.30
1	A16S	892	G	N1-C2-N2	-5.14	111.57	116.20
1	A16S	57	С	C6-N1-C2	-5.13	118.25	120.30
1	A16S	1254	U	P-O3'-C3'	5.13	125.85	119.70
1	A16S	1253	С	C2-N1-C1'	5.12	124.44	118.80
1	A16S	758	A	P-O3'-C3'	5.11	125.83	119.70
1	A16S	366	С	N3-C2-O2	-5.07	118.35	121.90
1	A16S	892	G	N3-C2-N2	5.06	123.44	119.90
1	A16S	1180	С	N1-C2-N3	5.05	122.73	119.20
1	A16S	894	C	C6-N1-C2	-5.02	118.29	120.30
1	A16S	94	G	N9-C4-C5	5.01	107.40	105.40

There are no chirality outliers.

All (7) planarity outliers are listed be	low:
--	------

Mol	Chain	Res	Type	Group
3	AS4E	163	LEU	Peptide
10	S12P	98	ASP	Peptide
11	S15P	20	PRO	Peptide
15	S3AE	179	TYR	Peptide
15	S3AE	181	LEU	Peptide
26	SL7A	108	LYS	Peptide
26	SL7A	79	TYR	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A16S	32023	0	0	0	0
2	AS2P	1587	0	0	0	0
3	AS4E	1925	0	0	0	0
4	AS4P	1370	0	0	0	0
5	AS5P	1600	0	0	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	AS6E	805	0	0	0	0
7	AS8E	993	0	0	0	0
8	AS8P	1028	0	0	0	0
9	S11P	960	0	0	0	0
10	S12P	1103	0	0	0	0
11	S15P	1225	0	0	0	0
12	S17P	885	0	0	0	0
13	S24E	759	0	0	0	0
14	S27E	458	0	0	0	0
15	S3AE	1545	0	0	0	0
16	AS3P	1576	0	0	0	0
17	AS7P	1537	0	0	0	0
18	AS9P	1096	0	0	0	0
19	S10P	824	0	0	0	0
20	S13P	1204	0	0	0	0
21	S14P	432	0	0	0	0
22	S17E	517	0	0	0	0
23	S19E	1239	0	0	0	0
24	S19P	969	0	0	0	0
25	S28E	498	0	0	0	0
26	SL7A	935	0	0	0	0
27	S27A	277	0	0	0	0
28	A	286	0	71	2	0
All	All	59656	0	71	2	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (2) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
28:A:43:UNK:O	28:A:47:UNK:N	2.45	0.50
28:A:27:UNK:HA	28:A:28:UNK:HA	1.81	0.40

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
2	AS2P	194/196~(99%)	186 (96%)	8 (4%)	0	100	100
3	AS4E	238/240~(99%)	212 (89%)	26 (11%)	0	100	100
4	AS4P	164/166~(99%)	141 (86%)	22~(13%)	1 (1%)	25	59
5	AS5P	202/204~(99%)	186 (92%)	16 (8%)	0	100	100
6	AS6E	103/105~(98%)	89 (86%)	14 (14%)	0	100	100
7	AS8E	124/126~(98%)	108 (87%)	16 (13%)	0	100	100
8	AS8P	128/130~(98%)	124 (97%)	4 (3%)	0	100	100
9	S11P	126/128~(98%)	107 (85%)	19 (15%)	0	100	100
10	S12P	141/143~(99%)	115 (82%)	25 (18%)	1 (1%)	22	56
11	S15P	147/149~(99%)	127 (86%)	19 (13%)	1 (1%)	22	56
12	S17P	109/111~(98%)	105 (96%)	4 (4%)	0	100	100
13	S24E	94/96~(98%)	90 (96%)	4 (4%)	0	100	100
14	S27E	57/59~(97%)	52 (91%)	5 (9%)	0	100	100
15	S3AE	187/189~(99%)	156 (83%)	29 (16%)	2 (1%)	14	45
16	AS3P	199/201~(99%)	171 (86%)	26 (13%)	2 (1%)	15	47
17	AS7P	191/193~(99%)	145 (76%)	45 (24%)	1 (0%)	29	63
18	AS9P	134/136~(98%)	110 (82%)	24 (18%)	0	100	100
19	S10P	98/100 (98%)	88 (90%)	10 (10%)	0	100	100
20	S13P	145/147~(99%)	114 (79%)	30 (21%)	1 (1%)	22	56
21	S14P	50/52~(96%)	43 (86%)	6 (12%)	1 (2%)	7	29
22	S17E	60/62~(97%)	53 (88%)	7 (12%)	0	100	100
23	S19E	148/150~(99%)	122 (82%)	26 (18%)	0	100	100
24	S19P	113/115 (98%)	99 (88%)	13 (12%)	1 (1%)	17	50
25	S28E	61/63~(97%)	47 (77%)	12 (20%)	2 (3%)	4	19
26	SL7A	121/123~(98%)	93 (77%)	26 (22%)	2 (2%)	9	34



All

439(13%)

Percentiles

21

63

4

32

16(0%)

Conti	nuea fron	i previous page			
Mol	Chain	Analysed	Favoured	Allowed	Outliers
27	S27A	33/54~(61%)	29 (88%)	3 (9%)	1 (3%)

2912 (86%)

Continued from previous page...

All

All (16) Ramachandran outliers are listed below:

3367/3438 (98%)

Mol	Chain	Res	Type
16	AS3P	83	VAL
21	S14P	5	LYS
16	AS3P	183	ILE
17	AS7P	128	VAL
25	S28E	44	VAL
15	S3AE	63	TYR
15	S3AE	180	PRO
25	S28E	24	VAL
24	S19P	121	GLU
27	S27A	41	ILE
26	SL7A	107	ALA
4	AS4P	160	PRO
10	S12P	97	ILE
20	S13P	74	PRO
11	S15P	21	PRO
26	SL7A	52	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
2	AS2P	174/174~(100%)	174 (100%)	0	100	100
3	AS4E	210/210~(100%)	208~(99%)	2(1%)	76	89
4	AS4P	149/149~(100%)	149 (100%)	0	100	100
5	AS5P	174/174~(100%)	174 (100%)	0	100	100
6	AS6E	88/88~(100%)	87~(99%)	1 (1%)	73	88
7	AS8E	106/106~(100%)	106 (100%)	0	100	100



Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
8	AS8P	111/111 (100%)	111 (100%)	0	100	100
9	S11P	94/94~(100%)	93~(99%)	1 (1%)	73	88
10	S12P	116/116 (100%)	116 (100%)	0	100	100
11	S15P	133/133~(100%)	132 (99%)	1 (1%)	81	92
12	S17P	97/97~(100%)	95~(98%)	2 (2%)	53	78
13	S24E	84/84 (100%)	84 (100%)	0	100	100
14	S27E	51/51~(100%)	51 (100%)	0	100	100
15	S3AE	170/170~(100%)	167 (98%)	3 (2%)	59	81
16	AS3P	165/165~(100%)	165 (100%)	0	100	100
17	AS7P	166/166~(100%)	162 (98%)	4 (2%)	49	75
18	AS9P	113/113~(100%)	113 (100%)	0	100	100
19	S10P	92/92~(100%)	91 (99%)	1 (1%)	73	88
20	S13P	129/129~(100%)	127 (98%)	2 (2%)	62	84
21	S14P	45/45~(100%)	44 (98%)	1 (2%)	52	77
22	S17E	57/57~(100%)	57 (100%)	0	100	100
23	S19E	134/134~(100%)	134 (100%)	0	100	100
24	S19P	106/106~(100%)	105 (99%)	1 (1%)	78	90
25	S28E	54/54~(100%)	53~(98%)	1 (2%)	57	80
26	SL7A	104/104~(100%)	103 (99%)	1 (1%)	76	89
27	S27A	29/47~(62%)	29 (100%)	0	100	100
All	All	2951/2969~(99%)	2930 (99%)	21 (1%)	84	93

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	AS4E	196	LYS
3	AS4E	204	ARG
6	AS6E	125	LYS
9	S11P	131	ARG
11	S15P	25	ARG
12	S17P	21	LYS
12	S17P	37	ARG
15	S3AE	10	ARG
15	S3AE	140	LYS
15	S3AE	148	LYS



Mol	Chain	Res	Type
17	AS7P	5	ILE
17	AS7P	51	ARG
17	AS7P	69	ARG
17	AS7P	184	LYS
19	S10P	90	ARG
20	S13P	11	ARG
20	S13P	63	LYS
21	S14P	11	ARG
24	S19P	32	LYS
25	S28E	78	ARG
26	SL7A	53	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A16S	1489/1501~(99%)	314 (21%)	43 (2%)

All (314) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A16S	9	U
1	A16S	11	С
1	A16S	16	U
1	A16S	17	G
1	A16S	39	А
1	A16S	41	С
1	A16S	47	А
1	A16S	48	G
1	A16S	49	G
1	A16S	50	G
1	A16S	51	А
1	A16S	53	А
1	A16S	54	А
1	A16S	55	G
1	A16S	57	С
1	A16S	64	G
1	A16S	67	U
1	A16S	68	U



Mol	Chain	Res	Type
1	A16S	69	А
1	A16S	76	С
1	A16S	77	G
1	A16S	78	G
1	A16S	80	U
1	A16S	82	A
1	A16S	96	А
1	A16S	103	А
1	A16S	107	А
1	A16S	108	С
1	A16S	114	G
1	A16S	117	А
1	A16S	118	А
1	A16S	119	С
1	A16S	132	С
1	A16S	144	C
1	A16S	147	G
1	A16S	148	А
1	A16S	177	А
1	A16S	180	С
1	A16S	184	G
1	A16S	187	U
1	A16S	200	А
1	A16S	202	А
1	A16S	205	G
1	A16S	213	С
1	A16S	214	U
1	A16S	220	С
1	A16S	221	С
1	A16S	222	G
1	A16S	230	С
1	A16S	231	C
1	A16S	252	С
1	A16S	256	U
1	A16S	257	С
1	A16S	259	G
1	A16S	263	G
1	A16S	265	С
1	A16S	270	G
1	A16S	278	G
1	A16S	279	С
1	A16S	291	А



Mol	Chain	Res	Type
1	A16S	294	А
1	A16S	301	G
1	A16S	313	G
1	A16S	336	G
1	A16S	337	А
1	A16S	340	С
1	A16S	341	A
1	A16S	344	G
1	A16S	356	А
1	A16S	357	С
1	A16S	358	G
1	A16S	363	G
1	A16S	364	С
1	A16S	365	A
1	A16S	366	С
1	A16S	379	G
1	A16S	385	А
1	A16S	386	А
1	A16S	401	А
1	A16S	402	G
1	A16S	405	С
1	A16S	409	А
1	A16S	410	С
1	A16S	418	G
1	A16S	435	U
1	A16S	436	U
1	A16S	437	U
1	A16S	443	С
1	A16S	444	U
1	A16S	445	С
1	A16S	446	U
1	A16S	447	A
1	A16S	448	A
1	A16S	451	A
1	A16S	452	G
1	A16S	461	A
1	A16S	462	U
1	A16S	463	A
1	A16S	471	G
1	A16S	472	G
1	A16S	473	С
1	A16S	474	A



Mol	Chain	Res	Type
1	A16S	475	А
1	A16S	476	G
1	A16S	477	U
1	A16S	478	С
1	A16S	484	U
1	A16S	485	С
1	A16S	487	G
1	A16S	491	С
1	A16S	493	G
1	A16S	498	А
1	A16S	499	А
1	A16S	513	А
1	A16S	525	G
1	A16S	526	A
1	A16S	527	U
1	A16S	530	C
1	A16S	538	А
1	A16S	539	А
1	A16S	542	С
1	A16S	543	G
1	A16S	554	G
1	A16S	562	А
1	A16S	596	А
1	A16S	597	С
1	A16S	598	U
1	A16S	600	G
1	A16S	605	G
1	A16S	619	А
1	A16S	620	G
1	A16S	627	G
1	A16S	628	G
1	A16S	631	A
1	A16S	652	U
1	A16S	653	A
1	A16S	654	G
1	A16S	668	A
1	A16S	669	G
1	A16S	685	C
1	A16S	689	U
1	A16S	690	G
1	A16S	697	G
1	A16S	714	G



Mol	Chain	Res	Type
1	A16S	715	С
1	A16S	721	G
1	A16S	743	A
1	A16S	747	A
1	A16S	753	A
1	A16S	759	U
1	A16S	760	A
1	A16S	779	U
1	A16S	783	С
1	A16S	787	G
1	A16S	794	А
1	A16S	810	U
1	A16S	811	A
1	A16S	812	G
1	A16S	813	A
1	A16S	816	С
1	A16S	872	G
1	A16S	884	А
1	A16S	891	U
1	A16S	903	А
1	A16S	904	С
1	A16S	905	С
1	A16S	906	А
1	A16S	907	С
1	A16S	931	U
1	A16S	937	U
1	A16S	938	С
1	A16S	939	A
1	A16S	940	A
1	A16S	942	G
1	A16S	945	U
1	A16S	946	G
1	A16S	947	G
1	A16S	948	A
1	A16S	953	U
1	A16S	960	G
1	A16S	961	G
1	A16S	963	G
1	A16S	965	С
1	A16S	971	U
1	A16S	972	A
1	A16S	973	U



Mol	Chain	Res	Type
1	A16S	974	G
1	A16S	975	А
1	A16S	976	С
1	A16S	977	G
1	A16S	984	С
1	A16S	987	А
1	A16S	989	G
1	A16S	990	А
1	A16S	994	U
1	A16S	1000	А
1	A16S	1001	С
1	A16S	1002	U
1	A16S	1003	С
1	A16S	1004	G
1	A16S	1005	С
1	A16S	1006	G
1	A16S	1010	А
1	A16S	1014	G
1	A16S	1017	G
1	A16S	1018	С
1	A16S	1029	С
1	A16S	1030	С
1	A16S	1045	А
1	A16S	1048	G
1	A16S	1058	G
1	A16S	1059	U
1	A16S	1060	С
1	A16S	1063	G
1	A16S	1064	С
1	A16S	1065	А
1	A16S	1074	G
1	A16S	1088	G
1	A16S	1089	U
1	A16S	1091	G
1	A16S	1092	G
1	A16S	1093	U
1	A16S	1094	A
1	A16S	1097	С
1	A16S	1098	U
1	A16S	1099	G
1	A16S	1101	А
1	A16S	1104	С



Mol	Chain	Res	Type
1	A16S	1105	С
1	A16S	1106	G
1	A16S	1107	G
1	A16S	1116	С
1	A16S	1117	А
1	A16S	1119	А
1	A16S	1123	G
1	A16S	1130	U
1	A16S	1137	G
1	A16S	1138	U
1	A16S	1139	А
1	A16S	1140	А
1	A16S	1141	G
1	A16S	1154	G
1	A16S	1166	А
1	A16S	1167	G
1	A16S	1171	А
1	A16S	1182	А
1	A16S	1183	А
1	A16S	1185	С
1	A16S	1188	С
1	A16S	1189	С
1	A16S	1190	G
1	A16S	1192	G
1	A16S	1194	С
1	A16S	1195	G
1	A16S	1196	С
1	A16S	1206	A
1	A16S	1223	G
1	A16S	1227	U
1	A16S	1230	U
1	A16S	1232	С
1	A16S	1237	A
1	A16S	1238	A
1	A16S	1249	A
1	A16S	1252	С
1	A16S	1253	С
1	A16S	1254	U
1	A16S	1255	U
1	A16S	1259	С
1	A16S	1267	С
1	A16S	1268	А



Mol	Chain	Res	Type
1	A16S	1269	G
1	A16S	1270	U
1	A16S	1271	U
1	A16S	1272	G
1	A16S	1274	G
1	A16S	1288	А
1	A16S	1289	С
1	A16S	1291	С
1	A16S	1307	G
1	A16S	1315	А
1	A16S	1316	G
1	A16S	1317	U
1	A16S	1332	А
1	A16S	1333	A
1	A16S	1339	G
1	A16S	1343	A
1	A16S	1348	G
1	A16S	1350	С
1	A16S	1354	G
1	A16S	1363	А
1	A16S	1364	С
1	A16S	1365	А
1	A16S	1366	С
1	A16S	1367	А
1	A16S	1374	G
1	A16S	1388	G
1	A16S	1414	А
1	A16S	1416	А
1	A16S	1430	A
1	A16S	1443	G
1	A16S	1451	А
1	A16S	1460	A
1	A16S	1463	А
1	A16S	1465	G
1	A16S	1466	G
1	A16S	1467	U
1	A16S	1468	А
1	A16S	1481	С
1	A16S	1490	G
1	A16S	1491	G
1	A16S	1492	А
1	A16S	1493	U



Continued from previous page...

Mol	Chain	Res	Type
1	A16S	1497	С
1	A16S	1501	U

All (43) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A16S	47	А
1	A16S	49	G
1	A16S	54	А
1	A16S	63	А
1	A16S	102	G
1	A16S	117	А
1	A16S	179	U
1	A16S	220	С
1	A16S	255	А
1	A16S	262	U
1	A16S	278	G
1	A16S	293	А
1	A16S	340	С
1	A16S	384	С
1	A16S	444	U
1	A16S	471	G
1	A16S	475	А
1	A16S	484	U
1	A16S	526	А
1	A16S	541	G
1	A16S	595	А
1	A16S	653	А
1	A16S	684	А
1	A16S	758	А
1	A16S	778	G
1	A16S	883	А
1	A16S	890	U
1	A16S	903	A
1	A16S	973	U
1	A16S	974	G
1	A16S	1088	G
1	A16S	1093	U
1	A16S	1116	С
1	A16S	1138	U
1	A16S	1184	A
1	A16S	1254	U



Continued from previous page...

Mol	Chain	Res	Type
1	A16S	1270	U
1	A16S	1315	А
1	A16S	1316	G
1	A16S	1442	С
1	A16S	1459	U
1	A16S	1466	G
1	A16S	1489	U

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-34862. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)

6.1.1 Primary map



6.1.2 Raw map



The images above show the map projected in three orthogonal directions.



6.2 Central slices (i)

6.2.1 Primary map



X Index: 190



Y Index: 190



Z Index: 190

6.2.2 Raw map



X Index: 190

Y Index: 190

Z Index: 190

The images above show central slices of the map in three orthogonal directions.



6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 137



Y Index: 154



Z Index: 162

6.3.2 Raw map



X Index: 136

Y Index: 180



The images above show the largest variance slices of the map in three orthogonal directions.



6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.46. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)



The volume at the recommended contour level is 487 nm^3 ; this corresponds to an approximate mass of 440 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.318 ${\rm \AA^{-1}}$



8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC (i)



*Reported resolution corresponds to spatial frequency of 0.318 $\mathrm{\AA^{-1}}$



8.2 Resolution estimates (i)

$\begin{bmatrix} Bosolution ostimato (Å) \end{bmatrix}$	Estimation criterion (FSC cut-off)		
Resolution estimate (A)	0.143	0.5	Half-bit
Reported by author	3.14	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	10.86	15.34	11.20

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 10.86 differs from the reported value 3.14 by more than 10 %



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-34862 and PDB model 8HKX. Per-residue inclusion information can be found in section 3 on page 9.

9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.46 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.46).



9.4 Atom inclusion (i)



At the recommended contour level, 84% of all backbone atoms, 79% of all non-hydrogen atoms, are inside the map.



1.0

0.0 <0.0

9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.46) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7910	0.4140
А	0.7800	0.3860
A16S	0.8770	0.4220
AS2P	0.6660	0.4120
AS3P	0.7030	0.4260
AS4E	0.7200	0.4540
AS4P	0.7270	0.4330
AS5P	0.7470	0.4480
AS6E	0.4860	0.3370
AS7P	0.5830	0.3240
AS8E	0.7890	0.4510
AS8P	0.7950	0.4640
AS9P	0.7280	0.4530
S10P	0.6790	0.3920
S11P	0.7230	0.4450
S12P	0.7670	0.4670
S13P	0.5460	0.3200
S14P	0.7840	0.4360
S15P	0.7630	0.4270
S17E	0.4510	0.3190
S17P	0.7510	0.4700
S19E	0.6380	0.3480
S19P	0.7350	0.4120
S24E	0.7330	0.4440
S27A	0.6130	0.2630
S27E	0.7540	0.4300
S28E	0.6530	0.3930
S3AE	0.7260	0.4120
SL7A	0.4690	0.2030

