



# wwPDB EM Validation Summary Report ⓘ

Oct 1, 2023 – 01:13 AM JST

PDB ID : 8HKZ  
EMDB ID : EMD-34864  
Title : Cryo-EM Structures and Translocation Mechanism of Crenarchaeota Ribosome  
Authors : Wang, Y.H.; Zhou, J.  
Deposited on : 2022-11-28  
Resolution : 4.78 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev50  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 4.78 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A23S	3022	 58% 39%
2	A16S	1503	 54% 41% 5%
3	A5S	122	 12% 61% 27%
4	AL1P	216	 95% 100%
5	AL2P	234	 46% 98%
6	AL3P	339	 38% 99%
7	AL4P	251	 26% 99%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	AL5P	168	40% 99%
9	AL6P	181	36% 99%
10	ALX0	76	30% 96%
11	L10E	164	32% 99%
12	L13P	140	29% 100%
13	L141	86	31% 99%
13	L142	86	53% 100%
14	L14P	134	61% 99%
15	L15E	169	37% 99%
16	L18E	112	7% 100%
17	L18P	193	34% 100%
18	L19E	144	17% 99%
19	L22P	150	37% 99%
20	L23P	81	33% 100%
21	L24E	54	31% 100%
22	L24P	122	18% 99%
23	L29P	63	21% 98%
24	L30E	94	16% 100%
25	L30P	155	26% 99%
26	L31E	75	35% 99%
27	L32E	123	50% 100%
28	L34E	77	39% 96%
29	L37A	65	25% 100%
30	L37E	54	20% 100%
31	L39E	49	31% 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
32	L40E	55	87% 100%
33	L44E	92	35% 99%
34	L7A1	123	42% 99%
34	L7A2	123	36% 100%
34	SL7A	123	89% 100%
35	L15P	144	15% 65% 35%
36	L21E	97	25% 99%
37	L45A	101	42% 95% 5%
38	L46A	70	70% 100%
39	L47A	80	94% 99%
40	AS2P	196	51% 100%
41	AS4E	240	37% 99%
42	AS4P	166	29% 99%
43	AS5P	204	30% 100%
44	AS6E	105	64% 98%
45	AS8E	126	55% 100%
46	AS8P	130	15% 98%
47	S11P	128	48% 100%
48	S12P	143	66% 99%
49	S15P	149	23% 97%
50	S17P	111	48% 99%
51	S24E	96	34% 98%
52	S27E	59	24% 100%
53	S3AE	189	44% 98%
54	AS3P	201	50% 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
55	AS7P	193	54% 98%
56	S10P	100	56% 100%
57	S13P	147	44% 98%
58	S14P	52	58% 100%
59	S17E	62	61% 100%
60	S19E	150	45% 99%
61	S19P	115	33% 96%
62	AS9P	136	46% 99%
63	S28E	63	67% 100%
64	S27A	54	19% 94% 6%
65	APTP	6	100% 100%
66	AETN	76	80% 57% 37% 7%
66	APTN	76	70% 26%
67	AMRN	9	56% 89% 11%

## 2 Entry composition

There are 68 unique types of molecules in this entry. The entry contains 167743 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S rRNA (2996-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	A23S	2996	64360	28674	11914	20776	2996	0	0

- Molecule 2 is a RNA chain called 16S rRNA (1493-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	A16S	1493	32063	14279	5930	10361	1493	0	0

- Molecule 3 is a RNA chain called 5S rRNA (122-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	A5S	122	2609	1163	476	849	121	0	0

- Molecule 4 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	AL1P	216	1715	1096	303	312	4	0	0

- Molecule 5 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	AL2P	234	1754	1101	344	307	2	0	0

- Molecule 6 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	AL3P	339	2695	1730	484	477	4	0	0

- Molecule 7 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	AL4P	251	1926	1223	356	345	2	0	0

- Molecule 8 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	AL5P	168	1343	854	253	232	4	0	0

- Molecule 9 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	AL6P	181	1431	920	246	264	1	0	0

- Molecule 10 is a protein called 50S ribosomal protein L18Ae.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	ALX0	76	629	403	110	115	1	0	0

- Molecule 11 is a protein called 50S ribosomal protein L10e.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	L10E	164	1310	837	239	227	7	0	0

- Molecule 12 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	L13P	140	1109	707	208	190	4	0	0

- Molecule 13 is a protein called 50S ribosomal protein L14e.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	L141	86	669	417	123	127	2	0	0
13	L142	86	669	417	123	127	2	0	0

- Molecule 14 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	L14P	134	1034	655	194	181	4	0	0

- Molecule 15 is a protein called 50S ribosomal protein L15e.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	L15E	169	1423	899	283	236	5	0	0

- Molecule 16 is a protein called 50S ribosomal protein L18e.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	L18E	112	895	576	163	153	3	0	0

- Molecule 17 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	L18P	193	1539	990	274	274	1	0	0

- Molecule 18 is a protein called 50S ribosomal protein L19e.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
18	L19E	144	1206	753	247	206	0	0

- Molecule 19 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	L22P	150	1223	782	225	213	3	0	0

- Molecule 20 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	L23P	81	650	419	109	121	1	0	0

- Molecule 21 is a protein called 50S ribosomal protein L24e.



Mol	Chain	Residues	Atoms					AltConf	Trace
21	L24E	54	Total	C	N	O	S	0	0
			441	282	80	73	6		

- Molecule 22 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	L24P	122	Total	C	N	O	S	0	0
			989	620	189	176	4		

- Molecule 23 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	L29P	63	Total	C	N	O	S	0	0
			513	319	95	96	3		

- Molecule 24 is a protein called 50S ribosomal protein L30e.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	L30E	94	Total	C	N	O	S	0	0
			729	474	116	136	3		

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	L30P	155	Total	C	N	O	S	0	0
			1254	804	222	223	5		

- Molecule 26 is a protein called 50S ribosomal protein L31e.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	L31E	75	Total	C	N	O	S	0	0
			625	398	126	97	4		

- Molecule 27 is a protein called 50S ribosomal protein L32e.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	L32E	123	Total	C	N	O	S	0	0
			1010	650	193	166	1		

- Molecule 28 is a protein called 50S ribosomal protein L34e.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	L34E	77	629	395	119	110	5	0	0

- Molecule 29 is a protein called 50S ribosomal protein L37Ae.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	L37A	65	527	335	99	87	6	0	0

- Molecule 30 is a protein called 50S ribosomal protein L37e.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	L37E	54	436	267	94	69	6	0	0

- Molecule 31 is a protein called 50S ribosomal protein L39e.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
31	L39E	49	414	265	88	61	0	0

- Molecule 32 is a protein called 50S ribosomal protein L40E.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	L40E	55	439	273	89	72	5	0	0

- Molecule 33 is a protein called 50S ribosomal protein L44e.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	L44E	92	753	474	144	129	6	0	0

- Molecule 34 is a protein called 50S ribosomal protein L7Ae.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	L7A1	123	935	593	155	184	3	0	0
34	L7A2	123	935	593	155	184	3	0	0
34	SL7A	123	935	593	155	184	3	0	0

- Molecule 35 is a protein called Large ribosomal subunit protein uL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	L15P	94	752	487	131	133	1	0	0

- Molecule 36 is a protein called 50S ribosomal protein L21e.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	L21E	97	785	502	152	129	2	0	0

- Molecule 37 is a protein called DUF2280 domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	L45A	101	816	515	141	156	4	0	0

- Molecule 38 is a protein called Conserved protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	L46A	70	586	382	101	102	1	0	0

- Molecule 39 is a protein called 50S ribosomal protein L47A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	L47A	80	648	405	113	128	2	0	0

- Molecule 40 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	AS2P	196	1587	1022	277	286	2	0	0

- Molecule 41 is a protein called 30S ribosomal protein S4e.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	AS4E	240	1925	1238	335	348	4	0	0

- Molecule 42 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	AS4P	166	Total	C	N	O	S	0	0
			1370	874	252	241	3		

- Molecule 43 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	AS5P	204	Total	C	N	O	S	0	0
			1600	1028	277	287	8		

- Molecule 44 is a protein called 30S ribosomal protein S6e.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	AS6E	105	Total	C	N	O	S	0	0
			805	506	149	147	3		

- Molecule 45 is a protein called 30S ribosomal protein S8e.

Mol	Chain	Residues	Atoms				AltConf	Trace
45	AS8E	126	Total	C	N	O	0	0
			993	619	187	187		

- Molecule 46 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	AS8P	130	Total	C	N	O	S	0	0
			1028	661	181	182	4		

- Molecule 47 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	S11P	128	Total	C	N	O	S	0	0
			960	595	190	173	2		

- Molecule 48 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	S12P	143	Total	C	N	O	S	0	0
			1103	701	209	189	4		

- Molecule 49 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	S15P	149	Total	C	N	O	S	0	0
			1225	778	228	214	5		

- Molecule 50 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	S17P	111	Total	C	N	O	S	0	0
			885	557	165	160	3		

- Molecule 51 is a protein called 30S ribosomal protein S24e.

Mol	Chain	Residues	Atoms				AltConf	Trace
51	S24E	96	Total	C	N	O	0	0
			759	479	133	147		

- Molecule 52 is a protein called 30S ribosomal protein S27e.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	S27E	59	Total	C	N	O	S	0	0
			458	294	83	76	5		

- Molecule 53 is a protein called 30S ribosomal protein S3Ae.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	S3AE	189	Total	C	N	O	S	0	0
			1545	1004	264	276	1		

- Molecule 54 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	AS3P	201	Total	C	N	O	S	0	0
			1576	1020	274	278	4		

- Molecule 55 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	AS7P	193	Total	C	N	O	S	0	0
			1537	969	285	279	4		

- Molecule 56 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	S10P	100	Total	C	N	O	S	0	0
			824	522	154	142	6		

- Molecule 57 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	S13P	147	Total	C	N	O	S	0	0
			1204	753	230	217	4		

- Molecule 58 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	S14P	52	Total	C	N	O	S	0	0
			432	273	85	69	5		

- Molecule 59 is a protein called 30S ribosomal protein S17e.

Mol	Chain	Residues	Atoms				AltConf	Trace
59	S17E	62	Total	C	N	O	0	0
			517	326	92	99		

- Molecule 60 is a protein called 30S ribosomal protein S19e.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	S19E	150	Total	C	N	O	S	0	0
			1239	801	223	213	2		

- Molecule 61 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	S19P	115	Total	C	N	O	S	0	0
			968	620	181	162	5		

- Molecule 62 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	AS9P	136	Total	C	N	O	S	0	0
			1096	692	200	197	7		

- Molecule 63 is a protein called 30S ribosomal protein S28e.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
63	S28E	63	498	308	99	91	0	0

- Molecule 64 is a protein called 30S ribosomal protein S27ae.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
64	S27A	54	435	274	79	76	6	0	0

- Molecule 65 is a protein called PHE-PHE-PHE-PHE-PHE-PHE.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
65	APTP	6	67	54	6	7	0	0

- Molecule 66 is a RNA chain called tRNA (76-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
66	APTN	76	1619	723	290	531	75	0	0
66	AETN	76	1619	723	290	531	75	0	0

- Molecule 67 is a RNA chain called mRNA (5'-R(P\*UP\*UP\*UP\*UP\*UP\*UP\*UP\*U)-3').

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
67	AMRN	9	180	81	18	72	9	0	0


- Molecule 68 is UNKNOWN (three-letter code: UNK) (formula: C<sub>4</sub>H<sub>9</sub>NO<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
68	AS2P	34	171	102	34	35	0
68	AS5P	18	90	54	18	18	0
68	AS8P	5	25	15	5	5	0


### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 23S rRNA (2996-MER)











• Molecule 2: 16S rRNA (1493-MER)


Chain A16S:  54% 41% 5%









• Molecule 3: 5S rRNA (122-MER)




• Molecule 4: 50S ribosomal protein L1





• Molecule 5: 50S ribosomal protein L2








- Molecule 6: 50S ribosomal protein L3




- Molecule 7: 50S ribosomal protein L4




- Molecule 8: 50S ribosomal protein L5




- Molecule 9: 50S ribosomal protein L6







- Molecule 10: 50S ribosomal protein L18Ae




- Molecule 11: 50S ribosomal protein L10e



- Molecule 12: 50S ribosomal protein L13




- Molecule 13: 50S ribosomal protein L14e




- Molecule 13: 50S ribosomal protein L14e








- Molecule 14: 50S ribosomal protein L14




- Molecule 15: 50S ribosomal protein L15e



- Molecule 16: 50S ribosomal protein L18e




- Molecule 17: 50S ribosomal protein L18






- Molecule 18: 50S ribosomal protein L19e

Chain L19E:  17% 99%




• Molecule 19: 50S ribosomal protein L22

Chain L22P:  37% 99%




• Molecule 20: 50S ribosomal protein L23

Chain L23P:  33% 100%



• Molecule 21: 50S ribosomal protein L24e

Chain L24E:  31% 100%




• Molecule 22: 50S ribosomal protein L24

Chain L24P:  18% 99%



• Molecule 23: 50S ribosomal protein L29


Chain L29P:  21% 98%





• Molecule 24: 50S ribosomal protein L30e

Chain L30E:  16% 100%








- Molecule 25: 50S ribosomal protein L30




- Molecule 26: 50S ribosomal protein L31e




- Molecule 27: 50S ribosomal protein L32e




- Molecule 28: 50S ribosomal protein L34e




- Molecule 29: 50S ribosomal protein L37Ae




- Molecule 30: 50S ribosomal protein L37e




- Molecule 31: 50S ribosomal protein L39e





- Molecule 32: 50S ribosomal protein L40E






- Molecule 33: 50S ribosomal protein L44e




- Molecule 34: 50S ribosomal protein L7Ae




- Molecule 34: 50S ribosomal protein L7Ae




• Molecule 34: 50S ribosomal protein L7Ae




• Molecule 35: Large ribosomal subunit protein uL15




• Molecule 36: 50S ribosomal protein L21e



• Molecule 37: DUF2280 domain-containing protein




• Molecule 38: Conserved protein











- Molecule 39: 50S ribosomal protein L47A



- Molecule 40: 30S ribosomal protein S2




- Molecule 41: 30S ribosomal protein S4e




- Molecule 42: 30S ribosomal protein S4







- Molecule 43: 30S ribosomal protein S5




- Molecule 44: 30S ribosomal protein S6e




- Molecule 45: 30S ribosomal protein S8e




- Molecule 46: 30S ribosomal protein S8




- Molecule 47: 30S ribosomal protein S11




• Molecule 48: 30S ribosomal protein S12




• Molecule 49: 30S ribosomal protein S15




• Molecule 50: 30S ribosomal protein S17




• Molecule 51: 30S ribosomal protein S24e




- Molecule 52: 30S ribosomal protein S27e




- Molecule 53: 30S ribosomal protein S3Ae




- Molecule 54: 30S ribosomal protein S3




- Molecule 55: 30S ribosomal protein S7




- Molecule 56: 30S ribosomal protein S10




- Molecule 57: 30S ribosomal protein S13




- Molecule 58: 30S ribosomal protein S14 type Z



- Molecule 59: 30S ribosomal protein S17e




- Molecule 60: 30S ribosomal protein S19e




- Molecule 61: 30S ribosomal protein S19









- Molecule 62: 30S ribosomal protein S9




- Molecule 63: 30S ribosomal protein S28e




- Molecule 64: 30S ribosomal protein S27ae




- Molecule 65: PHE-PHE-PHE-PHE-PHE-PHE




- Molecule 66: tRNA (76-MER)



- Molecule 66: tRNA (76-MER)



- Molecule 67: mRNA (5'-R(P\*UP\*UP\*UP\*UP\*UP\*UP\*UP\*UP\*U)-3')



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	3842	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	26.7	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.115	Depositor
Minimum map value	-0.446	Depositor
Average map value	0.006	Depositor
Map value standard deviation	0.089	Depositor
Recommended contour level	0.33	Depositor
Map size ( $\text{\AA}$ )	413.06, 413.06, 413.06	wwPDB
Map dimensions	380, 380, 380	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	1.087, 1.087, 1.087	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A23S	0.52	43/72052 (0.1%)	1.06	380/112414 (0.3%)
2	A16S	0.60	43/35889 (0.1%)	1.24	382/56002 (0.7%)
3	A5S	0.38	0/2917	0.77	0/4549
4	AL1P	0.25	0/1739	0.52	0/2338
5	AL2P	0.29	0/1787	0.55	0/2409
6	AL3P	0.29	0/2758	0.55	0/3727
7	AL4P	0.27	0/1956	0.55	0/2635
8	AL5P	0.28	0/1364	0.56	0/1827
9	AL6P	0.29	0/1450	0.54	0/1949
10	ALX0	0.31	0/638	0.63	0/851
11	L10E	0.29	0/1334	0.55	0/1787
12	L13P	0.27	0/1123	0.56	0/1502
13	L141	0.27	0/673	0.51	0/900
13	L142	0.27	0/673	0.54	0/900
14	L14P	0.29	0/1054	0.56	0/1425
15	L15E	0.30	0/1458	0.61	0/1956
16	L18E	0.28	0/907	0.53	0/1214
17	L18P	0.28	0/1570	0.50	0/2115
18	L19E	0.28	0/1223	0.57	0/1622
19	L22P	0.28	0/1246	0.51	0/1671
20	L23P	0.28	0/655	0.50	0/874
21	L24E	0.29	0/451	0.53	0/599
22	L24P	0.28	0/1000	0.60	0/1329
23	L29P	0.25	0/513	0.60	0/678
24	L30E	0.30	0/738	0.51	0/985
25	L30P	0.29	0/1278	0.56	0/1713
26	L31E	0.28	0/632	0.67	0/837
27	L32E	0.28	0/1027	0.57	0/1366
28	L34E	0.55	1/642 (0.2%)	0.93	7/854 (0.8%)
29	L37A	0.32	0/542	0.57	0/726
30	L37E	0.30	0/445	0.60	0/585
31	L39E	0.28	0/422	0.63	0/562
32	L40E	0.25	0/443	0.69	0/587
33	L44E	0.28	0/763	0.55	0/1008

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
34	L7A1	0.27	0/946	0.45	0/1272
34	L7A2	0.26	0/946	0.45	0/1272
34	SL7A	0.26	0/946	0.48	0/1272
35	L15P	0.26	0/766	0.51	0/1023
36	L21E	0.28	0/800	0.55	0/1067
37	L45A	0.28	0/824	0.52	0/1094
38	L46A	0.27	0/595	0.49	0/793
39	L47A	0.24	0/652	0.56	0/870
40	AS2P	0.27	0/1621	0.54	0/2202
41	AS4E	0.27	0/1956	0.58	0/2635
42	AS4P	0.26	0/1399	0.57	0/1883
43	AS5P	0.29	0/1631	0.53	0/2200
44	AS6E	0.27	0/815	0.60	0/1093
45	AS8E	0.27	0/1005	0.57	0/1342
46	AS8P	0.31	0/1046	0.58	0/1410
47	S11P	0.27	0/976	0.60	0/1315
48	S12P	0.28	0/1120	0.58	0/1495
49	S15P	0.28	0/1250	0.56	0/1677
50	S17P	0.28	0/899	0.55	0/1203
51	S24E	0.27	0/769	0.49	0/1034
52	S27E	0.28	0/465	0.50	0/618
53	S3AE	0.27	0/1573	0.53	0/2115
54	AS3P	0.28	0/1599	0.52	0/2147
55	AS7P	0.27	0/1561	0.56	0/2105
56	S10P	0.27	0/840	0.55	0/1132
57	S13P	0.26	0/1221	0.59	0/1634
58	S14P	0.31	0/441	0.66	0/583
59	S17E	0.25	0/523	0.47	0/696
60	S19E	0.26	0/1267	0.56	0/1705
61	S19P	0.27	0/985	0.56	0/1310
62	AS9P	0.28	0/1115	0.58	0/1496
63	S28E	0.25	0/500	0.65	0/669
64	S27A	0.36	0/444	0.66	0/590
65	APTP	0.37	0/72	0.47	0/93
66	AETN	0.49	1/1809 (0.1%)	1.30	29/2819 (1.0%)
66	APTN	0.48	1/1809 (0.1%)	1.35	22/2819 (0.8%)
67	AMRN	0.24	0/197	0.83	0/302
All	All	0.47	89/180745 (0.0%)	0.97	820/267481 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	A16S	0	1
28	L34E	0	1
42	AS4P	0	1
46	AS8P	0	3
49	S15P	0	1
55	AS7P	0	1
64	S27A	0	1
All	All	0	9

The worst 5 of 89 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A16S	381	C	C2-O2	-16.42	1.09	1.24
2	A16S	381	C	N1-C6	-14.93	1.28	1.37
28	L34E	19	PRO	C-N	10.21	1.57	1.34
2	A16S	379	G	N1-C2	9.11	1.45	1.37
2	A16S	381	C	C4-C5	-9.04	1.35	1.43

The worst 5 of 820 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A16S	381	C	N1-C2-O2	-58.89	83.57	118.90
1	A23S	1626	C	C6-N1-C2	-47.77	101.19	120.30
1	A23S	1626	C	C5-C6-N1	34.41	138.21	121.00
2	A16S	381	C	N3-C2-O2	33.62	145.44	121.90
1	A23S	2433	C	N3-C4-N4	-31.08	96.24	118.00

There are no chirality outliers.

5 of 9 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	A16S	381	C	Sidechain
42	AS4P	163	GLN	Peptide
46	AS8P	87	LEU	Peptide
46	AS8P	90	PRO	Peptide
28	L34E	36	ARG	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A23S	64360	0	0	0	0
2	A16S	32063	0	0	0	0
3	A5S	2609	0	1324	102	0
4	AL1P	1715	0	0	0	0
5	AL2P	1754	0	0	0	0
6	AL3P	2695	0	0	0	0
7	AL4P	1926	0	0	0	0
8	AL5P	1343	0	0	0	0
9	AL6P	1431	0	0	0	0
10	ALX0	629	0	0	0	0
11	L10E	1310	0	0	0	0
12	L13P	1109	0	0	0	0
13	L141	669	0	0	0	0
13	L142	669	0	0	0	0
14	L14P	1034	0	0	0	0
15	L15E	1423	0	0	0	0
16	L18E	895	0	0	0	0
17	L18P	1539	0	0	0	0
18	L19E	1206	0	0	0	0
19	L22P	1223	0	0	0	0
20	L23P	650	0	0	0	0
21	L24E	441	0	0	0	0
22	L24P	989	0	0	0	0
23	L29P	513	0	0	0	0
24	L30E	729	0	0	0	0
25	L30P	1254	0	0	0	0
26	L31E	625	0	0	0	0
27	L32E	1010	0	0	0	0
28	L34E	629	0	0	0	0
29	L37A	527	0	0	0	0
30	L37E	436	0	0	0	0
31	L39E	414	0	0	0	0
32	L40E	439	0	0	0	0
33	L44E	753	0	0	0	0
34	L7A1	935	0	0	0	0
34	L7A2	935	0	0	0	0
34	SL7A	935	0	0	0	0
35	L15P	752	0	0	0	0
36	L21E	785	0	0	0	0
37	L45A	816	0	0	0	0
38	L46A	586	0	0	0	0
39	L47A	648	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
40	AS2P	1587	0	0	0	0
41	AS4E	1925	0	0	0	0
42	AS4P	1370	0	0	0	0
43	AS5P	1600	0	0	0	0
44	AS6E	805	0	0	0	0
45	AS8E	993	0	0	0	0
46	AS8P	1028	0	0	0	0
47	S11P	960	0	0	0	0
48	S12P	1103	0	0	0	0
49	S15P	1225	0	0	0	0
50	S17P	885	0	0	0	0
51	S24E	759	0	0	0	0
52	S27E	458	0	0	0	0
53	S3AE	1545	0	0	0	0
54	AS3P	1576	0	0	0	0
55	AS7P	1537	0	0	0	0
56	S10P	824	0	0	0	0
57	S13P	1204	0	0	0	0
58	S14P	432	0	0	0	0
59	S17E	517	0	0	0	0
60	S19E	1239	0	0	0	0
61	S19P	968	0	0	0	0
62	AS9P	1096	0	0	0	0
63	S28E	498	0	0	0	0
64	S27A	435	0	0	0	0
65	APTP	67	0	0	0	0
66	AETN	1619	0	0	0	0
66	APTN	1619	0	0	0	0
67	AMRN	180	0	0	0	0
68	AS2P	171	0	0	0	0
68	AS5P	90	0	0	0	0
68	AS8P	25	0	0	0	0
All	All	167743	0	1324	102	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 41.

The worst 5 of 102 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A5S:75:G:N1	3:A5S:107:C:O2	2.13	0.81

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A5S:10:G:N1	3:A5S:115:U:O2	2.15	0.75
3:A5S:35:G:C6	3:A5S:45:G:H1'	2.23	0.73
3:A5S:2:G:H1	3:A5S:122:G:H2'	1.53	0.73
3:A5S:121:G:H2'	3:A5S:122:G:C8	2.28	0.69

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	AL1P	214/216 (99%)	194 (91%)	20 (9%)	0	100	100
5	AL2P	232/234 (99%)	219 (94%)	13 (6%)	0	100	100
6	AL3P	337/339 (99%)	295 (88%)	42 (12%)	0	100	100
7	AL4P	249/251 (99%)	229 (92%)	20 (8%)	0	100	100
8	AL5P	166/168 (99%)	145 (87%)	21 (13%)	0	100	100
9	AL6P	179/181 (99%)	156 (87%)	23 (13%)	0	100	100
10	ALX0	74/76 (97%)	63 (85%)	11 (15%)	0	100	100
11	L10E	162/164 (99%)	148 (91%)	14 (9%)	0	100	100
12	L13P	138/140 (99%)	122 (88%)	16 (12%)	0	100	100
13	L141	84/86 (98%)	74 (88%)	10 (12%)	0	100	100
13	L142	84/86 (98%)	69 (82%)	15 (18%)	0	100	100
14	L14P	132/134 (98%)	118 (89%)	14 (11%)	0	100	100
15	L15E	167/169 (99%)	156 (93%)	11 (7%)	0	100	100
16	L18E	110/112 (98%)	105 (96%)	5 (4%)	0	100	100
17	L18P	191/193 (99%)	178 (93%)	13 (7%)	0	100	100
18	L19E	142/144 (99%)	132 (93%)	10 (7%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
19	L22P	148/150 (99%)	136 (92%)	12 (8%)	0	100	100
20	L23P	79/81 (98%)	70 (89%)	9 (11%)	0	100	100
21	L24E	52/54 (96%)	49 (94%)	3 (6%)	0	100	100
22	L24P	120/122 (98%)	112 (93%)	8 (7%)	0	100	100
23	L29P	61/63 (97%)	52 (85%)	9 (15%)	0	100	100
24	L30E	92/94 (98%)	83 (90%)	9 (10%)	0	100	100
25	L30P	153/155 (99%)	128 (84%)	25 (16%)	0	100	100
26	L31E	73/75 (97%)	66 (90%)	7 (10%)	0	100	100
27	L32E	121/123 (98%)	111 (92%)	10 (8%)	0	100	100
28	L34E	75/77 (97%)	57 (76%)	17 (23%)	1 (1%)	12	48
29	L37A	63/65 (97%)	50 (79%)	13 (21%)	0	100	100
30	L37E	52/54 (96%)	47 (90%)	5 (10%)	0	100	100
31	L39E	47/49 (96%)	37 (79%)	10 (21%)	0	100	100
32	L40E	53/55 (96%)	43 (81%)	10 (19%)	0	100	100
33	L44E	90/92 (98%)	85 (94%)	5 (6%)	0	100	100
34	L7A1	121/123 (98%)	116 (96%)	5 (4%)	0	100	100
34	L7A2	121/123 (98%)	115 (95%)	6 (5%)	0	100	100
34	SL7A	121/123 (98%)	107 (88%)	14 (12%)	0	100	100
35	L15P	90/144 (62%)	81 (90%)	9 (10%)	0	100	100
36	L21E	95/97 (98%)	89 (94%)	6 (6%)	0	100	100
37	L45A	99/101 (98%)	77 (78%)	19 (19%)	3 (3%)	4	31
38	L46A	68/70 (97%)	62 (91%)	6 (9%)	0	100	100
39	L47A	78/80 (98%)	67 (86%)	11 (14%)	0	100	100
40	AS2P	194/196 (99%)	178 (92%)	16 (8%)	0	100	100
41	AS4E	238/240 (99%)	199 (84%)	39 (16%)	0	100	100
42	AS4P	164/166 (99%)	138 (84%)	26 (16%)	0	100	100
43	AS5P	202/204 (99%)	177 (88%)	25 (12%)	0	100	100
44	AS6E	103/105 (98%)	79 (77%)	24 (23%)	0	100	100
45	AS8E	124/126 (98%)	114 (92%)	10 (8%)	0	100	100
46	AS8P	128/130 (98%)	107 (84%)	21 (16%)	0	100	100
47	S11P	126/128 (98%)	108 (86%)	18 (14%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
48	S12P	141/143 (99%)	116 (82%)	25 (18%)	0	100	100
49	S15P	147/149 (99%)	129 (88%)	18 (12%)	0	100	100
50	S17P	109/111 (98%)	96 (88%)	13 (12%)	0	100	100
51	S24E	94/96 (98%)	84 (89%)	10 (11%)	0	100	100
52	S27E	57/59 (97%)	47 (82%)	10 (18%)	0	100	100
53	S3AE	187/189 (99%)	164 (88%)	22 (12%)	1 (0%)	29	68
54	AS3P	199/201 (99%)	183 (92%)	16 (8%)	0	100	100
55	AS7P	191/193 (99%)	165 (86%)	26 (14%)	0	100	100
56	S10P	98/100 (98%)	90 (92%)	8 (8%)	0	100	100
57	S13P	145/147 (99%)	124 (86%)	21 (14%)	0	100	100
58	S14P	50/52 (96%)	40 (80%)	10 (20%)	0	100	100
59	S17E	60/62 (97%)	55 (92%)	5 (8%)	0	100	100
60	S19E	148/150 (99%)	125 (84%)	23 (16%)	0	100	100
61	S19P	113/115 (98%)	98 (87%)	15 (13%)	0	100	100
62	AS9P	134/136 (98%)	121 (90%)	13 (10%)	0	100	100
63	S28E	61/63 (97%)	52 (85%)	9 (15%)	0	100	100
64	S27A	52/54 (96%)	39 (75%)	12 (23%)	1 (2%)	8	40
65	APTP	4/6 (67%)	2 (50%)	2 (50%)	0	100	100
All	All	8002/8184 (98%)	7073 (88%)	923 (12%)	6 (0%)	54	85

5 of 6 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
28	L34E	19	PRO
37	L45A	55	VAL
37	L45A	4	VAL
37	L45A	67	THR
64	S27A	25	GLN

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	AL1P	189/190 (100%)	189 (100%)	0	100	100
5	AL2P	181/181 (100%)	177 (98%)	4 (2%)	52	71
6	AL3P	297/297 (100%)	295 (99%)	2 (1%)	84	90
7	AL4P	212/212 (100%)	209 (99%)	3 (1%)	67	81
8	AL5P	144/144 (100%)	143 (99%)	1 (1%)	84	90
9	AL6P	157/157 (100%)	155 (99%)	2 (1%)	69	82
10	ALX0	68/68 (100%)	65 (96%)	3 (4%)	28	54
11	L10E	137/137 (100%)	136 (99%)	1 (1%)	84	90
12	L13P	121/121 (100%)	121 (100%)	0	100	100
13	L141	74/74 (100%)	73 (99%)	1 (1%)	67	81
13	L142	74/74 (100%)	74 (100%)	0	100	100
14	L14P	110/110 (100%)	109 (99%)	1 (1%)	78	87
15	L15E	146/146 (100%)	144 (99%)	2 (1%)	67	81
16	L18E	98/98 (100%)	98 (100%)	0	100	100
17	L18P	162/162 (100%)	162 (100%)	0	100	100
18	L19E	126/126 (100%)	125 (99%)	1 (1%)	81	89
19	L22P	131/131 (100%)	129 (98%)	2 (2%)	65	80
20	L23P	74/74 (100%)	74 (100%)	0	100	100
21	L24E	50/50 (100%)	50 (100%)	0	100	100
22	L24P	108/108 (100%)	107 (99%)	1 (1%)	78	87
23	L29P	59/59 (100%)	58 (98%)	1 (2%)	60	78
24	L30E	83/83 (100%)	83 (100%)	0	100	100
25	L30P	136/136 (100%)	134 (98%)	2 (2%)	65	80
26	L31E	66/66 (100%)	65 (98%)	1 (2%)	65	80
27	L32E	106/106 (100%)	106 (100%)	0	100	100
28	L34E	70/70 (100%)	69 (99%)	1 (1%)	67	81
29	L37A	53/53 (100%)	53 (100%)	0	100	100
30	L37E	45/45 (100%)	45 (100%)	0	100	100
31	L39E	44/44 (100%)	44 (100%)	0	100	100
32	L40E	50/50 (100%)	50 (100%)	0	100	100
33	L44E	84/84 (100%)	83 (99%)	1 (1%)	71	84

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
34	L7A1	104/104 (100%)	103 (99%)	1 (1%)	76	86
34	L7A2	104/104 (100%)	104 (100%)	0	100	100
34	SL7A	104/104 (100%)	104 (100%)	0	100	100
35	L15P	78/118 (66%)	77 (99%)	1 (1%)	69	82
36	L21E	85/85 (100%)	84 (99%)	1 (1%)	71	84
37	L45A	91/91 (100%)	89 (98%)	2 (2%)	52	71
38	L46A	66/66 (100%)	66 (100%)	0	100	100
39	L47A	74/74 (100%)	73 (99%)	1 (1%)	67	81
40	AS2P	174/174 (100%)	174 (100%)	0	100	100
41	AS4E	210/210 (100%)	208 (99%)	2 (1%)	76	86
42	AS4P	149/149 (100%)	149 (100%)	0	100	100
43	AS5P	174/174 (100%)	173 (99%)	1 (1%)	86	92
44	AS6E	88/88 (100%)	86 (98%)	2 (2%)	50	70
45	AS8E	106/106 (100%)	106 (100%)	0	100	100
46	AS8P	111/111 (100%)	111 (100%)	0	100	100
47	S11P	94/94 (100%)	94 (100%)	0	100	100
48	S12P	116/116 (100%)	115 (99%)	1 (1%)	78	87
49	S15P	133/133 (100%)	129 (97%)	4 (3%)	41	63
50	S17P	97/97 (100%)	96 (99%)	1 (1%)	76	86
51	S24E	84/84 (100%)	82 (98%)	2 (2%)	49	69
52	S27E	51/51 (100%)	51 (100%)	0	100	100
53	S3AE	170/170 (100%)	168 (99%)	2 (1%)	71	84
54	AS3P	165/165 (100%)	164 (99%)	1 (1%)	86	92
55	AS7P	166/166 (100%)	163 (98%)	3 (2%)	59	77
56	S10P	92/92 (100%)	92 (100%)	0	100	100
57	S13P	129/129 (100%)	126 (98%)	3 (2%)	50	70
58	S14P	45/45 (100%)	45 (100%)	0	100	100
59	S17E	57/57 (100%)	57 (100%)	0	100	100
60	S19E	134/134 (100%)	132 (98%)	2 (2%)	65	80
61	S19P	106/106 (100%)	101 (95%)	5 (5%)	26	52
62	AS9P	113/113 (100%)	112 (99%)	1 (1%)	78	87

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
63	S28E	54/54 (100%)	54 (100%)	0	100	100
64	S27A	47/47 (100%)	46 (98%)	1 (2%)	53	72
65	APTP	6/6 (100%)	6 (100%)	0	100	100
All	All	7032/7073 (99%)	6965 (99%)	67 (1%)	77	86

5 of 67 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
57	S13P	146	ARG
60	S19E	76	ARG
62	AS9P	19	ARG
23	L29P	40	LYS
22	L24P	82	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A23S	2986/3022 (98%)	1168 (39%)	55 (1%)
2	A16S	1491/1503 (99%)	618 (41%)	58 (3%)
3	A5S	121/122 (99%)	39 (32%)	1 (0%)
66	AETN	75/76 (98%)	31 (41%)	2 (2%)
66	APTN	75/76 (98%)	21 (28%)	1 (1%)
67	AMRN	8/9 (88%)	1 (12%)	0
All	All	4756/4808 (98%)	1878 (39%)	117 (2%)

5 of 1878 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A23S	6	A
1	A23S	7	G
1	A23S	18	G
1	A23S	19	A
1	A23S	25	C

5 of 117 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	A16S	63	A
2	A16S	1453	A
2	A16S	293	A
2	A16S	1451	A
2	A16S	1165	C

#### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

#### 5.6 Ligand geometry [i](#)

Of 57 ligands modelled in this entry, 57 are unknown - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

#### 5.7 Other polymers [i](#)

There are no such residues in this entry.

#### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-34864. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 190




Y Index: 190




Z Index: 190


### 6.2.2 Raw map



X Index: 190



Y Index: 190




Z Index: 190


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 177




Y Index: 178




Z Index: 159


### 6.3.2 Raw map



X Index: 176



Y Index: 178




Z Index: 159


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.33. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1414 nm<sup>3</sup>; this corresponds to an approximate mass of 1277 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.209 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.209 Å<sup>-1</sup>



## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.78	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	9.80	18.38	12.56

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 9.80 differs from the reported value 4.78 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-34864 and PDB model 8HKZ. Per-residue inclusion information can be found in section 3 on page 16.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.33 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.33).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 73% of all backbone atoms, 69% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary











































































The table lists the average atom inclusion at the recommended contour level (0.33) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6920	 0.2530
A16S	 0.8400	 0.2480
A23S	 0.8460	 0.2750
A5S	 0.9210	 0.2650
AETN	 0.1950	 0.1260
AL1P	 0.0500	 0.1750
AL2P	 0.4320	 0.2770
AL3P	 0.4840	 0.2520
AL4P	 0.5370	 0.2670
AL5P	 0.4760	 0.2210
AL6P	 0.4830	 0.2380
ALX0	 0.5380	 0.2160
AMRN	 0.4500	 0.2680
APTN	 0.7740	 0.2250
APTP	 0.0600	 0.1570
AS2P	 0.4410	 0.2550
AS3P	 0.3870	 0.2480
AS4E	 0.5020	 0.2210
AS4P	 0.5550	 0.2290
AS5P	 0.5270	 0.2660
AS6E	 0.3010	 0.2060
AS7P	 0.3840	 0.2200
AS8E	 0.3920	 0.2130
AS8P	 0.6280	 0.2650
AS9P	 0.4410	 0.2020
L10E	 0.5330	 0.2710
L13P	 0.5420	 0.2370
L141	 0.5420	 0.2400
L142	 0.3710	 0.2140
L14P	 0.3420	 0.2620
L15E	 0.4980	 0.2580
L15P	 0.6040	 0.2570
L18E	 0.6840	 0.2760
L18P	 0.5350	 0.2460
L19E	 0.6280	 0.2720



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
L21E	 0.5180	 0.2670
L22P	 0.4960	 0.2550
L23P	 0.4910	 0.2510
L24E	 0.4940	 0.2380
L24P	 0.6090	 0.2350
L29P	 0.5570	 0.2400
L30E	 0.6150	 0.2580
L30P	 0.5680	 0.2300
L31E	 0.5170	 0.2420
L32E	 0.4130	 0.2520
L34E	 0.5240	 0.2360
L37A	 0.5520	 0.2520
L37E	 0.6090	 0.2570
L39E	 0.5850	 0.2320
L40E	 0.1550	 0.2000
L44E	 0.5590	 0.2610
L45A	 0.4680	 0.2480
L46A	 0.3110	 0.2480
L47A	 0.0660	 0.2120
L7A1	 0.4520	 0.2520
L7A2	 0.4680	 0.2240
S10P	 0.3470	 0.2120
S11P	 0.4090	 0.2440
S12P	 0.3030	 0.2440
S13P	 0.4350	 0.2120
S14P	 0.4010	 0.2190
S15P	 0.5910	 0.2480
S17E	 0.3500	 0.1850
S17P	 0.4620	 0.2450
S19E	 0.4350	 0.1830
S19P	 0.5430	 0.2130
S24E	 0.5360	 0.2110
S27A	 0.6890	 0.1270
S27E	 0.6200	 0.2340
S28E	 0.2590	 0.2090
S3AE	 0.4680	 0.2300
SL7A	 0.1180	 0.1550