Full wwPDB X-ray Structure Validation Report (i)

Apr 29, 2024 – 11:24 pm BST

PDB ID	:	1HL6
Title	:	A novel mode of RBD-protein recognition in the Y14-mago complex
Authors	:	Fribourg, S.; Gatfield, D.; Yao, W.; Izaurralde, E.; Conti, E.
Deposited on	:	2003-03-13
Resolution	:	2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.36.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	165	2%, 57%, 14%, •, 28%
1	C	165	7%, 48%, 17%, •, 33%
2	B	149	3%, 56%, 32%, 5%, 8%
2	D	149	5%, 59%, 32%, 5%, •

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 4285 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CG8781 PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	119	953	598	167	185	3	0	0	0
1	C	111	894	566	153	172	3	0	0	0

- Molecule 2 is a protein called MAGO NASHI PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	137	1143	738	193	207	5	0	0	0
2	D	143	1195	770	203	217	5	0	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
3	A	27	27	27	0	0
3	B	31	31	31	0	0
3	C	14	14	14	0	0
3	D	28	28	28	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: CG8781 PROTEIN

Chain A:



- Molecule 1: CG8781 PROTEIN

Chain C:



- Molecule 2: MAGO NASHI PROTEIN

Chain B:



- Molecule 2: MAGO NASHI PROTEIN

Chain D:




I91
V92
D95
E96
H97
I98
S99
F100
T101
K104
S107
L108
V109
D110
V111
N112
R113
S114
K115
D116
P117
E118
R121
L130
L133
L137
L140
H141
F142
K143
I144
K145
R149

4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 4	Depositor
Cell constants a, b, c, α, β, γ	140.18Å 140.18Å 68.58Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.50 28.20 – 2.50	Depositor EDS
% Data completeness (in resolution range)	100.0 (30.00-2.50) 99.3 (28.20-2.50)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	4.14 (at 2.51Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.224 , 0.272 0.241 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å^2)	41.8	Xtriage
Anisotropy	0.045	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.34 , 40.6	EDS
L-test for twinning[2]	$< \|L\| > = 0.48$, $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	0.027 for -k,-h,-l	Xtriage
F_o,F_c correlation	0.93	EDS
Total number of atoms	4285	wwPDB-VP
Average B, all atoms (Å^2)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.12% of the height of the origin peak. No significant pseudotranslation is detected.*

[1]Intensities estimated from amplitudes.

[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| >5$	RMSZ	$\#\|Z\| >5$
1	A	0.40	0/969	0.68	1/1297 (0.1%)
1	C	0.36	0/909	0.63	1/1216 (0.1%)
2	B	0.48	0/1170	0.73	2/1573 (0.1%)
2	D	0.42	0/1225	0.63	0/1650
All	All	0.42	0/4273	0.67	4/5736 (0.1%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	B	84	VAL	CB-CA-C	-6.58	98.91	111.40
1	A	64	PRO	N-CA-CB	5.67	110.11	103.30
2	B	108	LEU	CB-CA-C	-5.50	99.75	110.20
1	C	64	PRO	N-CA-CB	5.46	109.85	103.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	953	0	913	33	0
1	C	894	0	858	25	0
2	B	1143	0	1121	61	0
2	D	1195	0	1174	60	0
3	A	27	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	31	0	0	2	0
3	C	14	0	0	0	0
3	D	28	0	0	3	0
All	All	4285	0	4066	158	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (158) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:8:LEU:HD12	2:D:91:ILE:HG12	1.39	1.05
2:B:105:THR:HG22	2:B:108:LEU:HD22	1.50	0.93
2:D:8:LEU:CD1	2:D:91:ILE:HG12	1.98	0.93
1:A:100:LYS:HA	1:A:100:LYS:HE2	1.50	0.92
1:C:71:GLU:OE2	2:D:143:LYS:HE2	1.76	0.85
1:A:99:ILE:H	1:A:99:ILE:HD13	1.39	0.85
2:B:14:HIS:HE1	2:B:83:ARG:O	1.60	0.84
1:C:31:LYS:HE3	1:C:31:LYS:HA	1.60	0.82
2:D:32:LYS:HZ1	2:D:50:GLU:HB3	1.40	0.82
2:B:105:THR:CG2	2:B:108:LEU:HD22	2.10	0.82
2:B:144:ILE:HG22	2:B:145:LYS:H	1.42	0.82
1:C:81:HIS:HD2	1:C:83:GLU:H	1.27	0.80
2:D:6:PHE:HZ	2:D:65:ILE:HD12	1.44	0.80
1:A:84:ALA:HA	1:A:140:MET:HE2	1.63	0.78
2:D:48:ARG:HH11	2:D:48:ARG:HG3	1.50	0.76
2:B:144:ILE:HG22	2:B:145:LYS:N	1.99	0.76
2:D:18:PHE:CE2	2:D:42:LYS:HB3	2.21	0.75
2:B:17:LYS:HA	2:B:17:LYS:HE2	1.71	0.71
2:B:14:HIS:CE1	2:B:83:ARG:O	2.44	0.71
2:D:11:TYR:HB3	2:D:88:GLU:HG2	1.72	0.71
2:D:32:LYS:NZ	2:D:50:GLU:HB3	2.05	0.71
2:D:145:LYS:NZ	3:D:2028:HOH:O	2.23	0.70
2:B:9:ARG:NH2	2:B:88:GLU:OE1	2.21	0.69
2:D:11:TYR:OH	2:D:20:HIS:HE1	1.75	0.69
1:C:21:GLN:O	1:C:25:ARG:HG3	1.92	0.69
1:A:84:ALA:CA	1:A:140:MET:HE2	2.22	0.68
2:D:112:ASN:HA	2:D:117:PRO:HB3	1.73	0.68
2:D:18:PHE:HD1	2:D:19:GLY:H	1.42	0.67
1:A:70:VAL:HG21	2:B:143:LYS:HG3	1.78	0.66
2:D:85:GLY:HA3	2:D:104:LYS:HG3	1.77	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:110:THR:O	2:D:108:LEU:HD21	1.96	0.66
2:D:6:PHE:CZ	2:D:65:ILE:HD12	2.29	0.66
2:D:18:PHE:HE2	2:D:42:LYS:HB3	1.61	0.65
2:D:114:SER:O	2:D:117:PRO:HG3	1.96	0.65
2:B:39:SER:O	2:B:40:ASN:HB3	1.97	0.63
1:C:135:ASN:HD22	1:C:146:VAL:H	1.46	0.63
2:D:107:SER:HB3	2:D:110:ASP:OD1	1.99	0.62
1:A:99:ILE:H	1:A:99:ILE:CD1	2.09	0.62
2:B:81:PRO:CG	2:B:101:THR:HG23	2.29	0.62
1:C:123:THR:OG1	1:C:126:GLN:HG3	2.00	0.62
2:D:14:HIS:HB3	2:D:85:GLY:HA2	1.80	0.62
1:C:16:ASP:OD2	1:C:19:GLY:HA3	2.00	0.61
2:B:39:SER:O	2:B:40:ASN:CB	2.49	0.61
1:A:98:GLU:HG2	1:A:122:GLU:HB2	1.82	0.61
2:B:144:ILE:CG2	2:B:145:LYS:H	2.12	0.61
2:D:30:ASP:OD1	2:D:32:LYS:HB2	2.01	0.60
2:B:15:LYS:NZ	2:B:15:LYS:HB3	2.17	0.59
2:B:17:LYS:HE2	2:B:17:LYS:CA	2.32	0.59
2:B:73:GLU:OE1	2:B:119:GLY:HA2	2.01	0.59
2:D:11:TYR:O	2:D:87:GLN:HA	2.04	0.58
1:C:36:ARG:HE	2:D:101:THR:HG22	1.68	0.57
2:D:48:ARG:HG3	2:D:48:ARG:NH1	2.18	0.57
2:D:8:LEU:HD22	2:D:61:LEU:HD21	1.87	0.57
2:B:113:ARG:HA	2:B:113:ARG:NE	2.20	0.57
1:C:21:GLN:O	1:C:24:VAL:HG22	2.04	0.57
2:D:6:PHE:HE2	2:D:61:LEU:HD13	1.70	0.56
2:D:65:ILE:HD13	2:D:91:ILE:HD13	1.87	0.56
2:D:116:ASP:N	2:D:117:PRO:HD3	2.21	0.56
2:B:84:VAL:HG12	2:B:84:VAL:O	2.07	0.55
1:A:98:GLU:HG3	1:A:100:LYS:HE3	1.88	0.55
1:C:26:LEU:HG	2:D:92:VAL:HG11	1.88	0.55
2:D:18:PHE:CZ	2:D:42:LYS:HB3	2.42	0.55
2:B:113:ARG:HA	2:B:113:ARG:HE	1.71	0.55
2:B:108:LEU:O	2:B:111:VAL:HG22	2.07	0.54
2:D:25:PHE:HA	2:D:34:ARG:O	2.07	0.54
2:B:116:ASP:N	2:B:117:PRO:HD3	2.23	0.53
1:C:81:HIS:HB3	1:C:140:MET:HE3	1.90	0.53
1:A:99:ILE:HD13	1:A:99:ILE:N	2.19	0.52
1:A:108:ARG:HG3	2:B:128:GLN:HB3	1.91	0.52
2:B:108:LEU:CD2	2:B:110:ASP:HB2	2.39	0.52
1:A:71:GLU:HB2	2:B:143:LYS:HE2	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:108:LEU:HG	2:B:110:ASP:H	1.75	0.51
2:B:47:ILE:HD13	2:B:144:ILE:CG2	2.40	0.51
2:D:117:PRO:O	2:D:121:ARG:HB2	2.11	0.51
2:D:9:ARG:NH2	2:D:88:GLU:OE1	2.45	0.50
2:D:41:TYR:CE2	2:D:43:ASN:HB2	2.46	0.50
2:B:49:LYS:HE3	2:B:144:ILE:HD11	1.94	0.50
2:B:15:LYS:HG2	2:B:20:HIS:CE1	2.46	0.50
2:B:8:LEU:HD23	2:B:27:PHE:CD1	2.47	0.50
1:C:96:TYR:O	1:C:126:GLN:HB3	2.11	0.50
2:B:47:ILE:HD13	2:B:144:ILE:HG21	1.93	0.50
2:D:112:ASN:O	2:D:112:ASN:ND2	2.46	0.49
1:C:81:HIS:CD2	1:C:83:GLU:H	2.18	0.49
1:A:81:HIS:HD2	1:A:83:GLU:HB2	1.78	0.49
2:D:28:ARG:HD3	3:D:2003:HOH:O	2.11	0.49
1:A:83:GLU:C	1:A:140:MET:HE1	2.33	0.49
2:D:81:PRO:CG	2:D:101:THR:HG23	2.42	0.49
1:A:99:ILE:HG12	1:A:99:ILE:O	2.12	0.49
2:B:11:TYR:OH	2:B:20:HIS:HE1	1.96	0.49
2:D:133:LEU:HD22	2:D:137:LEU:HD11	1.95	0.48
2:D:6:PHE:CE2	2:D:61:LEU:HD13	2.47	0.48
2:D:7:TYR:HB3	2:D:92:VAL:HB	1.95	0.48
1:A:71:GLU:O	1:A:71:GLU:HG3	2.14	0.48
1:A:100:LYS:HE2	1:A:100:LYS:CA	2.34	0.48
1:C:84:ALA:HA	1:C:140:MET:HE2	1.95	0.48
2:B:117:PRO:O	2:B:121:ARG:HB2	2.14	0.48
2:B:105:THR:HG22	2:B:108:LEU:CD2	2.34	0.47
1:C:90:GLN:NE2	1:C:102:ILE:HD12	2.28	0.47
1:A:33:ARG:HB3	1:A:38:PHE:CZ	2.49	0.47
1:A:36:ARG:HD2	2:B:76:LEU:HD23	1.96	0.47
2:B:91:ILE:HD12	2:B:98:ILE:HD11	1.96	0.47
1:A:118:LEU:HD12	2:B:140:LEU:HD23	1.96	0.47
1:A:150:PHE:CZ	2:B:141:HIS:HB2	2.49	0.47
2:D:42:LYS:HG2	2:D:43:ASN:N	2.29	0.47
2:B:85:GLY:HA3	2:B:104:LYS:HG3	1.97	0.47
2:B:28:ARG:HG3	2:B:32:LYS:O	2.15	0.46
2:B:27:PHE:CE2	2:B:61:LEU:HD11	2.50	0.46
2:D:28:ARG:HB2	2:D:32:LYS:HB3	1.98	0.46
2:D:47:ILE:O	2:D:48:ARG:HG3	2.15	0.46
2:B:109:VAL:HG23	2:D:69:GLU:OE2	2.15	0.46
1:A:70:VAL:HG13	2:B:141:HIS:O	2.15	0.46
2:D:8:LEU:CD1	2:D:91:ILE:CG1	2.84	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:37:GLY:HA3	2:D:99:SER:OG	2.15	0.45
2:D:42:LYS:NZ	3:D:2007:HOH:O	2.49	0.45
1:A:90:GLN:HE22	1:A:99:ILE:HG13	1.81	0.45
1:A:100:LYS:HA	1:A:100:LYS:CE	2.35	0.44
2:B:108:LEU:HD23	2:B:110:ASP:HB2	2.00	0.44
2:B:144:ILE:CG2	2:B:145:LYS:N	2.69	0.44
2:D:35:TYR:O	2:D:48:ARG:HA	2.17	0.44
2:B:17:LYS:HA	2:B:17:LYS:CE	2.44	0.44
1:C:70:VAL:HG21	2:D:143:LYS:HB2	1.99	0.44
2:B:113:ARG:HG3	2:B:113:ARG:O	2.18	0.44
2:B:142:PHE:O	2:B:143:LYS:HB2	2.18	0.44
1:A:106:LEU:HA	1:A:113:SER:HA	2.00	0.43
2:B:87:GLN:HE22	2:B:105:THR:N	2.16	0.43
1:C:66:PRO:O	1:C:152:LYS:HE3	2.18	0.43
1:C:73:TRP:CE2	1:C:124:HIS:HB2	2.53	0.43
1:A:70:VAL:CG2	2:B:143:LYS:HG3	2.47	0.43
1:C:70:VAL:HG23	1:C:71:GLU:N	2.34	0.43
1:A:98:GLU:O	1:A:98:GLU:CG	2.66	0.43
2:B:15:LYS:HB3	2:B:15:LYS:HZ3	1.83	0.43
1:C:33:ARG:HA	2:D:97:HIS:O	2.19	0.43
2:B:87:GLN:NE2	2:B:105:THR:N	2.67	0.42
2:B:113:ARG:HE	2:B:113:ARG:CA	2.31	0.42
2:D:140:LEU:HD12	2:D:140:LEU:HA	1.86	0.42
2:B:12:VAL:O	2:B:12:VAL:HG13	2.20	0.42
1:A:90:GLN:O	1:A:94:CYS:HB3	2.20	0.42
2:B:25:PHE:HA	2:B:34:ARG:O	2.20	0.42
1:C:21:GLN:HA	1:C:24:VAL:HG22	2.02	0.42
2:D:11:TYR:OH	2:D:20:HIS:CE1	2.65	0.42
2:D:118:GLU:CD	2:D:121:ARG:HH12	2.23	0.42
1:A:84:ALA:N	1:A:140:MET:CE	2.83	0.41
2:D:8:LEU:HD21	2:D:130:LEU:HD13	2.03	0.41
2:D:32:LYS:HZ1	2:D:50:GLU:CB	2.22	0.41
2:B:85:GLY:HA3	2:B:104:LYS:HD2	2.01	0.41
2:B:103:SER:HB2	3:B:2026:HOH:O	2.19	0.41
1:A:108:ARG:NH2	2:B:132:CYS:SG	2.94	0.41
2:B:11:TYR:CD2	2:B:11:TYR:C	2.94	0.41
2:B:71:MET:HG2	3:B:2020:HOH:O	2.21	0.41
1:C:84:ALA:CA	1:C:140:MET:HE2	2.50	0.41
2:D:34:ARG:HG2	2:D:50:GLU:HG2	2.02	0.41
2:D:133:LEU:HD22	2:D:137:LEU:CD1	2.50	0.41
1:A:112:PHE:HZ	2:D:109:VAL:HA	1.85	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:118:LEU:HD12	2:B:140:LEU:CD2	2.51	0.41
2:B:11:TYR:O	2:B:87:GLN:HA	2.21	0.41
1:A:76:PHE:HD1	1:A:118:LEU:HD23	1.86	0.41
1:C:36:ARG:NE	2:D:101:THR:HG22	2.35	0.40
1:C:150:PHE:CZ	2:D:141:HIS:HB2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	115/165 (70%)	112 (97%)	3 (3%)	0	100	100
1	C	105/165 (64%)	101 (96%)	3 (3%)	1 (1%)	15	28
2	B	131/149 (88%)	124 (95%)	7 (5%)	0	100	100
2	D	139/149 (93%)	136 (98%)	3 (2%)	0	100	100
All	All	490/628 (78%)	473 (96%)	16 (3%)	1 (0%)	47	68

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	70	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	97/141 (69%)	94 (97%)	3 (3%)	40	67
1	C	92/141 (65%)	88 (96%)	4 (4%)	29	53
2	B	126/138 (91%)	117 (93%)	9 (7%)	14	28
2	D	133/138 (96%)	121 (91%)	12 (9%)	9	19
All	All	448/558 (80%)	420 (94%)	28 (6%)	18	34

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	ARG
1	A	91	GLU
1	A	99	ILE
2	B	17	LYS
2	B	20	HIS
2	B	28	ARG
2	B	37	ASN
2	B	72	GLN
2	B	82	ASP
2	B	101	THR
2	B	133	LEU
2	B	140	LEU
1	C	31	LYS
1	C	36	ARG
1	C	87	ASP
1	C	118	LEU
2	D	5	ASP
2	D	18	PHE
2	D	32	LYS
2	D	42	LYS
2	D	44	ASP
2	D	61	LEU
2	D	72	GLN
2	D	90	GLU
2	D	101	THR
2	D	112	ASN
2	D	133	LEU
2	D	140	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	21	GLN
1	A	81	HIS
1	A	85	GLN
1	A	90	GLN
2	B	14	HIS
2	B	20	HIS
2	B	37	ASN
1	C	21	GLN
1	C	32	HIS
1	C	81	HIS
1	C	90	GLN
1	C	135	ASN
2	D	20	HIS
2	D	37	ASN
2	D	55	GLN
2	D	112	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	119/165 (72%)	0.08	3 (2%)	57	61	22, 38, 56, 64	0
1	C	111/165 (67%)	0.67	11 (9%)	7	7	33, 56, 81, 91	0
2	B	137/149 (91%)	0.37	5 (3%)	42	46	20, 31, 69, 88	0
2	D	143/149 (95%)	0.33	8 (5%)	24	25	28, 41, 65, 79	0
All	All	510/628 (81%)	0.36	27 (5%)	26	28	20, 40, 72, 91	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	18	PHE	6.9
2	B	113	ARG	5.5
2	D	149	ARG	5.4
1	C	17	GLU	4.9
1	C	18	ASP	4.8
1	C	31	LYS	4.8
1	C	21	GLN	4.7
2	B	109	VAL	3.6
2	D	83	ARG	3.6
1	C	25	ARG	3.6
1	C	12	GLU	3.4
1	C	28	GLU	3.2
1	A	71	GLU	3.1
1	C	32	HIS	3.0
2	D	113	ARG	3.0
1	C	24	VAL	3.0
1	C	123	THR	2.6
2	D	19	GLY	2.6
2	D	115	LYS	2.5
1	A	99	ILE	2.5
1	A	31	LYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	46	MET	2.4
2	B	114	SER	2.3
2	D	95	ASP	2.2
1	C	14	GLU	2.2
2	B	115	LYS	2.1
2	B	105	THR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.