

Full wwPDB X-ray Structure Validation Report (i)

Aug 7, 2020 – 09:33 PM BST

PDB ID	:	2HMG
Title	:	REFINEMENT OF THE INFLUENZA VIRUS HEMAGGLUTININ BY SIM-
		ULATED ANNEALING
Authors	:	Weis, W.I.; Bruenger, A.T.; Skehel, J.J.; Wiley, D.C.
Deposited on	:	1989-09-11
Resolution	:	3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.13.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
$\operatorname{CCP4}$:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.13.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries},{ m resolution\ range}({ m \AA}))$
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	$1990 \ (3.00-3.00)$

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length		Quality of c	chain		
1	Δ	328	<u>2%</u>	con/		220/	70/
	11	520	2%	69%		23%	790
1	С	328		70%		23%	6%
1	E	308	2%		0.497	70/	
	Ľ	520	<mark>%</mark>		24%	7%	
2	В	175		77%		19%	••
2	Л	175	% 	700/		100/	50/
	D	110	<u>%</u>	76%		19%	5% •
2	F	175		74%		21%	••
3	C	2	000/	000/		2001/	
	G	<u>)</u>	33%	33%		33%	



Mol	Chain	Length		Quality of chain					
3	Н	3		100%					
3	Ι	3	33%	67%					



$2 \mathrm{HMG}$

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 12189 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	200	Total	С	Ν	0	S	0	0	0
		328	2536	1583	445	495	13	0	0	
1	C	328	Total	С	Ν	0	S	0	0	0
			2536	1583	445	495	13	0		
1	1 E	200	Total	С	Ν	Ο	S	0	0	0
		328	2536	1583	445	495	13	0	0	0

• Molecule 1 is a protein called HEMAGGLUTININ (HA1 CHAIN).

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	146	ASP	GLY	$\operatorname{conflict}$	UNP P03437
С	146	ASP	GLY	$\operatorname{conflict}$	UNP P03437
Е	146	ASP	GLY	conflict	UNP P03437

• Molecule 2 is a protein called HEMAGGLUTININ (HA2 CHAIN).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
0	В	175	Total	С	Ν	Ο	S	0	0	0
	175	1421	882	250	283	6	0	0	0	
0	П	175	Total	С	Ν	0	S	0	0	0
			1421	882	250	283	6	0		
0	9 E	175	Total	С	Ν	Ο	S	0	0	0
	L L		1421	882	250	283	6			0

• Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-b eta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	G	3	Total 39	C 22	N 2	O 15	0	0	0
3	Н	3	Total 39	C 22	N 2	0 15	0	0	0
3	Ι	3	Total 39	С 22	N 2	O 15	0	0	0

• Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Ato	om	S		ZeroOcc	AltConf				
4	А	1	Total (2	Ν	0	0	0				
			14 8	3	1	5						
	4 A	1	Total (C	Ν	Ο	0	0				
- T		T	14 8	3	1	5	0	0				
4	4 A	1	Total (2	Ν	Ο	0	0				
4			T	14 8	3	1	5	0	0			
4	4 B	р	В	В	B	1	Total (2	Ν	0	0	0
4		1	14 8	3	1	5	0	0				
4	C	1	Total (2	Ν	Ο	0	0				
4	U	T	14 8	3	1	5						
4	C	1	Total (2	Ν	Ο	0	0				
4	U	L	14 8	3	1	5	0	0				
4	C	1	Total (C	Ν	0	0	Ο				
4		1	14 8	3	1	5		U				
4	р	1	Total (C	Ν	Ο	0	0				
4			14 8	3	1	5		0				



Continued from previous page...

Mol	Chain	Residues	A	ton	ns		ZeroOcc	AltConf	
4 E	F	1	Total	С	Ν	Ο	0	0	
	L	14	8	1	5	0	0		
4	F	1	Total	С	Ν	Ο	0	0	
	1	14	8	1	5	0	0		
4	F	1	Total	С	Ν	0	0	0	
	L	14	8	1	5	0	0		
4 F	Б	1	Total	С	Ν	0	0	0	
	Г	Г 1		8	1	5	0	U	

• Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	8	Total O 8 8	0	0
5	В	3	Total O 3 3	0	0
5	С	8	Total O 8 8	0	0
5	D	3	Total O 3 3	0	0
5	Е	8	Total O 8 8	0	0
5	F	3	Total O 3 3	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: HEMAGGLUTININ (HA1 CHAIN)



• Molecule 3: beta-D
-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:	33%	33%	33%
NAG1 NAG2 BMA3			

• Molecule 3: beta-D
-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:

100%





• Molecule 3: beta-D
-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 33%

67%

NAG1 NAG2 BMA3



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 41	Depositor
Cell constants	162.60\AA 162.60\AA 177.40\AA	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{P}_{\text{acclution}}(\hat{\mathbf{A}})$	(Not available) - 3.00	Depositor
Resolution (A)	7.00 - 3.00	EDS
% Data completeness	(Not available) ((Not available)-3.00)	Depositor
(in resolution range)	$79.4\ (7.00-3.00)$	EDS
R _{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$	_	Xtriage
Refinement program	X-PLOR	Depositor
R R.	0.222 , (Not available)	Depositor
n, n_{free}	0.207 , (Not available)	DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor $(Å^2)$	39.7	Xtriage
Anisotropy	0.073	Xtriage
Bulk solvent $k_{sol}({ m e}/{ m \AA^3}), B_{sol}({ m \AA^2})$	0.28 , 47.4	EDS
L-test for twinning ¹	$< L >=0.45, < L^2>=0.28$	Xtriage
Estimated twinning fraction	0.036 for h,-k,-l	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	12189	wwPDB-VP
Average B, all atoms $(Å^2)$	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.72% of the height of the origin peak. No significant pseudotranslation is detected.

¹Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	E	ond angles
	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.92	0/2593	1.47	35/3533~(1.0%)
1	С	0.89	0/2593	1.47	35/3533~(1.0%)
1	Е	0.93	1/2593~(0.0%)	1.47	37/3533~(1.0%)
2	В	0.95	0/1445	1.49	18/1939~(0.9%)
2	D	0.96	0/1445	1.49	18/1939~(0.9%)
2	F	0.98	0/1445	1.50	25/1939~(1.3%)
All	All	0.93	1/12114~(0.0%)	1.48	168/16416~(1.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	С	0	1

All (1) bond length outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Atoms	Z	Observed(A)	$\operatorname{Ideal}(\operatorname{\AA})$
1	Ε	234	TRP	CG-CD2	-5.16	1.34	1.43

All (168) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
1	С	321	ARG	NE-CZ-NH1	-10.01	115.30	120.30
1	Е	321	ARG	NE-CZ-NH1	-9.94	115.33	120.30
1	А	321	ARG	NE-CZ-NH1	-9.75	115.42	120.30
1	С	229	ARG	NE-CZ-NH1	-9.70	115.45	120.30
2	F	124	ARG	NE-CZ-NH1	-9.67	115.47	120.30
1	А	127	TRP	CD1-CG-CD2	9.15	113.62	106.30



2HMG

Mol	Chain	\mathbf{Res}	Tvpe	Atoms	Z	Observed(^o)	Ideal(°)
1	E	127	TRP	CD1-CG-CD2	8.95	113.46	106.30
2	D	92	TRP	CD1-CG-CD2	8.93	113.44	106.30
1	С	127	TRP	CD1-CG-CD2	8.92	113.44	106.30
2	В	92	TRP	CD1-CG-CD2	8.90	113.42	106.30
1	Е	229	ARG	NE-CZ-NH1	-8.62	115.99	120.30
1	A	222	TRP	CD1-CG-CD2	8.56	113.15	106.30
1	Е	222	TRP	CD1-CG-CD2	8.47	113.08	106.30
1	Е	207	ARG	NE-CZ-NH1	-8.37	116.12	120.30
2	В	14	TRP	CD1-CG-CD2	8.34	112.97	106.30
1	Е	255	ARG	NE-CZ-NH2	8.30	124.45	120.30
1	С	153	TRP	CD1-CG-CD2	8.28	112.92	106.30
1	С	222	TRP	CD1-CG-CD2	8.22	112.88	106.30
1	А	229	ARG	NE-CZ-NH1	-8.20	116.20	120.30
1	Е	180	TRP	CD1-CG-CD2	8.15	112.82	106.30
2	F	14	TRP	CD1-CG-CD2	8.09	112.78	106.30
1	С	180	TRP	CD1-CG-CD2	7.97	112.67	106.30
1	С	84	TRP	CD1-CG-CD2	7.89	112.61	106.30
2	F	92	TRP	CD1-CG-CD2	7.75	112.50	106.30
1	А	180	TRP	CD1-CG-CD2	7.72	112.47	106.30
2	В	90	ASP	CB-CG-OD1	7.68	125.22	118.30
1	А	255	ARG	NE-CZ-NH1	-7.65	116.48	120.30
2	D	14	TRP	CD1-CG-CD2	7.59	112.37	106.30
2	D	92	TRP	CE2-CD2-CG	-7.57	101.25	107.30
2	В	124	ARG	NE-CZ-NH1	-7.49	116.56	120.30
1	Е	180	TRP	CE2-CD2-CG	-7.46	101.33	107.30
2	В	92	TRP	CE2-CD2-CG	-7.46	101.33	107.30
1	А	127	TRP	CE2-CD2-CG	-7.45	101.34	107.30
2	В	14	TRP	CE2-CD2-CG	-7.39	101.39	107.30
1	А	222	TRP	CE2-CD2-CG	-7.39	101.39	107.30
1	Ε	84	TRP	CD1-CG-CD2	7.35	112.18	106.30
1	Ε	127	TRP	CE2-CD2-CG	-7.34	101.43	107.30
2	F	21	TRP	CD1-CG-CD2	7.33	112.16	106.30
2	F	25	ARG	NE-CZ-NH1	-7.28	116.66	120.30
1	С	180	TRP	CE2-CD2-CG	-7.24	101.51	107.30
2	В	132	GLU	CA-CB-CG	-7.21	97.53	113.40
1	С	127	TRP	CE2-CD2-CG	-7.21	101.53	107.30
2	D	21	TRP	CD1-CG-CD2	7.20	112.06	106.30
1	E	$22\overline{2}$	TRP	CE2-CD2-CG	-7.20	$101.5\overline{4}$	107.30
1	C	255	ARG	NE-CZ-NH1	-7.18	116.71	120.30
1	A	180	TRP	$CE2-CD2-C\overline{G}$	-7.14	101.59	107.30
1	E	229	ARG	NE-CZ-NH2	$7.1\overline{2}$	123.86	120.30
1	C	222	TRP	CE2-CD2-CG	-7.10	101.62	107.30



2HMG

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$\overline{\mathrm{Ideal}(^{o})}$
1	Е	84	TRP	CE2-CD2-CG	-7.10	101.62	107.30
1	А	84	TRP	CD1-CG-CD2	7.09	111.97	106.30
1	С	84	TRP	CE2-CD2-CG	-7.09	101.63	107.30
1	С	207	ARG	NE-CZ-NH1	-7.07	116.76	120.30
1	С	153	TRP	CE2-CD2-CG	-7.05	101.66	107.30
2	D	14	TRP	CE2-CD2-CG	-7.05	101.66	107.30
2	F	92	TRP	CE2-CD2-CG	-7.00	101.70	107.30
1	Е	153	TRP	CD1-CG-CD2	6.99	111.89	106.30
2	D	124	ARG	NE-CZ-NH1	-6.97	116.82	120.30
1	А	153	TRP	CD1-CG-CD2	6.94	111.85	106.30
1	А	326	LYS	CA-CB-CG	6.92	128.63	113.40
2	F	14	TRP	CE2-CD2-CG	-6.90	101.78	107.30
1	А	208	ARG	NE-CZ-NH1	-6.87	116.86	120.30
1	Е	27	LYS	CA-CB-CG	6.85	128.47	113.40
1	С	208	ARG	NE-CZ-NH1	-6.82	116.89	120.30
2	В	21	TRP	CD1-CG-CD2	6.76	111.71	106.30
1	С	229	ARG	NE-CZ-NH2	6.76	123.68	120.30
2	F	132	GLU	CA-CB-CG	-6.73	98.59	113.40
2	D	90	ASP	CB-CG-OD1	6.72	124.34	118.30
2	F	133	MET	CG-SD-CE	6.70	110.92	100.20
1	С	325	GLU	CA-CB-CG	6.66	128.06	113.40
1	А	153	TRP	CE2-CD2-CG	-6.66	101.97	107.30
2	В	30	GLU	N-CA-CB	-6.62	98.69	110.60
2	D	132	GLU	CA-CB-CG	-6.61	98.86	113.40
2	F	90	ASP	CB-CG-OD1	6.57	124.22	118.30
1	А	84	TRP	CE2-CD2-CG	-6.57	102.04	107.30
1	А	207	ARG	NE-CZ-NH1	-6.54	117.03	120.30
1	Е	208	ARG	NE-CZ-NH1	-6.51	117.04	120.30
1	Е	269	ARG	NE-CZ-NH2	6.48	123.54	120.30
1	А	234	TRP	CD1-CG-CD2	6.47	111.48	106.30
2	В	92	TRP	CG-CD1-NE1	-6.45	103.65	110.10
2	В	21	TRP	CE2-CD2-CG	-6.45	102.14	107.30
1	А	229	ARG	NE-CZ-NH2	6.37	123.48	120.30
2	F	21	TRP	CE2-CD2-CG	-6.34	102.23	107.30
1	Е	234	TRP	CD1-CG-CD2	6.32	111.36	106.30
2	F	54	ARG	NE-CZ-NH1	-6.29	117.15	120.30
1	А	234	TRP	CE2-CD2-CG	-6.29	102.27	107.30
1	С	27	LYS	CA-CB-CG	6.22	127.09	113.40
1	Е	153	TRP	CE2-CD2-CG	-6.21	102.33	107.30
1	А	255	ARG	NE-CZ-NH2	6.21	123.40	120.30
1	С	28	THR	CA-CB-CG2	6.19	121.07	112.40
2	D	92	TRP	CG-CD1-NE1	-6.18	103.92	110.10
	1	1	i	1			I



Continued from	<i>i</i> previous	page
	-	1 0

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	Е	28	THR	CA-CB-CG2	6.16	121.03	112.40
2	D	21	TRP	CE2-CD2-CG	-6.16	102.37	107.30
1	А	127	TRP	CG-CD1-NE1	-6.16	103.94	110.10
1	С	127	TRP	CG-CD1-NE1	-6.14	103.96	110.10
1	А	27	LYS	CA-CB-CG	6.13	126.88	113.40
1	Е	234	TRP	CE2-CD2-CG	-6.12	102.40	107.30
1	Е	255	ARG	NE-CZ-NH1	-6.10	117.25	120.30
1	С	234	TRP	CD1-CG-CD2	6.04	111.14	106.30
1	С	255	ARG	NE-CZ-NH2	5.99	123.29	120.30
2	F	172	GLN	CB-CG-CD	5.99	127.17	111.60
1	С	269	ARG	NE-CZ-NH1	-5.98	117.31	120.30
1	А	28	THR	CA-CB-CG2	5.96	120.74	112.40
1	Е	269	ARG	NE-CZ-NH1	-5.95	117.33	120.30
1	Е	127	TRP	CG-CD1-NE1	-5.91	104.19	110.10
1	Е	105	TYR	CB-CG-CD2	-5.90	117.46	121.00
1	А	109	ARG	NE-CZ-NH2	-5.89	117.36	120.30
2	В	170	ARG	NE-CZ-NH1	-5.86	117.37	120.30
1	С	321	ARG	NE-CZ-NH2	5.83	123.22	120.30
1	А	269	ARG	NE-CZ-NH2	5.80	123.20	120.30
2	F	54	ARG	NE-CZ-NH2	5.78	123.19	120.30
1	С	234	TRP	CE2-CD2-CG	-5.77	102.69	107.30
1	Е	180	TRP	CG-CD2-CE3	5.74	139.06	133.90
1	А	105	TYR	CB-CG-CD2	-5.68	117.59	121.00
1	С	104	ASP	CB-CG-OD1	5.66	123.39	118.30
2	F	172	GLN	OE1-CD-NE2	-5.64	108.92	121.90
2	F	172	GLN	CG-CD-NE2	5.60	130.15	116.70
2	D	172	GLN	CA-CB-CG	5.53	125.57	113.40
1	А	269	ARG	NE-CZ-NH1	-5.51	117.55	120.30
1	Ε	222	TRP	CG-CD1-NE1	-5.48	104.62	110.10
2	F	21	TRP	CG-CD1-NE1	-5.44	104.66	110.10
1	C	153	TRP	CG-CD1-NE1	-5.43	104.67	110.10
1	C	261	ARG	NE-CZ-NH2	5.40	123.00	120.30
1	E	156	LYS	CD-CE-NZ	-5.39	99.30	111.70
2	F	110	LEU	CA-CB-CG	5.38	127.68	115.30
1	С	180	TRP	CG-CD1-NE1	-5.38	104.72	110.10
1	E	161	TYR	N-CA-C	-5.37	96.50	111.00
1	A	222	TRP	CG-CD1-NE1	-5.36	104.74	110.10
2	D	110	LEU	CA-CB-CG	5.36	127.63	115.30
	A	261	ARG	NE-CZ-NH2	$5.3\overline{6}$	122.98	120.30
2	F	61	GLU	CA-CB-CG	5.35	125.18	113.40
	С	84	TRP	CG-CD1-NE1	-5.34	104.76	110.10
2	F	124	ARG	CA-CB-CG	-5.34	101.66	113.40



2HMG

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	325	GLU	O-C-N	-5.31	114.20	122.70
2	В	61	GLU	CA-CB-CG	5.30	125.07	113.40
2	F	92	TRP	CG-CD1-NE1	-5.26	104.84	110.10
1	Е	309	VAL	N-CA-CB	-5.25	99.95	111.50
2	В	110	LEU	CA-CB-CG	5.23	127.33	115.30
1	А	201	ARG	NE-CZ-NH1	-5.23	117.69	120.30
1	Е	104	ASP	CB-CG-OD1	5.23	123.00	118.30
1	А	65	THR	N-CA-CB	-5.22	100.37	110.30
2	В	124	ARG	CA-CB-CG	-5.22	101.91	113.40
2	D	170	ARG	NE-CZ-NH1	-5.20	117.70	120.30
2	D	123	ARG	NE-CZ-NH2	-5.19	117.70	120.30
2	В	14	TRP	CG-CD1-NE1	-5.17	104.93	110.10
1	С	222	TRP	CG-CD1-NE1	-5.17	104.93	110.10
1	С	22	ASN	CA-C-N	5.14	126.49	116.20
2	F	14	TRP	CG-CD2-CE3	5.14	138.53	133.90
1	С	65	THR	N-CA-CB	-5.14	100.54	110.30
1	А	178	TYR	CB-CG-CD2	-5.13	117.92	121.00
1	С	180	TRP	CG-CD2-CE3	5.13	138.52	133.90
2	D	14	TRP	CG-CD2-CE3	5.13	138.51	133.90
1	Е	65	THR	N-CA-CB	-5.12	100.58	110.30
2	D	124	ARG	CA-CB-CG	-5.11	102.15	113.40
2	D	61	GLU	CA-CB-CG	5.10	124.62	113.40
1	А	104	ASP	CB-CG-OD1	5.09	122.88	118.30
1	Е	127	TRP	CB-CG-CD1	-5.08	120.39	127.00
2	F	14	TRP	CG-CD1-NE1	-5.08	105.02	110.10
2	F	153	ARG	NE-CZ-NH1	-5.05	117.77	120.30
2	В	92	TRP	CG-CD2-CE3	5.04	138.44	133.90
2	В	90	ASP	CB-CG-OD2	-5.04	113.77	118.30
1	Ε	127	TRP	CG-CD2-CE3	5.03	138.43	133.90
1	A	22	ASN	CA-C-N	5.03	126.26	116.20
1	Е	189	GLN	CA-CB-CG	5.03	124.46	113.40
1	Е	83	THR	N-CA-CB	-5.02	100.76	110.30
2	D	88	LYS	CB-CG-CD	-5.02	98.56	111.60
1	С	98	TYR	CB-CG-CD1	-5.02	117.99	121.00
2	F	170	ARG	NE-CZ-NH1	-5.01	117.80	120.30
1	Е	84	TRP	CG-CD1-NE1	-5.00	105.10	110.10

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	161	TYR	Sidechain



5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2536	0	2474	44	0
1	С	2536	0	2474	48	0
1	Е	2536	0	2474	48	0
2	В	1421	0	1345	20	0
2	D	1421	0	1345	22	0
2	F	1421	0	1345	18	0
3	G	39	0	34	1	0
3	Н	39	0	34	0	0
3	Ι	39	0	34	0	0
4	А	42	0	39	0	0
4	В	14	0	13	0	0
4	С	42	0	39	0	0
4	D	14	0	13	0	0
4	Е	42	0	39	0	0
4	F	14	0	13	0	0
5	А	8	0	0	0	0
5	В	3	0	0	0	0
5	С	8	0	0	0	0
5	D	3	0	0	0	0
5	Е	8	0	0	0	0
5	F	3	0	0	0	0
All	All	12189	0	11715	171	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (171) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic	Clash	
	Atom-2	distance (Å)	overlap (Å)	
1:C:325:GLU:HB2	2:D:12:ASN:ND2	2.04	0.72	
2:D:25:ARG:HG2	2:D:34:GLN:HB3	1.72	0.70	
2:B:51:LYS:HE3	2:B:103:GLU:OE2	1.93	0.69	
2:D:51:LYS:HE3	2:D:103:GLU:OE2	1.92	0.69	
1:E:29:ILE:HD11	2:F:102:LEU:HD23	1.75	0.69	
2:F:51:LYS:HE3	2:F:103:GLU:OE2	1.92	0.69	



		Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
2:B:128:GLU:HG3	2:B:170:ABG:HH11	1.59	0.68		
1:C:185:PRO:HG2	1:C:191:GLN:HG2	1.75	0.68		
1:E:298:ASN:HD22	1:E:300:ILE:H	1.42	0.68		
1:C:29:ILE:HD11	2:D:102:LEU:HD23	1.77	0.67		
1:A:29:ILE:HD11	2:B:102:LEU:HD23	1.76	0.67		
1:A:185:PRO:HG2	1:A:191:GLN:HG2	1.77	0.67		
2:B:83:TYR:O	2:B:87:THR:HG23	1.95	0.66		
1:E:185:PRO:HG2	1:E:191:GLN:HG2	1.76	0.66		
2:B:141:TYR:O	2:B:166:ALA:HA	1.95	0.66		
1:A:298:ASN:HD22	1:A:300:ILE:H	1.44	0.66		
1:C:298:ASN:HD22	1:C:300:ILE:H	1.43	0.65		
2:D:83:TYR:O	2:D:87:THR:HG23	1.97	0.64		
2:F:128:GLU:HG3	2:F:170:ARG:HH11	1.62	0.64		
2:D:141:TYR:O	2:D:166:ALA:HA	1.98	0.63		
2:F:83:TYR:O	2:F:87:THR:HG23	1.99	0.63		
2:D:128:GLU:HG3	2:D:170:ARG:HH11	1.64	0.63		
2:F:141:TYR:O	2:F:166:ALA:HA	1.99	0.62		
2:D:28:ASN:HB2	2:D:144:CYS:O	2.02	0.60		
1:C:133:ASN:H	1:C:152:ASN:HD21	1.50	0.59		
1:E:67:ILE:HD12	1:E:108:LEU:HD13	1.85	0.59		
1:A:133:ASN:H	1:A:152:ASN:HD21	1.50	0.59		
1:C:67:ILE:HD12	1:C:108:LEU:HD13	1.83	0.59		
1:E:3:LEU:HG	1:E:4:PRO:HD2	1.83	0.59		
1:E:115:SER:HB2	1:E:261:ARG:H	1.68	0.59		
1:A:133:ASN:H	1:A:152:ASN:ND2	2.00	0.58		
1:C:115:SER:HB2	1:C:261:ARG:H	1.68	0.58		
1:C:15:LEU:HD23	2:D:118:LEU:HD13	1.85	0.58		
1:C:133:ASN:H	1:C:152:ASN:ND2	2.02	0.58		
1:A:67:ILE:HD12	1:A:108:LEU:HD13	1.86	0.57		
1:A:115:SER:HB2	1:A:261:ARG:H	1.70	0.56		
1:E:15:LEU:HD23	2:F:118:LEU:HD13	1.87	0.56		
1:A:15:LEU:HD23	2:B:118:LEU:HD13	1.87	0.56		
1:C:220:ARG:HD3	1:C:229:ARG:HG2	1.87	0.56		
1:E:70:LEU:HD21	1:E:179:ILE:CD1	2.36	0.55		
1:E:133:ASN:H	1:E:152:ASN:ND2	2.04	0.55		
1:C:70:LEU:HD21	1:C:179:ILE:CD1	2.37	0.55		
1:E:298:ASN:ND2	1:E:300:ILE:H	2.06	0.54		
1:E:325:GLU:HG3	2:F:12:ASN:ND2	2.22	0.54		
1:E:10:THR:HG21	2:F:139:LYS:HZ3	1.72	0.54		
2:D:25:ARG:HG2	2:D:34:GLN:CB	2.38	0.54		
2:F:27:GLN:HG3	2:F:32:THR:HG22	1.90	0.54		



		Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:C:264:LYS:HD2	1:C:302:TYR:OH	2.08	0.54		
1:A:70:LEU:HD21	1:A:179:ILE:CD1	2.38	0.53		
1:E:220:ARG:HD3	1:E:229:ARG:HG2	1.89	0.53		
1:E:133:ASN:H	1:E:152:ASN:HD21	1.55	0.53		
2:D:83:TYR:OH	2:F:88:LYS:NZ	2.42	0.53		
1:A:160:THR:HA	1:A:196:VAL:HG21	1.90	0.53		
1:E:264:LYS:HD2	1:E:302:TYR:OH	2.09	0.53		
1:A:310:LYS:HE2	2:B:89:ILE:HG21	1.91	0.53		
1:C:298:ASN:ND2	1:C:300:ILE:H	2.07	0.53		
1:A:220:ARG:HD3	1:A:229:ARG:HG2	1.91	0.52		
1:C:310:LYS:HE2	2:D:89:ILE:HG21	1.91	0.52		
1:E:259:LYS:HB2	1:E:259:LYS:NZ	2.25	0.52		
1:E:197:GLN:HG2	1:E:248:ASN:HD22	1.75	0.52		
1:A:53:ASN:OD1	1:A:276:THR:HA	2.10	0.52		
1:A:264:LYS:HD2	1:A:302:TYR:OH	2.09	0.52		
1:A:298:ASN:ND2	1:A:300:ILE:H	2.08	0.52		
1:C:326:LYS:HG3	1:C:327:GLN:N	2.25	0.51		
1:C:197:GLN:HG2	1:C:248:ASN:HD22	1.76	0.51		
1:A:197:GLN:HG2	1:A:248:ASN:HD22	1.76	0.51		
1:C:10:THR:HG21	2:D:139:LYS:NZ	2.26	0.51		
1:A:10:THR:HG21	2:B:139:LYS:NZ	2.25	0.50		
1:A:259:LYS:HB2	1:A:259:LYS:NZ	2.26	0.50		
1:E:310:LYS:HE2	2:F:89:ILE:HG21	1.92	0.50		
1:E:56:HIS:ND1	1:E:264:LYS:NZ	2.59	0.50		
1:A:84:TRP:CE2	1:A:116:GLY:HA2	2.47	0.50		
1:E:10:THR:HG21	2:F:139:LYS:NZ	2.27	0.50		
2:B:163:ARG:O	2:B:167:LEU:HB2	2.12	0.50		
1:C:56:HIS:ND1	1:C:264:LYS:NZ	2.59	0.50		
1:E:72:GLY:HA3	1:E:149:SER:OG	2.11	0.49		
1:C:53:ASN:OD1	1:C:276:THR:HA	2.11	0.49		
1:C:72:GLY:HA3	1:C:149:SER:OG	2.12	0.49		
2:D:163:ARG:O	2:D:167:LEU:HB2	2.13	0.49		
1:A:56:HIS:ND1	1:A:264:LYS:NZ	2.60	0.49		
1:C:43:VAL:HG23	1:C:314:LEU:HB2	1.95	0.49		
1:C:298:ASN:ND2	1:C:300:ILE:HB	2.28	0.49		
1:C:259:LYS:HB2	1:C:259:LYS:NZ	2.28	0.48		
1:E:283:THR:HG22	1:E:285:ASN:H	1.79	0.48		
1:C:325:GLU:HB2	2:D:12:ASN:HD22	1.78	0.48		
1:E:28:THR:HG22	1:E:30:THR:H	1.79	0.48		
1:E:53:ASN:OD1	1:E:276:THR:HA	2.13	0.48		
1:E:84:TRP:CE2	1:E:116:GLY:HA2	2.48	0.48		



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:F:163:ARG:O	2:F:167:LEU:HB2	2.13	0.48	
1:E:43:VAL:HG23	1:E:314:LEU:HB2	1.95	0.47	
1:C:84:TRP:CE2	1:C:116:GLY:HA2	2.49	0.47	
1:A:283:THR:HG22	1:A:285:ASN:H	1.78	0.47	
1:C:10:THR:HG21	2:D:139:LYS:HZ3	1.79	0.47	
1:A:72:GLY:HA3	1:A:149:SER:OG	2.15	0.47	
1:C:28:THR:HG22	1:C:30:THR:H	1.79	0.47	
1:E:311:GLN:NE2	2:F:97:GLU:HB2	2.29	0.47	
1:C:216:ASN:HB3	1:E:212:THR:HG21	1.97	0.47	
1:E:175:ASP:OD2	1:E:239:PRO:HD3	2.15	0.46	
2:B:25:ARG:HA	2:B:34:GLN:HA	1.98	0.46	
1:A:163:VAL:HG22	1:A:248:ASN:HB3	1.97	0.46	
1:A:310:LYS:HD3	1:A:310:LYS:HA	1.56	0.46	
1:E:310:LYS:HD3	1:E:310:LYS:HA	1.53	0.46	
1:E:89:GLU:OE2	1:E:109:ARG:NH2	2.49	0.46	
1:A:28:THR:HG22	1:A:30:THR:H	1.81	0.46	
1:C:175:ASP:OD2	1:C:239:PRO:HD3	2.16	0.46	
1:C:283:THR:HG22	1:C:285:ASN:H	1.80	0.46	
1:A:43:VAL:HG23	1:A:314:LEU:HB2	1.96	0.46	
1:E:298:ASN:ND2	1:E:300:ILE:HB	2.31	0.46	
1:C:311:GLN:NE2	2:D:97:GLU:HB2	2.31	0.45	
1:C:161:TYR:HB3	1:C:197:GLN:HE22	1.80	0.45	
1:A:10:THR:HG21	2:B:139:LYS:HZ3	1.80	0.45	
1:C:163:VAL:HG22	1:C:248:ASN:HB3	1.98	0.45	
1:A:298:ASN:ND2	1:A:300:ILE:HB	2.32	0.45	
1:E:191:GLN:HG3	1:E:217:ILE:HD11	1.99	0.45	
1:E:70:LEU:HD21	1:E:179:ILE:HD13	1.99	0.44	
1:E:326:LYS:HD3	1:E:327:GLN:H	1.82	0.44	
2:B:71:SER:O	1:C:238:LYS:NZ	2.50	0.44	
1:C:310:LYS:HD3	1:C:310:LYS:HA	1.54	0.44	
1:E:182:ILE:HD11	1:E:215:PRO:HD3	1.99	0.44	
1:E:161:TYR:HB3	1:E:197:GLN:HE22	1.81	0.44	
1:C:182:ILE:HD11	1:C:215:PRO:HD3	2.00	0.43	
1:E:163:VAL:HG22	1:E:248:ASN:HB3	2.00	0.43	
2:F:51:LYS:NZ	2:F:106:HIS:ND1	2.64	0.43	
1:C:173:ASN:HD22	1:C:173:ASN:N	2.17	0.43	
1:A:164:LEU:O	1:A:246:ASN:HA	2.18	0.43	
1:A:311:GLN:NE2	2:B:97:GLU:HB2	2.32	0.43	
1:C:156:LYS:HD3	1:C:196:VAL:HG23	1.99	0.43	
2:D:51:LYS:NZ	2:D:106:HIS:ND1	2.66	0.43	
1:E:133:ASN:OD1	1:E:255:ARG:NH1	2.52	0.43	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlan (Å)	
1:A:182:ILE:HD11	1:A:215:PRO:HD3	2.01	0.43	
1:A:184:HIS:ND1	1:A:216:ASN:N	2.66	0.43	
1:C:191:GLN:HG3	1:C:217:ILE:HD11	2.00	0.43	
1:C:70:LEU:HD21	1:C:179:ILE:HD13	2.00	0.43	
1:E:14:CYS:HA	2:F:137:CYS:HA	2.01	0.42	
1:A:175:ASP:OD2	1:A:239:PRO:HD3	2.19	0.42	
1:C:89:GLU:OE2	1:C:109:ARG:NH2	2.52	0.42	
1:E:173:ASN:N	1:E:173:ASN:HD22	2.16	0.42	
1:E:75:HIS:CE1	1:E:94:PHE:O	2.72	0.42	
2:B:127:ARG:NH2	2:F:131:GLU:OE1	2.50	0.42	
1:A:173:ASN:N	1:A:173:ASN:HD22	2.17	0.42	
1:E:173:ASN:HD22	1:E:173:ASN:H	1.67	0.42	
1:A:191:GLN:HG3	1:A:217:ILE:HD11	2.00	0.42	
1:A:173:ASN:H	1:A:173:ASN:HD22	1.68	0.42	
1:A:89:GLU:OE2	1:A:109:ARG:NH2	2.53	0.42	
2:F:125:GLN:OE1	2:F:155:GLY:HA2	2.20	0.42	
1:C:184:HIS:ND1	1:C:216:ASN:N	2.64	0.41	
1:C:14:CYS:HA	2:D:137:CYS:HA	2.02	0.41	
1:A:75:HIS:CE1	1:A:94:PHE:O	2.73	0.41	
1:E:283:THR:HB	1:E:286:GLY:O	2.20	0.41	
1:E:75:HIS:HE1	1:E:94:PHE:O	2.03	0.41	
1:C:75:HIS:CE1	1:C:94:PHE:O	2.73	0.41	
1:A:133:ASN:OD1	1:A:255:ARG:NH1	2.53	0.41	
1:A:70:LEU:HD21	1:A:179:ILE:HD13	2.02	0.41	
2:D:127:ARG:HB3	2:D:128:GLU:H	1.78	0.41	
1:E:191:GLN:NE2	1:E:197:GLN:O	2.54	0.41	
1:A:191:GLN:NE2	1:A:197:GLN:O	2.54	0.41	
2:B:123:ARG:HD3	2:B:123:ARG:HH21	1.68	0.41	
2:B:131:GLU:OE1	2:D:127:ARG:NH2	2.52	0.41	
2:B:17:MET:HA	2:B:34:GLN:HE22	1.85	0.41	
1:C:133:ASN:OD1	1:C:255:ARG:NH1	2.54	0.41	
2:B:163:ARG:HG2	2:B:167:LEU:HD22	2.03	0.41	
2:B:125:GLN:OE1	2:B:155:GLY:HA2	2.21	0.40	
1:C:191:GLN:NE2	1:C:197:GLN:O	2.54	0.40	
1:E:184:HIS:ND1	1:E:216:ASN:N	2.67	0.40	
1:A:167:THR:HB	3:G:1:NAG:H62	2.04	0.40	
2:D:125:GLN:OE1	2:D:155:GLY:HA2	2.20	0.40	
1:A:220:ARG:HD2	1:A:220:ARG:HH21	1.77	0.40	
1:C:173:ASN:HD22	1:C:173:ASN:H	1.67	0.40	
1:A:14:CYS:HA	2:B:137:CYS:HA	2.04	0.40	
1:C:151:LEU:O	1:C:255:ARG:NH2	2.55	0.40	



Continued from previous page...

Atom-1 Atom-2		$\begin{array}{c} {\rm Interatomic}\\ {\rm distance}~({\rm \AA}) \end{array}$	$egin{array}{clash} { m overlap} \ ({ m \AA}) \end{array}$	
1:E:173:ASN:H	1:E:173:ASN:ND2	2.20	0.40	

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	326/328~(99%)	304 (93%)	18 (6%)	4 (1%)	13	48
1	С	326/328~(99%)	308~(94%)	14 (4%)	4 (1%)	13	48
1	Е	326/328~(99%)	308 (94%)	16 (5%)	2 (1%)	25	64
2	В	173/175~(99%)	161 (93%)	10 (6%)	2 (1%)	13	48
2	D	173/175~(99%)	162 (94%)	9 (5%)	2 (1%)	13	48
2	F	173/175~(99%)	161 (93%)	10 (6%)	2 (1%)	13	48
All	All	1497/1509~(99%)	1404 (94%)	77 (5%)	16 (1%)	14	50

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	С	327	GLN
1	А	158	GLY
2	В	57	GLU
2	В	174	LYS
2	D	57	GLU
2	D	174	LYS
2	F	57	GLU
2	F	174	LYS
1	А	62	ILE
1	А	327	GLN
1	С	62	ILE



Continued from previous page...

Mol	Chain	Res	Type
1	Е	62	ILE
1	А	22	ASN
1	С	22	ASN
1	Е	22	ASN
1	С	158	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	ed Rotameric Outliers		Percentiles		
1	А	290/290~(100%)	250~(86%)	40 (14%)	3	17	
1	С	290/290~(100%)	256~(88%)	34~(12%)	5	22	
1	Ε	290/290~(100%)	252~(87%)	38~(13%)	4	18	
2	В	149/149~(100%)	137~(92%)	12 (8%)	11	40	
2	D	149/149~(100%)	136~(91%)	13~(9%)	10	37	
2	F	149/149~(100%)	135~(91%)	14 (9%)	8	32	
All	All	1317/1317~(100%)	1166 (88%)	151 (12%)	5	24	

All (151) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	7	ASP
1	А	13	LEU
1	А	18	HIS
1	А	25	LEU
1	А	26	VAL
1	А	27	LYS
1	А	29	ILE
1	А	31	ASP
1	А	37	THR
1	А	83	THR
1	А	95	SER
1	А	96	ASN
1	А	108	LEU



Mol	Chain	Res	Type
1	А	150	ARG
1	А	152	ASN
1	А	154	LEU
1	А	155	THR
1	А	164	LEU
1	А	171	ASN
1	А	173	ASN
1	А	191	GLN
1	А	208	ARG
1	А	223	VAL
1	А	251	LEU
1	А	259	LYS
1	А	264	LYS
1	А	265	SER
1	А	266	SER
1	А	278	ILE
1	А	280	GLU
1	А	283	THR
1	А	285	ASN
1	А	291	ASP
1	А	298	ASN
1	А	321	ARG
1	А	324	PRO
1	А	325	GLU
1	А	326	LYS
1	А	327	GLN
1	А	328	THR
2	В	18	ILE
2	В	28	ASN
2	В	51	LYS
2	В	56	ILE
2	В	72	GLU
2	В	118	LEU
2	В	127	ARG
2	В	128	GLU
2	В	167	LEU
2	В	169	ASN
2	В	170	ARG
2	В	174	LYS
1	C	13	LEU
1	С	18	HIS
1	С	25	LEU



Mol	Chain	Res	Type
1	С	26	VAL
1	С	29	ILE
1	С	31	ASP
1	С	37	THR
1	С	83	THR
1	С	95	SER
1	С	96	ASN
1	С	108	LEU
1	С	150	ARG
1	С	152	ASN
1	С	154	LEU
1	С	155	THR
1	С	160	THR
1	С	164	LEU
1	С	173	ASN
1	С	191	GLN
1	С	208	ARG
1	С	223	VAL
1	С	251	LEU
1	С	259	LYS
1	С	264	LYS
1	С	265	SER
1	С	266	SER
1	С	278	ILE
1	С	280	GLU
1	С	283	THR
1	С	285	ASN
1	С	291	ASP
1	С	298	ASN
1	С	321	ARG
1	С	324	PRO
2	D	18	ILE
2	D	28	ASN
2	D	51	LYS
2	D	56	ILE
2	D	72	GLU
2	D	118	LEU
2	D	127	ARG
2	D	128	GLU
2	D	167	LEU
2	D	169	ASN
2	D	170	ARG



Mol	Chain	Res Type	
2	D	172	GLN
2	D	174	LYS
1	Е	2	ASP
1	Е	13	LEU
1	Е	18	HIS
1	Е	25	LEU
1	Е	26	VAL
1	Е	29	ILE
1	Е	31	ASP
1	E	37	THR
1	Е	83	THR
1	Е	95	SER
1	Е	96	ASN
1	E	108	LEU
1	E	150	ARG
1	Е	152	ASN
1	E	154	LEU
1	Е	155	THR
1	Е	164	LEU
1	Е	173	ASN
1	Е	189	GLN
1	Е	191	GLN
1	Е	208	ARG
1	Е	223	VAL
1	Е	251	LEU
1	Е	259	LYS
1	Е	264	LYS
1	E	265	SER
1	E	266	SER
1	E	278	ILE
1	E	280	GLU
1	E	283	THR
1	E	285	ASN
1	E	291	ASP
1	E	298	ASN
1	E	321	ARG
1	E	325	GLU
1	E	326	LYS
1	E	327	GLN
1	E	328	THR
2	F	18	ILE
2	F	25	ARG



Mol	Chain	\mathbf{Res}	Type
2	F	30	GLU
2	F	51	LYS
2	F	56	ILE
2	F	72	GLU
2	F	118	LEU
2	F	127	ARG
2	F	128	GLU
2	F	167	LEU
2	F	169	ASN
2	F	170	ARG
2	F	172	GLN
2	F	174	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	132	GLN
1	А	152	ASN
1	А	171	ASN
1	А	173	ASN
1	А	298	ASN
1	С	132	GLN
1	С	152	ASN
1	С	171	ASN
1	С	173	ASN
1	С	197	GLN
1	С	298	ASN
1	С	327	GLN
2	D	12	ASN
1	Е	132	GLN
1	Е	152	ASN
1	Е	171	ASN
1	Е	173	ASN
1	Е	197	GLN
1	Е	298	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

9 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tune	Chain	Dec	Tink	Bo	Bond lengths		B	ond ang	les
	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	G	1	1,3	14,14,15	0.76	1(7%)	17,19,21	0.91	0
3	NAG	G	2	3	14, 14, 15	0.70	0	17,19,21	1.09	0
3	BMA	G	3	3	11,11,12	0.79	0	15,15,17	1.38	<mark>3 (20%)</mark>
3	NAG	Н	1	1,3	14,14,15	0.76	1 (7%)	17,19,21	0.89	1(5%)
3	NAG	Н	2	3	14,14,15	0.56	0	17,19,21	1.16	2 (11%)
3	BMA	Н	3	3	11,11,12	0.96	1 (9%)	15,15,17	1.43	2 (13%)
3	NAG	Ι	1	1,3	14,14,15	0.65	0	17,19,21	0.94	1 (5%)
3	NAG	Ι	2	3	14, 14, 15	0.56	0	17,19,21	1.08	0
3	BMA	Ι	3	3	11,11,12	0.58	0	15,15,17	1.17	1(6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	G	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	G	2	3	-	2/6/23/26	0/1/1/1
3	BMA	G	3	3	-	0/2/19/22	0/1/1/1
3	NAG	Н	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	Н	2	3	-	2/6/23/26	0/1/1/1
3	BMA	Н	3	3	-	0/2/19/22	0/1/1/1
3	NAG	I	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	Ι	2	3	-	1/6/23/26	0/1/1/1



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BMA	Ι	3	3	-	2/2/19/22	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	Н	3	BMA	C2-C3	2.36	1.56	1.52
3	Н	1	NAG	O5-C1	-2.21	1.40	1.43
3	G	1	NAG	O5-C1	-2.09	1.40	1.43

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	G	3	BMA	C1-O5-C5	3.06	116.34	112.19
3	G	3	BMA	O5-C1-C2	-2.89	106.31	110.77
3	Н	3	BMA	O3-C3-C2	2.83	115.42	109.99
3	Н	3	BMA	C2-C3-C4	-2.73	106.17	110.89
3	G	3	BMA	C1-C2-C3	-2.50	106.59	109.67
3	Н	2	NAG	C1-C2-N2	2.31	114.44	110.49
3	Н	2	NAG	O5-C1-C2	-2.12	107.94	111.29
3	Ι	1	NAG	C1-C2-N2	2.12	114.11	110.49
3	Н	1	NAG	C1-C2-N2	2.09	114.06	110.49
3	Ι	3	BMA	C1-C2-C3	-2.07	107.12	109.67

There are no chirality outliers.

All ((13)) torsion	outliers	are	listed	below:
-------	------	-----------	----------	----------------------	--------	--------

Mol	Chain	Res	Type	Atoms
3	Н	1	NAG	C4-C5-C6-O6
3	G	2	NAG	C4-C5-C6-O6
3	Н	2	NAG	C4-C5-C6-O6
3	G	1	NAG	C4-C5-C6-O6
3	Н	1	NAG	O5-C5-C6-O6
3	Ι	1	NAG	C4-C5-C6-O6
3	G	1	NAG	O5-C5-C6-O6
3	Ι	3	BMA	C4-C5-C6-O6
3	Ι	2	NAG	C4-C5-C6-O6
3	Ι	1	NAG	O5-C5-C6-O6
3	G	2	NAG	O5-C5-C6-O6
3	Ι	3	BMA	O5-C5-C6-O6
3	Н	2	NAG	O5-C5-C6-O6



There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	G	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry (i)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Mol Type Chain Res Link		Link	Bo	ond leng	ths	B	ond ang	les	
	туре	Chain	ites	DIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	F	401	2	14, 14, 15	0.72	0	17,19,21	1.09	1(5%)
4	NAG	А	329	1	14, 14, 15	0.96	1 (7%)	$17,\!19,\!21$	0.76	0
4	NAG	Е	334	1	14, 14, 15	0.74	0	$17,\!19,\!21$	1.22	2 (11%)
4	NAG	D	401	2	14, 14, 15	0.77	0	17,19,21	1.16	2 (11%)
4	NAG	А	348	1	14,14,15	0.72	0	17,19,21	1.07	1(5%)
4	NAG	С	329	1	$14,\!14,\!15$	0.80	0	17,19,21	0.77	0
4	NAG	С	348	1	$14,\!14,\!15$	0.62	0	$17,\!19,\!21$	1.21	2 (11%)
4	NAG	С	334	1	14, 14, 15	0.67	0	$17,\!19,\!21$	1.22	2 (11%)
4	NAG	А	334	1	14, 14, 15	0.77	0	$17,\!19,\!21$	1.21	3 (17%)
4	NAG	Е	329	1	14,14,15	1.10	1 (7%)	17,19,21	0.83	1 (5%)
4	NAG	Е	348	1	14,14,15	0.67	0	17,19,21	1.17	0
4	NAG	В	401	2	14, 14, 15	0.61	0	17,19,21	1.05	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	\mathbf{Res}	Link	Chirals	Torsions	Rings
4	NAG	F	401	2	-	0/6/23/26	0/1/1/1
4	NAG	А	329	1	-	0/6/23/26	0/1/1/1
4	NAG	Е	334	1	-	2/6/23/26	0/1/1/1
4	NAG	D	401	2	-	0/6/23/26	0/1/1/1
4	NAG	А	348	1	-	0/6/23/26	0/1/1/1
4	NAG	С	329	1	-	0/6/23/26	0/1/1/1
4	NAG	С	348	1	-	0/6/23/26	0/1/1/1
4	NAG	С	334	1	-	2/6/23/26	0/1/1/1
4	NAG	А	334	1	-	2/6/23/26	0/1/1/1



001100												
Mol	Type	Chain	\mathbf{Res}	Link	Chirals	Torsions	Rings					
4	NAG	Е	329	1	-	0/6/23/26	0/1/1/1					
4	NAG	Е	348	1	-	0/6/23/26	0/1/1/1					
4	NAG	В	401	2	-	0/6/23/26	0/1/1/1					

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	Ε	329	NAG	C1-C2	-2.90	1.48	1.52
4	А	329	NAG	C1-C2	-2.05	1.49	1.52

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	А	334	NAG	C1-O5-C5	2.86	116.07	112.19
4	Е	334	NAG	C1-O5-C5	2.81	116.00	112.19
4	С	334	NAG	C1-O5-C5	2.76	115.94	112.19
4	В	401	NAG	C3-C4-C5	-2.38	106.00	110.24
4	D	401	NAG	C3-C4-C5	-2.36	106.03	110.24
4	D	401	NAG	C1-O5-C5	2.35	115.38	112.19
4	Е	334	NAG	O5-C5-C6	2.18	110.62	107.20
4	С	348	NAG	C8-C7-N2	2.17	119.77	116.10
4	F	401	NAG	C1-O5-C5	2.16	115.12	112.19
4	А	334	NAG	O5-C5-C6	2.12	110.53	107.20
4	А	334	NAG	C1-C2-N2	2.11	114.10	110.49
4	Е	329	NAG	C1-O5-C5	2.10	115.04	112.19
4	С	334	NAG	O5-C5-C6	2.09	110.49	107.20
4	С	348	NAG	C1-O5-C5	2.02	114.93	112.19
4	А	348	NAG	C1-O5-C5	2.01	114.91	112.19

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	А	334	NAG	C4-C5-C6-O6
4	С	334	NAG	C4-C5-C6-O6
4	Е	334	NAG	C4-C5-C6-O6
4	А	334	NAG	O5-C5-C6-O6
4	С	334	NAG	O5-C5-C6-O6
4	Е	334	NAG	O5-C5-C6-O6

There are no ring outliers.



No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$ $ $<$ $\mathbf{RSRZ}>$	#RSRZ>2		$OWAB(Å^2)$	Q<0.9
1	А	328/328~(100%)	-0.82	8 (2%) 59	30	4, 23, 55, 137	0
1	С	328/328~(100%)	-0.88	8 (2%) 59	30	4, 23, 50, 132	0
1	Ε	328/328~(100%)	-0.91	8 (2%) 59	30	5, 22, 48, 134	0
2	В	175/175~(100%)	-0.98	1 (0%) 89	72	2, 17, 48, 102	0
2	D	175/175~(100%)	-1.02	1 (0%) 89	72	3, 16, 42, 103	0
2	F	175/175~(100%)	-0.98	2 (1%) 80	56	2, 16, 42, 103	0
All	All	1509/1509~(100%)	-0.91	28 (1%) 66	37	2, 21, 51, 137	0

All (28) RSRZ outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	RSRZ	
2	F	175	GLY	7.0	
1	Е	2	ASP	5.1	
1	Ε	4	PRO	5.0	
1	А	1	GLN	4.8	
1	С	1	GLN	4.4	
1	С	6	ASN	4.3	
1	А	4	PRO	4.3	
1	А	2	ASP	4.2	
2	D	175	GLY	4.1	
1	С	2	ASP	4.0	
1	Е	5	GLY	3.9	
1	А	5	GLY	3.6	
1	С	5	GLY	3.4	
1	А	6	ASN	3.3	
1	А	7	ASP	3.3	
1	С	8	ASN	3.0	
1	С	4	PRO	3.0	
1	A	8	ASN	3.0	
1	Е	1	GLN	2.7	



Mol	Chain	Res	Type	RSRZ
1	Е	6	ASN	2.7
1	Е	8	ASN	2.5
1	С	328	THR	2.5
1	А	3	LEU	2.4
1	Е	3	LEU	2.3
1	Е	328	THR	2.3
2	В	175	GLY	2.2
1	С	7	ASP	2.1
2	F	174	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} extsf{-}\mathbf{B} extsf{-}\mathbf{factors}(\mathbf{A}^2)$	Q<0.9
3	BMA	Н	3	11/12	0.85	0.28	$55,\!57,\!58,\!58$	0
3	NAG	Н	2	14/15	0.88	0.25	$47,\!50,\!51,\!53$	0
3	BMA	G	3	11/12	0.90	0.23	$54,\!56,\!57,\!58$	0
3	BMA	Ι	3	11/12	0.91	0.24	$56,\!58,\!59,\!59$	0
3	NAG	Н	1	14/15	0.92	0.19	39,42,44,46	0
3	NAG	Ι	2	14/15	0.92	0.17	$46,\!49,\!51,\!53$	0
3	NAG	G	2	14/15	0.92	0.19	$46,\!49,\!51,\!52$	0
3	NAG	G	1	14/15	0.93	0.18	39,42,45,45	0
3	NAG	I	1	14/15	0.96	0.13	38,41,43,44	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.









6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
4	NAG	F	401	14/15	0.86	0.28	$48,\!51,\!53,\!54$	0
4	NAG	В	401	14/15	0.86	0.28	$48,\!52,\!53,\!56$	0
4	NAG	Е	348	14/15	0.88	0.25	$35,\!40,\!42,\!43$	0
4	NAG	А	334	14/15	0.89	0.20	37,40,42,43	0
4	NAG	Е	334	14/15	0.91	0.19	$37,\!40,\!42,\!42$	0
4	NAG	Е	329	14/15	0.91	0.23	36,40,42,42	0
4	NAG	D	401	14/15	0.91	0.23	48,52,54,54	0
4	NAG	А	348	14/15	0.91	0.19	$35,\!39,\!41,\!41$	0
4	NAG	С	348	14/15	0.92	0.20	$35,\!39,\!41,\!42$	0
4	NAG	А	329	14/15	0.93	0.21	$36,\!40,\!41,\!42$	0
4	NAG	С	329	14/15	0.94	0.16	$35,\!39,\!40,\!40$	0
4	NAG	С	334	14/15	0.94	0.17	38,41,43,43	0



6.5 Other polymers (i)

There are no such residues in this entry.

