

# Full wwPDB X-ray Structure Validation Report (i)

Dec 5, 2023 – 12:53 PM JST

PDB ID	:	8HPY
Title	:	Crystal structure of human LGI1-ADAM22 complex
Authors	:	Liu, H.; Xu, F.
Deposited on	:	2022-12-13
Resolution	:	5.87  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 5.87 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
$R_{free}$	130704	1015 (7.88-3.86)
Clashscore	141614	$1041 \ (7.82-3.90)$
Ramachandran outliers	138981	1010 (7.88-3.86)
Sidechain outliers	138945	1013 (7.94-3.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain		
1	А	486	77%	22%	•
1	В	486	81%	17%	•
2	D	526	71%	26%	•••
2	Е	526	75%	22%	•••



#### 8HPY

# 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 15962 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Disintegrin and metalloproteinase domain-containing protein 22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	А	484	Total 3710	C 2293	N 638	0 728	$\begin{array}{c} \mathrm{S} \\ 51 \end{array}$	0	0	0
1	В	484	Total 3710	C 2293	N 638	0 728	S 51	0	0	0

• Molecule 2 is a protein called Leucine-rich glioma-inactivated protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	Л	515	Total	С	Ν	0	$\mathbf{S}$	0	0	0
	D	515	4183	2694	696	778	15	0	0	0
2	F	515	Total	С	Ν	0	S	0	0	0
	Ľ	515	4183	2694	696	778	15	0	0	0

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	32	HIS	-	expression tag	UNP O95970
D	33	HIS	-	expression tag	UNP O95970
D	34	HIS	-	expression tag	UNP O95970
D	35	HIS	-	expression tag	UNP O95970
D	36	HIS	-	expression tag	UNP O95970
D	37	HIS	-	expression tag	UNP O95970
D	38	HIS	-	expression tag	UNP O95970
E	32	HIS	-	expression tag	UNP O95970
Е	33	HIS	-	expression tag	UNP O95970
E	34	HIS	-	expression tag	UNP O95970
E	35	HIS	-	expression tag	UNP O95970
E	36	HIS	-	expression tag	UNP O95970
E	37	HIS	-	expression tag	UNP O95970
E	38	HIS	-	expression tag	UNP 095970

• Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:



 $C_8H_{15}NO_6$ ).



Mol	Chain	Residues	A	ton	ns		ZeroOcc	AltConf	
2	Δ	1	Total	С	Ν	0	0	0	
5	A	L	14	8	1	5	0	0	
9	٨	1	Total	С	Ν	Ο	0	0	
3	A	L	14	8	1	5	0	0	
2	Δ	1	Total	С	Ν	Ο	0	0	
5	Л	T	14	8	1	5	0	0	
2	Л	1	Total	С	Ν	Ο	0	0	
5	D	T	14	8	1	5	0	0	
3	л	1	Total	С	Ν	0	0	0	
5	D	T	14	8	1	5	0	U	
3	л	1	Total	С	Ν	Ο	0	0	
5	D	I	14	8	1	5	0	0	
3	В	1	Total	С	Ν	Ο	0	0	
	D	I	14	8	1	5	0	0	
3	В	1	Total	С	Ν	Ο	0	0	
0	D	T	14	8	1	5	0	0	
3	В	1	Total	С	Ν	Ο	0	0	
0	D	T	14	8	1	5	0	0	
3	E	1	Total	С	Ν	Ο	0	0	
0	Ľ	T	14	8	1	5	0	0	
3	E	1	Total	С	Ν	Ο	0	0	
0	Ľ	T	14	8	1	5	0	0	
3	E	1	Total	С	Ν	Ο	0	0	
J		1	14	8	1	5		U	

• Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	3	Total Ca 3 3	0	0
4	D	1	Total Ca 1 1	0	0
4	В	3	Total Ca 3 3	0	0
4	Е	1	Total Ca 1 1	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

 $\bullet$  Molecule 1: Disintegrin and metalloprotein ase domain-containing protein 22



• Molecule 1: Disintegrin and metalloproteinase domain-containing protein 22



• Molecule 2: Leucine-rich glioma-inactivated protein 1



# V651 P397 H267 V555 L399 K270 L655 L399 K270 L655 L399 K270 L655 R407 1276 ALA 1410 K270 L1400 K270 K270 L1410 K270 K270 ALA 1410 K270 ALA 1410 K285 ALA 1410 K286 ALA 1421 K286 ALA 1421 K286 ALA 1422 K286 ALA H423 K286 H424 H423 K286 H425 H426 L302 H426 L302 L302 H429 K330 L302 H429 K331 L302 H429 K332 L324 H429 K332 L322 H420 L322 L324 H420 K331 L322 H420 L322 L324 H420 L322 L324 H420 L322 L324 H420 L322 L324 L421 L323 L322 L422 L326 <t

• Molecule 2: Leucine-rich glioma-inactivated protein 1





# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 2 3	Depositor
Cell constants	280.34Å 280.34Å 280.34Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor
$\mathbf{P}_{\text{acclution}}(\hat{\mathbf{A}})$	48.08 - 5.87	Depositor
Resolution (A)	48.08 - 5.87	EDS
% Data completeness	97.7 (48.08-5.87)	Depositor
(in resolution range)	98.5 (48.08-5.87)	EDS
R <sub>merge</sub>	0.07	Depositor
R <sub>sym</sub>	0.06	Depositor
$< I/\sigma(I) > 1$	$3.33 (at 5.73 \text{\AA})$	Xtriage
Refinement program	PHENIX (1.10.1_2155)	Depositor
D D.	0.303 , $0.343$	Depositor
$\Pi, \Pi_{free}$	0.303 , $0.343$	DCC
$R_{free}$ test set	496 reflections $(5.05\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	283.5	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.34, $432.1$	EDS
L-test for twinning <sup>2</sup>	$< L >=0.54, < L^2>=0.38$	Xtriage
Estimated twinning fraction	0.000 for -l,-k,-h	Xtriage
$F_o, F_c$ correlation	0.83	EDS
Total number of atoms	15962	wwPDB-VP
Average B, all atoms $(Å^2)$	392.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.23% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

# 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.31	0/3773	0.50	0/5079	
1	В	0.30	0/3773	0.51	0/5079	
2	D	0.26	0/4290	0.46	0/5821	
2	Е	0.27	0/4290	0.47	0/5821	
All	All	0.28	0/16126	0.48	0/21800	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3710	0	3566	76	0
1	В	3710	0	3566	77	0
2	D	4183	0	4100	99	0
2	Е	4183	0	4099	85	0
3	А	42	0	39	0	0
3	В	42	0	39	5	0
3	D	42	0	39	0	0
3	Е	42	0	39	0	0
4	А	3	0	0	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	В	3	0	0	0	0
4	D	1	0	0	0	0
4	Ε	1	0	0	0	0
All	All	15962	0	15487	324	0

Continued from previous page...

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (324) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:D:223:ILE:HD11	2:D:555:LEU:CD1	1.68	1.20	
2:D:223:ILE:HD11	2:D:555:LEU:HD11	1.19	1.09	
2:D:223:ILE:CD1	2:D:555:LEU:HD11	1.98	0.92	
1:B:237:GLU:HG2	1:B:435:PHE:HE1	1.32	0.92	
1:B:237:GLU:HB2	1:B:504:ARG:HH22	1.34	0.92	
1:B:453:GLU:O	1:B:456:GLU:HG3	1.68	0.91	
1:B:237:GLU:HG2	1:B:435:PHE:CE1	2.05	0.91	
2:D:223:ILE:HD11	2:D:555:LEU:HD12	1.56	0.88	
2:E:389:ARG:HG3	2:E:389:ARG:O	1.76	0.85	
1:A:458:CYS:HB2	1:A:486:SER:HB3	1.57	0.84	
2:E:236:SER:OG	2:E:252:ILE:HG23	1.78	0.83	
2:D:75:VAL:HG12	2:D:76:ARG:HG2	1.60	0.82	
2:E:516:GLU:O	2:E:516:GLU:HG2	1.84	0.78	
1:A:280:GLN:HE21	1:A:413:LYS:HA	1.50	0.76	
2:D:302:LEU:HG	2:D:331:LYS:HA	1.68	0.76	
2:D:227:ALA:HB1	1:B:579:GLU:HG3	1.69	0.75	
1:A:687:ILE:HG23	1:A:694:CYS:SG	2.26	0.74	
1:B:605:CYS:HB2	1:B:608:ILE:HD11	1.69	0.74	
2:D:321:ILE:HG22	2:D:322:GLN:HG3	1.69	0.73	
1:B:504:ARG:HH11	1:B:504:ARG:HB2	1.52	0.72	
2:E:520:GLN:HG3	2:E:543:GLY:HA3	1.70	0.72	
2:E:414:ASN:HB2	2:E:421:THR:HB	1.71	0.72	
1:A:605:CYS:HB2	1:A:608:ILE:HD11	1.71	0.72	
2:E:228:LYS:HA	2:E:548:TYR:HA	1.72	0.71	
1:B:237:GLU:CB	1:B:504:ARG:HH22	2.03	0.71	
1:B:237:GLU:CB	1:B:504:ARG:NH2	2.55	0.70	
1:A:640:VAL:HB	1:A:648:LEU:HB2	1.72	0.69	
2:D:223:ILE:CD1	2:D:555:LEU:CD1	2.60	0.68	
2:E:482:LEU:HB3	2:E:484:ILE:HD11	1.75	0.68	
2:E:507:GLU:OE1	2:E:507:GLU:HA	1.94	0.68	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:453:GLU:HG2	1:B:456:GLU:OE2	1.95	0.67
1:A:242:GLU:HB2	1:A:325:ASP:CG	2.15	0.67
2:E:321:ILE:HG22	2:E:322:GLN:HG3	1.75	0.66
1:A:237:GLU:HG2	1:A:435:PHE:CE1	2.29	0.66
2:D:228:LYS:HA	2:D:548:TYR:HA	1.78	0.66
1:B:237:GLU:HB2	1:B:504:ARG:NH2	2.09	0.65
1:A:679:CYS:HB2	1:A:700:CYS:SG	2.35	0.65
1:B:640:VAL:HB	1:B:648:LEU:HB2	1.77	0.65
2:D:555:LEU:HD22	1:B:627:VAL:H	1.62	0.64
2:D:133:HIS:HB3	2:D:136:ARG:HE	1.62	0.64
1:A:679:CYS:N	1:A:694:CYS:SG	2.68	0.64
2:D:411:TYR:HB3	2:D:420:PHE:HB3	1.80	0.64
1:A:461:GLY:O	1:A:462:THR:HG23	1.97	0.64
1:B:634:ASN:HB3	3:B:802:NAG:C7	2.27	0.64
1:A:407:GLY:HA2	2:D:352:SER:HA	1.79	0.63
2:E:266:ASP:HA	2:E:273:ARG:HE	1.64	0.63
2:E:156:LYS:HA	2:E:183:TRP:CE2	2.34	0.63
2:E:83:SER:HB3	2:E:86:SER:HB2	1.81	0.63
1:B:458:CYS:SG	1:B:479:LEU:HG	2.39	0.62
1:B:598:VAL:HG12	1:B:599:LEU:HD12	1.81	0.62
2:E:224:THR:HG21	2:E:487:TYR:CE2	2.34	0.62
2:E:52:ASN:ND2	2:E:71:SER:OG	2.33	0.62
1:B:237:GLU:HB3	1:B:504:ARG:NH2	2.15	0.61
2:D:520:GLN:HG3	2:D:543:GLY:HA3	1.83	0.61
1:B:504:ARG:HB2	1:B:504:ARG:NH1	2.15	0.61
1:A:449:ASN:ND2	1:A:451:PHE:HD2	1.99	0.61
2:D:553:VAL:HG13	1:B:572:LYS:HE2	1.82	0.61
2:E:282:SER:O	2:E:301:GLN:HA	2.01	0.61
2:D:553:VAL:HG13	1:B:572:LYS:CE	2.30	0.61
1:A:237:GLU:HG2	1:A:435:PHE:HE1	1.66	0.61
2:E:272:PHE:CE1	2:E:547:ILE:HG21	2.36	0.60
1:A:242:GLU:HB2	1:A:325:ASP:OD2	2.01	0.60
1:A:453:GLU:HB2	1:A:456:GLU:OE2	2.01	0.60
1:A:691:ASN:HB3	1:A:706:TRP:CD1	2.35	0.60
1:B:306:LEU:HD13	1:B:643:GLU:HG2	1.84	0.60
1:B:234:VAL:HA	1:B:504:ARG:HE	1.66	0.60
2:E:306:SER:HB3	2:E:324:ILE:HB	1.84	0.60
2:E:177:CYS:HA	2:E:181:LEU:HD12	1.84	0.60
1:A:682:SER:HB2	1:A:712:ASN:HB2	1.84	0.59
2:D:229:SER:HA	1:B:590:TRP:HD1	1.68	0.59
2:D:400:ILE:HG12	2:D:410:ILE:HG12	1.85	0.58



	lo ao pagom	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:E:133:HIS:HB3	2:E:136:ARG:HE	1.68	0.58	
2:D:156:LYS:HA	2:D:183:TRP:CE2	2.38	0.58	
2:D:536:LEU:HG	2:D:548:TYR:HB2	1.85	0.58	
2:E:483:GLN:HB3	2:E:488:GLN:HE22	1.69	0.58	
1:A:306:LEU:HD13	1:A:643:GLU:HG2	1.84	0.57	
1:A:450:GLY:HA2	1:A:460:CYS:O	2.05	0.57	
2:D:530:ILE:HG22	2:D:531:ASN:H	1.69	0.57	
2:E:75:VAL:HG13	2:E:99:THR:HG23	1.86	0.57	
1:B:378:ILE:HG12	1:B:422:TYR:CE1	2.40	0.57	
1:A:557:ILE:HG12	1:A:648:LEU:HD13	1.86	0.57	
1:B:281:LEU:HD11	1:B:380:ILE:HD11	1.87	0.56	
2:D:83:SER:HB3	2:D:86:SER:HB2	1.87	0.56	
1:B:244:MET:HB3	1:B:327:VAL:HG22	1.87	0.56	
1:B:386:LYS:HB3	1:B:391:GLU:HB3	1.87	0.56	
2:E:389:ARG:HD2	2:E:412:GLN:NE2	2.21	0.56	
1:A:384:LYS:HG3	1:A:613:ARG:HG3	1.87	0.56	
2:E:239:ILE:HG13	2:E:252:ILE:HG13	1.87	0.56	
1:B:313:MET:SD	1:B:355:GLY:HA3	2.46	0.55	
2:E:114:LEU:HB3	2:E:117:LEU:HB2	1.88	0.55	
2:D:291:ILE:HD13	2:D:344:TRP:CD1	2.42	0.55	
2:D:75:VAL:HG12	2:D:76:ARG:HE	1.71	0.55	
2:E:229:SER:HB3	2:E:549:LYS:HB2	1.89	0.55	
1:B:574:ASN:HB2	1:B:593:CYS:HB2	1.89	0.55	
2:E:400:ILE:HG12	2:E:410:ILE:HG12	1.89	0.55	
2:D:82:ILE:HG21	2:D:106:ILE:HG23	1.89	0.55	
1:B:657:CYS:HB3	1:B:663:CYS:SG	2.47	0.55	
1:B:241:ILE:HG12	1:B:434:LEU:HD22	1.87	0.55	
1:B:656:PRO:HA	1:B:662:MET:HA	1.89	0.55	
1:A:627:VAL:HA	1:A:631:ARG:O	2.08	0.54	
1:A:682:SER:HB3	1:A:710:ASP:O	2.08	0.54	
1:B:384:LYS:HE3	1:B:613:ARG:HD2	1.89	0.54	
2:D:125:ASN:H	2:D:149:ASN:HB3	1.72	0.53	
1:A:458:CYS:SG	1:A:479:LEU:HG	2.48	0.53	
2:D:285:VAL:HG12	2:D:287:LYS:HG2	1.90	0.53	
1:A:679:CYS:HB2	1:A:688:CYS:SG	2.49	0.53	
1:A:657:CYS:HB3	1:A:663:CYS:SG	2.49	0.53	
2:E:224:THR:HG22	2:E:552:ILE:HG12	1.90	0.53	
2:D:121:PHE:HD1	2:D:145:SER:HB3	1.73	0.53	
1:B:332:GLY:HA2	1:B:360:PHE:HB2	1.91	0.53	
2:E:291:ILE:HD13	2:E:344:TRP:CD1	2.44	0.53	
2:E:487:TYR:HB3	2:E:489:TYR:CE2	2.44	0.52	



	lo uo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:313:MET:SD	1:A:355:GLY:HA3	2.48	0.52
2:E:82:ILE:HG21	2:E:106:ILE:HG23	1.92	0.52
2:E:214:LEU:HD13	2:E:219:PHE:HZ	1.75	0.52
2:D:493:GLY:HA2	2:D:499:THR:HG23	1.91	0.52
1:B:576:GLU:HB3	1:B:578:THR:HG23	1.92	0.52
2:D:266:ASP:HB3	2:D:270:LYS:HB2	1.92	0.52
1:A:574:ASN:HB2	1:A:593:CYS:HB3	1.91	0.52
1:B:384:LYS:HG3	1:B:613:ARG:HG3	1.91	0.52
1:B:239:LYS:HB2	1:B:283:THR:HG23	1.92	0.52
1:B:557:ILE:HG12	1:B:648:LEU:HD13	1.91	0.52
1:B:328:HIS:CE1	1:B:356:GLY:HA3	2.45	0.51
2:E:483:GLN:HB3	2:E:488:GLN:NE2	2.25	0.51
2:E:241:THR:HG21	2:E:528:VAL:HG22	1.91	0.51
2:D:114:LEU:HB3	2:D:117:LEU:HB2	1.92	0.51
2:E:265:TRP:CZ3	2:E:271:THR:HA	2.46	0.51
1:A:686:THR:HB	1:A:690:GLY:N	2.26	0.51
2:D:222:ILE:CG2	2:D:552:ILE:HG13	2.41	0.51
2:D:156:LYS:HG3	1:B:629:GLN:HA	1.92	0.50
2:E:180:LYS:O	2:E:183:TRP:CD1	2.65	0.50
2:E:285:VAL:HG12	2:E:287:LYS:HG2	1.93	0.50
2:D:63:ARG:NH2	2:D:86:SER:HA	2.26	0.50
2:D:180:LYS:O	2:D:183:TRP:CD1	2.64	0.50
1:A:244:MET:HB3	1:A:327:VAL:HG22	1.94	0.50
2:D:444:VAL:HG23	2:D:460:TRP:HB3	1.94	0.50
2:E:346:PHE:HD2	2:E:360:TYR:HB2	1.77	0.50
1:A:574:ASN:HD22	1:A:593:CYS:HB3	1.77	0.49
1:B:634:ASN:HB3	3:B:802:NAG:H82	1.94	0.49
1:A:408:TYR:HB3	2:D:351:SER:HB2	1.93	0.49
2:E:132:ARG:O	2:E:158:ILE:HD12	2.13	0.49
1:A:361:GLY:H	1:A:366:MET:HE2	1.77	0.49
1:A:529:LYS:HG2	1:A:693:VAL:HG11	1.94	0.49
2:E:121:PHE:HD1	2:E:145:SER:HB3	1.77	0.49
2:E:265:TRP:HE1	2:E:267:HIS:HA	1.77	0.49
2:D:156:LYS:HG2	2:D:183:TRP:CD1	2.48	0.49
1:B:634:ASN:C	1:B:634:ASN:OD1	2.51	0.49
2:E:266:ASP:HB3	2:E:270:LYS:HB2	1.95	0.49
1:B:634:ASN:CB	3:B:802:NAG:N2	2.76	0.49
2:D:320:LYS:HD3	2:D:323:ASP:OD1	2.11	0.49
1:A:489:LEU:HD21	1:A:504:ARG:NH2	2.28	0.48
2:E:504:TRP:CD1	2:E:504:TRP:C	2.85	0.48
2:D:241:THR:HG21	2:D:528:VAL:HG22	1.95	0.48



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:489:LEU:HD11	1:A:504:ARG:NH2	2.29	0.48	
1:A:656:PRO:HA	1:A:662:MET:HA	1.95	0.48	
2:E:411:TYR:CZ	2:E:423:GLN:HG3	2.49	0.48	
1:A:384:LYS:HE3	1:A:613:ARG:HD2	1.95	0.48	
2:D:181:LEU:HD22	2:D:184:LEU:HD13	1.94	0.48	
1:B:422:TYR:CZ	1:B:426:LEU:HD11	2.48	0.48	
2:E:236:SER:CB	2:E:545:THR:HG21	2.43	0.48	
1:A:278:LYS:HB2	1:A:284:ARG:HH11	1.78	0.48	
1:B:604:LEU:HD22	1:B:635:CYS:HB3	1.96	0.48	
2:E:493:GLY:HA2	2:E:499:THR:HG23	1.96	0.48	
1:B:599:LEU:O	1:B:651:VAL:HG21	2.14	0.47	
2:E:181:LEU:HD22	2:E:184:LEU:HD13	1.96	0.47	
2:E:291:ILE:HG12	2:E:362:TRP:CZ3	2.49	0.47	
2:D:75:VAL:CG1	2:D:76:ARG:HE	2.27	0.47	
2:D:214:LEU:HD13	2:D:219:PHE:HZ	1.80	0.47	
2:D:302:LEU:HD23	2:D:331:LYS:HD2	1.95	0.47	
2:D:234:TYR:HE1	2:D:252:ILE:HG21	1.79	0.47	
2:E:285:VAL:HG21	2:E:334:ASP:HA	1.97	0.47	
1:A:241:ILE:HG12	1:A:434:LEU:HD22	1.97	0.47	
1:B:240:TYR:HA	1:B:284:ARG:O	2.15	0.47	
1:A:286:VAL:HG21	1:A:438:PRO:HG3	1.96	0.46	
2:E:63:ARG:NH2	2:E:86:SER:HA	2.30	0.46	
1:A:239:LYS:HE2	1:A:434:LEU:HB2	1.97	0.46	
1:A:599:LEU:O	1:A:651:VAL:HG21	2.15	0.46	
2:D:440:VAL:HG22	2:D:488:GLN:HG3	1.97	0.46	
2:D:298:ILE:HG21	2:D:346:PHE:CZ	2.51	0.46	
1:B:634:ASN:HB3	3:B:802:NAG:N2	2.31	0.46	
2:E:286:CYS:SG	2:E:299:VAL:HG12	2.54	0.46	
1:A:458:CYS:CB	1:A:486:SER:HB3	2.38	0.46	
1:B:445:PRO:HB3	1:B:453:GLU:HB2	1.98	0.46	
1:A:528:HIS:CE1	1:A:696:ASN:HB3	2.51	0.46	
1:B:278:LYS:HD2	1:B:284:ARG:CZ	2.46	0.46	
2:E:540:SER:H	2:E:545:THR:HG22	1.81	0.46	
1:A:658:GLY:O	1:A:661:MET:HB2	2.16	0.46	
2:D:407:ARG:HG2	2:D:429:MET:O	2.16	0.46	
1:A:237:GLU:HG2	1:A:435:PHE:CD1	2.51	0.45	
2:E:41:LYS:HD2	2:E:41:LYS:HA	1.64	0.45	
2:E:265:TRP:NE1	2:E:267:HIS:HA	2.31	0.45	
1:A:684:GLU:H	1:A:684:GLU:HG2	1.39	0.45	
2:D:98:PHE:HD1	2:D:122:ILE:HG12	1.82	0.45	
2:D:174:SER:HA	2:D:201:GLU:HG3	1.98	0.45	



	lo ao pagom	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:D:286:CYS:SG	2:D:299:VAL:HG12	2.57	0.45	
1:A:328:HIS:CE1	1:A:356:GLY:HA3	2.51	0.45	
2:D:75:VAL:C	2:D:76:ARG:HG2	2.37	0.45	
2:D:268:VAL:O	2:D:269:GLU:HG2	2.16	0.45	
2:D:389:ARG:O	2:D:392:GLN:HB2	2.17	0.45	
2:E:266:ASP:HB2	2:E:273:ARG:HB2	1.99	0.45	
2:D:306:SER:HB3	2:D:324:ILE:HB	1.99	0.44	
1:B:340:SER:HA	2:E:353:LYS:HZ2	1.82	0.44	
2:D:291:ILE:HG12	2:D:362:TRP:CZ3	2.53	0.44	
2:E:236:SER:HG	2:E:252:ILE:HG23	1.78	0.44	
1:B:349:CYS:SG	1:B:433:CYS:N	2.86	0.44	
2:E:311:ARG:NH1	2:E:316:ASN:OD1	2.50	0.44	
1:A:272:MET:O	1:A:276:ILE:HG13	2.18	0.44	
2:D:132:ARG:O	2:D:158:ILE:HD12	2.17	0.44	
1:B:280:GLN:HG3	1:B:414:PHE:HD2	1.81	0.44	
1:B:641:LYS:HE3	1:B:644:GLU:HA	2.00	0.44	
2:E:236:SER:OG	2:E:252:ILE:CG2	2.58	0.44	
1:A:278:LYS:HD2	1:A:284:ARG:NH1	2.33	0.44	
1:A:280:GLN:NE2	1:A:413:LYS:HA	2.28	0.44	
1:A:574:ASN:ND2	1:A:598:VAL:HG22	2.33	0.44	
2:D:260:CYS:HB3	2:D:278:ILE:HB	2.00	0.44	
2:E:234:TYR:HE1	2:E:252:ILE:HG21	1.82	0.44	
1:A:453:GLU:O	1:A:456:GLU:HG2	2.18	0.43	
2:E:100:SER:N	2:E:125:ASN:OD1	2.50	0.43	
2:E:301:GLN:H	2:E:305:GLY:HA3	1.83	0.43	
1:A:381:ILE:HD12	1:A:381:ILE:HA	1.87	0.43	
2:D:178:ASP:OD2	2:D:180:LYS:HG2	2.18	0.43	
2:D:551:VAL:HG11	1:B:576:GLU:HB3	2.00	0.43	
2:E:114:LEU:HD13	2:E:117:LEU:HD22	2.00	0.43	
2:E:282:SER:HB2	2:E:301:GLN:HB3	1.99	0.43	
2:E:387:ILE:HG22	2:E:444:VAL:HG11	2.01	0.43	
2:D:236:SER:HB3	2:D:545:THR:OG1	2.17	0.43	
1:B:504:ARG:HH11	1:B:504:ARG:CB	2.25	0.43	
2:E:484:ILE:HD12	2:E:484:ILE:N	2.33	0.43	
1:A:571:GLU:HA	1:A:598:VAL:HG11	1.99	0.43	
2:D:555:LEU:HD22	1:B:627:VAL:N	2.32	0.43	
1:B:634:ASN:HB3	3:B:802:NAG:C8	2.49	0.43	
2:E:182:LYS:O	2:E:186:GLU:HG2	2.18	0.43	
2:D:49:THR:HG22	2:D:52:ASN:HB2	1.99	0.43	
2:D:173:ASN:HB2	2:D:175:PHE:CZ	2.54	0.43	
2:D:385:LEU:HG	2:D:387:ILE:HG23	2.00	0.43	



		Interatomic	Clash	
Atom-1	Atom-2	distance $(Å)$	overlap (Å)	
1:B:237:GLU:HG2	1:B:435:PHE:CD1	2.50	0.43	
1:A:474:CYS:SG	1:A:477:CYS:HA	2.58	0.43	
2:D:142:ILE:H	2:D:142:ILE:HG13	1.74	0.43	
2:D:177:CYS:HA	2:D:181:LEU:HD12	2.00	0.43	
2:D:553:VAL:HG22	1:B:576:GLU:OE2	2.19	0.43	
2:D:232:LEU:HD11	2:D:547:ILE:HD11	2.01	0.43	
2:D:346:PHE:HD2	2:D:360:TYR:HB2	1.84	0.43	
2:E:63:ARG:HH21	2:E:86:SER:HA	1.83	0.43	
2:E:98:PHE:HD1	2:E:122:ILE:HG12	1.83	0.43	
2:E:241:THR:HG22	2:E:250:VAL:HG22	2.01	0.43	
2:E:301:GLN:O	2:E:305:GLY:HA3	2.19	0.43	
1:A:332:GLY:HA2	1:A:360:PHE:HB2	2.01	0.43	
2:D:447:CYS:HB3	2:D:479:PHE:CD2	2.54	0.43	
1:B:529:LYS:HG2	1:B:693:VAL:HG11	2.01	0.43	
1:A:276:ILE:HG22	1:A:280:GLN:OE1	2.18	0.42	
2:D:177:CYS:SG	2:D:181:LEU:HD12	2.59	0.42	
2:E:85:GLY:HA2	2:E:109:ASP:O	2.19	0.42	
1:B:253:LYS:HA	1:B:257:LEU:HD12	2.01	0.42	
1:A:567:LYS:HA	1:A:570:TYR:HD1	1.84	0.42	
1:A:576:GLU:HB3	1:A:578:THR:HG23	2.01	0.42	
2:E:122:ILE:O	2:E:146:LEU:HA	2.19	0.42	
1:A:458:CYS:HB2	1:A:486:SER:CB	2.39	0.42	
1:A:602:TYR:CE2	1:A:637:GLY:HA3	2.55	0.42	
2:D:102:SER:HA	2:D:126:ASN:OD1	2.19	0.42	
1:B:252:PHE:HE1	1:B:259:VAL:HA	1.82	0.42	
1:A:567:LYS:HA	1:A:570:TYR:CD1	2.55	0.42	
2:D:180:LYS:HA	2:D:183:TRP:CD1	2.55	0.42	
2:D:287:LYS:HD2	2:D:287:LYS:HA	1.85	0.42	
2:E:175:PHE:HD1	2:E:175:PHE:HA	1.77	0.42	
1:A:687:ILE:CG2	1:A:694:CYS:SG	3.04	0.42	
2:D:182:LYS:O	2:D:186:GLU:HG2	2.19	0.42	
1:A:453:GLU:H	1:A:456:GLU:CD	2.23	0.42	
2:D:522:PRO:HA	2:D:539:SER:O	2.19	0.42	
1:B:281:LEU:HD22	1:B:422:TYR:HD2	1.84	0.42	
1:B:384:LYS:HG3	1:B:613:ARG:CG	2.50	0.42	
2:E:169:ASP:OD1	2:E:171:ARG:NE	2.53	0.42	
1:A:585:LYS:HG3	1:A:590:TRP:CZ3	2.55	0.41	
1:A:686:THR:HB	1:A:690:GLY:CA	2.50	0.41	
2:D:298:ILE:HG13	2:D:308:ILE:HG12	2.02	0.41	
2:D:339:LYS:HD2	2:D:344:TRP:CE2	2.55	0.41	
2:D:396:THR:HB	2:D:398:HIS:HE1	1.84	0.41	



	, and pagetti	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:585:LYS:HG3	:B:585:LYS:HG3 1:B:590:TRP:CZ3		0.41	
2:E:339:LYS:HD2	2:E:344:TRP:CE2	2.55	0.41	
1:B:381:ILE:HD12	1:B:381:ILE:HA	1.87	0.41	
1:B:528:HIS:CE1	1:B:696:ASN:HB3	2.55	0.41	
2:E:120:LEU:O	2:E:144:LEU:HA	2.20	0.41	
2:D:165:LEU:HD21	2:D:168:VAL:HG23	2.02	0.41	
2:D:451:PHE:CD2	2:D:452:ILE:HG13	2.55	0.41	
1:B:242:GLU:HB3	1:B:325:ASP:H	1.86	0.41	
1:B:281:LEU:HD22	1:B:422:TYR:CD2	2.55	0.41	
2:E:304:GLY:O	2:E:307:HIS:NE2	2.54	0.41	
1:A:384:LYS:HG3	1:A:613:ARG:CG	2.51	0.41	
1:A:467:VAL:HA	1:A:471:ALA:HB2	2.03	0.41	
1:A:602:TYR:HE1	1:A:639:HIS:NE2	2.18	0.41	
2:D:328:LYS:HD3	2:D:328:LYS:HA	1.78	0.41	
2:D:426:ILE:HA	2:D:427:PRO:HD3	1.90	0.41	
1:B:233:ASN:O	1:B:504:ARG:NH2	2.53	0.41	
1:B:284:ARG:HG2	1:B:451:PHE:HZ	1.86	0.41	
1:B:573:LEU:HB3	1:B:581:GLY:HA3	2.02	0.41	
2:E:540:SER:N	2:E:545:THR:HG22	2.36	0.41	
1:A:402:ILE:HB	1:A:414:PHE:CE1	2.55	0.41	
2:D:304:GLY:O	2:D:307:HIS:NE2	2.53	0.41	
2:E:66:PRO:HB2	2:E:69:VAL:HG23	2.02	0.41	
2:E:451:PHE:CD2	2:E:452:ILE:HG13	2.56	0.41	
1:A:490:CYS:O	1:A:497:GLN:N	2.53	0.41	
2:D:85:GLY:HA2	2:D:109:ASP:O	2.21	0.41	
2:D:222:ILE:HG21	2:D:552:ILE:HG13	2.02	0.41	
2:D:239:ILE:HG13	2:D:252:ILE:HG13	2.01	0.41	
1:B:691:ASN:HB3	1:B:706:TRP:CD1	2.56	0.41	
2:E:142:ILE:H	2:E:142:ILE:HG13	1.77	0.41	
2:D:144:LEU:O	2:D:168:VAL:HA	2.20	0.41	
2:D:228:LYS:HG2	1:B:579:GLU:OE2	2.21	0.41	
1:A:378:ILE:HG12	1:A:422:TYR:CE1	2.56	0.40	
2:D:66:PRO:HB2	2:D:69:VAL:HG23	2.04	0.40	
2:D:175:PHE:HE2	2:D:198:ILE:HB	1.86	0.40	
2:E:49:THR:HG22	2:E:52:ASN:HB2	2.03	0.40	
2:E:93:LEU:HB2	2:E:114:LEU:HD22	2.04	0.40	
2:D:66:PRO:HA	2:D:67:PRO:HD3	1.96	0.40	
2:D:100:SER:N	2:D:125:ASN:OD1	2.54	0.40	
2:D:241:THR:HG22	2:D:250:VAL:HG22	2.03	0.40	
2:D:242:PHE:CZ	2:D:249:TYR:HB2	2.56	0.40	
1:B:234:VAL:CA	1:B:504:ARG:HE	2.34	0.40	



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:499:MET:HA	1:B:516:CYS:O	2.22	0.40
2:E:181:LEU:O	2:E:185:VAL:HG23	2.22	0.40
1:A:461:GLY:O	1:A:462:THR:CG2	2.67	0.40
1:A:602:TYR:HE2	1:A:637:GLY:HA3	1.86	0.40
2:E:180:LYS:HA	2:E:183:TRP:CD1	2.57	0.40
2:D:327:LEU:O	2:D:330:ARG:NE	2.52	0.40
2:D:414:ASN:HB2	2:D:421:THR:HG22	2.02	0.40

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	482/486~(99%)	466 (97%)	16 (3%)	0	100	100
1	В	482/486~(99%)	471 (98%)	11 (2%)	0	100	100
2	D	513/526~(98%)	485~(94%)	28~(6%)	0	100	100
2	Ε	513/526~(98%)	488 (95%)	25~(5%)	0	100	100
All	All	1990/2024~(98%)	1910 (96%)	80 (4%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	418/420~(100%)	400 (96%)	18 (4%)	29 54
1	В	418/420 (100%)	405~(97%)	13 (3%)	40 62
2	D	473/483~(98%)	467 (99%)	6 (1%)	69 82
2	Ε	473/483~(98%)	460 (97%)	13 (3%)	44 65
All	All	1782/1806~(99%)	1732 (97%)	50 (3%)	43 65

All (50) residues with a non-rotameric side chain are listed below:

Mol	Chain	Res	Type
1	А	237	GLU
1	А	242	GLU
1	А	376	HIS
1	А	387	LEU
1	А	436	ASN
1	А	453	GLU
1	А	466	CYS
1	А	496	PHE
1	А	503	CYS
1	А	514	GLU
1	А	604	LEU
1	А	622	THR
1	А	624	THR
1	А	635	CYS
1	А	678	THR
1	А	679	CYS
1	А	682	SER
1	А	684	GLU
2	D	76	ARG
2	D	142	ILE
2	D	158	ILE
2	D	374	HIS
2	D	422	ASN
2	D	545	THR
1	В	237	GLU
1	В	242	GLU
1	В	436	ASN
1	В	453	GLU
1	В	456	GLU
1	В	465	GLU
1	В	503	CYS
1	В	504	ARG
1	В	579	GLU



Mol	Chain	Res	Type
1	В	588	ASP
1	В	604	LEU
1	В	622	THR
1	В	632	THR
2	Е	142	ILE
2	Е	175	PHE
2	Е	217	LYS
2	Е	374	HIS
2	Е	389	ARG
2	Е	405	SER
2	Е	422	ASN
2	Е	476	SER
2	Е	483	GLN
2	Е	504	TRP
2	Е	507	GLU
2	Е	516	GLU
2	Е	539	SER

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such side chains are listed below:

Mol	Chain	Res	Type
1	А	574	ASN
2	D	52	ASN
1	В	436	ASN
2	Е	52	ASN
2	Е	485	ASN
2	Е	488	GLN
2	Е	534	ASN
2	Е	550	HIS

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



## 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

# 5.6 Ligand geometry (i)

Of 20 ligands modelled in this entry, 8 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tuno	Chain	Dog	Link	Bond lengths			Bond angles		
	Type	Ullalli	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAG	D	602	2	14,14,15	0.37	0	17,19,21	0.43	0
3	NAG	Е	602	2	14,14,15	0.90	1 (7%)	17,19,21	0.74	1 (5%)
3	NAG	D	601	2	14,14,15	0.34	0	17,19,21	0.34	0
3	NAG	В	802	1	14,14,15	0.37	0	17,19,21	0.75	1 (5%)
3	NAG	А	803	1	14,14,15	0.70	1 (7%)	17,19,21	0.43	0
3	NAG	В	801	1	14,14,15	0.54	0	17,19,21	0.45	0
3	NAG	Е	601	2	14,14,15	0.35	0	17,19,21	0.37	0
3	NAG	В	803	1	14,14,15	0.41	0	17,19,21	0.57	0
3	NAG	D	603	2	14,14,15	1.02	1 (7%)	17,19,21	0.79	1 (5%)
3	NAG	Е	603	2	14,14,15	0.41	0	17,19,21	0.51	0
3	NAG	А	802	1	14,14,15	0.55	0	17,19,21	0.53	0
3	NAG	A	801	1	14,14,15	0.33	0	17,19,21	0.50	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	D	602	2	-	0/6/23/26	0/1/1/1
3	NAG	Е	602	2	-	1/6/23/26	0/1/1/1
3	NAG	D	601	2	-	0/6/23/26	0/1/1/1
3	NAG	В	802	1	-	2/6/23/26	0/1/1/1
3	NAG	А	803	1	-	1/6/23/26	0/1/1/1
3	NAG	В	801	1	-	1/6/23/26	0/1/1/1
3	NAG	Е	601	2	-	0/6/23/26	0/1/1/1



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	В	803	1	-	0/6/23/26	0/1/1/1
3	NAG	D	603	2	-	2/6/23/26	0/1/1/1
3	NAG	Е	603	2	-	0/6/23/26	0/1/1/1
3	NAG	А	802	1	-	0/6/23/26	0/1/1/1
3	NAG	А	801	1	-	0/6/23/26	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	603	NAG	O5-C1	-3.64	1.37	1.43
3	Ε	602	NAG	O5-C1	3.22	1.48	1.43
3	А	803	NAG	O5-C1	-2.22	1.40	1.43

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
3	В	802	NAG	C1-O5-C5	2.63	115.76	112.19
3	Е	602	NAG	C1-O5-C5	2.38	115.41	112.19
3	D	603	NAG	C1-O5-C5	-2.22	109.19	112.19

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	$\mathbf{Res}$	Type	Atoms
3	В	802	NAG	O5-C5-C6-O6
3	В	802	NAG	C4-C5-C6-O6
3	D	603	NAG	O5-C5-C6-O6
3	Е	602	NAG	O5-C5-C6-O6
3	В	801	NAG	O5-C5-C6-O6
3	D	603	NAG	C4-C5-C6-O6
3	А	803	NAG	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	В	802	NAG	5	0



# 5.7 Other polymers (i)

There are no such residues in this entry.

# 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

## 6.2 Non-standard residues in protein, DNA, RNA chains (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

## 6.3 Carbohydrates (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

## 6.4 Ligands (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

#### 6.5 Other polymers (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

