



## Full wwPDB EM Validation Report ⓘ

Mar 5, 2023 – 12:12 AM JST

PDB ID : 8HS3  
EMDB ID : EMD-34984  
Title : Gi bound orphan GPR20 in ligand-free state  
Authors : Lin, X.; Jiang, S.; Xu, F.  
Deposited on : 2022-12-16  
Resolution : 3.14 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.32.1

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.14 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	354	
2	B	340	
3	C	81	
4	R	511	
5	S	297	

## 2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 8258 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Guanine nucleotide-binding protein G(i) subunit alpha-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	218	1709	1091	286	319	13	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	47	ASN	SER	engineered mutation	UNP P63096
A	203	ALA	GLY	engineered mutation	UNP P63096
A	326	SER	ALA	engineered mutation	UNP P63096

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	338	2590	1600	465	504	21	0	0

- Molecule 3 is a protein called Ggamma.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	57	438	274	77	84	3	0	0

- Molecule 4 is a protein called Soluble cytochrome b562,G-protein coupled receptor 20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	R	279	1761	1138	331	280	12	0	1

There are 49 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	-132	MET	-	initiating methionine	UNP P0ABE7

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
R	-131	LYS	-	expression tag	UNP P0ABE7
R	-130	THR	-	expression tag	UNP P0ABE7
R	-129	ILE	-	expression tag	UNP P0ABE7
R	-128	ILE	-	expression tag	UNP P0ABE7
R	-127	ALA	-	expression tag	UNP P0ABE7
R	-126	LEU	-	expression tag	UNP P0ABE7
R	-125	SER	-	expression tag	UNP P0ABE7
R	-124	TYR	-	expression tag	UNP P0ABE7
R	-123	ILE	-	expression tag	UNP P0ABE7
R	-122	PHE	-	expression tag	UNP P0ABE7
R	-121	CYS	-	expression tag	UNP P0ABE7
R	-120	LEU	-	expression tag	UNP P0ABE7
R	-119	VAL	-	expression tag	UNP P0ABE7
R	-118	PHE	-	expression tag	UNP P0ABE7
R	-117	ALA	-	expression tag	UNP P0ABE7
R	-116	ASP	-	expression tag	UNP P0ABE7
R	-115	TYR	-	expression tag	UNP P0ABE7
R	-114	LYS	-	expression tag	UNP P0ABE7
R	-113	ASP	-	expression tag	UNP P0ABE7
R	-112	ASP	-	expression tag	UNP P0ABE7
R	-111	ASP	-	expression tag	UNP P0ABE7
R	-110	ASP	-	expression tag	UNP P0ABE7
R	-109	ALA	-	expression tag	UNP P0ABE7
R	-108	GLY	-	expression tag	UNP P0ABE7
R	-107	ARG	-	expression tag	UNP P0ABE7
R	-99	TRP	MET	conflict	UNP P0ABE7
R	-4	ILE	HIS	conflict	UNP P0ABE7
R	0	LEU	-	linker	UNP P0ABE7
R	359	GLU	-	expression tag	UNP Q99678
R	360	PHE	-	expression tag	UNP Q99678
R	361	LEU	-	expression tag	UNP Q99678
R	362	GLU	-	expression tag	UNP Q99678
R	363	VAL	-	expression tag	UNP Q99678
R	364	LEU	-	expression tag	UNP Q99678
R	365	PHE	-	expression tag	UNP Q99678
R	366	GLN	-	expression tag	UNP Q99678
R	367	GLY	-	expression tag	UNP Q99678
R	368	PRO	-	expression tag	UNP Q99678
R	369	HIS	-	expression tag	UNP Q99678
R	370	HIS	-	expression tag	UNP Q99678
R	371	HIS	-	expression tag	UNP Q99678
R	372	HIS	-	expression tag	UNP Q99678

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
R	373	HIS	-	expression tag	UNP Q99678
R	374	HIS	-	expression tag	UNP Q99678
R	375	HIS	-	expression tag	UNP Q99678
R	376	HIS	-	expression tag	UNP Q99678
R	377	HIS	-	expression tag	UNP Q99678
R	378	HIS	-	expression tag	UNP Q99678

- Molecule 5 is a protein called scFv16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	S	232	1760	1120	294	336	10	0	0





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	256813	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	60	Depositor
Minimum defocus (nm)	700	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	1.388	Depositor
Minimum map value	-0.847	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.030	Depositor
Recommended contour level	0.109	Depositor
Map size ( $\text{\AA}$ )	212.992, 212.992, 212.992	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	0.832, 0.832, 0.832	Depositor



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.26	0/1738	0.52	1/2338 (0.0%)
2	B	0.26	0/2637	0.54	0/3575
3	C	0.27	0/444	0.51	0/599
4	R	0.29	0/1792	0.70	6/2406 (0.2%)
5	S	0.28	0/1804	0.58	1/2449 (0.0%)
All	All	0.27	0/8415	0.58	8/11367 (0.1%)

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	R	268	PRO	CA-N-CD	-11.45	95.47	111.50
4	R	271	PRO	CA-N-CD	-9.85	97.72	111.50
5	S	75	PRO	CA-N-CD	-9.83	97.74	111.50
4	R	226	PRO	CA-N-CD	-8.13	100.12	111.50
1	A	251	ASP	CB-CG-OD1	6.48	124.14	118.30
4	R	288	LEU	CA-CB-CG	5.85	128.75	115.30
4	R	75	LEU	CA-CB-CG	5.69	128.39	115.30
4	R	139	LEU	CA-CB-CG	5.31	127.51	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1709	0	1663	21	0
2	B	2590	0	2490	42	0
3	C	438	0	447	7	0
4	R	1761	0	1572	20	0
5	S	1760	0	1681	28	0
All	All	8258	0	7853	112	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:159:THR:HG1	2:B:169:TRP:HE1	1.32	0.78
1:A:18:MET:O	1:A:22:ASN:ND2	2.20	0.75
5:S:163:TYR:HB2	5:S:218:MET:HB3	1.70	0.74
4:R:94:ASN:ND2	4:R:171:CYS:SG	2.69	0.66
1:A:32:ARG:HH12	4:R:157:GLY:HA2	1.63	0.64
5:S:130:GLN:NE2	5:S:217:CYS:SG	2.71	0.63
1:A:210:LYS:NZ	2:B:204:CYS:SG	2.72	0.63
1:A:3:CYS:SG	1:A:4:THR:N	2.75	0.60
2:B:15:LYS:HG3	3:C:19:LEU:HD21	1.84	0.59
4:R:149:TYR:HE2	4:R:218:ARG:HG2	1.67	0.59
5:S:2:VAL:HG11	5:S:98:ARG:HH12	1.68	0.59
2:B:210:LEU:HD23	2:B:219:ARG:HB3	1.85	0.58
3:C:18:GLN:NE2	3:C:22:GLU:OE1	2.36	0.57
1:A:185:VAL:HB	1:A:200:ASP:HB3	1.85	0.57
1:A:261:ASP:OD1	1:A:261:ASP:N	2.37	0.57
1:A:325:CYS:SG	1:A:326:SER:N	2.77	0.57
2:B:294:CYS:SG	2:B:295:ASN:N	2.78	0.56
2:B:43:ILE:HD13	2:B:284:LEU:HD21	1.87	0.56
2:B:51:LEU:HD11	2:B:338:ILE:HD11	1.88	0.56
4:R:301:THR:HG22	4:R:304:PHE:H	1.71	0.55
5:S:40:ALA:HB3	5:S:43:LYS:HB2	1.88	0.55
2:B:79:LEU:HD23	2:B:93:ILE:HD12	1.89	0.55
4:R:71:ASN:ND2	4:R:96:VAL:O	2.34	0.54
1:A:182:THR:OG1	1:A:183:GLY:N	2.40	0.54
5:S:91:THR:HG23	5:S:118:THR:HA	1.90	0.54
2:B:311:HIS:NE2	2:B:329:THR:OG1	2.31	0.54
2:B:71:VAL:HG21	2:B:112:VAL:HG21	1.90	0.54
5:S:29:PHE:HZ	5:S:79:LEU:HB2	1.74	0.53
5:S:160:THR:OG1	5:S:180:MET:SD	2.58	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:255:ASN:HD21	1:A:312:LYS:HE2	1.73	0.52
1:A:49:ILE:O	1:A:52:GLN:NE2	2.42	0.52
5:S:190:ARG:NH1	5:S:208:GLU:OE1	2.43	0.52
5:S:183:LEU:HD21	5:S:189:ASP:HA	1.91	0.52
5:S:164:TRP:HB2	5:S:177:ILE:HB	1.93	0.51
2:B:163:ASP:OD1	2:B:165:THR:OG1	2.29	0.51
1:A:47:ASN:N	1:A:47:ASN:OD1	2.44	0.50
1:A:208:ARG:O	1:A:212:ILE:HB	2.10	0.50
4:R:133:ASN:OD1	4:R:286:SER:OG	2.28	0.50
5:S:38:ARG:HG3	5:S:46:GLU:HB3	1.92	0.50
4:R:201:THR:HG23	4:R:258:HIS:HB3	1.92	0.50
2:B:228:ASP:N	2:B:228:ASP:OD1	2.45	0.49
4:R:216:THR:HG23	4:R:243:LEU:HB3	1.94	0.49
5:S:9:GLY:O	5:S:18:ARG:NH1	2.45	0.49
2:B:86:THR:OG1	2:B:88:ASN:OD1	2.27	0.49
2:B:137:ARG:HH21	2:B:172:GLU:HA	1.78	0.49
5:S:159:ASN:OD1	5:S:159:ASN:N	2.46	0.48
2:B:256:ARG:NH2	3:C:36:ASP:OD2	2.47	0.48
2:B:46:ARG:HB2	2:B:48:ARG:HH11	1.78	0.48
4:R:285:LEU:HA	4:R:288:LEU:HD23	1.95	0.48
1:A:227:LEU:HD11	1:A:268:LEU:HB3	1.96	0.48
2:B:31:SER:O	2:B:35:ASN:HB2	2.14	0.48
5:S:98:ARG:HD3	5:S:110:PHE:HB3	1.95	0.47
1:A:52:GLN:NE2	1:A:53:MET:SD	2.82	0.47
5:S:161:TYR:HB3	5:S:220:HIS:HB3	1.95	0.47
1:A:8:GLU:OE2	5:S:163:TYR:OH	2.27	0.47
2:B:71:VAL:HG23	2:B:81:ILE:HG12	1.95	0.47
5:S:168:ARG:NH1	5:S:210:GLU:O	2.44	0.47
2:B:276:VAL:HG13	2:B:285:LEU:HD11	1.97	0.47
5:S:193:GLY:HA2	5:S:202:LEU:HA	1.96	0.47
4:R:139:LEU:HA	4:R:142:THR:HG23	1.96	0.47
2:B:149:CYS:HB2	2:B:157:ILE:HD11	1.98	0.46
2:B:232:ILE:HG13	2:B:243:THR:HG22	1.96	0.46
5:S:52:SER:OG	5:S:53:SER:N	2.49	0.46
4:R:102:VAL:HB	4:R:132:LEU:HB3	1.96	0.46
1:A:274:PHE:O	1:A:278:ILE:HB	2.15	0.46
2:B:123:ILE:HG13	2:B:171:ILE:HD12	1.99	0.45
2:B:227:SER:OG	2:B:228:ASP:N	2.49	0.45
2:B:210:LEU:HD13	2:B:255:LEU:HD11	1.98	0.45
5:S:8:GLY:HA3	5:S:20:LEU:HD13	1.99	0.45
2:B:272:GLY:H	2:B:290:ASP:HB2	1.82	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:114:CYS:SG	2:B:115:GLY:N	2.90	0.44
2:B:145:TYR:O	2:B:162:GLY:N	2.51	0.44
2:B:99:TRP:HB3	2:B:117:LEU:HD12	2.00	0.44
2:B:18:ILE:HD11	3:C:23:ALA:HA	1.99	0.43
2:B:264:TYR:OH	2:B:299:ALA:O	2.36	0.43
4:R:95:LEU:HD11	4:R:141:LEU:HD12	2.01	0.43
4:R:109:ARG:HA	4:R:126:HIS:HB2	2.01	0.43
1:A:272:ASP:O	1:A:276:GLU:HG2	2.17	0.43
1:A:255:ASN:N	1:A:255:ASN:OD1	2.52	0.43
3:C:18:GLN:HA	3:C:21:MET:HG2	2.00	0.43
5:S:36:TRP:CE3	5:S:94:TYR:HB3	2.54	0.43
5:S:190:ARG:NH2	5:S:211:ASP:OD1	2.52	0.43
2:B:214:ARG:O	2:B:214:ARG:NH1	2.52	0.42
5:S:153:LEU:HD12	5:S:221:LEU:HG	2.02	0.42
2:B:112:VAL:HG13	2:B:124:TYR:HB2	2.01	0.42
2:B:269:ILE:HD12	2:B:289:TYR:CE2	2.55	0.42
5:S:148:ARG:NH1	5:S:149:SER:O	2.53	0.42
5:S:180:MET:HG2	5:S:180:MET:O	2.20	0.42
2:B:10:GLU:HA	2:B:13:GLN:HB3	2.02	0.42
2:B:311:HIS:HE2	2:B:329:THR:HG1	1.61	0.42
2:B:152:LEU:HD12	2:B:192:LEU:HD13	2.02	0.42
3:C:11:GLN:HA	3:C:14:LYS:HG2	2.01	0.42
1:A:194:LEU:HD23	1:A:194:LEU:HA	1.78	0.42
2:B:254:ASP:HB3	2:B:257:ALA:HB3	2.02	0.41
4:R:149:TYR:CE2	4:R:218:ARG:HG2	2.52	0.41
4:R:271:PRO:HG2	4:R:273:HIS:NE2	2.35	0.41
2:B:286:LEU:HB3	2:B:318:LEU:HD21	2.02	0.41
4:R:138:ILE:HG23	4:R:250:PHE:HE1	1.86	0.41
2:B:67:SER:HB2	2:B:321:THR:HB	2.02	0.41
4:R:142:THR:HG22	4:R:212:ILE:HG13	2.02	0.41
4:R:220:MET:HG2	4:R:240:MET:HB3	2.03	0.41
1:A:227:LEU:HD23	1:A:303:ILE:HG21	2.01	0.41
2:B:333:ASP:N	2:B:333:ASP:OD1	2.52	0.41
2:B:49:ARG:NH2	2:B:85:TYR:O	2.51	0.41
3:C:48:ASP:HA	3:C:49:PRO:HD3	1.95	0.41
4:R:38:PHE:HD1	4:R:279:TYR:HH	1.67	0.41
4:R:94:ASN:O	4:R:98:THR:HG23	2.21	0.41
2:B:34:THR:HG21	2:B:300:LEU:HG	2.03	0.41
5:S:68:PHE:CZ	5:S:83:MET:HE3	2.56	0.41
1:A:41:ALA:HB2	1:A:249:LEU:HD23	2.03	0.40
5:S:39:GLN:HB2	5:S:45:LEU:HD23	2.04	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:S:51:ILE:HD11	5:S:70:ILE:HG12	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	212/354 (60%)	207 (98%)	5 (2%)	0	100	100
2	B	336/340 (99%)	318 (95%)	18 (5%)	0	100	100
3	C	55/81 (68%)	52 (94%)	3 (6%)	0	100	100
4	R	275/511 (54%)	253 (92%)	22 (8%)	0	100	100
5	S	228/297 (77%)	214 (94%)	14 (6%)	0	100	100
All	All	1106/1583 (70%)	1044 (94%)	62 (6%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	181/306 (59%)	175 (97%)	6 (3%)	38	68
2	B	277/283 (98%)	265 (96%)	12 (4%)	29	60
3	C	46/63 (73%)	44 (96%)	2 (4%)	29	60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	R	149/420 (36%)	147 (99%)	2 (1%)	69	86
5	S	189/239 (79%)	178 (94%)	11 (6%)	20	49
All	All	842/1311 (64%)	809 (96%)	33 (4%)	36	63

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	223	PHE
1	A	261	ASP
1	A	296	TYR
1	A	310	LEU
1	A	313	ARG
1	A	325	CYS
2	B	59	TYR
2	B	74	SER
2	B	105	TYR
2	B	114	CYS
2	B	129	ARG
2	B	138	GLU
2	B	189	SER
2	B	195	ASP
2	B	228	ASP
2	B	277	SER
2	B	278	PHE
2	B	294	CYS
3	C	41	CYS
3	C	63	GLU
4	R	173	PHE
4	R	291	CYS
5	S	19	LYS
5	S	74	ASP
5	S	88	SER
5	S	109	ASP
5	S	144	SER
5	S	146	SER
5	S	162	LEU
5	S	180	MET
5	S	196	SER
5	S	207	LEU
5	S	210	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
4	R	94	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-34984. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


### 6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 135




Y Index: 133




Z Index: 93


### 6.3.2 Raw map



X Index: 136



Y Index: 0



Z Index: 0

The images above show the largest variance slices of the map in three orthogonal directions.


## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.109. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.5.1 emd\_34984\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 56 nm<sup>3</sup>; this corresponds to an approximate mass of 50 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.318 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.318 Å<sup>-1</sup>



## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.14	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.77	4.23	3.83

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.77 differs from the reported value 3.14 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-34984 and PDB model 8HS3. Per-residue inclusion information can be found in section 3 on page 6.

### 9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.109 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.109).













## 9.4 Atom inclusion [i](#)



At the recommended contour level, 82% of all backbone atoms, 79% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.109) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7914	 0.4830
A	 0.8097	 0.4930
B	 0.8553	 0.5330
C	 0.6937	 0.4510
R	 0.6599	 0.3850
S	 0.8366	 0.5070

