



# Full wwPDB X-ray Structure Validation Report i

May 22, 2020 – 03:05 pm BST

PDB ID : 5HV1  
Title : Rifampin phosphotransferase in complex with AMPPNP and rifampin from Listeria monocytogenes  
Authors : Zhang, P.; Qi, X.  
Deposited on : 2016-01-28  
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1094 (3.10-3.10)
Clashscore	141614	1184 (3.10-3.10)
Ramachandran outliers	138981	1141 (3.10-3.10)
Sidechain outliers	138945	1141 (3.10-3.10)
RSRZ outliers	127900	1067 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain			
1	A	883	13%	61%	29%	5% •

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6757 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Phosphoenolpyruvate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	847	6663	4229	1119	1285	30	0	0	0

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-15	MET	-	expression tag	UNP A0A0S2YLC8
A	-14	ARG	-	expression tag	UNP A0A0S2YLC8
A	-13	GLY	-	expression tag	UNP A0A0S2YLC8
A	-12	SER	-	expression tag	UNP A0A0S2YLC8
A	-11	HIS	-	expression tag	UNP A0A0S2YLC8
A	-10	HIS	-	expression tag	UNP A0A0S2YLC8
A	-9	HIS	-	expression tag	UNP A0A0S2YLC8
A	-8	HIS	-	expression tag	UNP A0A0S2YLC8
A	-7	HIS	-	expression tag	UNP A0A0S2YLC8
A	-6	HIS	-	expression tag	UNP A0A0S2YLC8
A	-5	GLY	-	expression tag	UNP A0A0S2YLC8
A	-4	SER	-	expression tag	UNP A0A0S2YLC8
A	-3	ALA	-	expression tag	UNP A0A0S2YLC8
A	-2	CYS	-	expression tag	UNP A0A0S2YLC8
A	-1	GLU	-	expression tag	UNP A0A0S2YLC8
A	0	LEU	-	expression tag	UNP A0A0S2YLC8

- Molecule 2 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: C<sub>10</sub>H<sub>17</sub>N<sub>6</sub>O<sub>12</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	31	10	6	12	3	0	0

- Molecule 3 is RIFAMPICIN (three-letter code: RFP) (formula: C<sub>43</sub>H<sub>58</sub>N<sub>4</sub>O<sub>12</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O			
3	A	1	59	43	4	12		0	0

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mg 1 1	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	3	Total O 3 3	0	0



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	151.09Å 151.09Å 191.65Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.02 – 3.10 30.02 – 3.10	Depositor EDS
% Data completeness (in resolution range)	95.0 (30.02-3.10) 88.6 (30.02-3.10)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	2.36 (at 3.11Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
$R$ , $R_{free}$	0.250 , 0.286 0.253 , 0.288	Depositor DCC
$R_{free}$ test set	1984 reflections (8.76%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	56.1	Xtriage
Anisotropy	0.044	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 29.0	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.48$ , $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.87	EDS
Total number of atoms	6757	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.07% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, RFP, ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	A	0.76	3/6782 (0.0%)	0.90	17/9174 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	533	VAL	CB-CG1	-6.50	1.39	1.52
1	A	755	TYR	CE1-CZ	-5.39	1.31	1.38
1	A	274	GLN	CD-OE1	-5.29	1.12	1.24

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	842	GLU	C-N-CA	21.94	176.55	121.70
1	A	842	GLU	CB-CA-C	-11.51	87.37	110.40
1	A	109	GLY	N-CA-C	-10.82	86.04	113.10
1	A	866	LEU	CB-CG-CD2	-10.68	92.85	111.00
1	A	382	MET	N-CA-C	-10.45	82.79	111.00
1	A	382	MET	CB-CA-C	9.89	130.18	110.40
1	A	842	GLU	N-CA-C	-9.62	85.02	111.00
1	A	324	GLU	C-N-CD	-9.46	99.78	120.60
1	A	108	GLY	N-CA-C	-8.29	92.36	113.10
1	A	770	VAL	N-CA-C	-7.48	90.81	111.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	752	ASN	N-CA-C	-5.92	95.02	111.00
1	A	232	ARG	N-CA-C	5.75	126.52	111.00
1	A	804	SER	CB-CA-C	-5.68	99.31	110.10
1	A	108	GLY	C-N-CA	5.49	133.82	122.30
1	A	770	VAL	CB-CA-C	5.49	121.83	111.40
1	A	246	LEU	CB-CG-CD1	-5.38	101.85	111.00
1	A	109	GLY	CA-C-N	5.19	128.62	117.20

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	107	VAL	Peptide
1	A	770	VAL	Peptide

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbit. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6663	0	6703	248	2
2	A	31	0	13	5	0
3	A	59	0	55	13	0
4	A	1	0	0	0	0
5	A	3	0	0	3	0
All	All	6757	0	6771	255	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (255) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance ( $\text{\AA}$ )	Clash overlap ( $\text{\AA}$ )
3:A:902:RFP:H323	3:A:902:RFP:H311	1.32	1.09
1:A:583:CYS:O	1:A:586:GLU:HG3	1.58	1.02
1:A:578:LYS:O	1:A:581:MET:HE1	1.65	0.97

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:44:THR:HG22	1:A:46:GLU:H	1.29	0.95
1:A:581:MET:HE3	1:A:671:TYR:CE1	2.02	0.95
1:A:328:ARG:NH2	1:A:371:THR:OG1	2.02	0.92
1:A:393:LEU:HD11	1:A:755:TYR:CZ	2.06	0.91
1:A:381:ASP:H	1:A:384:VAL:HG22	1.35	0.90
1:A:582:ARG:HD3	1:A:586:GLU:CD	1.93	0.87
1:A:322:VAL:HG12	1:A:324:GLU:H	1.36	0.87
1:A:642:LEU:HG	1:A:643:PRO:HD2	1.60	0.84
1:A:745:THR:HG22	1:A:747:ASP:H	1.43	0.83
3:A:902:RFP:O1	3:A:902:RFP:O11	1.97	0.83
1:A:696:ILE:CD1	1:A:720:VAL:HG22	2.11	0.81
1:A:581:MET:CE	1:A:671:TYR:CE1	2.63	0.81
1:A:380:ARG:HH22	1:A:408:LEU:HD23	1.44	0.80
1:A:232:ARG:HH11	1:A:232:ARG:HG2	1.46	0.80
1:A:359:MET:HE3	1:A:366:LEU:HD13	1.64	0.79
1:A:368:VAL:HG11	3:A:902:RFP:H133	1.63	0.78
1:A:287:GLU:O	1:A:291:GLY:N	2.14	0.77
1:A:581:MET:O	1:A:593:ARG:HG3	1.85	0.77
1:A:762:LYS:NZ	1:A:763:ASP:OD2	2.19	0.76
1:A:550:THR:HG22	1:A:552:ASN:H	1.53	0.74
1:A:233:GLU:OE1	1:A:233:GLU:C	2.27	0.73
1:A:823:MET:H	1:A:831:ARG:HH22	1.35	0.73
3:A:902:RFP:O4	3:A:902:RFP:O12	2.06	0.73
1:A:841:VAL:HG12	1:A:842:GLU:O	1.89	0.73
1:A:328:ARG:N	1:A:746:SER:OG	2.17	0.72
1:A:855:ARG:HB2	1:A:866:LEU:CD1	2.20	0.71
1:A:20:GLY:HA2	1:A:121:THR:HG23	1.70	0.71
1:A:137:TYR:HB2	1:A:140:ILE:HD11	1.71	0.71
1:A:3:PRO:HG2	1:A:6:LEU:HD11	1.72	0.70
1:A:753:GLY:N	5:A:1001:HOH:O	2.08	0.70
1:A:64:ARG:HB2	1:A:79:ILE:HD11	1.72	0.70
1:A:60:GLN:O	1:A:64:ARG:HG2	1.92	0.69
1:A:696:ILE:HD11	1:A:720:VAL:HG22	1.73	0.69
1:A:286:ILE:O	1:A:290:PHE:HB2	1.91	0.69
1:A:65:LEU:HD12	1:A:68:LEU:HD11	1.75	0.68
1:A:221:SER:N	1:A:222:GLY:HA2	2.08	0.68
1:A:345:PRO:HG2	1:A:705:PHE:HA	1.76	0.68
1:A:855:ARG:HB2	1:A:866:LEU:HD12	1.74	0.68
1:A:329:VAL:H	1:A:371:THR:HG22	1.59	0.67
1:A:696:ILE:HD12	1:A:720:VAL:HG22	1.76	0.66
1:A:581:MET:HE3	1:A:671:TYR:CZ	2.31	0.66

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:902:RFP:C32	3:A:902:RFP:H311	2.17	0.66
1:A:530:LEU:HA	1:A:533:VAL:HG12	1.76	0.65
1:A:581:MET:CE	1:A:671:TYR:HE1	2.08	0.65
1:A:136:THR:OG1	2:A:901:ANP:O2A	2.06	0.65
1:A:504:TRP:HB3	1:A:642:LEU:HD21	1.78	0.64
1:A:582:ARG:HD3	1:A:586:GLU:OE1	1.96	0.64
1:A:702:ASP:OD1	1:A:729:LYS:NZ	2.31	0.64
1:A:385:ASN:OD1	1:A:386:SER:N	2.31	0.64
1:A:233:GLU:OE1	1:A:233:GLU:O	2.17	0.63
1:A:487:ILE:HD11	1:A:669:PRO:HG2	1.81	0.62
1:A:218:ALA:HB1	1:A:224:VAL:H	1.64	0.62
1:A:131:ALA:HA	2:A:901:ANP:O3G	2.00	0.62
1:A:80:SER:OG	1:A:84:ARG:NH2	2.32	0.62
1:A:377:LYS:O	1:A:378:VAL:HG12	2.00	0.62
1:A:393:LEU:HD11	1:A:755:TYR:CE1	2.35	0.61
1:A:465:ASP:OD2	1:A:712:ARG:NH2	2.33	0.61
1:A:514:LEU:HD13	1:A:656:ILE:HD13	1.81	0.61
1:A:757:ARG:O	1:A:757:ARG:HG3	2.00	0.61
1:A:22:LYS:NZ	2:A:901:ANP:O2G	2.31	0.61
1:A:340:THR:O	1:A:365:ARG:NH1	2.34	0.61
1:A:380:ARG:O	1:A:384:VAL:HG13	2.02	0.60
1:A:752:ASN:CA	5:A:1001:HOH:O	2.48	0.60
1:A:772:SER:HA	1:A:858:GLY:O	2.01	0.60
1:A:659:LEU:O	1:A:663:ILE:HG12	2.01	0.59
1:A:451:LEU:O	1:A:455:ILE:HD12	2.03	0.59
1:A:404:LYS:HA	1:A:404:LYS:NZ	2.18	0.59
1:A:286:ILE:HG22	1:A:290:PHE:CD1	2.38	0.59
1:A:593:ARG:HG2	1:A:678:PHE:CD1	2.38	0.58
1:A:752:ASN:HA	5:A:1001:HOH:O	2.02	0.58
1:A:741:PRO:HB3	1:A:750:MET:HB3	1.84	0.58
1:A:841:VAL:C	1:A:842:GLU:O	2.34	0.57
1:A:841:VAL:O	1:A:842:GLU:C	2.43	0.57
1:A:44:THR:HG22	1:A:46:GLU:N	2.11	0.57
1:A:548:GLU:HA	1:A:606:LEU:HD21	1.87	0.56
1:A:584:ALA:HA	1:A:804:SER:CB	2.35	0.56
1:A:286:ILE:HG22	1:A:290:PHE:HD1	1.69	0.56
1:A:769:PRO:O	1:A:770:VAL:C	2.43	0.56
1:A:806:THR:O	1:A:808:ALA:N	2.38	0.56
1:A:368:VAL:HG12	1:A:370:ILE:HG23	1.86	0.56
1:A:782:ILE:HG21	1:A:788:ALA:HB2	1.87	0.56
1:A:648:LYS:O	1:A:652:THR:HG23	2.05	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:72:ASP:O	1:A:76:ILE:HG13	2.06	0.55
1:A:369:ASP:OD1	1:A:371:THR:HG23	2.06	0.55
1:A:537:ILE:HB	1:A:609:ILE:HD11	1.88	0.55
3:A:902:RFP:O10	3:A:902:RFP:O9	2.12	0.55
1:A:50:ARG:HG2	1:A:96:ILE:HD11	1.88	0.55
1:A:329:VAL:H	1:A:371:THR:CG2	2.18	0.55
3:A:902:RFP:C31	3:A:902:RFP:H323	2.14	0.55
1:A:534:ALA:HB1	1:A:609:ILE:HG13	1.89	0.54
1:A:589:LEU:O	1:A:681:LYS:HD2	2.07	0.54
1:A:696:ILE:HD12	1:A:720:VAL:CG2	2.36	0.54
1:A:721:ASP:O	1:A:724:LEU:HB3	2.08	0.54
1:A:246:LEU:HD13	1:A:258:THR:HG21	1.90	0.54
1:A:324:GLU:HB2	1:A:328:ARG:HE	1.71	0.54
1:A:802:ASP:HB2	1:A:803:PRO:HD2	1.88	0.54
1:A:324:GLU:CB	1:A:328:ARG:HH11	2.21	0.54
1:A:322:VAL:HG21	1:A:330:TYR:OH	2.07	0.54
1:A:801:THR:HG21	1:A:809:PHE:HZ	1.73	0.54
1:A:227:ASP:OD2	1:A:241:ILE:HA	2.08	0.54
1:A:457:THR:HG22	1:A:458:LYS:HD3	1.89	0.54
1:A:101:ASP:OD2	1:A:143:LYS:NZ	2.36	0.53
1:A:471:LEU:O	1:A:475:LYS:HG3	2.08	0.53
1:A:735:PHE:O	1:A:736:GLU:HB2	2.08	0.53
1:A:356:PRO:HG2	3:A:902:RFP:H402	1.91	0.53
1:A:569:LYS:O	1:A:573:GLU:HG3	2.08	0.53
1:A:335:HIS:CD2	1:A:819:VAL:HG22	2.44	0.53
1:A:516:GLU:HA	1:A:832:GLU:HA	1.90	0.52
1:A:284:ARG:HG3	1:A:284:ARG:HH11	1.74	0.52
1:A:547:LEU:HG	1:A:602:ILE:HD12	1.91	0.52
1:A:232:ARG:CG	1:A:232:ARG:NH1	2.73	0.52
1:A:350:PHE:O	1:A:354:THR:HG22	2.08	0.52
1:A:119:SER:O	1:A:179:ALA:N	2.41	0.52
1:A:343:MET:HB2	1:A:348:LEU:HD13	1.91	0.52
1:A:685:LEU:HD22	1:A:700:HIS:CE1	2.46	0.51
1:A:232:ARG:CG	1:A:232:ARG:HH11	2.17	0.51
1:A:398:LEU:O	1:A:401:VAL:HG12	2.11	0.51
1:A:455:ILE:C	1:A:457:THR:H	2.13	0.51
1:A:539:PRO:O	1:A:541:PRO:HD3	2.11	0.51
1:A:521:ASN:O	1:A:523:THR:N	2.44	0.51
1:A:715:VAL:HG23	1:A:716:ARG:N	2.25	0.51
1:A:354:THR:HG21	1:A:677:TYR:OH	2.11	0.51
1:A:494:SER:HB3	1:A:659:LEU:CD1	2.41	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:204:ARG:HH11	1:A:204:ARG:HG3	1.76	0.50
1:A:110:TYR:HE2	1:A:146:LEU:HD12	1.75	0.50
1:A:530:LEU:HA	1:A:533:VAL:CG1	2.41	0.50
1:A:232:ARG:HG2	1:A:232:ARG:NH1	2.19	0.50
1:A:330:TYR:HB3	1:A:367:PHE:HB3	1.94	0.50
1:A:247:ALA:HB2	1:A:261:LEU:HD11	1.92	0.50
1:A:322:VAL:HG12	1:A:324:GLU:N	2.17	0.49
1:A:380:ARG:HB3	1:A:381:ASP:HB2	1.93	0.49
1:A:508:LYS:HB3	1:A:510:VAL:HG13	1.94	0.49
1:A:521:ASN:OD1	1:A:523:THR:HG22	2.12	0.49
1:A:546:TYR:O	1:A:550:THR:OG1	2.28	0.49
1:A:584:ALA:HA	1:A:804:SER:HB2	1.94	0.49
1:A:287:GLU:HG3	1:A:288:ALA:N	2.28	0.49
1:A:494:SER:HB3	1:A:659:LEU:HD13	1.94	0.49
1:A:589:LEU:HD12	1:A:677:TYR:HB3	1.95	0.49
1:A:104:LEU:O	1:A:108:GLY:HA2	2.13	0.49
1:A:530:LEU:HD12	1:A:533:VAL:HG11	1.95	0.48
1:A:286:ILE:HD13	1:A:296:ILE:HD13	1.96	0.48
1:A:398:LEU:O	1:A:402:ILE:HG23	2.13	0.48
1:A:523:THR:CG2	1:A:667:GLU:HG2	2.43	0.48
1:A:404:LYS:HB2	1:A:407:PHE:HB2	1.95	0.48
1:A:441:VAL:HG13	1:A:668:TYR:CZ	2.48	0.48
1:A:802:ASP:OD1	1:A:804:SER:HB3	2.14	0.48
1:A:392:PRO:HG2	1:A:768:LEU:HD21	1.94	0.48
1:A:393:LEU:H	1:A:393:LEU:HD12	1.79	0.48
1:A:757:ARG:HH11	1:A:757:ARG:HG2	1.77	0.48
1:A:66:SER:HB2	1:A:174:ARG:HH21	1.78	0.48
1:A:685:LEU:HD22	1:A:700:HIS:HE1	1.79	0.47
1:A:203:ASN:OD1	1:A:205:LYS:HB2	2.15	0.47
1:A:287:GLU:O	1:A:290:PHE:N	2.47	0.47
1:A:433:ASP:OD1	1:A:434:SER:N	2.48	0.47
1:A:227:ASP:HB3	1:A:229:TYR:CZ	2.49	0.47
1:A:770:VAL:CG1	1:A:827:ALA:HB1	2.45	0.47
1:A:359:MET:HG3	1:A:368:VAL:HG22	1.97	0.47
1:A:478:LEU:HD21	3:A:902:RFP:H17C	1.97	0.47
1:A:62:LEU:HD11	1:A:158:PHE:CE1	2.50	0.47
1:A:223:LEU:HD22	1:A:223:LEU:N	2.30	0.47
1:A:253:GLU:N	1:A:253:GLU:OE1	2.48	0.47
1:A:269:GLN:HG2	1:A:271:LEU:O	2.14	0.47
1:A:491:MET:HE1	3:A:902:RFP:H361	1.96	0.47
1:A:505:LEU:HA	1:A:505:LEU:HD13	1.42	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:202:SER:OG	1:A:316:LEU:HD23	2.15	0.46
1:A:405:LYS:HB2	1:A:405:LYS:NZ	2.30	0.46
1:A:556:MET:O	1:A:569:LYS:HD2	2.15	0.46
1:A:583:CYS:O	1:A:586:GLU:CG	2.47	0.46
1:A:363:GLY:HA2	1:A:735:PHE:CE1	2.51	0.46
1:A:224:VAL:HG22	1:A:225:SER:N	2.30	0.46
1:A:502:TYR:O	1:A:506:GLY:HA2	2.14	0.46
1:A:559:LEU:O	1:A:565:GLY:HA3	2.16	0.46
1:A:117:ARG:NH2	2:A:901:ANP:O1A	2.48	0.45
1:A:584:ALA:HB2	1:A:804:SER:OG	2.16	0.45
1:A:328:ARG:HA	1:A:371:THR:HG21	1.96	0.45
1:A:16:GLU:O	1:A:121:THR:HG21	2.16	0.45
1:A:198:ASP:O	1:A:202:SER:HA	2.17	0.45
1:A:348:LEU:HD12	1:A:366:LEU:HD21	1.97	0.45
1:A:506:GLY:O	1:A:508:LYS:HG2	2.17	0.45
1:A:283:GLY:HA2	1:A:286:ILE:CD1	2.46	0.45
1:A:583:CYS:H	1:A:586:GLU:HG2	1.81	0.44
1:A:339:MET:CE	1:A:341:ASP:HB2	2.46	0.44
1:A:455:ILE:HG13	1:A:466:PHE:CE1	2.52	0.44
3:A:902:RFP:H211	3:A:902:RFP:HG18C	1.85	0.44
1:A:438:PHE:N	1:A:438:PHE:CD2	2.85	0.44
1:A:245:LYS:H	1:A:245:LYS:HD2	1.81	0.44
1:A:374:LEU:HA	1:A:374:LEU:HD12	1.70	0.44
1:A:439:GLU:HG2	1:A:442:ARG:NH2	2.32	0.44
1:A:239:LYS:HB3	1:A:239:LYS:HE2	1.74	0.44
1:A:337:GLN:HG2	1:A:587:ILE:HD13	1.99	0.44
1:A:646:GLU:O	1:A:650:MET:HG3	2.17	0.44
1:A:583:CYS:HB3	1:A:593:ARG:HA	2.00	0.44
1:A:324:GLU:CG	1:A:328:ARG:HH11	2.31	0.44
1:A:64:ARG:HH11	1:A:64:ARG:CB	2.31	0.44
1:A:283:GLY:HA2	1:A:286:ILE:HD12	2.00	0.43
1:A:311:ARG:HA	1:A:312:PRO:HD2	1.90	0.43
1:A:584:ALA:CA	1:A:804:SER:HB2	2.48	0.43
1:A:313:ILE:HG22	1:A:314:THR:N	2.32	0.43
1:A:670:LYS:O	1:A:674:ILE:HG12	2.18	0.43
1:A:536:VAL:O	1:A:539:PRO:HD2	2.19	0.43
1:A:765:ILE:HB	1:A:863:ILE:HB	2.00	0.43
1:A:769:PRO:HB3	1:A:859:THR:O	2.19	0.43
1:A:194:LEU:HD21	1:A:207:LEU:HD21	2.01	0.43
1:A:507:GLU:C	1:A:508:LYS:HG2	2.39	0.43
1:A:829:ILE:HD13	1:A:829:ILE:HA	1.78	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:203:ASN:C	1:A:205:LYS:H	2.21	0.43
1:A:22:LYS:HE3	1:A:22:LYS:HB2	1.85	0.43
1:A:404:LYS:O	1:A:406:GLY:N	2.51	0.43
1:A:370:ILE:HG21	3:A:902:RFP:HG131	1.99	0.43
1:A:324:GLU:HB3	1:A:328:ARG:HH11	1.83	0.42
1:A:405:LYS:O	1:A:405:LYS:HE3	2.19	0.42
1:A:324:GLU:HA	1:A:325:PRO:HD3	1.53	0.42
1:A:356:PRO:HD2	3:A:902:RFP:HC43	1.99	0.42
1:A:581:MET:HG2	1:A:582:ARG:N	2.33	0.42
1:A:81:GLU:O	1:A:85:THR:HG23	2.19	0.42
1:A:768:LEU:HA	1:A:769:PRO:HD2	1.86	0.42
1:A:551:LYS:O	1:A:553:PRO:HD3	2.19	0.42
1:A:642:LEU:CG	1:A:643:PRO:HD2	2.41	0.42
1:A:365:ARG:HD2	1:A:740:PRO:HB3	2.02	0.42
1:A:440:LEU:HD23	1:A:440:LEU:HA	1.84	0.42
1:A:735:PHE:O	1:A:736:GLU:CB	2.67	0.42
1:A:370:ILE:HD12	1:A:370:ILE:O	2.20	0.42
1:A:62:LEU:HD23	1:A:174:ARG:HA	2.01	0.41
1:A:451:LEU:CD1	1:A:455:ILE:HD11	2.49	0.41
1:A:392:PRO:HD2	1:A:768:LEU:HD21	2.03	0.41
1:A:768:LEU:HD23	1:A:768:LEU:HA	1.81	0.41
1:A:798:THR:OG1	1:A:799:ALA:N	2.53	0.41
1:A:762:LYS:O	1:A:763:ASP:HB2	2.19	0.41
1:A:398:LEU:HA	1:A:401:VAL:HG12	2.03	0.41
1:A:768:LEU:H	1:A:840:GLY:H	1.69	0.41
1:A:345:PRO:HG2	1:A:705:PHE:CA	2.49	0.41
1:A:674:ILE:O	1:A:677:TYR:N	2.53	0.41
1:A:210:ASP:HA	1:A:227:ASP:O	2.20	0.41
1:A:404:LYS:CE	1:A:404:LYS:HA	2.51	0.41
1:A:380:ARG:NH2	1:A:408:LEU:HD23	2.23	0.41
1:A:246:LEU:HD13	1:A:258:THR:CG2	2.51	0.41
1:A:353:MET:CE	1:A:471:LEU:HD11	2.51	0.41
1:A:854:ILE:HD13	1:A:854:ILE:HG21	1.67	0.41
1:A:353:MET:HB2	1:A:353:MET:HE3	1.82	0.40
1:A:824:THR:O	1:A:825:HIS:C	2.59	0.40
1:A:101:ASP:O	1:A:105:LEU:HD13	2.22	0.40
1:A:339:MET:O	1:A:800:TYR:CD2	2.74	0.40
1:A:397:ALA:O	1:A:400:THR:HG22	2.21	0.40
1:A:783:LEU:HA	1:A:783:LEU:HD23	1.82	0.40
1:A:741:PRO:HG3	1:A:750:MET:SD	2.62	0.40
1:A:117:ARG:NE	2:A:901:ANP:O1A	2.48	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:201:THR:C	1:A:203:ASN:H	2.24	0.40
1:A:359:MET:HB3	1:A:359:MET:HE2	1.87	0.40
1:A:64:ARG:HH11	1:A:64:ARG:HB3	1.87	0.40
1:A:18:LEU:HG	1:A:44:THR:HG23	2.04	0.40
1:A:218:ALA:HB2	1:A:248:ILE:HG13	2.04	0.40
1:A:696:ILE:CD1	1:A:720:VAL:CG2	2.92	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:225:SER:OG	1:A:225:SER:OG[9_555]	2.08	0.12
1:A:50:ARG:NH2	1:A:613:ASP:OD2[8_565]	2.17	0.03

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	843/883 (96%)	778 (92%)	58 (7%)	7 (1%)	19 54

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	378	VAL
1	A	804	SER
1	A	770	VAL
1	A	325	PRO
1	A	807	PRO
1	A	643	PRO
1	A	2	LYS

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	728/759 (96%)	663 (91%)	65 (9%)	9 34

All (65) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	LEU
1	A	64	ARG
1	A	98	SER
1	A	200	ILE
1	A	202	SER
1	A	204	ARG
1	A	205	LYS
1	A	206	SER
1	A	207	LEU
1	A	208	SER
1	A	209	ILE
1	A	223	LEU
1	A	225	SER
1	A	228	SER
1	A	230	THR
1	A	233	GLU
1	A	238	ASN
1	A	239	LYS
1	A	256	THR
1	A	292	LYS
1	A	297	GLU
1	A	308	VAL
1	A	314	THR
1	A	323	ASN
1	A	331	ILE
1	A	348	LEU
1	A	372	GLN
1	A	374	LEU
1	A	375	SER
1	A	378	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	381	ASP
1	A	383	MET
1	A	386	SER
1	A	400	THR
1	A	404	LYS
1	A	405	LYS
1	A	407	PHE
1	A	408	LEU
1	A	430	SER
1	A	442	ARG
1	A	449	LYS
1	A	503	GLN
1	A	508	LYS
1	A	510	VAL
1	A	513	LYS
1	A	581	MET
1	A	586	GLU
1	A	591	LYS
1	A	606	LEU
1	A	656	ILE
1	A	696	ILE
1	A	700	HIS
1	A	716	ARG
1	A	720	VAL
1	A	723	GLU
1	A	737	LYS
1	A	745	THR
1	A	746	SER
1	A	757	ARG
1	A	772	SER
1	A	784	GLU
1	A	804	SER
1	A	835	LEU
1	A	849	LYS
1	A	866	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [\(i\)](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	ANP	A	901	4	29,33,33	1.13	3 (10%)	31,52,52	1.38	4 (12%)
3	RFP	A	902	-	63,63,63	1.75	12 (19%)	94,94,94	2.22	29 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ANP	A	901	4	-	8/14/38/38	0/3/3/3
3	RFP	A	902	-	-	10/60/85/85	0/5/5/5

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	902	RFP	C2-N1	-5.78	1.32	1.43
3	A	902	RFP	C6-C7	3.72	1.46	1.39
3	A	902	RFP	N3-N2	-3.35	1.30	1.39
3	A	902	RFP	O7-C35	3.30	1.42	1.35
3	A	902	RFP	C15-N1	-3.27	1.28	1.35
3	A	902	RFP	C2-C1	3.13	1.46	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	902	RFP	O7-C25	-3.11	1.40	1.44
2	A	901	ANP	PG-N3B	2.86	1.70	1.63
3	A	902	RFP	O5-C29	2.75	1.46	1.39
2	A	901	ANP	C8-N7	-2.72	1.29	1.34
2	A	901	ANP	PG-O1G	2.49	1.50	1.46
3	A	902	RFP	O3-C12	-2.43	1.37	1.46
3	A	902	RFP	C33-C24	-2.40	1.48	1.53
3	A	902	RFP	C12-C11	-2.35	1.45	1.54
3	A	902	RFP	C30-C16	-2.04	1.45	1.50

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	902	RFP	C3-C43-N2	-7.31	110.91	121.54
3	A	902	RFP	O3-C6-C7	5.76	131.04	121.14
3	A	902	RFP	C42-C41-N3	-5.24	102.01	110.51
3	A	902	RFP	C41-C42-N4	-5.15	104.98	110.80
2	A	901	ANP	PA-O3A-PB	-5.02	114.92	132.62
3	A	902	RFP	C5-C10-C4	-4.63	119.18	124.03
3	A	902	RFP	C31-C20-C19	-4.58	98.93	109.99
3	A	902	RFP	C38-N4-C42	-4.55	103.85	110.66
3	A	902	RFP	C43-N2-N3	4.32	126.50	120.43
3	A	902	RFP	O7-C35-C36	4.07	118.58	111.09
3	A	902	RFP	O4-C11-C12	3.98	128.65	120.56
3	A	902	RFP	O4-C11-C5	-3.82	124.53	131.81
3	A	902	RFP	C3-C2-N1	-3.40	113.60	119.25
3	A	902	RFP	O10-C21-C22	-3.31	102.11	109.49
3	A	902	RFP	O9-C23-C22	-3.22	102.32	109.49
3	A	902	RFP	O11-C15-C16	-3.15	115.95	121.53
3	A	902	RFP	C42-N4-C39	3.09	113.85	109.52
3	A	902	RFP	C17-C18-C19	-3.04	117.16	124.53
2	A	901	ANP	C5-C6-N6	3.03	124.96	120.35
3	A	902	RFP	C3-C4-C10	-2.99	118.73	121.20
3	A	902	RFP	O5-C12-C13	2.96	114.74	106.99
3	A	902	RFP	C13-C12-C11	-2.74	107.11	113.90
3	A	902	RFP	C12-O5-C29	2.73	124.59	117.84
3	A	902	RFP	C38-N4-C39	-2.64	106.72	110.66
3	A	902	RFP	C32-C22-C23	-2.50	106.34	111.39
3	A	902	RFP	C2-C3-C43	-2.37	121.76	124.17
3	A	902	RFP	C5-C6-C7	-2.21	119.89	125.29
2	A	901	ANP	O3G-PG-O1G	-2.17	108.00	113.45
3	A	902	RFP	O6-C27-C26	-2.16	103.47	107.98

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	901	ANP	O2B-PB-O3A	2.14	111.78	104.64
3	A	902	RFP	C12-O3-C6	2.11	111.24	107.68
3	A	902	RFP	C31-C20-C21	2.02	115.55	111.31
3	A	902	RFP	C1-C2-N1	2.02	125.78	119.64

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	901	ANP	PB-N3B-PG-O1G
2	A	901	ANP	PG-N3B-PB-O1B
2	A	901	ANP	PA-O3A-PB-O2B
2	A	901	ANP	PB-O3A-PA-O5'
2	A	901	ANP	C5'-O5'-PA-O3A
3	A	902	RFP	C19-C20-C21-C22
3	A	902	RFP	C19-C20-C21-O10
3	A	902	RFP	C31-C20-C21-C22
3	A	902	RFP	C31-C20-C21-O10
3	A	902	RFP	C43-N2-N3-C41
3	A	902	RFP	C3-C2-N1-C15
2	A	901	ANP	O4'-C4'-C5'-O5'
3	A	902	RFP	C4-C3-C43-N2
3	A	902	RFP	C43-N2-N3-C40
2	A	901	ANP	C3'-C4'-C5'-O5'
3	A	902	RFP	C2-C3-C43-N2
3	A	902	RFP	C1-C2-N1-C15
2	A	901	ANP	C5'-O5'-PA-O1A


There are no ring outliers.


2 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	901	ANP	5	0
3	A	902	RFP	13	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring

in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	847/883 (95%)	0.34	111 (13%) <span style="background-color: red; color: white; border: 1px solid black; padding: 2px;">3</span>   <span style="background-color: red; color: white; border: 1px solid black; padding: 2px;">1</span>	2, 27, 155, 168	0

All (111) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1	MET	9.8
1	A	53	ALA	7.5
1	A	118	SER	7.4
1	A	111	GLU	6.7
1	A	96	ILE	6.4
1	A	127	HIS	6.3
1	A	76	ILE	6.0
1	A	176	VAL	6.0
1	A	66	SER	5.7
1	A	68	LEU	5.5
1	A	48	TYR	5.3
1	A	52	LEU	5.3
1	A	214	GLY	5.2
1	A	16	GLU	4.9
1	A	77	ARG	4.8
1	A	71	SER	4.7
1	A	177	GLN	4.4
1	A	4	TYR	4.4
1	A	14	HIS	4.3
1	A	129	SER	4.3
1	A	59	THR	4.2
1	A	252	LYS	4.2
1	A	135	ASP	4.1
1	A	2	LYS	4.0
1	A	80	SER	4.0
1	A	58	PHE	4.0
1	A	507	GLU	4.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	119	SER	4.0
1	A	62	LEU	4.0
1	A	49	LYS	4.0
1	A	122	ALA	4.0
1	A	169	ASN	3.9
1	A	107	VAL	3.9
1	A	254	GLY	3.8
1	A	110	TYR	3.8
1	A	74	ASP	3.6
1	A	246	LEU	3.6
1	A	271	LEU	3.6
1	A	171	PHE	3.6
1	A	247	ALA	3.5
1	A	67	SER	3.4
1	A	258	THR	3.4
1	A	220	VAL	3.4
1	A	123	GLU	3.4
1	A	3	PRO	3.3
1	A	65	LEU	3.3
1	A	179	ALA	3.2
1	A	120	ALA	3.2
1	A	106	ASP	3.2
1	A	42	CYS	3.2
1	A	222	GLY	3.1
1	A	90	THR	3.1
1	A	134	HIS	3.1
1	A	93	PRO	3.1
1	A	306	TYR	3.0
1	A	126	PRO	3.0
1	A	303	GLY	3.0
1	A	70	THR	3.0
1	A	51	THR	2.9
1	A	165	TYR	2.9
1	A	218	ALA	2.9
1	A	253	GLU	2.9
1	A	221	SER	2.8
1	A	63	GLN	2.8
1	A	257	GLU	2.8
1	A	168	GLN	2.8
1	A	100	MET	2.8
1	A	95	GLU	2.7
1	A	180	VAL	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	224	VAL	2.7
1	A	121	THR	2.7
1	A	124	ASP	2.7
1	A	255	GLY	2.6
1	A	170	GLN	2.6
1	A	160	GLU	2.6
1	A	75	ALA	2.5
1	A	132	GLY	2.5
1	A	9	GLN	2.5
1	A	174	ARG	2.5
1	A	17	ALA	2.5
1	A	276	ILE	2.5
1	A	40	GLY	2.4
1	A	219	LEU	2.4
1	A	184	GLN	2.3
1	A	279	LEU	2.3
1	A	280	ALA	2.3
1	A	173	HIS	2.3
1	A	29	CYS	2.2
1	A	44	THR	2.2
1	A	55	ASN	2.2
1	A	25	ASN	2.2
1	A	300	LEU	2.2
1	A	21	GLY	2.2
1	A	50	ARG	2.2
1	A	265	GLN	2.2
1	A	223	LEU	2.2
1	A	136	THR	2.2
1	A	167	ILE	2.2
1	A	15	SER	2.2
1	A	172	ASP	2.1
1	A	299	CYS	2.1
1	A	6	LEU	2.1
1	A	256	THR	2.1
1	A	117	ARG	2.1
1	A	250	SER	2.1
1	A	60	GLN	2.1
1	A	97	ALA	2.1
1	A	139	ASN	2.0
1	A	23	GLY	2.0
1	A	272	THR	2.0
1	A	19	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)


There are no carbohydrates in this entry.


## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	ANP	A	901	31/31	0.85	0.30	99,106,117,118	0
4	MG	A	903	1/1	0.86	0.25	103,103,103,103	0
3	RFP	A	902	59/59	0.91	0.18	0,7,36,37	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.