



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 20, 2023 – 10:36 AM EDT

PDB ID : 2I0F  
Title : Lumazine synthase RibH1 from Brucella abortus (Gene BruAb1\_0785, Swiss-Prot entry Q57DY1)  
Authors : Klinke, S.; Zylberman, V.; Bonomi, H.R.; Haase, I.; Guimaraes, B.G.; Braden, B.C.; Bacher, A.; Fischer, M.; Goldbaum, F.A.  
Deposited on : 2006-08-10  
Resolution : 2.22 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.35  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.22 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5912 (2.24-2.20)
Clashscore	141614	6646 (2.24-2.20)
Ramachandran outliers	138981	6543 (2.24-2.20)
Sidechain outliers	138945	6544 (2.24-2.20)
RSRZ outliers	127900	5797 (2.24-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	157	 6% 71% 22% • 6%
1	B	157	 10% 64% 27% • 7%
1	C	157	 27% 54% 36% • 6%
1	D	157	 18% 61% 30% • 7%
1	E	157	 8% 73% 18% •• 6%

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 5665 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 6,7-dimethyl-8-ribityllumazine synthase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	147	1099	689	185	223	2	0	0	0
1	B	146	1091	685	184	220	2	0	0	0
1	C	147	1099	689	185	223	2	0	0	0
1	D	146	1091	685	184	220	2	0	0	0
1	E	147	1099	689	185	223	2	0	0	0

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total 1	Ca 1	0	0
2	B	3	Total 3	Ca 3	0	0
2	E	1	Total 1	Ca 1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	59	Total 59	O 59	0	0
3	B	33	Total 33	O 33	0	0
3	C	23	Total 23	O 23	0	0
3	D	19	Total 19	O 19	0	0

*Continued on next page...*


*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
3	E	47	Total	O	0	0
			47	47		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 6,7-dimethyl-8-ribityllumazine synthase 1



- Molecule 1: 6,7-dimethyl-8-ribityllumazine synthase 1




- Molecule 1: 6,7-dimethyl-8-ribityllumazine synthase 1





- Molecule 1: 6,7-dimethyl-8-ribityllumazine synthase 1





• Molecule 1: 6,7-dimethyl-8-ribityllumazine synthase 1



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	124.10Å 68.52Å 90.65Å 90.00° 108.40° 90.00°	Depositor
Resolution (Å)	30.00 – 2.22 29.74 – 2.22	Depositor EDS
% Data completeness (in resolution range)	92.4 (30.00-2.22) 93.9 (29.74-2.22)	Depositor EDS
$R_{merge}$	0.04	Depositor
$R_{sym}$	0.04	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	7.22 (at 2.22Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.242 , 0.287 0.246 , 0.249	Depositor DCC
$R_{free}$ test set	1681 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	34.8	Xtrriage
Anisotropy	0.532	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 38.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	5665	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	44.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.40% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.38	0/1116	0.62	0/1513
1	B	0.34	0/1108	0.57	0/1502
1	C	0.29	0/1116	0.52	0/1513
1	D	0.31	0/1108	0.54	0/1502
1	E	0.38	0/1116	0.63	1/1513 (0.1%)
All	All	0.34	0/5564	0.58	1/7543 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	E	15	LEU	CA-CB-CG	5.49	127.93	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1099	0	1062	30	0
1	B	1091	0	1058	44	0
1	C	1099	0	1062	59	0
1	D	1091	0	1058	37	0
1	E	1099	0	1062	22	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	1	0	0	0	0
2	B	3	0	0	0	0
2	E	1	0	0	0	0
3	A	59	0	0	0	0
3	B	33	0	0	3	0
3	C	23	0	0	3	0
3	D	19	0	0	0	0
3	E	47	0	0	0	0
All	All	5665	0	5302	181	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (181) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:129:HIS:HA	1:C:135:LYS:HB2	1.57	0.87
1:C:104:ASP:HB3	3:C:564:HOH:O	1.75	0.86
1:A:88:THR:HG22	1:A:90:HIS:H	1.44	0.83
1:C:118:LEU:HD21	1:C:137:LYS:HB3	1.59	0.82
1:E:88:THR:HG22	1:E:90:HIS:H	1.43	0.82
1:C:32:ASP:HB3	1:C:132:ARG:NH2	1.94	0.82
1:A:129:HIS:HA	1:A:135:LYS:HB2	1.64	0.79
1:C:131:ARG:HH12	1:C:133:GLU:HB2	1.50	0.77
1:B:131:ARG:HD2	3:B:554:HOH:O	1.85	0.77
1:C:16:LEU:HB2	1:C:74:TYR:CD2	2.22	0.74
1:C:88:THR:HB	1:C:91:PHE:HE1	1.55	0.71
1:C:88:THR:HG22	1:C:90:HIS:H	1.56	0.71
1:D:118:LEU:HD21	1:D:137:LYS:CB	2.21	0.70
1:B:118:LEU:HD21	1:B:137:LYS:HG3	1.74	0.69
1:C:96:ASN:HD22	1:C:96:ASN:N	1.92	0.67
1:D:129:HIS:ND1	1:D:135:LYS:HD2	2.10	0.67
1:D:88:THR:HG22	1:D:90:HIS:H	1.61	0.66
1:D:129:HIS:CE1	1:D:135:LYS:HD2	2.30	0.66
1:C:131:ARG:NH1	1:C:133:GLU:HB2	2.09	0.66
1:C:118:LEU:HD11	1:C:137:LYS:HB2	1.78	0.65
1:B:90:HIS:O	1:B:90:HIS:ND1	2.29	0.65
1:C:131:ARG:NH2	1:C:134:ASP:HB2	2.12	0.65
1:A:15:LEU:N	1:A:15:LEU:HD23	2.13	0.64
1:B:88:THR:HB	1:B:91:PHE:HE1	1.63	0.64
1:A:16:LEU:HD11	1:A:48:VAL:HG22	1.79	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:118:LEU:HD21	1:D:137:LYS:HB3	1.79	0.63
1:A:119:THR:HB	1:B:90:HIS:HD2	1.63	0.63
1:E:15:LEU:N	1:E:15:LEU:HD23	2.15	0.62
1:B:104:ASP:HB3	3:B:551:HOH:O	2.00	0.61
1:B:104:ASP:OD1	1:C:100:ARG:NH2	2.33	0.61
1:B:128:VAL:O	1:B:134:ASP:HB3	2.00	0.61
1:A:36:ALA:CB	1:A:132:ARG:HE	2.13	0.60
1:D:88:THR:HB	1:D:91:PHE:CE1	2.35	0.60
1:C:19:GLU:OE2	1:C:21:ARG:HD2	2.01	0.60
1:B:155:PHE:CZ	1:C:48:VAL:HG11	2.36	0.60
1:C:129:HIS:HA	1:C:135:LYS:CB	2.30	0.60
1:C:84:ILE:HA	1:C:120:VAL:O	2.02	0.59
1:B:88:THR:HG22	1:B:89:TYR:N	2.18	0.59
1:D:88:THR:HB	1:D:91:PHE:HE1	1.68	0.59
1:B:54:LEU:HG	1:B:94:VAL:HG13	1.84	0.59
1:C:120:VAL:HG11	1:C:126:ALA:HA	1.86	0.58
1:E:25:ASP:HB3	1:E:127:TRP:HH2	1.68	0.58
1:E:19:GLU:OE2	1:E:21:ARG:HD2	2.04	0.57
1:D:54:LEU:HG	1:D:94:VAL:HG13	1.86	0.57
1:C:23:TYR:HB2	1:C:26:LEU:HB2	1.86	0.56
1:C:122:ASN:OD1	1:C:124:GLU:HB3	2.05	0.56
1:A:155:PHE:O	1:B:66:GLY:HA3	2.06	0.55
1:B:25:ASP:HB3	1:B:127:TRP:CH2	2.42	0.55
1:C:154:LYS:HE2	3:C:480:HOH:O	2.05	0.55
1:E:25:ASP:HB3	1:E:127:TRP:CH2	2.42	0.55
1:B:155:PHE:O	1:C:66:GLY:HA3	2.06	0.55
1:E:15:LEU:HB3	1:E:76:GLY:O	2.07	0.55
1:A:36:ALA:HB3	1:A:132:ARG:HE	1.72	0.54
1:B:88:THR:HG22	1:B:90:HIS:H	1.71	0.54
1:E:85:ARG:HD3	1:E:121:GLU:OE2	2.07	0.54
1:C:84:ILE:HG12	1:C:120:VAL:CG2	2.38	0.54
1:C:118:LEU:HD13	1:C:129:HIS:HB3	1.90	0.54
1:B:56:ILE:HB	1:B:57:PRO:HD3	1.92	0.52
1:B:139:GLY:HA3	1:B:143:ARG:HH21	1.75	0.52
1:D:129:HIS:HA	1:D:135:LYS:HB2	1.91	0.52
1:C:134:ASP:OD1	1:C:135:LYS:HG2	2.10	0.51
1:C:16:LEU:HB2	1:C:74:TYR:CE2	2.45	0.51
1:C:56:ILE:HB	1:C:57:PRO:HD3	1.92	0.51
1:B:155:PHE:HZ	1:C:48:VAL:HG11	1.75	0.51
1:D:15:LEU:CD1	1:D:149:ILE:HD11	2.40	0.51
1:C:13:PRO:HA	1:C:75:ASP:OD2	2.11	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:110:SER:HG	1:B:61:SER:HG	1.57	0.51
1:B:97:GLU:OE1	1:B:100:ARG:HD3	2.11	0.51
1:C:88:THR:HB	1:C:91:PHE:CE1	2.42	0.50
1:D:129:HIS:HB3	1:D:137:LYS:HG3	1.92	0.50
1:E:88:THR:HB	1:E:91:PHE:HE1	1.77	0.50
1:D:35:LYS:HE2	1:D:45:TYR:HE1	1.76	0.50
1:D:129:HIS:HB3	1:D:137:LYS:CG	2.43	0.49
1:C:96:ASN:N	1:C:96:ASN:ND2	2.56	0.49
1:C:100:ARG:HB3	1:C:100:ARG:NH1	2.28	0.49
1:C:127:TRP:HA	1:C:130:ALA:HB3	1.93	0.49
1:A:58:ALA:O	1:A:61:SER:HB3	2.12	0.49
1:B:30:LEU:HD21	1:B:118:LEU:HD11	1.95	0.48
1:D:58:ALA:O	1:D:61:SER:HB3	2.12	0.48
1:A:88:THR:HG22	1:A:90:HIS:N	2.21	0.48
1:C:111:ILE:HD11	1:C:113:ILE:HD11	1.95	0.48
1:B:118:LEU:HD21	1:B:137:LYS:CB	2.44	0.48
1:D:16:LEU:HB2	1:D:74:TYR:CD2	2.48	0.48
1:B:118:LEU:HD21	1:B:137:LYS:CG	2.41	0.48
1:D:64:LEU:HD13	1:D:109:GLU:HG3	1.96	0.48
1:A:64:LEU:HD11	1:A:111:ILE:HD13	1.96	0.47
1:C:29:ALA:HB3	1:C:130:ALA:HB1	1.95	0.47
1:B:152:ARG:HG3	1:B:157:ALA:HB3	1.96	0.47
1:D:15:LEU:HD11	1:D:149:ILE:HD11	1.97	0.47
1:C:88:THR:HG22	1:C:89:TYR:N	2.28	0.47
1:B:133:GLU:HB2	3:B:555:HOH:O	2.14	0.47
1:C:133:GLU:OE1	1:C:133:GLU:N	2.40	0.47
1:D:29:ALA:HB3	1:D:130:ALA:HB1	1.95	0.47
1:C:123:GLU:O	1:C:126:ALA:HB3	2.15	0.47
1:D:17:ILE:HD11	1:D:38:LEU:HD12	1.97	0.47
1:D:88:THR:HG22	1:D:89:TYR:N	2.29	0.47
1:A:15:LEU:N	1:A:15:LEU:CD2	2.78	0.46
1:B:16:LEU:HB2	1:B:74:TYR:CD2	2.49	0.46
1:C:85:ARG:HD3	1:C:121:GLU:OE2	2.15	0.46
1:A:25:ASP:HB3	1:A:127:TRP:HH2	1.79	0.46
1:E:50:VAL:HG11	1:E:59:THR:OG1	2.16	0.46
1:C:132:ARG:HA	1:C:136:ASP:CB	2.46	0.46
1:E:58:ALA:O	1:E:61:SER:HB3	2.15	0.46
1:A:84:ILE:HG23	1:A:122:ASN:HA	1.98	0.46
1:B:25:ASP:HB3	1:B:127:TRP:CZ2	2.51	0.46
1:E:64:LEU:HD11	1:E:111:ILE:HD13	1.97	0.46
1:E:88:THR:HG22	1:E:89:TYR:N	2.30	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:118:LEU:CD2	1:B:137:LYS:HG3	2.44	0.46
1:E:127:TRP:O	1:E:131:ARG:HG3	2.14	0.46
1:B:88:THR:HG22	1:B:89:TYR:H	1.79	0.45
1:C:84:ILE:HG12	1:C:120:VAL:HG23	1.97	0.45
1:D:134:ASP:HB3	1:D:135:LYS:H	1.57	0.45
1:C:105:LEU:HD12	1:C:109:GLU:HG2	1.97	0.45
1:C:109:GLU:O	1:C:111:ILE:HG23	2.16	0.45
1:B:29:ALA:HB3	1:B:130:ALA:HB1	1.98	0.45
1:C:34:ALA:O	1:C:38:LEU:HG	2.16	0.45
1:E:118:LEU:HD21	1:E:137:LYS:HB2	1.97	0.45
1:C:76:GLY:HA3	1:C:149:ILE:HD11	1.99	0.45
1:A:15:LEU:O	1:A:45:TYR:HA	2.17	0.44
1:B:85:ARG:HD3	1:B:121:GLU:OE2	2.17	0.44
1:D:85:ARG:HD3	1:D:121:GLU:OE2	2.18	0.44
1:D:155:PHE:O	1:E:66:GLY:HA3	2.18	0.44
1:C:25:ASP:HB3	1:C:127:TRP:CZ2	2.53	0.44
1:A:88:THR:O	1:A:91:PHE:HD1	2.00	0.43
1:B:96:ASN:ND2	1:C:93:ILE:HG12	2.33	0.43
1:C:23:TYR:CG	1:C:26:LEU:HD12	2.53	0.43
1:D:23:TYR:O	1:D:24:ASP:C	2.56	0.43
1:E:15:LEU:N	1:E:15:LEU:CD2	2.82	0.43
1:A:125:GLN:O	1:A:129:HIS:HD2	2.01	0.43
1:B:22:PHE:HD2	1:B:23:TYR:CE1	2.37	0.43
1:B:15:LEU:CD2	1:B:15:LEU:N	2.82	0.43
1:C:112:ALA:HA	3:C:472:HOH:O	2.18	0.43
1:A:75:ASP:O	1:A:149:ILE:HG12	2.19	0.43
1:E:15:LEU:HD13	1:E:149:ILE:HD11	2.00	0.43
1:B:25:ASP:HB3	1:B:127:TRP:HH2	1.84	0.43
1:D:16:LEU:HB2	1:D:74:TYR:CE2	2.53	0.43
1:C:131:ARG:HH12	1:C:133:GLU:CB	2.28	0.43
1:E:106:SER:HB3	1:E:113:ILE:HD12	2.00	0.43
1:D:37:ALA:HB3	1:D:142:ALA:HB3	2.01	0.43
1:D:19:GLU:OE2	1:D:21:ARG:HD2	2.18	0.42
1:D:88:THR:O	1:D:91:PHE:HD1	2.02	0.42
1:A:156:GLY:O	1:B:69:ASN:ND2	2.48	0.42
1:B:88:THR:HB	1:B:91:PHE:CE1	2.47	0.42
1:C:25:ASP:HB3	1:C:127:TRP:CH2	2.55	0.42
1:D:54:LEU:O	1:D:57:PRO:HD2	2.19	0.42
1:A:84:ILE:CG2	1:A:122:ASN:HA	2.49	0.42
1:C:19:GLU:OE1	1:C:31:LEU:HD22	2.19	0.42
1:B:32:ASP:HB3	1:B:132:ARG:HH21	1.83	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:56:ILE:HB	1:A:57:PRO:HD3	2.02	0.42
1:A:88:THR:HB	1:A:91:PHE:CE1	2.54	0.42
1:B:50:VAL:HB	1:B:51:PRO:HD2	2.01	0.42
1:B:136:ASP:OD1	1:B:143:ARG:NH2	2.53	0.42
1:D:14:HIS:NE2	1:D:46:ASP:OD2	2.41	0.42
1:C:131:ARG:HH21	1:C:134:ASP:HB2	1.83	0.42
1:A:19:GLU:O	1:A:19:GLU:HG3	2.19	0.42
1:A:88:THR:HG22	1:A:89:TYR:N	2.34	0.42
1:C:24:ASP:O	1:C:28:ASP:OD2	2.38	0.42
1:B:56:ILE:HG21	1:B:79:ALA:HB1	2.02	0.42
1:D:15:LEU:HD11	1:D:149:ILE:CD1	2.50	0.42
1:C:126:ALA:O	1:C:130:ALA:HB2	2.20	0.41
1:A:124:GLU:O	1:A:128:VAL:HG23	2.21	0.41
1:C:16:LEU:HB3	1:C:77:PHE:CD2	2.55	0.41
1:D:17:ILE:HB	1:D:47:VAL:HG22	2.02	0.41
1:D:20:ALA:HA	1:D:50:VAL:O	2.19	0.41
1:D:133:GLU:OE1	1:D:133:GLU:N	2.53	0.41
1:A:100:ARG:HH22	1:E:104:ASP:CG	2.24	0.41
1:C:51:PRO:HG2	1:C:55:GLU:OE1	2.20	0.41
1:C:58:ALA:O	1:C:61:SER:HB3	2.21	0.41
1:E:84:ILE:O	1:E:86:GLY:N	2.54	0.41
1:A:76:GLY:HA3	1:A:149:ILE:HD11	2.03	0.41
1:D:25:ASP:HB3	1:D:127:TRP:CH2	2.56	0.41
1:E:23:TYR:HB2	1:E:26:LEU:HB2	2.03	0.41
1:C:90:HIS:O	1:C:90:HIS:ND1	2.54	0.41
1:E:16:LEU:HB3	1:E:77:PHE:CD2	2.56	0.40
1:B:129:HIS:HB3	1:B:137:LYS:HG3	2.04	0.40
1:B:134:ASP:HB3	1:B:135:LYS:H	1.46	0.40
1:D:60:ILE:HG23	1:D:77:PHE:CE2	2.55	0.40
1:A:25:ASP:HB3	1:A:127:TRP:CH2	2.57	0.40
1:A:152:ARG:HH11	1:A:152:ARG:HG2	1.85	0.40
1:D:122:ASN:OD1	1:D:125:GLN:HG2	2.22	0.40
1:B:88:THR:CG2	1:B:89:TYR:N	2.84	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	145/157 (92%)	139 (96%)	6 (4%)	0	100	100
1	B	144/157 (92%)	136 (94%)	8 (6%)	0	100	100
1	C	145/157 (92%)	136 (94%)	8 (6%)	1 (1%)	22	21
1	D	144/157 (92%)	135 (94%)	8 (6%)	1 (1%)	22	21
1	E	145/157 (92%)	142 (98%)	2 (1%)	1 (1%)	22	21
All	All	723/785 (92%)	688 (95%)	32 (4%)	3 (0%)	34	37

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	85	ARG
1	C	134	ASP
1	D	24	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	109/118 (92%)	106 (97%)	3 (3%)	43	54
1	B	108/118 (92%)	104 (96%)	4 (4%)	34	42
1	C	109/118 (92%)	103 (94%)	6 (6%)	21	24
1	D	108/118 (92%)	101 (94%)	7 (6%)	17	18
1	E	109/118 (92%)	105 (96%)	4 (4%)	34	42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	543/590 (92%)	519 (96%)	24 (4%)	28 34

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	LEU
1	A	65	ASP
1	A	89	TYR
1	B	15	LEU
1	B	32	ASP
1	B	89	TYR
1	B	134	ASP
1	C	15	LEU
1	C	32	ASP
1	C	68	ASP
1	C	89	TYR
1	C	96	ASN
1	C	104	ASP
1	D	15	LEU
1	D	23	TYR
1	D	32	ASP
1	D	65	ASP
1	D	68	ASP
1	D	89	TYR
1	D	104	ASP
1	E	15	LEU
1	E	32	ASP
1	E	89	TYR
1	E	104	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	96	ASN
1	B	96	ASN
1	C	96	ASN
1	E	96	ASN
1	E	129	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 5 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	147/157 (93%)	0.43	9 (6%) 21 19	16, 27, 55, 82	11 (7%)
1	B	146/157 (92%)	0.96	15 (10%) 6 5	21, 38, 82, 89	18 (12%)
1	C	147/157 (93%)	1.91	42 (28%) 0 0	29, 57, 98, 100	36 (24%)
1	D	146/157 (92%)	1.30	28 (19%) 1 1	21, 43, 85, 91	22 (15%)
1	E	147/157 (93%)	0.69	13 (8%) 10 8	19, 28, 53, 82	10 (6%)
All	All	733/785 (93%)	1.06	107 (14%) 2 2	16, 37, 85, 100	97 (13%)

All (107) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	89	TYR	20.8
1	E	89	TYR	17.5
1	D	86	GLY	16.3
1	C	90	HIS	15.2
1	D	90	HIS	15.0
1	A	89	TYR	12.2
1	D	89	TYR	11.8
1	C	86	GLY	11.1
1	C	85	ARG	10.5
1	D	91	PHE	9.9
1	B	89	TYR	9.5
1	E	88	THR	9.5
1	C	23	TYR	9.2
1	E	90	HIS	9.1
1	B	91	PHE	9.0
1	E	91	PHE	8.2
1	B	88	THR	8.1
1	B	157	ALA	8.1
1	C	127	TRP	7.9
1	D	88	THR	7.3

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	C	88	THR	7.0
1	A	90	HIS	6.7
1	A	91	PHE	6.7
1	D	23	TYR	6.7
1	A	88	THR	6.2
1	C	91	PHE	6.1
1	E	85	ARG	6.0
1	C	121	GLU	6.0
1	B	122	ASN	5.8
1	C	32	ASP	5.8
1	B	90	HIS	5.6
1	B	87	GLU	5.6
1	C	22	PHE	5.5
1	C	132	ARG	5.5
1	C	122	ASN	5.5
1	C	131	ARG	5.5
1	D	22	PHE	5.4
1	D	157	ALA	5.3
1	C	133	GLU	5.0
1	C	120	VAL	4.9
1	D	24	ASP	4.9
1	C	126	ALA	4.7
1	D	134	ASP	4.7
1	E	87	GLU	4.6
1	B	85	ARG	4.5
1	C	28	ASP	4.4
1	E	67	ALA	4.3
1	D	85	ARG	4.3
1	C	130	ALA	4.3
1	C	124	GLU	4.1
1	E	11	ASP	4.0
1	C	157	ALA	4.0
1	C	82	THR	3.8
1	D	140	PHE	3.7
1	C	134	ASP	3.6
1	A	85	ARG	3.6
1	C	24	ASP	3.5
1	B	23	TYR	3.4
1	B	22	PHE	3.4
1	E	86	GLY	3.4
1	D	120	VAL	3.4
1	C	73	GLU	3.3

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	54	LEU	3.3
1	C	11	ASP	3.3
1	E	71	GLY	3.2
1	C	21	ARG	3.2
1	D	87	GLU	3.2
1	D	156	GLY	3.2
1	C	26	LEU	3.1
1	A	87	GLU	3.1
1	B	86	GLY	3.1
1	B	125	GLN	3.1
1	A	11	ASP	3.0
1	C	84	ILE	3.0
1	C	70	GLY	2.9
1	E	157	ALA	2.9
1	D	124	GLU	2.9
1	C	67	ALA	2.9
1	C	123	GLU	2.8
1	C	87	GLU	2.7
1	C	44	THR	2.7
1	C	12	ALA	2.6
1	C	30	LEU	2.6
1	D	84	ILE	2.6
1	E	92	ASP	2.6
1	C	128	VAL	2.5
1	D	25	ASP	2.5
1	D	128	VAL	2.5
1	D	132	ARG	2.4
1	E	156	GLY	2.4
1	B	140	PHE	2.4
1	C	125	GLN	2.4
1	C	103	THR	2.4
1	B	131	ARG	2.3
1	C	25	ASP	2.3
1	C	113	ILE	2.3
1	A	140	PHE	2.3
1	D	68	ASP	2.2
1	D	122	ASN	2.2
1	D	26	LEU	2.2
1	C	13	PRO	2.2
1	D	133	GLU	2.2
1	D	69	ASN	2.1
1	A	86	GLY	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	117	ILE	2.1
1	B	121	GLU	2.1
1	D	73	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	CA	B	302	1/1	0.91	0.09	59,59,59,59	0
2	CA	B	305	1/1	0.91	0.19	71,71,71,71	0
2	CA	A	304	1/1	0.93	0.17	41,41,41,41	0
2	CA	B	301	1/1	0.95	0.10	54,54,54,54	0
2	CA	E	303	1/1	0.95	0.09	44,44,44,44	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.