# Full wwPDB X-ray Structure Validation Report (i)

Aug 3, 2023 – 01:05 AM EDT

| | | |
|---|---|---|
| PDB ID | : | 1I2M |
| Title | : | RAN-RCC1-SO4 COMPLEX |
| Authors | : | Renault, L.; Kuhlmann, J.; Henkel, A.; Wittinghofer, A. |
| Deposited on | : | 2001-02-11 |
| Resolution | : | 1.76 Å(reported) |

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

| | | |
|---|---|---|
| MolProbity | : | 4.02b-467 |
| Mogul | : | 1.8.5 (274361), CSD as541be (2020) |
| Xtriage (Phenix) | : | 1.13 |
| EDS | : | 2.34 |
| Percentile statistics | : | 20191225.v01 (using entries in the PDB archive December 25th 2019) |
| Refmac | : | 5.8.0158 |
| CCP4 | : | 7.0.044 (Gargrove) |
| Ideal geometry (proteins) | : | Engh & Huber (2001) |
| Ideal geometry (DNA, RNA) | : | Parkinson et al. (1996) |
| Validation Pipeline (wwPDB-VP) | : | 2.34 |

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.76 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




| Metric | Whole archive (#Entries) | Similar resolution (#Entries, resolution range(Å)) |
|---|---|---|
| $R_{free}$ | 130704 | 2340 (1.76-1.76) |
| Clashscore | 141614 | 2466 (1.76-1.76) |
| Ramachandran outliers | 138981 | 2437 (1.76-1.76) |
| Sidechain outliers | 138945 | 2437 (1.76-1.76) |
| RSRZ outliers | 127900 | 2298 (1.76-1.76) |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain |
|---|---|---|---|
| 1 | A | 216 | 12% 61% 12% • 24% |
| 1 | C | 216 | 19% 44% 26% 5% • 24% |
| 2 | B | 402 | 3% 88% 9% • |
| 2 | D | 402 | 6% 85% 12% • |

# 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 8984 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GTP-BINDING NUCLEAR PROTEIN RAN.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | N | O | S | | | |
| 1 | A | 165 | 1346 | 875 | 239 | 228 | 4 | 0 | 0 | 0 |
| 1 | C | 164 | 1337 | 869 | 237 | 227 | 4 | 0 | 0 | 0 |

There are 2 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|---|---|---|---|---|---|
| A | 129 | ARG | SER | SEE REMARK 999 | UNP P62826 |
| C | 129 | ARG | SER | SEE REMARK 999 | UNP P62826 |

- Molecule 2 is a protein called REGULATOR OF CHROMOSOME CONDENSATION 1.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | N | O | S | | | |
| 2 | B | 388 | 2899 | 1809 | 509 | 562 | 19 | 0 | 0 | 0 |
| 2 | D | 390 | 2917 | 1820 | 512 | 566 | 19 | 0 | 0 | 0 |

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: $O_4S$).




| Mol | Chain | Residues | Atoms | ZeroOcc | AltConf |
|---|---|---|---|---|---|
| 3 | A | 1 | Total O S<br>5 4 1 | 0 | 0 |
| 3 | C | 1 | Total O S<br>5 4 1 | 0 | 0 |

- Molecule 4 is water.

| Mol | Chain | Residues | Atoms | ZeroOcc | AltConf |
|---|---|---|---|---|---|
| 4 | A | 62 | Total O<br>62 62 | 0 | 0 |
| 4 | B | 180 | Total O<br>180 180 | 0 | 0 |
| 4 | C | 57 | Total O<br>57 57 | 0 | 0 |
| 4 | D | 176 | Total O<br>176 176 | 0 | 0 |

# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: GTP-BINDING NUCLEAR PROTEIN RAN

Chain A:




• Molecule 1: GTP-BINDING NUCLEAR PROTEIN RAN

Chain C:




• Molecule 2: REGULATOR OF CHROMOSOME CONDENSATION 1

Chain B:




• Molecule 2: REGULATOR OF CHROMOSOME CONDENSATION 1

Chain D:


SER
LYS
LYS
VAL
K24
V25
P34
L38
D44
M55
A61
K84
Q87
R101
G113
K114
Q118
E119
K120
L134
T135
D136
D137
G138
R139
N149
E157
K160
D171
G180
H183
L184
D190
L196
R206
R214
G215
G216
R217


Q218
G219
L220
E221
R222
V225
P226
K227
C228
V229
M230
L231
K232
SER
ARG
GLY
SER
ARG
GLY
H239
V240
R241
G248
Y269
H270
T274
P283
Q284
N285
K290
N291
S292
T293
K294
G319
E322
R343
V366
M391
N398
D417
K418
E419
GLN
SER

# 4 Data and refinement statistics (i)

| Property | Value | Source |
|---|---|---|
| Space group | P 1 | Depositor |
| Cell constants<br>a, b, c, $\alpha$, $\beta$, $\gamma$ | 50.33Å 71.45Å 77.73Å<br>100.92° 92.05° 104.47° | Depositor |
| Resolution (Å) | 19.79 – 1.76<br>19.80 – 1.63 | Depositor<br>EDS |
| % Data completeness<br>(in resolution range) | 99.8 (19.79-1.76)<br>97.0 (19.80-1.63) | Depositor<br>EDS |
| $R_{merge}$ | 0.15 | Depositor |
| $R_{sym}$ | (Not available) | Depositor |
| $< I/\sigma(I) >$ [1] | 1.03 (at 1.63Å) | Xtriage |
| Refinement program | CNS 1.0 | Depositor |
| R, $R_{free}$ | 0.192 , 0.223<br>0.192 , 0.222 | Depositor<br>DCC |
| $R_{free}$ test set | 8466 reflections (6.86%) | wwPDB-VP |
| Wilson B-factor (Å$^2$) | 25.3 | Xtriage |
| Anisotropy | 0.114 | Xtriage |
| Bulk solvent $k_{sol}$(e/Å$^3$), $B_{sol}$(Å$^2$) | 0.38 , 48.1 | EDS |
| L-test for twinning[2] | $< \|L\| > = 0.48$, $< L^2 > = 0.30$ | Xtriage |
| Estimated twinning fraction | No twinning to report. | Xtriage |
| $F_o$,$F_c$ correlation | 0.96 | EDS |
| Total number of atoms | 8984 | wwPDB-VP |
| Average B, all atoms (Å$^2$) | 35.0 | wwPDB-VP |

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.61% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|---|---|---|---|---|---|
| | | RMSZ | $\#\|Z\|>5$ | RMSZ | $\#\|Z\|>5$ |
| 1 | A | 0.30 | 0/1378 | 0.62 | 0/1859 |
| 1 | C | 0.32 | 0/1369 | 0.66 | 0/1848 |
| 2 | B | 0.31 | 0/2953 | 0.62 | 2/3989 (0.1%) |
| 2 | D | 0.30 | 0/2971 | 0.61 | 1/4012 (0.0%) |
| All | All | 0.31 | 0/8671 | 0.62 | 3/11708 (0.0%) |

There are no bond length outliers.

All (3) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed($^o$) | Ideal($^o$) |
|---|---|---|---|---|---|---|---|
| 2 | D | 248 | GLY | N-CA-C | -5.12 | 100.30 | 113.10 |
| 2 | B | 353 | GLY | N-CA-C | -5.03 | 100.52 | 113.10 |
| 2 | B | 248 | GLY | N-CA-C | -5.02 | 100.56 | 113.10 |

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|---|---|---|---|---|---|---|
| 1 | A | 1346 | 0 | 1378 | 31 | 0 |
| 1 | C | 1337 | 0 | 1365 | 90 | 0 |
| 2 | B | 2899 | 0 | 2842 | 22 | 0 |
| 2 | D | 2917 | 0 | 2861 | 39 | 0 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|---|---|---|---|---|---|---|
| 3 | A | 5 | 0 | 0 | 0 | 0 |
| 3 | C | 5 | 0 | 0 | 0 | 0 |
| 4 | A | 62 | 0 | 0 | 0 | 0 |
| 4 | B | 180 | 0 | 0 | 1 | 0 |
| 4 | C | 57 | 0 | 0 | 0 | 0 |
| 4 | D | 176 | 0 | 0 | 0 | 0 |
| All | All | 8984 | 0 | 8446 | 172 | 0 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (172) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|---|---|---|---|
| 1:A:140:ARG:HG2 | 1:A:141:LYS:H | 1.16 | 1.08 |
| 1:A:141:LYS:HE2 | 1:A:143:ASN:HD21 | 1.35 | 0.89 |
| 1:A:140:ARG:HG2 | 1:A:141:LYS:N | 1.93 | 0.83 |
| 2:D:231:LEU:HD13 | 2:D:283:PRO:HB2 | 1.63 | 0.81 |
| 1:C:60:LYS:HD3 | 1:C:62:ASN:HD21 | 1.46 | 0.80 |
| 1:C:10:GLN:HE21 | 1:C:60:LYS:HD2 | 1.47 | 0.79 |
| 1:C:39:TYR:H | 1:C:46:GLU:HA | 1.45 | 0.79 |
| 1:C:42:THR:HG21 | 1:C:78:GLY:O | 1.83 | 0.79 |
| 1:C:141:LYS:O | 1:C:142:LYS:HG3 | 1.84 | 0.77 |
| 1:C:126:ILE:HG23 | 1:C:126:ILE:O | 1.83 | 0.76 |
| 1:C:38:LYS:N | 1:C:47:VAL:HB | 2.03 | 0.73 |
| 1:C:29:ARG:HH11 | 1:C:154:ASN:HD21 | 1.36 | 0.73 |
| 1:A:140:ARG:CG | 1:A:141:LYS:H | 1.97 | 0.72 |
| 1:C:141:LYS:HE2 | 1:C:143:ASN:HD21 | 1.55 | 0.71 |
| 1:C:126:ILE:HD12 | 1:C:128:ASP:HB2 | 1.74 | 0.70 |
| 1:A:141:LYS:HE2 | 1:A:143:ASN:ND2 | 2.07 | 0.70 |
| 1:C:124:VAL:CG1 | 1:C:125:ASP:N | 2.54 | 0.69 |
| 1:C:43:LEU:N | 1:C:43:LEU:HD12 | 2.08 | 0.67 |
| 1:A:112:CYS:O | 1:A:113:GLU:HB2 | 1.94 | 0.66 |
| 1:C:126:ILE:HD12 | 1:C:128:ASP:CB | 2.26 | 0.66 |
| 2:D:221:GLU:H | 2:D:221:GLU:CD | 1.99 | 0.66 |
| 1:A:126:ILE:HG13 | 1:A:126:ILE:O | 1.95 | 0.66 |
| 1:C:137:VAL:HG11 | 2:D:55:MET:CE | 2.27 | 0.65 |
| 1:C:39:TYR:HD2 | 1:C:44:GLY:O | 1.80 | 0.64 |
| 1:C:125:ASP:O | 1:C:126:ILE:HB | 1.98 | 0.64 |
| 1:C:124:VAL:O | 1:C:126:ILE:N | 2.31 | 0.64 |
| 1:C:139:HIS:HE1 | 1:C:148:ASP:OD1 | 1.81 | 0.64 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|---|---|---|---|
| 1:C:123:LYS:HD2 | 1:C:129:ARG:HB3 | 1.81 | 0.63 |
| 2:B:137:ASP:OD2 | 2:B:139:ARG:HD3 | 1.98 | 0.63 |
| 2:B:159:MET:HG3 | 1:C:41:ALA:HA | 1.81 | 0.62 |
| 1:C:126:ILE:O | 1:C:126:ILE:CG2 | 2.48 | 0.62 |
| 1:C:133:ALA:HA | 1:C:136:ILE:HG12 | 1.82 | 0.62 |
| 1:C:124:VAL:HG12 | 1:C:125:ASP:N | 2.15 | 0.61 |
| 1:C:131:VAL:O | 1:C:133:ALA:N | 2.33 | 0.61 |
| 1:C:39:TYR:N | 1:C:46:GLU:HA | 2.15 | 0.61 |
| 1:A:159:LYS:HB2 | 1:A:160:PRO:HD3 | 1.83 | 0.60 |
| 2:D:291:ASN:HB3 | 2:D:294:LYS:HB2 | 1.82 | 0.60 |
| 1:A:123:LYS:HE3 | 1:A:131:VAL:HG21 | 1.84 | 0.60 |
| 1:C:133:ALA:HA | 1:C:136:ILE:CG1 | 2.32 | 0.60 |
| 1:A:42:THR:OG1 | 1:A:75:LEU:HD11 | 2.02 | 0.60 |
| 1:C:43:LEU:C | 1:C:45:VAL:H | 2.06 | 0.59 |
| 1:C:129:ARG:CZ | 1:C:129:ARG:HA | 2.32 | 0.59 |
| 2:D:291:ASN:ND2 | 2:D:294:LYS:HD2 | 2.17 | 0.59 |
| 2:D:44:ASP:HA | 2:D:55:MET:HE1 | 1.84 | 0.58 |
| 1:A:151:ALA:O | 1:A:152:LYS:CB | 2.52 | 0.58 |
| 1:C:40:VAL:HG12 | 1:C:82:GLN:NE2 | 2.19 | 0.58 |
| 2:D:44:ASP:HA | 2:D:55:MET:CE | 2.33 | 0.58 |
| 1:C:129:ARG:HA | 1:C:129:ARG:NH1 | 2.19 | 0.58 |
| 1:C:42:THR:OG1 | 1:C:82:GLN:NE2 | 2.34 | 0.57 |
| 1:A:152:LYS:O | 1:A:153:SER:HB3 | 2.05 | 0.57 |
| 1:A:141:LYS:O | 1:A:142:LYS:HB2 | 2.04 | 0.57 |
| 2:B:221:GLU:CD | 1:C:75:LEU:HG | 2.25 | 0.57 |
| 1:A:140:ARG:CG | 1:A:141:LYS:N | 2.60 | 0.56 |
| 1:A:92:VAL:HG21 | 1:A:135:SER:HB2 | 1.86 | 0.56 |
| 1:C:43:LEU:C | 1:C:45:VAL:N | 2.59 | 0.56 |
| 1:A:140:ARG:O | 1:A:141:LYS:HB3 | 2.06 | 0.56 |
| 1:C:159:LYS:HB2 | 1:C:160:PRO:HD3 | 1.87 | 0.56 |
| 1:C:169:ILE:HD11 | 1:C:174:LEU:HD22 | 1.87 | 0.56 |
| 2:D:291:ASN:CB | 2:D:294:LYS:HB2 | 2.36 | 0.56 |
| 1:C:141:LYS:HE2 | 1:C:143:ASN:ND2 | 2.22 | 0.55 |
| 1:C:140:ARG:HD3 | 1:C:141:LYS:H | 1.71 | 0.55 |
| 1:C:124:VAL:CG1 | 1:C:125:ASP:H | 2.20 | 0.55 |
| 1:C:137:VAL:HG12 | 1:C:137:VAL:O | 2.07 | 0.55 |
| 1:C:126:ILE:O | 1:C:128:ASP:N | 2.35 | 0.55 |
| 2:D:184:LEU:HD23 | 2:D:196:LEU:HD21 | 1.89 | 0.55 |
| 1:C:29:ARG:NH1 | 1:C:154:ASN:HD21 | 2.02 | 0.54 |
| 1:A:75:LEU:HB2 | 1:A:79:TYR:CZ | 2.43 | 0.54 |
| 1:C:124:VAL:HG13 | 1:C:125:ASP:H | 1.72 | 0.54 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|---|---|---|---|
| 2:D:120:LYS:HB3 | 2:D:136:ASP:OD2 | 2.07 | 0.54 |
| 2:D:219:GLY:HA3 | 2:D:221:GLU:OE1 | 2.07 | 0.54 |
| 1:C:46:GLU:HG2 | 1:C:48:HIS:CE1 | 2.43 | 0.54 |
| 1:A:141:LYS:O | 1:A:142:LYS:CB | 2.56 | 0.53 |
| 1:C:25:THR:O | 1:C:29:ARG:HG2 | 2.08 | 0.53 |
| 2:D:206:ARG:CZ | 2:D:227:LYS:HB2 | 2.39 | 0.52 |
| 1:C:141:LYS:HG2 | 1:C:142:LYS:H | 1.74 | 0.52 |
| 2:D:270:HIS:HD2 | 2:D:274:THR:O | 1.93 | 0.52 |
| 2:D:217:ARG:O | 2:D:217:ARG:HD3 | 2.10 | 0.52 |
| 1:C:40:VAL:HG12 | 1:C:82:GLN:HE22 | 1.74 | 0.52 |
| 1:C:131:VAL:C | 1:C:133:ALA:H | 2.14 | 0.51 |
| 2:B:221:GLU:OE2 | 1:C:75:LEU:HG | 2.10 | 0.51 |
| 1:C:60:LYS:HD3 | 1:C:62:ASN:ND2 | 2.21 | 0.51 |
| 2:D:190:ASP:O | 2:D:241:ARG:HD3 | 2.10 | 0.51 |
| 2:B:178:ALA:HB3 | 2:B:185:VAL:CG2 | 2.41 | 0.51 |
| 2:B:52:GLU:HG2 | 2:B:52:GLU:O | 2.09 | 0.50 |
| 1:C:31:LEU:HD21 | 1:C:48:HIS:HB3 | 1.93 | 0.50 |
| 1:C:39:TYR:HA | 1:C:45:VAL:O | 2.11 | 0.50 |
| 2:D:366:VAL:HG13 | 2:D:391:MET:HB2 | 1.93 | 0.50 |
| 2:D:25:VAL:HG22 | 2:D:136:ASP:O | 2.11 | 0.50 |
| 1:A:12:LYS:HE3 | 1:A:64:TRP:CE2 | 2.47 | 0.50 |
| 1:C:19:GLY:HA3 | 2:D:149:ASN:O | 2.12 | 0.50 |
| 1:C:13:LEU:C | 1:C:13:LEU:HD23 | 2.32 | 0.50 |
| 1:C:42:THR:O | 1:C:75:LEU:HD13 | 2.12 | 0.50 |
| 1:C:42:THR:CB | 1:C:82:GLN:HE21 | 2.25 | 0.50 |
| 1:C:91:ASP:CG | 1:C:124:VAL:HB | 2.33 | 0.49 |
| 1:A:166:ARG:NH2 | 1:A:175:GLU:OE2 | 2.45 | 0.49 |
| 2:B:184:LEU:HD23 | 2:B:196:LEU:HD21 | 1.94 | 0.49 |
| 2:B:273:GLY:C | 2:B:275:PRO:HD3 | 2.33 | 0.49 |
| 1:C:127:LYS:HG2 | 1:C:152:LYS:HD2 | 1.94 | 0.49 |
| 1:C:132:LYS:O | 1:C:136:ILE:HG12 | 2.13 | 0.48 |
| 2:D:101:ARG:CZ | 2:D:113:GLY:HA3 | 2.43 | 0.48 |
| 2:B:275:PRO:HA | 2:B:284:GLN:HE22 | 1.78 | 0.48 |
| 1:C:140:ARG:O | 1:C:141:LYS:O | 2.31 | 0.48 |
| 2:D:196:LEU:HD13 | 2:D:226:PRO:HG3 | 1.95 | 0.48 |
| 1:C:29:ARG:HH11 | 1:C:154:ASN:ND2 | 2.06 | 0.47 |
| 2:B:214:ARG:HD2 | 1:C:39:TYR:CZ | 2.49 | 0.47 |
| 2:D:231:LEU:CD1 | 2:D:283:PRO:HB2 | 2.40 | 0.47 |
| 1:C:126:ILE:C | 1:C:128:ASP:H | 2.18 | 0.47 |
| 1:C:137:VAL:HG11 | 2:D:55:MET:HE2 | 1.95 | 0.47 |
| 1:A:13:LEU:C | 1:A:13:LEU:HD23 | 2.35 | 0.47 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|---|---|---|---|
| 2:D:230:MET:O | 2:D:231:LEU:HB3 | 2.15 | 0.47 |
| 2:D:137:ASP:OD2 | 2:D:139:ARG:HD3 | 2.15 | 0.47 |
| 1:C:112:CYS:O | 1:C:113:GLU:HB2 | 2.15 | 0.47 |
| 1:C:42:THR:HB | 1:C:43:LEU:HD12 | 1.98 | 0.46 |
| 1:C:126:ILE:CD1 | 1:C:128:ASP:HB2 | 2.43 | 0.46 |
| 1:C:165:ALA:O | 1:C:169:ILE:HG12 | 2.16 | 0.46 |
| 2:D:157:GLU:OE1 | 2:D:160:LYS:HD3 | 2.15 | 0.46 |
| 2:D:196:LEU:HD23 | 2:D:196:LEU:N | 2.30 | 0.46 |
| 1:C:87:ILE:HG12 | 1:C:118:VAL:CG1 | 2.46 | 0.46 |
| 2:B:274:THR:N | 2:B:275:PRO:HD3 | 2.31 | 0.46 |
| 1:C:10:GLN:HE21 | 1:C:60:LYS:CD | 2.23 | 0.46 |
| 1:A:151:ALA:O | 1:A:152:LYS:HB3 | 2.15 | 0.46 |
| 2:B:159:MET:CG | 1:C:41:ALA:HA | 2.45 | 0.45 |
| 1:C:12:LYS:HB3 | 1:C:64:TRP:HZ3 | 1.81 | 0.45 |
| 2:D:229:VAL:CG1 | 2:D:283:PRO:HG2 | 2.46 | 0.45 |
| 2:B:44:ASP:HA | 2:B:55:MET:CE | 2.46 | 0.45 |
| 1:C:39:TYR:HA | 1:C:46:GLU:HA | 1.98 | 0.45 |
| 2:B:185:VAL:HG12 | 2:B:195:THR:HG22 | 1.99 | 0.45 |
| 1:A:140:ARG:O | 1:A:141:LYS:CB | 2.65 | 0.44 |
| 2:D:84:LYS:HG3 | 2:D:84:LYS:O | 2.18 | 0.44 |
| 1:C:101:VAL:HB | 1:C:102:PRO:HD3 | 2.00 | 0.44 |
| 2:D:216:GLY:O | 2:D:217:ARG:CB | 2.65 | 0.44 |
| 2:D:87:GLN:OE1 | 2:D:114:LYS:HE3 | 2.17 | 0.44 |
| 2:B:142:LEU:HG | 2:B:155:LEU:HD11 | 1.99 | 0.44 |
| 2:D:206:ARG:NE | 2:D:227:LYS:HB2 | 2.32 | 0.44 |
| 1:C:42:THR:CG2 | 1:C:78:GLY:O | 2.62 | 0.43 |
| 2:D:180:GLY:HA3 | 2:D:183:HIS:CE1 | 2.53 | 0.43 |
| 1:A:166:ARG:HG2 | 1:A:174:LEU:HB3 | 2.00 | 0.43 |
| 1:C:109:VAL:O | 1:C:113:GLU:HA | 2.17 | 0.43 |
| 1:C:135:SER:HA | 1:C:138:PHE:CD1 | 2.54 | 0.43 |
| 2:B:231:LEU:HD21 | 2:B:283:PRO:HB2 | 2.01 | 0.43 |
| 1:A:81:ILE:O | 1:A:82:GLN:HB2 | 2.19 | 0.42 |
| 1:C:152:LYS:O | 1:C:153:SER:HB2 | 2.19 | 0.42 |
| 1:A:75:LEU:HB2 | 1:A:79:TYR:CE1 | 2.55 | 0.42 |
| 1:A:123:LYS:CE | 1:A:131:VAL:HG21 | 2.48 | 0.42 |
| 1:C:29:ARG:NH1 | 1:C:154:ASN:ND2 | 2.64 | 0.42 |
| 2:D:418:LYS:O | 2:D:419:GLU:HB3 | 2.20 | 0.42 |
| 1:C:137:VAL:CG1 | 2:D:55:MET:HE2 | 2.50 | 0.42 |
| 2:B:79:THR:HB | 2:B:91:PHE:CE2 | 2.54 | 0.42 |
| 2:B:368:ALA:O | 2:B:389:VAL:HG12 | 2.20 | 0.42 |
| 1:C:139:HIS:CE1 | 1:C:148:ASP:OD1 | 2.68 | 0.42 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|---|---|---|---|
| 1:A:130:LYS:HA | 1:A:130:LYS:HD2 | 1.74 | 0.41 |
| 2:B:214:ARG:HD2 | 1:C:39:TYR:CE2 | 2.55 | 0.41 |
| 1:C:92:VAL:O | 1:C:134:LYS:HE2 | 2.20 | 0.41 |
| 1:C:169:ILE:CD1 | 1:C:174:LEU:HD22 | 2.50 | 0.41 |
| 2:D:119:GLU:CD | 2:D:139:ARG:HH22 | 2.23 | 0.41 |
| 2:D:38:LEU:HA | 2:D:61:ALA:O | 2.20 | 0.41 |
| 1:C:140:ARG:CG | 1:C:141:LYS:N | 2.83 | 0.41 |
| 2:D:34:PRO:HD3 | 2:D:84:LYS:HE3 | 2.03 | 0.41 |
| 1:A:113:GLU:HB3 | 1:A:114:ASN:H | 1.59 | 0.41 |
| 2:B:218:GLN:HB2 | 4:B:587:HOH:O | 2.21 | 0.41 |
| 1:C:177:VAL:O | 1:C:177:VAL:HG23 | 2.20 | 0.41 |
| 2:D:269:TYR:O | 2:D:319:GLY:HA2 | 2.21 | 0.41 |
| 1:C:21:THR:HA | 1:C:124:VAL:HG21 | 2.01 | 0.41 |
| 1:C:140:ARG:O | 1:C:141:LYS:C | 2.59 | 0.41 |
| 2:B:268:ASN:HA | 2:B:278:GLU:HG2 | 2.03 | 0.40 |
| 1:A:40:VAL:HG13 | 1:A:42:THR:O | 2.22 | 0.40 |
| 2:B:322:GLU:HG3 | 2:B:323:TYR:CD2 | 2.57 | 0.40 |
| 1:C:13:LEU:HB3 | 1:C:63:VAL:HG22 | 2.04 | 0.40 |
| 1:C:39:TYR:CA | 1:C:46:GLU:HA | 2.52 | 0.40 |
| 1:C:54:THR:HB | 1:C:175:GLU:O | 2.21 | 0.40 |
| 1:A:141:LYS:O | 1:A:142:LYS:HG2 | 2.21 | 0.40 |
| 2:D:225:VAL:O | 2:D:227:LYS:HG2 | 2.22 | 0.40 |

There are no symmetry-related clashes.

## 5.3 Torsion angles (i)

### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles |
|---|---|---|---|---|---|---|
| 1 | A | 161/216 (74%) | 146 (91%) | 8 (5%) | 7 (4%) | 2 0 |
| 1 | C | 160/216 (74%) | 144 (90%) | 4 (2%) | 12 (8%) | 1 0 |
| 2 | B | 384/402 (96%) | 373 (97%) | 9 (2%) | 2 (0%) | 29 12 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|---|---|---|---|---|---|---|---|
| 2 | D | 386/402 (96%) | 373 (97%) | 13 (3%) | 0 | 100 | 100 |
| All | All | 1091/1236 (88%) | 1036 (95%) | 34 (3%) | 21 (2%) | 8 | 1 |

All (21) Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|---|---|---|---|
| 1 | A | 128 | ASP |
| 1 | A | 152 | LYS |
| 2 | B | 291 | ASN |
| 2 | B | 292 | SER |
| 1 | C | 39 | TYR |
| 1 | C | 125 | ASP |
| 1 | C | 126 | ILE |
| 1 | C | 132 | LYS |
| 1 | C | 141 | LYS |
| 1 | C | 143 | ASN |
| 1 | A | 113 | GLU |
| 1 | A | 142 | LYS |
| 1 | A | 126 | ILE |
| 1 | A | 141 | LYS |
| 1 | C | 113 | GLU |
| 1 | C | 114 | ASN |
| 1 | C | 124 | VAL |
| 1 | C | 127 | LYS |
| 1 | A | 140 | ARG |
| 1 | C | 140 | ARG |
| 1 | C | 142 | LYS |

### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|---|---|---|---|---|---|---|
| 1 | A | 146/185 (79%) | 141 (97%) | 5 (3%) | 37 | 14 |
| 1 | C | 145/185 (78%) | 139 (96%) | 6 (4%) | 30 | 10 |
| 2 | B | 313/325 (96%) | 312 (100%) | 1 (0%) | 92 | 89 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|---|---|---|---|---|---|---|
| 2 | D | 315/325 (97%) | 313 (99%) | 2 (1%) | 86 | 79 |
| All | All | 919/1020 (90%) | 905 (98%) | 14 (2%) | 65 | 49 |

All (14) residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|---|---|---|---|
| 1 | A | 43 | LEU |
| 1 | A | 128 | ASP |
| 1 | A | 129 | ARG |
| 1 | A | 140 | ARG |
| 1 | A | 158 | GLU |
| 2 | B | 171 | ASP |
| 1 | C | 45 | VAL |
| 1 | C | 46 | GLU |
| 1 | C | 125 | ASP |
| 1 | C | 126 | ILE |
| 1 | C | 140 | ARG |
| 1 | C | 158 | GLU |
| 2 | D | 285 | ASN |
| 2 | D | 322 | GLU |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

| Mol | Chain | Res | Type |
|---|---|---|---|
| 1 | A | 114 | ASN |
| 1 | A | 139 | HIS |
| 1 | A | 145 | GLN |
| 2 | B | 118 | GLN |
| 2 | B | 218 | GLN |
| 2 | B | 284 | GLN |
| 1 | C | 10 | GLN |
| 1 | C | 48 | HIS |
| 1 | C | 53 | HIS |
| 1 | C | 62 | ASN |
| 1 | C | 139 | HIS |
| 1 | C | 145 | GLN |
| 1 | C | 154 | ASN |
| 2 | D | 218 | GLN |
| 2 | D | 285 | ASN |
| 2 | D | 398 | ASN |

### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Counts | RMSZ | $\#\|Z\| > 2$ | Counts | RMSZ | $\#\|Z\| > 2$ |
| 3 | SO4 | C | 2250 | - | 4,4,4 | 0.25 | 0 | 6,6,6 | 0.06 | 0 |
| 3 | SO4 | A | 1250 | - | 4,4,4 | 0.20 | 0 | 6,6,6 | 0.06 | 0 |

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

# 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, $95^{th}$ percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

| Mol | Chain | Analysed | <RSRZ> | #RSRZ>2 | | | OWAB(Å$^2$) | Q<0.9 |
|---|---|---|---|---|---|---|---|---|
| 1 | A | 165/216 (76%) | 0.83 | 26 (15%) | 2 | 3 | 18, 32, 80, 99 | 0 |
| 1 | C | 164/216 (75%) | 1.27 | 40 (24%) | 0 | 0 | 19, 36, 90, 99 | 0 |
| 2 | B | 388/402 (96%) | 0.08 | 13 (3%) | 45 | 51 | 16, 26, 57, 92 | 0 |
| 2 | D | 390/402 (97%) | 0.27 | 24 (6%) | 20 | 26 | 15, 27, 66, 99 | 0 |
| All | All | 1107/1236 (89%) | 0.44 | 103 (9%) | 8 | 11 | 15, 29, 73, 99 | 0 |

All (103) RSRZ outliers are listed below:

| Mol | Chain | Res | Type | RSRZ |
|---|---|---|---|---|
| 1 | C | 131 | VAL | 14.3 |
| 1 | A | 129 | ARG | 11.3 |
| 1 | C | 125 | ASP | 10.6 |
| 2 | D | 215 | GLY | 10.2 |
| 1 | C | 129 | ARG | 9.9 |
| 1 | C | 128 | ASP | 9.3 |
| 1 | A | 128 | ASP | 8.9 |
| 1 | C | 126 | ILE | 8.4 |
| 2 | D | 218 | GLN | 8.1 |
| 1 | C | 130 | LYS | 8.0 |
| 1 | C | 133 | ALA | 7.7 |
| 1 | C | 132 | LYS | 7.2 |
| 1 | A | 126 | ILE | 6.9 |
| 1 | A | 43 | LEU | 6.6 |
| 2 | D | 232 | LYS | 6.2 |
| 1 | C | 42 | THR | 6.2 |
| 2 | D | 217 | ARG | 6.2 |
| 1 | C | 31 | LEU | 6.2 |
| 1 | A | 153 | SER | 6.0 |
| 1 | A | 132 | LYS | 5.9 |
| 2 | D | 292 | SER | 5.8 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | RSRZ |
|---|---|---|---|---|
| 1 | A | 141 | LYS | 5.6 |
| 1 | A | 136 | ILE | 5.3 |
| 1 | C | 39 | TYR | 5.3 |
| 1 | C | 141 | LYS | 5.2 |
| 1 | C | 127 | LYS | 5.2 |
| 1 | C | 40 | VAL | 5.1 |
| 2 | D | 171 | ASP | 5.1 |
| 1 | A | 127 | LYS | 5.0 |
| 2 | B | 292 | SER | 5.0 |
| 2 | D | 291 | ASN | 4.8 |
| 2 | D | 419 | GLU | 4.6 |
| 1 | C | 140 | ARG | 4.6 |
| 1 | A | 133 | ALA | 4.5 |
| 2 | D | 293 | THR | 4.4 |
| 1 | A | 151 | ALA | 4.3 |
| 2 | B | 232 | LYS | 4.3 |
| 1 | C | 124 | VAL | 4.3 |
| 1 | A | 114 | ASN | 4.3 |
| 1 | C | 153 | SER | 4.2 |
| 2 | B | 291 | ASN | 4.1 |
| 2 | D | 230 | MET | 4.1 |
| 1 | C | 143 | ASN | 4.1 |
| 2 | B | 398 | ASN | 4.0 |
| 2 | D | 216 | GLY | 3.9 |
| 1 | C | 136 | ILE | 3.8 |
| 1 | A | 131 | VAL | 3.8 |
| 2 | D | 219 | GLY | 3.7 |
| 1 | C | 114 | ASN | 3.7 |
| 2 | D | 239 | HIS | 3.7 |
| 2 | D | 231 | LEU | 3.6 |
| 2 | D | 343 | ARG | 3.6 |
| 2 | D | 118 | GLN | 3.6 |
| 2 | B | 290 | LYS | 3.4 |
| 2 | B | 171 | ASP | 3.4 |
| 1 | C | 135 | SER | 3.4 |
| 1 | A | 130 | LYS | 3.4 |
| 1 | C | 170 | GLY | 3.4 |
| 2 | D | 290 | LYS | 3.4 |
| 1 | C | 139 | HIS | 3.4 |
| 1 | C | 43 | LEU | 3.3 |
| 1 | A | 29 | ARG | 3.3 |
| 1 | A | 139 | HIS | 3.2 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | RSRZ |
|---|---|---|---|---|
| 1 | C | 38 | LYS | 3.2 |
| 2 | B | 210 | LEU | 3.2 |
| 1 | C | 152 | LYS | 3.2 |
| 1 | A | 137 | VAL | 3.1 |
| 1 | C | 177 | VAL | 3.1 |
| 2 | B | 287 | THR | 3.0 |
| 1 | C | 44 | GLY | 2.9 |
| 2 | B | 53 | ASN | 2.8 |
| 1 | A | 28 | LYS | 2.8 |
| 2 | D | 398 | ASN | 2.8 |
| 1 | C | 142 | LYS | 2.7 |
| 2 | B | 293 | THR | 2.7 |
| 1 | A | 125 | ASP | 2.7 |
| 2 | D | 214 | ARG | 2.6 |
| 1 | C | 134 | LYS | 2.6 |
| 1 | A | 42 | THR | 2.6 |
| 1 | A | 8 | GLN | 2.6 |
| 2 | D | 417 | ASP | 2.6 |
| 1 | A | 155 | TYR | 2.5 |
| 1 | A | 113 | GLU | 2.5 |
| 1 | C | 137 | VAL | 2.5 |
| 1 | C | 45 | VAL | 2.4 |
| 1 | C | 173 | ASN | 2.4 |
| 2 | B | 343 | ARG | 2.4 |
| 2 | D | 225 | VAL | 2.3 |
| 1 | C | 155 | TYR | 2.3 |
| 1 | C | 8 | GLN | 2.3 |
| 1 | C | 9 | VAL | 2.3 |
| 1 | A | 140 | ARG | 2.3 |
| 2 | D | 222 | ARG | 2.2 |
| 1 | A | 31 | LEU | 2.2 |
| 2 | B | 118 | GLN | 2.1 |
| 1 | C | 13 | LEU | 2.1 |
| 1 | C | 87 | ILE | 2.1 |
| 2 | B | 169 | GLN | 2.1 |
| 1 | C | 154 | ASN | 2.1 |
| 1 | A | 154 | ASN | 2.1 |
| 2 | D | 418 | LYS | 2.1 |
| 2 | D | 134 | LEU | 2.0 |
| 1 | C | 113 | GLU | 2.0 |

## 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

## 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, $95^{th}$ percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

| Mol | Type | Chain | Res | Atoms | RSCC | RSR | B-factors(Å$^2$) | Q<0.9 |
|---|---|---|---|---|---|---|---|---|
| 3 | SO4 | A | 1250 | 5/5 | 0.99 | 0.12 | 36,36,37,38 | 0 |
| 3 | SO4 | C | 2250 | 5/5 | 0.99 | 0.08 | 35,36,38,39 | 0 |

## 6.5 Other polymers (i)

There are no such residues in this entry.