



Full wwPDB X-ray Structure Validation Report i

Oct 18, 2023 – 01:40 AM EDT

PDB ID : 2I5K
Title : Crystal structure of Ugp1p
Authors : Roeben, A.; Plitzko, J.M.; Koerner, R.; Boettcher, U.M.K.; Siegers, K.; Hayer-Hartl, M.; Bracher, A.
Deposited on : 2006-08-25
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1094 (3.10-3.10)
Clashscore	141614	1184 (3.10-3.10)
Ramachandran outliers	138981	1141 (3.10-3.10)
Sidechain outliers	138945	1141 (3.10-3.10)
RSRZ outliers	127900	1067 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition [\(i\)](#)

There are 2 unique types of molecules in this entry. The entry contains 6617 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UTP--glucose-1-phosphate uridylyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	465	Total	C 3290	N 2077	O 567	S 638	8	0	0
1	B	466	Total	C 3317	N 2090	O 575	S 644	8	0	0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	4	Total O 4 4	0	0
2	B	6	Total O 6 6	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: UTP--glucose-1-phosphate uridylyltransferase



- Molecule 1: UTP--glucose-1-phosphate uridylyltransferase





4 Data and refinement statistics i

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	110.19 Å 147.44 Å 167.75 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.99 – 3.10 83.88 – 3.09	Depositor EDS
% Data completeness (in resolution range)	98.3 (19.99-3.10) 97.5 (83.88-3.09)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	0.10	Depositor
$< I/\sigma(I) >$ ¹	3.85 (at 3.07 Å)	Xtriage
Refinement program	REFMAC	Depositor
R , R_{free}	0.226 , 0.291 0.230 , 0.291	Depositor DCC
R_{free} test set	1275 reflections (5.14%)	wwPDB-VP
Wilson B-factor (Å ²)	78.8	Xtriage
Anisotropy	0.658	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 83.3	EDS
L-test for twinning ²	$< L > = 0.48$, $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	6617	wwPDB-VP
Average B, all atoms (Å ²)	82.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.65	6/3349 (0.2%)	0.69	0/4587
1	B	0.65	6/3377 (0.2%)	0.69	2/4622 (0.0%)
All	All	0.65	12/6726 (0.2%)	0.69	2/9209 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	2
All	All	0	3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	35	ALA	C-O	14.91	1.51	1.23
1	B	20	ASN	CA-CB	14.27	1.90	1.53
1	B	20	ASN	N-CA	9.75	1.65	1.46
1	B	482	GLY	C-O	8.41	1.37	1.23
1	A	22	VAL	CA-CB	7.93	1.71	1.54
1	A	22	VAL	N-CA	6.61	1.59	1.46
1	A	422	LYS	C-N	6.30	1.48	1.34
1	B	425	SER	CA-CB	6.17	1.62	1.52
1	B	422	LYS	C-N	5.95	1.47	1.34
1	A	421	ILE	C-N	5.71	1.47	1.34
1	A	425	SER	CA-CB	5.59	1.61	1.52
1	B	425	SER	CB-OG	-5.25	1.35	1.42

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	425	SER	CB-CA-C	-5.72	99.24	110.10
1	B	483	SER	N-CA-CB	5.68	119.02	110.50

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	206	SER	Peptide
1	B	205	ASP	Peptide
1	B	388	LYS	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3290	0	2957	76	0
1	B	3317	0	2978	86	0
2	A	4	0	0	0	0
2	B	6	0	0	0	0
All	All	6617	0	5935	161	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (161) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:20:ASN:CA	1:B:20:ASN:CB	1.90	1.45
1:B:448:HIS:CE1	1:B:450:THR:HG22	1.85	1.11
1:B:448:HIS:HE1	1:B:450:THR:CG2	1.68	1.05
1:B:448:HIS:CE1	1:B:450:THR:CG2	2.45	0.96
1:A:436:ARG:HG2	1:A:436:ARG:HH11	1.34	0.93
1:B:94:GLN:CB	1:B:95:PRO:HD3	2.08	0.83
1:A:270:GLU:OE1	1:A:383:ARG:NH1	2.12	0.82
1:B:436:ARG:HG2	1:B:455:VAL:O	1.78	0.82
1:A:475:HIS:CD2	1:A:493:ASN:HD22	1.97	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:460:ASP:O	1:A:482:GLY:HA2	1.82	0.80
1:A:91:ILE:HD12	1:A:377:VAL:HG21	1.63	0.78
1:B:206:SER:HB2	1:B:207:PRO:HD2	1.65	0.77
1:A:84:GLU:OE1	1:A:286:SER:HB3	1.85	0.76
1:A:389:THR:HG22	1:A:391:SER:H	1.53	0.74
1:A:260:MET:HG3	1:A:268:ILE:HD12	1.72	0.72
1:B:63:LEU:O	1:B:66:LYS:HB3	1.90	0.72
1:B:477:ILE:HD11	1:B:479:ILE:HG13	1.73	0.71
1:B:201:PRO:HG3	1:B:211:TRP:CZ3	2.26	0.71
1:A:91:ILE:CD1	1:A:377:VAL:HG21	2.21	0.70
1:A:270:GLU:HG3	1:A:320:ASN:O	1.91	0.69
1:B:471:CYS:HB2	1:B:477:ILE:HG23	1.73	0.69
1:A:124:SER:O	1:A:134:PHE:HB2	1.93	0.69
1:A:466:THR:H	1:A:487:ASN:ND2	1.90	0.68
1:B:448:HIS:HE1	1:B:450:THR:HG21	1.59	0.68
1:A:339:MET:SD	1:A:367:ALA:HB2	2.33	0.68
1:A:387:VAL:HG12	1:A:387:VAL:O	1.91	0.68
1:B:393:LEU:O	1:B:397:LYS:HG3	1.94	0.68
1:B:466:THR:H	1:B:487:ASN:ND2	1.92	0.68
1:B:477:ILE:HD11	1:B:479:ILE:CD1	2.23	0.67
1:A:338:GLU:H	1:A:370:HIS:CE1	2.13	0.67
1:A:432:GLY:O	1:A:436:ARG:HD2	1.95	0.67
1:B:253:ASP:HB2	1:B:383:ARG:NH2	2.10	0.66
1:A:436:ARG:HG2	1:A:436:ARG:NH1	2.10	0.66
1:B:104:LEU:HD22	1:B:257:LEU:HD22	1.78	0.65
1:B:108:LYS:NZ	1:B:244:ASN:O	2.30	0.65
1:B:192:VAL:HG12	1:B:193:TYR:N	2.12	0.65
1:A:259:HIS:HE1	1:A:375:HIS:NE2	1.95	0.64
1:B:369:ARG:HG3	1:B:370:HIS:CD2	2.33	0.64
1:A:390:CYS:HA	1:A:393:LEU:HB2	1.79	0.63
1:B:466:THR:H	1:B:487:ASN:HD22	1.45	0.63
1:B:425:SER:C	1:B:427:PHE:H	2.02	0.62
1:A:464:ARG:HB2	1:A:486:GLU:HB2	1.82	0.62
1:B:477:ILE:HD11	1:B:479:ILE:CG1	2.30	0.61
1:A:475:HIS:CD2	1:A:493:ASN:ND2	2.69	0.61
1:A:270:GLU:CD	1:A:383:ARG:HH12	2.03	0.60
1:B:192:VAL:HG12	1:B:193:TYR:H	1.66	0.60
1:A:454:ASN:ND2	1:A:476:LYS:HG3	2.17	0.60
1:B:259:HIS:HE1	1:B:375:HIS:NE2	2.00	0.59
1:B:484:ILE:HG12	1:B:484:ILE:O	2.01	0.59
1:B:201:PRO:HG3	1:B:211:TRP:HZ3	1.67	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:437:ILE:HD13	1:A:457:LEU:HD22	1.85	0.57
1:A:490:VAL:HG23	1:B:494:LEU:HD11	1.87	0.56
1:B:20:ASN:CB	1:B:20:ASN:C	2.72	0.55
1:B:94:GLN:CB	1:B:95:PRO:CD	2.83	0.55
1:A:410:LEU:HD21	1:A:414:ARG:HB3	1.89	0.55
1:B:77:ILE:HG13	1:B:77:ILE:O	2.06	0.55
1:B:448:HIS:CE1	1:B:450:THR:HG21	2.34	0.55
1:A:142:ILE:HD11	1:A:179:ILE:CB	2.37	0.55
1:B:129:ARG:NH1	1:B:396:VAL:O	2.40	0.54
1:B:159:ASN:HD21	1:B:183:SER:HB2	1.72	0.54
1:A:436:ARG:NH1	1:A:436:ARG:CG	2.66	0.54
1:B:425:SER:C	1:B:427:PHE:N	2.61	0.54
1:A:214:PRO:HG2	1:A:218:ASP:OD1	2.09	0.52
1:B:446:LEU:HD11	1:B:449:LEU:HB2	1.90	0.52
1:B:222:SER:HA	1:B:225:VAL:HB	1.91	0.52
1:B:253:ASP:HB2	1:B:383:ARG:HH21	1.73	0.52
1:A:124:SER:HB2	1:A:135:LEU:HD22	1.91	0.52
1:A:115:THR:O	1:A:118:GLY:N	2.40	0.52
1:A:100:ASN:ND2	1:A:100:ASN:H	2.07	0.52
1:B:270:GLU:OE1	1:B:383:ARG:NH1	2.43	0.52
1:A:260:MET:CG	1:A:268:ILE:HD12	2.40	0.51
1:B:128:VAL:O	1:B:397:LYS:HE2	2.09	0.51
1:B:381:ARG:O	1:B:382:SER:C	2.48	0.51
1:B:419:PRO:HB3	1:B:446:LEU:O	2.10	0.51
1:A:191:ARG:HE	1:A:212:TYR:HB3	1.75	0.51
1:A:336:ASN:ND2	1:A:370:HIS:HB3	2.25	0.51
1:B:81:ASN:O	1:B:83:ASP:N	2.44	0.51
1:A:149:TYR:O	1:A:150:ASP:HB2	2.10	0.51
1:A:387:VAL:O	1:A:387:VAL:CG1	2.60	0.50
1:A:400:LEU:HD11	1:A:414:ARG:HD3	1.93	0.50
1:B:383:ARG:HH11	1:B:383:ARG:HG3	1.77	0.50
1:B:389:THR:HG22	1:B:391:SER:H	1.77	0.50
1:B:477:ILE:HD11	1:B:479:ILE:HD12	1.91	0.50
1:A:484:ILE:HG22	1:A:484:ILE:O	2.12	0.49
1:A:270:GLU:OE2	1:A:320:ASN:HB3	2.12	0.49
1:B:401:PHE:CD1	1:B:408:LEU:HB3	2.48	0.49
1:A:217:GLY:HA2	1:A:364:CYS:N	2.27	0.48
1:A:466:THR:O	1:A:487:ASN:HA	2.13	0.48
1:A:400:LEU:HD21	1:A:419:PRO:HD3	1.95	0.48
1:B:465:GLY:HA3	1:B:487:ASN:HD21	1.78	0.48
1:A:469:ILE:HG12	1:A:490:VAL:HG13	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:464:ARG:O	1:B:486:GLU:HA	2.13	0.48
1:A:129:ARG:O	1:A:132:ASN:HB2	2.13	0.47
1:A:115:THR:HA	1:A:119:CYS:O	2.13	0.47
1:B:258:ASN:O	1:B:261:ILE:HG22	2.14	0.47
1:B:390:CYS:HA	1:B:393:LEU:HB2	1.96	0.47
1:B:391:SER:OG	1:B:421:ILE:HG22	2.14	0.47
1:A:448:HIS:O	1:A:466:THR:HA	2.15	0.47
1:B:451:ILE:HA	1:B:469:ILE:O	2.14	0.47
1:B:214:PRO:HB2	1:B:218:ASP:HB2	1.97	0.47
1:A:189:PHE:CD1	1:A:214:PRO:HG3	2.50	0.46
1:A:410:LEU:HD23	1:A:411:ASP:O	2.16	0.46
1:B:69:ARG:O	1:B:69:ARG:HG3	2.16	0.46
1:B:270:GLU:HB2	1:B:320:ASN:HB2	1.97	0.46
1:B:161:PHE:CZ	1:B:211:TRP:HB2	2.51	0.46
1:B:192:VAL:CG1	1:B:193:TYR:N	2.79	0.46
1:A:381:ARG:O	1:A:382:SER:C	2.55	0.45
1:A:100:ASN:H	1:A:100:ASN:HD22	1.64	0.45
1:B:208:LEU:C	1:B:210:ALA:H	2.20	0.45
1:A:394:LEU:C	1:A:394:LEU:HD23	2.37	0.45
1:B:393:LEU:HD23	1:B:393:LEU:HA	1.83	0.45
1:A:47:LYS:C	1:A:49:GLU:H	2.19	0.45
1:A:77:ILE:HG13	1:A:77:ILE:O	2.16	0.45
1:B:258:ASN:HA	1:B:261:ILE:HG22	1.98	0.45
1:A:244:ASN:ND2	1:A:319:ASN:HB3	2.32	0.45
1:B:47:LYS:C	1:B:49:GLU:H	2.20	0.45
1:B:213:PRO:HA	1:B:214:PRO:HD3	1.80	0.45
1:A:109:LEU:HD12	1:A:244:ASN:HA	1.99	0.44
1:A:432:GLY:O	1:A:435:ALA:HB3	2.17	0.44
1:B:471:CYS:HB2	1:B:477:ILE:CG2	2.44	0.44
1:B:266:GLU:HA	1:B:324:ASN:HB2	1.99	0.44
1:B:450:THR:HG23	1:B:468:ILE:HG12	1.98	0.44
1:A:411:ASP:HA	1:A:412:PRO:HD2	1.81	0.44
1:B:271:LEU:O	1:B:378:VAL:HA	2.18	0.44
1:B:268:ILE:HG23	1:B:377:VAL:HG12	1.99	0.44
1:B:279:VAL:HG23	1:B:280:LYS:N	2.33	0.44
1:B:129:ARG:HD2	1:B:408:LEU:HD11	2.00	0.43
1:A:129:ARG:HD2	1:A:408:LEU:HD11	1.99	0.43
1:B:465:GLY:HA3	1:B:487:ASN:ND2	2.33	0.43
1:B:388:LYS:HB3	1:B:388:LYS:HE3	1.87	0.43
1:A:437:ILE:CD1	1:A:457:LEU:HD22	2.47	0.43
1:A:139:VAL:O	1:A:143:GLU:HB2	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:244:ASN:HD21	1:A:319:ASN:HB3	1.84	0.42
1:B:206:SER:O	1:B:207:PRO:C	2.58	0.42
1:B:398:SER:HB2	1:B:443:ILE:HG12	2.01	0.42
1:A:466:THR:H	1:A:487:ASN:HD22	1.64	0.42
1:B:246:ASP:OD2	1:B:388:LYS:NZ	2.52	0.42
1:B:260:MET:HG3	1:B:268:ILE:HD12	2.02	0.41
1:B:334:SER:O	1:B:335:SER:C	2.59	0.41
1:A:142:ILE:HD12	1:A:143:GLU:N	2.34	0.41
1:A:175:SER:O	1:A:176:ALA:C	2.58	0.41
1:A:204:TYR:CD1	1:A:205:ASP:HB2	2.56	0.41
1:B:192:VAL:CG1	1:B:193:TYR:H	2.31	0.41
1:B:477:ILE:O	1:B:477:ILE:HG13	2.21	0.41
1:A:79:SER:HA	1:A:80:PRO:HD2	1.74	0.41
1:A:338:GLU:O	1:A:370:HIS:HE1	2.02	0.41
1:B:267:TYR:OH	1:B:365:GLY:HA2	2.20	0.41
1:B:379:VAL:HB	1:B:383:ARG:HD3	2.01	0.41
1:B:283:THR:HG21	1:B:313:PHE:HD1	1.86	0.41
1:A:160:SER:O	1:A:164:ASP:HB2	2.21	0.41
1:A:425:SER:C	1:A:427:PHE:H	2.24	0.41
1:A:477:ILE:HD13	1:A:477:ILE:HG21	1.65	0.41
1:B:239:ILE:HD13	1:B:260:MET:HE2	2.03	0.41
1:A:271:LEU:O	1:A:378:VAL:HA	2.20	0.41
1:B:201:PRO:HB2	1:B:202:THR:H	1.79	0.40
1:B:156:LEU:HD23	1:B:182:ARG:O	2.20	0.40
1:B:306:GLU:O	1:B:309:ASN:HB3	2.21	0.40
1:A:100:ASN:ND2	1:A:100:ASN:N	2.67	0.40
1:A:115:THR:C	1:A:117:MET:H	2.24	0.40
1:A:267:TYR:CD2	1:A:368:ILE:HG13	2.56	0.40
1:A:339:MET:HE3	1:A:362:THR:HB	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	459/488 (94%)	399 (87%)	51 (11%)	9 (2%)	7 31
1	B	460/488 (94%)	400 (87%)	48 (10%)	12 (3%)	5 26
All	All	919/976 (94%)	799 (87%)	99 (11%)	21 (2%)	6 28

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	207	PRO
1	B	92	SER
1	B	94	GLN
1	A	344	ASN
1	B	48	PHE
1	B	207	PRO
1	B	279	VAL
1	B	335	SER
1	B	337	LEU
1	A	48	PHE
1	A	92	SER
1	A	276	ARG
1	B	82	PRO
1	B	95	PRO
1	A	96	GLU
1	A	116	SER
1	B	199	PRO
1	B	201	PRO
1	B	382	SER
1	A	176	ALA
1	A	68	SER

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	314/435 (72%)	279 (89%)	35 (11%)	6 24
1	B	318/435 (73%)	280 (88%)	38 (12%)	5 20

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	632/870 (73%)	559 (88%)	73 (12%)	5 22

All (73) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	THR
1	A	77	ILE
1	A	83	ASP
1	A	100	ASN
1	A	108	LYS
1	A	115	THR
1	A	128	VAL
1	A	135	LEU
1	A	138	SER
1	A	177	ASN
1	A	183	SER
1	A	195	ASP
1	A	207	PRO
1	A	261	ILE
1	A	278	ASP
1	A	279	VAL
1	A	296	VAL
1	A	315	ASN
1	A	336	ASN
1	A	339	MET
1	A	347	THR
1	A	369	ARG
1	A	377	VAL
1	A	379	VAL
1	A	383	ARG
1	A	395	LEU
1	A	436	ARG
1	A	437	ILE
1	A	444	VAL
1	A	447	ASP
1	A	452	THR
1	A	470	VAL
1	A	477	ILE
1	A	479	ILE
1	A	490	VAL
1	B	54	SER
1	B	57	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	92	SER
1	B	128	VAL
1	B	142	ILE
1	B	143	GLU
1	B	145	LEU
1	B	177	ASN
1	B	195	ASP
1	B	239	ILE
1	B	251	THR
1	B	258	ASN
1	B	267	TYR
1	B	296	VAL
1	B	315	ASN
1	B	330	ARG
1	B	341	ILE
1	B	369	ARG
1	B	379	VAL
1	B	380	PRO
1	B	381	ARG
1	B	383	ARG
1	B	388	LYS
1	B	395	LEU
1	B	444	VAL
1	B	446	LEU
1	B	448	HIS
1	B	450	THR
1	B	452	THR
1	B	457	LEU
1	B	460	ASP
1	B	462	THR
1	B	470	VAL
1	B	476	LYS
1	B	477	ILE
1	B	479	ILE
1	B	484	ILE
1	B	488	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	100	ASN
1	A	162	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	177	ASN
1	A	244	ASN
1	A	259	HIS
1	A	336	ASN
1	A	370	HIS
1	A	448	HIS
1	A	475	HIS
1	A	487	ASN
1	B	186	GLN
1	B	235	GLN
1	B	258	ASN
1	B	259	HIS
1	B	359	GLN
1	B	370	HIS
1	B	448	HIS
1	B	487	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	465/488 (95%)	-0.06	8 (1%) 70 49	38, 83, 112, 145	0
1	B	466/488 (95%)	0.00	13 (2%) 53 30	38, 91, 115, 154	0
All	All	931/976 (95%)	-0.03	21 (2%) 60 39	38, 87, 114, 154	0

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	204	TYR	3.3
1	A	167	THR	3.3
1	B	190	PRO	3.0
1	A	285	ILE	3.0
1	B	184	PHE	2.9
1	B	20	ASN	2.8
1	B	189	PHE	2.5
1	A	190	PRO	2.5
1	A	220	PHE	2.5
1	A	204	TYR	2.5
1	B	362	THR	2.4
1	A	205	ASP	2.3
1	B	282	GLY	2.3
1	B	154	PRO	2.3
1	B	55	PHE	2.2
1	B	202	THR	2.2
1	A	55	PHE	2.1
1	B	219	LEU	2.1
1	B	374	ALA	2.0
1	A	189	PHE	2.0
1	B	322	TRP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.