

Full wwPDB X-ray Structure Validation Report (i)

May 25, 2020 - 10:54 am BST

PDB ID	:	4IA5
Title	:	Hydratase from Lactobacillus acidophilus - SeMet derivative (apo LAH)
Authors	:	Khoshnevis, S.; Neumann, P.; Ficner, R.
Deposited on	:	2012-12-06
Resolution	:	2.22 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

:	4.02b-467
:	1.8.5 (274361), CSD as541be (2020)
:	1.13
:	2.11
:	20191225.v01 (using entries in the PDB archive December 25th 2019)
:	5.8.0158
:	7.0.044 (Gargrove)
:	Engh & Huber (2001)
:	Parkinson et al. (1996)
:	2.11

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.22 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	5912(2.24-2.20)
Clashscore	141614	6646 (2.24-2.20)
Ramachandran outliers	138981	6543 (2.24-2.20)
Sidechain outliers	138945	6544 (2.24-2.20)
RSRZ outliers	127900	5797(2.24-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain					
1	А	591	^{6%} 76%	20%	••			
1	В	591	66%	28%	••			

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:



Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	GOL	В	608	-	-	Х	Х



2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 9939 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Myosin-crossreactive antigen.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace		
1	А	577	Total 4679	C 2992	N 771	O 892	S 6	Se 18	0	0	0
1	В	579	Total 4696	C 3002	N 774	O 895	S 6	Se 19	0	1	0

• Molecule 2 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	Δ	1	Total	С	Ν	0	S	0	0
	л	I	12	6	1	4	1	0	0
9	В	1	Total	С	Ν	Ο	\mathbf{S}	0	0
	D		12	6	1	4	1		0

• Molecule 3 is POTASSIUM ION (three-letter code: K) (formula: K).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	2	Total K 2 2	0	0

• Molecule 4 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: $C_6H_{14}O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 8 & 6 & 2 \end{array}$	0	0
4	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 8 & 6 & 2 \end{array}$	0	0
4	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 8 & 6 & 2 \end{array}$	0	0
4	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 8 & 6 & 2 \end{array}$	0	0
4	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 8 & 6 & 2 \end{array}$	0	0

• Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	В	1	Total Na 1 1	0	0

• Molecule 6 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	В	1	Total 5	0 4	Р 1	0	0

• Molecule 7 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	В	1	$\begin{array}{ccc} {\rm Total} & {\rm C} & {\rm O} \\ 6 & 3 & 3 \end{array}$	0	0
7	В	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
7	В	1	$\begin{array}{ccc} {\rm Total} & {\rm C} & {\rm O} \\ 6 & 3 & 3 \end{array}$	0	0



• Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	А	209	Total O 209 209	0	0
8	В	264	Total O 265 265	0	1



3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Myosin-crossreactive antigen



Me 400 LL2.24 V411 LL2.24 V411 P31 V413 L15.24 12.6 L15.24 12.6 L15.67 240.5 L15.76 443.5 L15.76 443.5 L15.76 443.5 L15.76 443.5 L15.76 443.5 L15.76 146.6 L15.76 146.5 L16.7 146.5



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants	168.75Å 78.97Å 108.77 Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{B}_{\mathrm{ascolution}}(\mathbf{\hat{A}})$	44.79 - 2.22	Depositor
Resolution (A)	$ \begin{array}{c ccccc} \dot{A} & 44.79 & - & 2.22 \\ \hline 45.82 & - & 2.22 \\ \hline teness & 88.4 & (44.79-2.22) \\ ange & 92.9 & (45.82-2.22) \\ \hline & & 0.04 \\ \hline & & & \\ \hline & & & \\ \hline & & & & \\ \hline & & & &$	EDS
% Data completeness	88.4 (44.79-2.22)	Depositor
(in resolution range)	92.9 (45.82 - 2.22)	EDS
R_{merge}	0.04	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$3.86 (at 2.22 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.8.1_1168	Depositor
B B.	0.214 , 0.259	Depositor
n, n_{free}	0.233 , 0.267	DCC
R_{free} test set	3370 reflections $(5.00%)$	wwPDB-VP
Wilson B-factor (Å ²)	31.0	Xtriage
Anisotropy	0.615	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.29 , 57.1	EDS
L-test for twinning ²	$ < L >=0.48, < L^2>=0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	9939	wwPDB-VP
Average B, all atoms $(Å^2)$	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.24% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



 $^{^1 {\}rm Intensities}$ estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MPD, NA, PO4, MES, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond	angles
	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.36	0/4781	0.54	0/6448
1	В	0.40	0/4798	0.61	0/6470
All	All	0.38	0/9579	0.57	0/12918

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4679	0	4543	88	0
1	В	4696	0	4558	145	0
2	А	12	0	12	0	0
2	В	12	0	12	0	0
3	А	2	0	0	0	0
4	А	24	0	42	5	0
4	В	16	0	28	6	0
5	В	1	0	0	0	0
6	В	5	0	0	0	0
7	В	18	0	24	5	0
8	А	209	0	0	4	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	В	265	0	0	10	0
All	All	9939	0	9219	232	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (232) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	At0111-2	distance (Å)	overlap (Å)
1:A:52:ILE:HB	1:A:241:VAL:HG23	1.57	0.87
1:B:47[A]:MSE:HE3	1:B:524:LEU:HD11	1.63	0.81
1:A:186:PHE:HE1	4:A:604:MPD:H31	1.46	0.81
1:B:28:ILE:HD11	1:B:287:VAL:HG22	1.63	0.80
1:B:266:ILE:HB	1:B:277:ILE:HG13	1.65	0.78
1:B:429:CYS:HB3	1:B:433:GLU:HB2	1.64	0.77
1:B:36:SER:HB3	1:B:93:MSE:HE1	1.69	0.75
1:A:23:LYS:O	1:A:51:ASN:ND2	2.20	0.73
1:A:158:LYS:NZ	1:A:477:ASP:OD2	2.19	0.72
1:B:92:ASP:O	1:B:95:ARG:HG3	1.90	0.71
1:B:196:GLU:OE1	1:B:475:ARG:NH2	2.24	0.71
1:A:236:LEU:HB3	1:A:241:VAL:HG11	1.73	0.71
1:B:49:GLY:HA2	1:B:52:ILE:HD12	1.73	0.71
1:B:249:VAL:HA	1:B:268:MSE:HB2	1.70	0.71
1:B:290:GLY:H	1:B:314:SER:HB3	1.56	0.70
1:B:41:LEU:HB3	1:B:47[B]:MSE:HE2	1.73	0.70
1:B:338:LEU:HG	1:B:473:MSE:HE3	1.74	0.70
1:B:47[B]:MSE:HE3	1:B:52:ILE:HG12	1.73	0.69
1:B:252:VAL:HG22	1:B:266:ILE:HG12	1.73	0.69
1:B:411:TYR:HB2	4:B:604:MPD:H11	1.73	0.69
1:B:266:ILE:HD11	1:B:285:VAL:HG21	1.75	0.68
1:B:236:LEU:HD23	1:B:241:VAL:HG21	1.75	0.68
1:B:479:ASP:O	8:B:961:HOH:O	2.14	0.65
1:A:26:TYR:HB2	1:A:285:VAL:HG22	1.79	0.64
1:A:359:TYR:O	1:A:362:ARG:HG2	1.97	0.64
1:B:208:ILE:HG21	1:B:546:ALA:HA	1.80	0.64
1:B:251:ASN:OD1	1:B:252:VAL:N	2.31	0.63
1:B:307:ILE:O	7:B:608:GOL:H31	1.99	0.62
1:A:538:TYR:HD1	1:B:540:ILE:HD11	1.63	0.61
1:B:540:ILE:HD13	1:B:584:LEU:HD13	1.82	0.61
1:B:228:MSE:HE1	1:B:509:THR:HG21	1.82	0.61
1:B:26:TYR:HB2	1:B:285:VAL:HG22	1.81	0.61



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:313:ASP:O	1:B:317:LEU:HG	2.01	0.61	
1:A:254:VAL:H	1:A:324:GLN:HE22	1.49	0.61	
1:B:52:ILE:HB	1:B:241:VAL:HG13	1.82	0.61	
1:A:82:GLU:HG3	1:A:217:LEU:HD22	1.82	0.60	
1:A:82:GLU:OE2	4:A:604:MPD:O2	2.18	0.60	
1:B:41:LEU:HD13	1:B:47[B]:MSE:HE1	1.83	0.60	
1:A:366:ARG:NH1	1:A:374:ASN:O	2.31	0.60	
1:B:303:THR:N	1:B:430:THR:OG1	2.35	0.59	
1:A:154:MSE:HE3	1:B:579:THR:HG21	1.84	0.59	
1:A:566:LYS:O	1:A:570:LYS:HG2	2.03	0.59	
1:A:340:GLU:OE2	1:A:425:ARG:NH1	2.36	0.59	
1:A:561:MSE:HE3	1:A:566:LYS:HD3	1.85	0.58	
1:A:252:VAL:HG13	1:A:321:LEU:HD21	1.86	0.58	
1:B:36:SER:CB	1:B:93:MSE:HE1	2.32	0.58	
1:B:185:MSE:HE3	1:B:214:PHE:HE1	1.68	0.58	
1:B:73:ALA:HB1	1:B:398:PHE:CD2	2.39	0.57	
1:A:297:THR:HB	1:A:306:PRO:HD2	1.86	0.57	
1:A:262:ILE:HD13	1:A:281:HIS:CE1	2.40	0.57	
1:B:54:ILE:HD11	1:B:243:PHE:CD2	2.40	0.57	
1:A:567:LEU:HD12	1:A:570:LYS:HZ2	1.69	0.57	
1:B:32:LEU:N	8:B:834:HOH:O	2.37	0.56	
1:A:186:PHE:CE1	4:A:604:MPD:H31	2.35	0.56	
1:B:576:ILE:HD13	1:B:581:VAL:HG12	1.87	0.56	
1:A:254:VAL:HG22	1:A:263:ALA:HA	1.88	0.56	
1:B:289:ASN:ND2	8:B:896:HOH:O	2.36	0.55	
1:B:332:ASP:OD1	1:B:332:ASP:N	2.37	0.55	
1:A:205:ILE:O	1:A:208:ILE:HG12	2.06	0.55	
1:B:26:TYR:CE2	1:B:283:ASP:HB3	2.41	0.55	
1:A:80:GLY:HA3	1:A:224:GLN:HB2	1.88	0.55	
1:A:11:PHE:CG	1:B:95:ARG:HG2	2.42	0.54	
1:B:430:THR:H	1:B:433:GLU:HG3	1.71	0.54	
1:B:432:LYS:HE3	1:B:436:GLU:OE2	2.07	0.54	
1:B:286:PHE:CD1	1:B:492:ALA:HB3	2.42	0.54	
1:B:208:ILE:HD11	1:B:550:MSE:HG3	1.88	0.54	
1:B:232:LEU:O	1:B:236:LEU:HD12	2.08	0.54	
1:B:318:TRP:CD2	1:B:331:PRO:HB3	2.43	0.53	
1:A:330:HIS:O	1:A:333:VAL:HG12	2.09	0.53	
1:A:292:ILE:HD13	1:A:471:TYR:CE2	2.43	0.53	
1:A:87:PHE:CG	1:A:510:GLU:HB2	2.42	0.53	
1:B:82:GLU:HG3	1:B:217:LEU:HD22	1.91	0.53	
1:A:267:VAL:HG12	1:A:276:GLU:HG2	1.91	0.53	



	1 1 1 1	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:416:ASP:HA	1:A:425:ARG:HD2	1.89	0.53	
1:B:74:GLY:HA2	1:B:348:THR:HG21	1.90	0.53	
1:B:402:ASN:ND2	1:B:404:ASP:OD1	2.42	0.52	
1:B:57:GLU:HA	1:B:247:CYS:O	2.09	0.52	
1:B:252:VAL:O	1:B:324:GLN:NE2	2.42	0.52	
1:B:166:GLU:HB2	1:B:190:LYS:O	2.10	0.52	
1:B:87:PHE:CG	1:B:510:GLU:HB2	2.45	0.52	
1:A:246:ASP:OD1	1:A:248:HIS:NE2	2.34	0.52	
1:B:22:LYS:O	1:B:282:ASN:HB3	2.10	0.52	
1:B:374:ASN:HD22	1:B:392:ILE:HG22	1.73	0.52	
1:B:80:GLY:HA3	1:B:224:GLN:HB2	1.90	0.52	
1:A:264:LYS:O	1:A:279:LEU:N	2.40	0.52	
1:A:87:PHE:CD2	1:A:510:GLU:HB2	2.45	0.52	
1:B:27:ILE:HB	1:B:54:ILE:HG22	1.91	0.52	
1:B:311:LYS:NZ	1:B:336:GLU:OE1	2.21	0.51	
1:B:262:ILE:HG12	1:B:489:ILE:HD12	1.92	0.51	
1:B:204:PHE:CZ	4:B:605:MPD:HM2	2.46	0.51	
1:B:579:THR:HG22	1:B:580:TRP:N	2.26	0.51	
1:B:184:THR:O	4:B:604:MPD:O4	2.28	0.51	
1:B:93:MSE:HE3	1:B:513:VAL:HG13	1.93	0.51	
1:B:307:ILE:HB	7:B:608:GOL:H31	1.93	0.50	
1:B:274:ASP:OD1	1:B:275:LYS:N	2.44	0.50	
1:A:544:LEU:HA	1:A:547:MSE:HE2	1.94	0.50	
1:A:76:VAL:HA	1:A:409:TRP:CH2	2.47	0.50	
1:A:266:ILE:HD12	1:A:277:ILE:HD11	1.94	0.50	
1:A:50:GLU:HG2	8:A:897:HOH:O	2.10	0.50	
1:A:133:ARG:HE	1:A:137:ASP:HB3	1.77	0.50	
1:B:30:SER:OG	1:B:56:GLU:HG2	2.12	0.50	
1:B:310:ALA:O	1:B:467:TYR:OH	2.16	0.49	
1:B:37:THR:HG21	1:B:286:PHE:CD2	2.47	0.49	
1:B:465:MSE:SE	1:B:468:ILE:HD13	2.62	0.49	
1:B:81:ARG:NH2	8:B:804:HOH:O	2.30	0.49	
1:B:38:ALA:HA	1:B:41:LEU:HD12	1.95	0.49	
1:B:321:LEU:HB3	1:B:328:PHE:CD2	2.47	0.49	
1:A:270:GLN:O	1:A:273:LYS:HG3	2.12	0.48	
1:B:307:ILE:HB	7:B:608:GOL:C3	2.43	0.48	
1:A:161:GLU:HG2	1:A:476:ARG:HG2	1.94	0.48	
1:B:480:ARG:NE	1:B:499:GLU:OE1	2.43	0.48	
1:A:471:TYR:CZ	1:A:496:ASN:HB2	2.48	0.48	
1:B:292:ILE:HD11	7:B:606:GOL:H12	1.95	0.48	
1:A:147:ASN:ND2	8:A:829:HOH:O	2.47	0.48	



		Interatomic	Clash	
Atom-1	Atom-2	distance $(Å)$	overlap (Å)	
1:A:26:TYR:CD1	1:A:53:HIS:HB2	2.49	0.48	
1:B:23:LYS:HA	1:B:282:ASN:HB3	1.94	0.48	
1:B:251:ASN:HB3	1:B:267:VAL:CG2	2.44	0.48	
1:B:426:ILE:HG13	1:B:434:ILE:HD11	1.95	0.47	
1:A:234:ALA:O	1:A:238:ASP:HB2	2.13	0.47	
1:A:368:LEU:HA	1:A:374:ASN:HD21	1.80	0.47	
1:A:423:LYS:HD3	1:A:423:LYS:HA	1.68	0.47	
1:B:3:TYR:OH	1:B:501:PRO:HG2	2.14	0.47	
1:B:193:SER:HB2	1:B:474:PRO:HA	1.96	0.47	
1:B:26:TYR:HE1	1:B:53:HIS:HD1	1.62	0.47	
1:A:421:TYR:CE1	1:A:446:GLU:HG2	2.49	0.47	
1:A:51:ASN:HA	8:A:898:HOH:O	2.13	0.47	
1:B:320:ASN:O	1:B:324:GLN:HG3	2.15	0.47	
1:B:432:LYS:HD2	8:B:924:HOH:O	2.14	0.47	
1:B:28:ILE:HG13	1:B:287:VAL:HA	1.96	0.47	
1:A:24:SER:HB3	1:A:51:ASN:OD1	2.14	0.47	
1:B:75:PHE:HB3	1:B:78:ARG:HG3	1.97	0.47	
1:A:421:TYR:HE1	1:A:446:GLU:HG2	1.80	0.46	
1:B:280:THR:HG22	1:B:282:ASN:H	1.80	0.46	
1:B:476:ARG:O	1:B:479:ASP:HB2	2.15	0.46	
1:B:330:HIS:HB2	1:B:479:ASP:OD1	2.16	0.46	
1:B:292:ILE:HD13	1:B:471:TYR:CE2	2.51	0.46	
1:B:23:LYS:HG2	1:B:282:ASN:HA	1.97	0.46	
1:B:307:ILE:H	7:B:608:GOL:H12	1.80	0.46	
1:B:386:TRP:HE3	1:B:388:LEU:HD13	1.81	0.46	
1:B:546:ALA:O	1:B:550:MSE:HB2	2.15	0.46	
1:B:233:LEU:HD22	1:B:243:PHE:CE2	2.51	0.46	
1:B:431:GLY:HA3	1:B:460:THR:O	2.15	0.46	
1:B:174:PHE:CD1	1:B:190:LYS:HE2	2.51	0.46	
1:B:356:LEU:HD13	1:B:458:MSE:SE	2.66	0.46	
1:A:130:ARG:HD3	1:A:440:TYR:CZ	2.51	0.45	
1:A:35:LEU:O	1:A:39:VAL:HG23	2.16	0.45	
1:B:430:THR:HG22	1:B:433:GLU:CG	2.46	0.45	
1:A:24:SER:OG	1:A:283:ASP:OD1	2.34	0.45	
1:B:318:TRP:CG	1:B:331:PRO:HB3	2.51	0.45	
1:B:318:TRP:HZ2	8:B:961:HOH:O	1.99	0.45	
1:B:335:CYS:HB2	1:B:467:TYR:CE2	2.51	0.45	
1:B:567:LEU:O	1:B:571:THR:HG23	2.16	0.45	
1:A:82:GLU:CD	1:A:82:GLU:H	2.20	0.45	
1:B:33:ALA:HB3	1:B:288:THR:HG23	1.98	0.45	
1:B:430:THR:HG22	1:B:433:GLU:HG3	1.99	0.45	



	to de pagen	Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
1:A:417:THR:O	1:A:425:ARG:HA	2.16	0.45	
1:A:353:ASN:OD1	1:A:355:LYS:HG3	2.16	0.45	
1:A:485:PRO:HG2	1:A:488:SER:HB2	1.99	0.45	
1:B:290:GLY:N	1:B:314:SER:HB3	2.26	0.45	
1:B:47[B]:MSE:HE2	1:B:47[B]:MSE:HB3	1.82	0.45	
1:A:24:SER:HA	1:A:51:ASN:ND2	2.31	0.45	
1:A:251:ASN:OD1	1:A:252:VAL:N	2.49	0.45	
1:A:204:PHE:CZ	4:A:604:MPD:HM2	2.52	0.45	
1:B:59:PRO:HB3	1:B:246:ASP:HB2	1.99	0.45	
1:A:82:GLU:HB3	1:A:219:PHE:CE2	2.52	0.44	
1:B:91:TRP:CE3	1:B:91:TRP:HA	2.51	0.44	
1:B:226:GLU:HG3	8:B:956:HOH:O	2.18	0.44	
1:B:471:TYR:CZ	1:B:496:ASN:HB2	2.53	0.44	
1:B:430:THR:N	1:B:433:GLU:HG3	2.32	0.44	
1:A:279:LEU:HD22	1:A:283:ASP:CG	2.38	0.44	
1:A:567:LEU:HD12	1:A:570:LYS:NZ	2.32	0.44	
1:B:144:LYS:HG2	8:B:864:HOH:O	2.17	0.44	
1:B:47[B]:MSE:HE3	1:B:52:ILE:CG1	2.43	0.44	
1:A:578:LYS:HD2	1:A:578:LYS:HA	1.73	0.44	
1:B:220:ASN:HD21	1:B:228:MSE:SE	2.51	0.43	
1:A:26:TYR:HD1	1:A:53:HIS:HB2	1.83	0.43	
1:A:278:ASP:O	1:A:279:LEU:HD23	2.18	0.43	
1:B:15:LYS:HB2	1:B:15:LYS:HE3	1.86	0.43	
1:B:286:PHE:CE1	1:B:492:ALA:HB3	2.54	0.43	
1:B:237:LYS:HD3	1:B:243:PHE:CE1	2.53	0.43	
1:B:28:ILE:CD1	1:B:287:VAL:HG22	2.41	0.43	
1:B:450:SER:HA	8:B:957:HOH:O	2.19	0.43	
1:B:254:VAL:HG22	1:B:263:ALA:HA	2.00	0.43	
1:B:23:LYS:HB3	1:B:47[A]:MSE:HE2	1.99	0.43	
1:B:54:ILE:HD11	1:B:243:PHE:CE2	2.54	0.43	
1:A:236:LEU:HB3	1:A:241:VAL:CG1	2.46	0.42	
1:A:76:VAL:HB	1:A:463:VAL:HG21	2.00	0.42	
1:B:24:SER:N	1:B:282:ASN:O	2.38	0.42	
1:B:318:TRP:CH2	1:B:497:PHE:HB3	2.53	0.42	
1:A:236:LEU:O	1:A:241:VAL:HG12	2.19	0.42	
1:A:340:GLU:HG3	1:A:416:ASP:HB3	2.00	0.42	
1:A:368:LEU:HA	1:A:374:ASN:ND2	2.33	0.42	
1:B:517:MSE:SE	1:B:531:PRO:HD2	2.70	0.42	
1:B:97:ILE:HA	1:B:98:PRO:HD3	1.94	0.42	
1:B:255:ASP:OD2	1:B:264:LYS:HD3	2.20	0.42	
1:B:321:LEU:HD13	1:B:493:PHE:CZ	2.54	0.42	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:160:ILE:HB	1:A:194:LEU:HD23	2.02	0.42
1:B:244:GLU:HB3	1:B:247:CYS:SG	2.60	0.42
1:B:563:LEU:H	1:B:563:LEU:HD12	1.84	0.42
1:A:237:LYS:HE3	1:A:237:LYS:HB2	1.89	0.42
1:A:270:GLN:HG2	1:A:271:ASN:OD1	2.20	0.42
1:A:432:LYS:HE3	1:A:454:SER:HA	2.02	0.42
1:A:356:LEU:HD22	1:A:439:LEU:HD22	2.02	0.41
1:A:523:LEU:HA	1:A:523:LEU:HD23	1.90	0.41
1:A:540:ILE:O	1:A:544:LEU:HG	2.21	0.41
1:B:169:PHE:CZ	1:B:197:MSE:HE2	2.55	0.41
1:B:75:PHE:HD1	1:B:77:VAL:HG12	1.85	0.41
1:A:202:MSE:HE3	1:A:537:ILE:HG12	2.01	0.41
1:A:576:ILE:O	1:A:579:THR:OG1	2.27	0.41
1:A:97:ILE:HA	1:A:98:PRO:HD3	1.87	0.41
1:B:402:ASN:H	1:B:405:GLN:NE2	2.18	0.41
1:A:107:TYR:OH	1:A:227:SER:HB3	2.20	0.41
1:A:253:GLU:HA	1:A:324:GLN:HE22	1.85	0.41
1:A:397:HIS:HD2	8:A:742:HOH:O	2.02	0.41
1:A:87:PHE:HB3	1:A:90:LEU:HB3	2.02	0.41
1:B:353:ASN:OD1	1:B:457:ASN:HA	2.20	0.41
4:B:605:MPD:H4	4:B:605:MPD:HM1	1.90	0.41
1:A:25:ALA:HA	1:A:284:ILE:O	2.20	0.41
1:A:471:TYR:CE1	1:A:496:ASN:HB2	2.56	0.41
1:B:191:TRP:CZ3	1:B:341:ARG:HG2	2.56	0.41
1:B:321:LEU:HD13	1:B:493:PHE:HZ	1.85	0.41
1:B:277:ILE:HG12	8:B:962:HOH:O	2.19	0.41
1:B:411:TYR:HB2	4:B:604:MPD:C1	2.46	0.41
1:B:84:GLU:HG2	4:B:605:MPD:H32	2.03	0.41
1:A:58:LEU:HA	1:A:59:PRO:HD3	1.92	0.40
1:B:107:TYR:OH	1:B:227:SER:HB3	2.21	0.40
1:B:4:SER:O	1:B:531:PRO:HA	2.21	0.40
4:A:606:MPD:HM1	4:A:606:MPD:H4	1.78	0.40
1:B:24:SER:OG	1:B:51:ASN:O	2.32	0.40

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	\mathbf{ntiles}
1	А	573/591~(97%)	563~(98%)	9 (2%)	1 (0%)	47	54
1	В	576/591~(98%)	565~(98%)	11 (2%)	0	100	100
All	All	1149/1182~(97%)	1128 (98%)	20~(2%)	1 (0%)	51	60

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	423	LYS

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	511/500~(102%)	490~(96%)	21 (4%)	30	37
1	В	512/500~(102%)	479~(94%)	33~(6%)	17	18
All	All	1023/1000~(102%)	969~(95%)	54 (5%)	23	26

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	1	MSE
1	А	24	SER
1	А	52	ILE
1	А	75	PHE
1	А	84	GLU



Mol	Chain	Res	Type
1	А	128	TYR
1	А	159	GLU
1	А	269	THR
1	А	271	ASN
1	А	273	LYS
1	А	278	ASP
1	А	332	ASP
1	А	447	SER
1	А	454	SER
1	А	507	PHE
1	А	550	MSE
1	А	563	LEU
1	A	570	LYS
1	A	571	THR
1	А	578	LYS
1	A	587	GLU
1	В	1	MSE
1	В	28	ILE
1	В	30	SER
1	В	47[A]	MSE
1	В	47[B]	MSE
1	В	48	LYS
1	В	56	GLU
1	В	75	PHE
1	В	83	MSE
1	В	84	GLU
1	В	95	ARG
1	В	128	TYR
1	В	151	LYS
1	В	226	GLU
1	В	273	LYS
1	В	277	ILE
1	B	288	THR
1	В	293	THR
1	B	314	SER
1	В	332	ASP
1	В	353	ASN
1	B	362	ARG
1	В	372	LYS
1	B	404	ASP
1	В	411	TYR
1	В	433	GLU



Continued from previous page...

Mol	Chain	Res	Type
1	В	475	ARG
1	В	507	PHE
1	В	550	MSE
1	В	574	ARG
1	В	577	LYS
1	В	578	LYS
1	В	586	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	256	HIS
1	А	324	GLN
1	А	374	ASN
1	В	385	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

5.6 Ligand geometry (i)

Of 14 ligands modelled in this entry, 3 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mal	True	Chain	Dec	Tinl	Bo	ond leng	ths	В	ond ang	les
	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	MES	В	602	-	12,12,12	2.12	1 (8%)	$14,\!16,\!16$	2.65	7 (50%)
6	PO4	В	603	-	4,4,4	0.99	0	6, 6, 6	0.49	0
4	MPD	В	604	-	7,7,7	0.20	0	$9,\!10,\!10$	0.46	0
7	GOL	В	607	-	$5,\!5,\!5$	0.35	0	5, 5, 5	0.32	0
4	MPD	А	604	-	7,7,7	0.28	0	$9,\!10,\!10$	0.55	0
4	MPD	А	605	-	$7,\!7,\!7$	0.29	0	$9,\!10,\!10$	0.22	0
4	MPD	А	606	-	7,7,7	0.25	0	$9,\!10,\!10$	0.29	0
4	MPD	В	605	-	$7,\!7,\!7$	0.24	0	$9,\!10,\!10$	0.48	0
2	MES	А	601	-	12,12,12	2.17	1 (8%)	$14,\!16,\!16$	2.08	6 (42%)
7	GOL	В	606	-	5, 5, 5	0.33	0	5, 5, 5	0.31	0
7	GOL	В	608	-	5,5,5	0.37	0	5, 5, 5	0.45	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MES	В	602	-	-	1/6/14/14	0/1/1/1
4	MPD	В	604	-	-	0/5/5/5	-
7	GOL	В	607	-	-	2/4/4/4	-
4	MPD	А	604	-	-	1/5/5/5	-
4	MPD	А	605	-	-	3/5/5/5	-
4	MPD	А	606	-	-	2/5/5/5	-
4	MPD	В	605	-	-	1/5/5/5	-
2	MES	А	601	-	-	4/6/14/14	0/1/1/1
7	GOL	B	606	-	-	0/4/4/4	-
7	GOL	В	608	-	-	1/4/4/4	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	Ideal(Å)
2	А	601	MES	C8-S	-7.16	1.67	1.77
2	В	602	MES	C8-S	-7.01	1.67	1.77

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	В	602	MES	C5-N4-C3	5.20	120.53	108.83
2	В	602	MES	O1S-S-C8	4.85	112.76	106.92
2	А	601	MES	C5-N4-C3	4.05	117.95	108.83



Mol	Chain	\mathbf{Res}	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
2	А	601	MES	O2S-S-C8	3.78	111.47	106.92
2	В	602	MES	C7-N4-C3	3.49	120.17	111.23
2	В	602	MES	C7-N4-C5	3.10	119.16	111.23
2	В	602	MES	O2S-S-C8	2.73	110.20	106.92
2	А	601	MES	O1S-S-C8	2.69	110.16	106.92
2	А	601	MES	C7-N4-C5	2.52	117.67	111.23
2	А	601	MES	C6-C5-N4	-2.42	106.43	110.10
2	В	602	MES	C6-C5-N4	-2.32	106.59	110.10
2	А	601	MES	C7-N4-C3	2.24	116.96	111.23
2	В	602	MES	C2-C3-N4	-2.13	106.87	110.10

There are no chirality outliers.

Mol	Chain	Res	Type	Atoms
7	В	607	GOL	C1-C2-C3-O3
4	А	604	MPD	C2-C3-C4-C5
4	В	605	MPD	C2-C3-C4-O4
2	А	601	MES	C8-C7-N4-C3
2	В	602	MES	C8-C7-N4-C5
7	В	607	GOL	O2-C2-C3-O3
2	А	601	MES	C7-C8-S-O3S
4	А	605	MPD	O2-C2-C3-C4
7	В	608	GOL	O1-C1-C2-O2
4	А	606	MPD	C2-C3-C4-C5
2	А	601	MES	C7-C8-S-O1S
2	А	601	MES	C7-C8-S-O2S
4	А	606	MPD	C2-C3-C4-O4
4	А	605	MPD	C1-C2-C3-C4
4	А	605	MPD	CM-C2-C3-C4

All (15) torsion outliers are listed below:

There are no ring outliers.

6 monomers are involved in 16 short contacts:

Mol	Chain	\mathbf{Res}	Type	Clashes	Symm-Clashes
4	В	604	MPD	3	0
4	А	604	MPD	4	0
4	А	606	MPD	1	0
4	В	605	MPD	3	0
7	В	606	GOL	1	0
7	В	608	GOL	4	0



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2		$\mathbf{OWAB}(\mathbf{\AA}^2)$	Q < 0.9
1	А	559/591~(94%)	0.37	38 (6%) 17	16	29,61,99,127	0
1	В	561/591~(94%)	0.66	64 (11%) 5	4	25,67,109,127	4 (0%)
All	All	1120/1182~(94%)	0.52	102 (9%) 9	7	25,63,105,127	4 (0%)

All (102) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	281	HIS	7.0
1	В	266	ILE	6.8
1	В	267	VAL	5.8
1	А	564	PRO	5.5
1	В	254	VAL	5.3
1	В	279	LEU	5.2
1	А	77	VAL	4.7
1	А	568	ALA	4.5
1	В	73	ALA	4.5
1	В	327	ALA	4.4
1	В	563	LEU	4.3
1	А	75	PHE	4.2
1	В	567	LEU	4.1
1	В	75	PHE	4.1
1	В	491	LEU	4.1
1	А	272	GLY	4.0
1	В	278	ASP	4.0
1	А	254	VAL	4.0
1	А	266	ILE	4.0
1	В	54	ILE	3.9
1	A	78	ARG	3.8
1	В	252	VAL	3.8
1	В	328	PHE	3.8
1	В	286	PHE	3.7



Mol	Choin	i previo	Turne	DCD7
11101		res	Type	
1	A	569	VAL	3.7
1	B	258	GLY	3.7
1	A	556	LEU	3.5
1		256	HIS	3.5
1	B	272	GLY	3.5
1	A	60	VAL	3.5
1	<u> </u>	78	ARG	3.5
1	A	76	VAL	3.5
1	A	267	VAL	3.5
1	B	280	THR	3.3
1	A	50	GLU	3.3
1	А	263	ALA	3.3
1	В	243	PHE	3.3
1	А	262	ILE	3.2
1	В	27	ILE	3.2
1	В	493	PHE	3.2
1	A	567	LEU	3.1
1	В	277	ILE	3.1
1	В	281	HIS	3.1
1	В	296	SER	3.1
1	А	144	LYS	3.1
1	В	571	THR	3.1
1	В	256	HIS	3.0
1	В	270	GLN	3.0
1	В	283	ASP	3.0
1	В	271	ASN	2.9
1	В	403	PRO	2.9
1	В	489	ILE	2.9
1	А	327	ALA	2.9
1	В	28	ILE	2.8
1	В	307	ILE	2.8
1	В	494	ILE	2.8
1	А	258	GLY	2.8
1	A	277	ILE	2.7
1	В	287	VAL	2.7
1	А	279	LEU	2.7
1	A	572	GLY	2.6
1	A	280	THR	2.6
1	В	314	SER	2.6
1	В	305	ALA	2.6
1	В	26	TYR	2.6
1	D	467	TVD	2.6

ntin C_{c} $d f_{a}$



Mol	Chain	Res	Type	RSRZ
1	В	477	ASP	2.6
1	В	273	LYS	2.5
1	В	74	GLY	2.5
1	В	306	PRO	2.5
1	А	565	GLU	2.5
1	В	259	ASP	2.4
1	В	317	LEU	2.4
1	А	175	LYS	2.4
1	А	274	ASP	2.4
1	В	253	GLU	2.4
1	В	262	ILE	2.4
1	В	404	ASP	2.4
1	А	581	VAL	2.4
1	А	253	GLU	2.4
1	В	301	GLN	2.4
1	А	283	ASP	2.3
1	В	249	VAL	2.3
1	В	298	TYR	2.2
1	В	80	GLY	2.2
1	В	572	GLY	2.2
1	В	52	ILE	2.2
1	В	276	GLU	2.2
1	В	237	LYS	2.2
1	В	308	THR	2.2
1	А	48	LYS	2.2
1	В	288	THR	2.1
1	В	274	ASP	2.1
1	А	53	HIS	2.1
1	А	571	THR	2.1
1	В	245	TYR	2.1
1	В	57	GLU	2.0
1	А	557	ALA	2.0
1	В	487	GLY	2.0
1	А	273	LYS	2.0
1	В	492	ALA	2.0
1	А	359	TYR	2.0

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B}$ -factors $({f A}^2)$	Q<0.9
4	MPD	А	606	8/8	0.54	0.40	75,84,87,87	0
7	GOL	В	608	6/6	0.63	0.41	73,84,90,97	0
7	GOL	В	606	6/6	0.73	0.24	48,59,61,65	0
4	MPD	В	604	8/8	0.76	0.29	$39,\!45,\!54,\!60$	0
5	NA	В	601	1/1	0.80	0.33	$58,\!58,\!58,\!58$	0
4	MPD	А	604	8/8	0.85	0.34	$57,\!68,\!74,\!74$	0
4	MPD	А	605	8/8	0.86	0.26	47,60,66,69	0
2	MES	В	602	12/12	0.89	0.15	49,67,81,84	0
7	GOL	В	607	6/6	0.90	0.23	87,91,92,96	0
4	MPD	В	605	8/8	0.94	0.27	61,64,66,69	0
6	PO4	В	603	5/5	0.95	0.12	$50,\!67,\!70,\!83$	0
2	MES	А	601	12/12	0.96	0.14	45,70,84,84	0
3	K	А	602	1/1	0.96	0.12	$65,\!65,\!65,\!65$	0
3	K	A	603	1/1	0.96	0.09	54,54,54,54	0

6.5 Other polymers (i)

There are no such residues in this entry.

