



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 27, 2023 – 09:31 PM EDT

PDB ID : 3ICX  
Title : Crystal structure of Sulfolobus solfataricus Nop5 (135-380)  
Authors : Ye, K.  
Deposited on : 2009-07-19  
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.35  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1094 (3.10-3.10)
Clashscore	141614	1184 (3.10-3.10)
Ramachandran outliers	138981	1141 (3.10-3.10)
Sidechain outliers	138945	1141 (3.10-3.10)
RSRZ outliers	127900	1067 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	255	 66% 20% 12%
1	B	255	 67% 20% 12%
1	C	255	 71% 16% 12%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	C	501	-	-	X	-

## 2 Entry composition i

There are 2 unique types of molecules in this entry. The entry contains 5386 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pre mRNA splicing protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	225	1787	1134	318	330	5	0	0	0
1	B	225	1787	1134	318	330	5	0	0	0
1	C	225	1787	1134	318	330	5	0	0	0

There are 27 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	134	MET	-	expression tag	UNP Q97ZH3
A	381	HIS	-	expression tag	UNP Q97ZH3
A	382	HIS	-	expression tag	UNP Q97ZH3
A	383	HIS	-	expression tag	UNP Q97ZH3
A	384	HIS	-	expression tag	UNP Q97ZH3
A	385	HIS	-	expression tag	UNP Q97ZH3
A	386	HIS	-	expression tag	UNP Q97ZH3
A	387	HIS	-	expression tag	UNP Q97ZH3
A	388	HIS	-	expression tag	UNP Q97ZH3
B	134	MET	-	expression tag	UNP Q97ZH3
B	381	HIS	-	expression tag	UNP Q97ZH3
B	382	HIS	-	expression tag	UNP Q97ZH3
B	383	HIS	-	expression tag	UNP Q97ZH3
B	384	HIS	-	expression tag	UNP Q97ZH3
B	385	HIS	-	expression tag	UNP Q97ZH3
B	386	HIS	-	expression tag	UNP Q97ZH3
B	387	HIS	-	expression tag	UNP Q97ZH3
B	388	HIS	-	expression tag	UNP Q97ZH3
C	134	MET	-	expression tag	UNP Q97ZH3
C	381	HIS	-	expression tag	UNP Q97ZH3
C	382	HIS	-	expression tag	UNP Q97ZH3
C	383	HIS	-	expression tag	UNP Q97ZH3
C	384	HIS	-	expression tag	UNP Q97ZH3

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	385	HIS	-	expression tag	UNP Q97ZH3
C	386	HIS	-	expression tag	UNP Q97ZH3
C	387	HIS	-	expression tag	UNP Q97ZH3
C	388	HIS	-	expression tag	UNP Q97ZH3

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	153.65Å 122.13Å 71.79Å 90.00° 107.67° 90.00°	Depositor
Resolution (Å)	20.00 – 3.10 19.95 – 3.10	Depositor EDS
% Data completeness (in resolution range)	99.1 (20.00-3.10) 99.1 (19.95-3.10)	Depositor EDS
$R_{merge}$	0.15	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.95 (at 3.09Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.261 , 0.304 0.259 , 0.303	Depositor DCC
$R_{free}$ test set	1169 reflections (5.14%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	52.4	Xtrriage
Anisotropy	0.031	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 32.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.86	EDS
Total number of atoms	5386	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	23.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 26.50 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.6059e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.49	0/1812	0.61	0/2439
1	B	0.46	0/1812	0.59	0/2439
1	C	0.46	0/1812	0.58	0/2439
All	All	0.47	0/5436	0.59	0/7317

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1787	0	1834	46	0
1	B	1787	0	1834	36	0
1	C	1787	0	1834	30	0
2	A	10	0	0	0	0
2	B	5	0	0	1	0
2	C	10	0	0	2	0
All	All	5386	0	5502	107	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:225:ILE:HG23	1:A:229:ASP:HB2	1.31	1.11
1:A:189:PHE:HE2	1:A:199:SER:HB2	1.21	1.02
1:A:189:PHE:CE2	1:A:199:SER:HB2	1.99	0.97
1:B:269:VAL:HB	1:B:273:LEU:HD23	1.49	0.92
1:A:225:ILE:CG2	1:A:229:ASP:HB2	2.06	0.85
1:C:209:ARG:HH11	1:C:209:ARG:HB3	1.42	0.83
1:A:236:ILE:HD11	1:B:146:ALA:HB1	1.59	0.82
1:C:269:VAL:HB	1:C:273:LEU:HD23	1.60	0.82
1:A:146:ALA:HB1	1:B:236:ILE:HD11	1.60	0.81
1:A:269:VAL:HB	1:A:273:LEU:HD23	1.60	0.81
1:A:168:HIS:HB2	1:A:225:ILE:CD1	2.14	0.78
1:C:189:PHE:CE2	1:C:199:SER:HB2	2.18	0.78
1:C:168:HIS:HB2	1:C:225:ILE:HD13	1.66	0.77
1:A:168:HIS:HB2	1:A:225:ILE:HD12	1.67	0.76
1:A:168:HIS:NE2	1:A:192:ARG:HG3	2.02	0.75
1:C:168:HIS:HB2	1:C:225:ILE:CD1	2.16	0.73
1:A:140:ALA:HB1	1:A:258:MET:HE1	1.75	0.68
1:A:189:PHE:HE2	1:A:199:SER:CB	2.03	0.67
1:C:225:ILE:HG23	1:C:229:ASP:HB2	1.77	0.65
1:C:189:PHE:HE2	1:C:199:SER:HB2	1.61	0.64
1:C:323:TYR:CE2	1:C:325:ALA:HB3	2.33	0.64
1:A:142:GLN:HE22	1:B:160:ARG:NH2	1.95	0.64
1:B:140:ALA:HB1	1:B:258:MET:HE1	1.80	0.64
1:A:359:ILE:HG13	1:A:363:LEU:HD22	1.78	0.64
1:A:225:ILE:HG23	1:A:229:ASP:CB	2.19	0.63
1:A:323:TYR:CE2	1:A:325:ALA:HB3	2.34	0.63
1:A:168:HIS:CD2	1:A:192:ARG:HG3	2.34	0.62
1:A:296:GLN:HE21	1:A:339:ARG:HA	1.64	0.62
1:A:183:ALA:O	1:A:187:SER:HB2	1.99	0.62
1:A:142:GLN:HE22	1:B:160:ARG:HH21	1.48	0.61
1:B:189:PHE:CE2	1:B:199:SER:HB3	2.36	0.61
1:C:140:ALA:HB1	1:C:258:MET:HE1	1.83	0.61
1:B:225:ILE:HD11	1:B:233:MET:CE	2.32	0.60
1:B:290:MET:O	1:B:350:ARG:NH2	2.36	0.58
1:C:370:ARG:O	1:C:374:ILE:HG13	2.03	0.58
1:C:362:GLN:H	1:C:362:GLN:NE2	2.00	0.58
1:B:164:TRP:CZ3	1:B:236:ILE:HD12	2.39	0.58
1:A:225:ILE:HG21	1:A:230:LEU:HD23	1.86	0.58
1:A:162:ARG:HE	1:A:179:HIS:CD2	2.23	0.57
1:C:164:TRP:HZ3	1:C:236:ILE:HD12	1.67	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:162:ARG:O	1:C:166:SER:HB2	2.05	0.57
1:B:323:TYR:CE2	1:B:325:ALA:HB3	2.39	0.57
1:A:140:ALA:HB1	1:A:258:MET:CE	2.33	0.57
1:A:168:HIS:HB2	1:A:225:ILE:HD11	1.86	0.57
1:B:140:ALA:HB1	1:B:258:MET:CE	2.35	0.56
1:C:164:TRP:CZ3	1:C:236:ILE:HD12	2.40	0.56
1:C:140:ALA:HB1	1:C:258:MET:CE	2.35	0.55
1:B:275:ALA:HA	1:B:278:LEU:HD12	1.88	0.55
1:B:135:LYS:HB3	1:B:138:LEU:HD12	1.87	0.55
1:B:164:TRP:HZ3	1:B:236:ILE:HD12	1.69	0.55
1:B:168:HIS:O	1:B:192:ARG:NH2	2.39	0.54
1:C:162:ARG:HH11	1:C:179:HIS:HD2	1.55	0.54
1:A:206:ASN:ND2	1:A:208:GLN:HB2	2.22	0.54
1:C:362:GLN:H	1:C:362:GLN:CD	2.10	0.54
1:B:258:MET:CE	1:B:275:ALA:HB2	2.38	0.53
1:B:206:ASN:HD21	1:B:208:GLN:HB2	1.73	0.53
1:C:142:GLN:NE2	1:C:142:GLN:HA	2.23	0.53
1:C:258:MET:HE1	1:C:275:ALA:HB2	1.90	0.53
1:A:258:MET:CE	1:A:275:ALA:HB2	2.39	0.53
1:A:275:ALA:HA	1:A:278:LEU:HD12	1.91	0.52
1:A:362:GLN:NE2	1:A:362:GLN:H	2.08	0.52
1:C:209:ARG:HH11	1:C:209:ARG:CB	2.17	0.52
1:B:168:HIS:NE2	1:B:192:ARG:HG2	2.25	0.52
1:C:248:ARG:NH1	2:C:501:SO4:O3	2.43	0.52
1:A:189:PHE:CE1	1:A:203:LEU:HD11	2.45	0.51
1:B:258:MET:HE1	1:B:275:ALA:HB2	1.93	0.51
1:A:357:ARG:HB3	1:A:357:ARG:CZ	2.40	0.51
1:A:154:ILE:O	1:A:158:SER:OG	2.29	0.51
1:A:258:MET:HE1	1:A:275:ALA:HB2	1.92	0.51
1:A:236:ILE:HD11	1:B:146:ALA:CB	2.35	0.50
1:B:142:GLN:NE2	1:B:142:GLN:HA	2.26	0.50
1:C:258:MET:CE	1:C:275:ALA:HB2	2.42	0.49
1:C:344:LYS:HG3	1:C:367:LEU:HD13	1.94	0.49
1:B:265:VAL:HG23	1:B:352:ASP:OD2	2.13	0.48
1:B:225:ILE:HD11	1:B:233:MET:HE1	1.95	0.48
1:C:189:PHE:HE1	1:C:203:LEU:HD11	1.77	0.48
1:B:359:ILE:HG13	1:B:363:LEU:HD22	1.94	0.48
1:C:180:GLU:OE2	1:C:248:ARG:NH2	2.46	0.48
1:B:248:ARG:O	1:B:252:ASN:ND2	2.47	0.47
1:A:168:HIS:CB	1:A:225:ILE:HD12	2.41	0.46
1:A:162:ARG:O	1:A:166:SER:CB	2.64	0.46

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:162:ARG:HE	1:A:179:HIS:HD2	1.62	0.46
1:B:162:ARG:O	1:B:166:SER:CB	2.64	0.46
1:C:230:LEU:HD13	1:C:234:ARG:HH21	1.80	0.46
1:A:323:TYR:HE2	1:A:325:ALA:HB3	1.78	0.46
1:B:248:ARG:NH1	2:B:501:SO4:O4	2.44	0.45
1:C:162:ARG:HE	1:C:179:HIS:CD2	2.35	0.45
1:C:168:HIS:NE2	1:C:192:ARG:HG2	2.31	0.45
1:A:280:ILE:HD11	1:A:319:ILE:HD13	1.98	0.45
1:B:162:ARG:O	1:B:166:SER:HB2	2.18	0.44
1:B:255:GLU:O	1:B:259:LYS:HG3	2.17	0.44
1:C:278:LEU:HD23	1:C:287:LEU:HD22	2.00	0.44
1:A:290:MET:O	1:A:350:ARG:NH2	2.51	0.44
1:B:162:ARG:HH11	1:B:179:HIS:HD2	1.66	0.44
1:A:225:ILE:HG22	1:A:226:SER:O	2.19	0.43
1:B:362:GLN:NE2	1:B:362:GLN:H	2.15	0.43
1:A:162:ARG:O	1:A:166:SER:HB2	2.20	0.42
1:A:164:TRP:CD1	1:A:233:MET:HE2	2.55	0.41
1:B:323:TYR:HB3	1:B:326:ILE:HD12	2.02	0.41
1:A:196:THR:HB	1:A:198:ASP:OD2	2.21	0.41
1:A:206:ASN:HD21	1:A:208:GLN:HB2	1.83	0.41
1:C:248:ARG:NH1	2:C:501:SO4:O2	2.54	0.41
1:A:277:LEU:HD21	1:A:320:ILE:HG22	2.02	0.41
1:B:240:ILE:HA	1:B:243:LEU:HD12	2.03	0.41
1:B:206:ASN:HD22	1:B:208:GLN:H	1.68	0.41
1:A:180:GLU:OE2	1:A:248:ARG:NH2	2.54	0.40
1:B:147:MET:HB3	1:B:147:MET:HE2	1.97	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	221/255 (87%)	208 (94%)	13 (6%)	0	100	100
1	B	221/255 (87%)	212 (96%)	9 (4%)	0	100	100
1	C	221/255 (87%)	210 (95%)	11 (5%)	0	100	100
All	All	663/765 (87%)	630 (95%)	33 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	188/211 (89%)	174 (93%)	14 (7%)	13	42
1	B	188/211 (89%)	171 (91%)	17 (9%)	9	34
1	C	188/211 (89%)	171 (91%)	17 (9%)	9	34
All	All	564/633 (89%)	516 (92%)	48 (8%)	10	37

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	152	LYS
1	A	158	SER
1	A	161	LEU
1	A	169	PHE
1	A	175	LEU
1	A	196	THR
1	A	209	ARG
1	A	214	LEU
1	A	247	ARG
1	A	254	LEU
1	A	320	ILE
1	A	341	LEU
1	A	362	GLN
1	A	363	LEU
1	B	152	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	159	GLU
1	B	161	LEU
1	B	175	LEU
1	B	196	THR
1	B	198	ASP
1	B	206	ASN
1	B	207	GLU
1	B	209	ARG
1	B	225	ILE
1	B	230	LEU
1	B	247	ARG
1	B	254	LEU
1	B	319	ILE
1	B	341	LEU
1	B	362	GLN
1	B	363	LEU
1	C	152	LYS
1	C	159	GLU
1	C	161	LEU
1	C	175	LEU
1	C	177	GLU
1	C	196	THR
1	C	198	ASP
1	C	207	GLU
1	C	209	ARG
1	C	212	ARG
1	C	225	ILE
1	C	230	LEU
1	C	247	ARG
1	C	254	LEU
1	C	319	ILE
1	C	341	LEU
1	C	362	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	142	GLN
1	A	155	ASN
1	A	179	HIS
1	A	206	ASN
1	A	296	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	362	GLN
1	B	142	GLN
1	B	155	ASN
1	B	179	HIS
1	B	206	ASN
1	B	251	ASN
1	B	252	ASN
1	B	296	GLN
1	B	322	GLN
1	B	362	GLN
1	C	142	GLN
1	C	155	ASN
1	C	179	HIS
1	C	206	ASN
1	C	296	GLN
1	C	362	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SO4	C	502	-	4,4,4	0.15	0	6,6,6	0.11	0
2	SO4	C	501	-	4,4,4	0.13	0	6,6,6	0.23	0
2	SO4	B	501	-	4,4,4	0.13	0	6,6,6	0.21	0
2	SO4	A	501	-	4,4,4	0.17	0	6,6,6	0.31	0
2	SO4	A	502	-	4,4,4	0.13	0	6,6,6	0.14	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	501	SO4	2	0
2	B	501	SO4	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	225/255 (88%)	-0.26	2 (0%) 84 69	7, 22, 38, 42	0
1	B	225/255 (88%)	-0.35	0 100 100	7, 22, 39, 42	0
1	C	225/255 (88%)	-0.32	0 100 100	7, 22, 38, 42	0
All	All	675/765 (88%)	-0.31	2 (0%) 94 88	7, 22, 39, 42	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	220	SER	2.4
1	A	211	ASN	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	SO4	A	502	5/5	0.76	0.27	92,92,92,93	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	SO4	C	502	5/5	0.83	0.24	85,85,86,86	0
2	SO4	A	501	5/5	0.95	0.16	64,64,65,65	0
2	SO4	C	501	5/5	0.96	0.11	61,61,62,62	0
2	SO4	B	501	5/5	0.96	0.13	48,48,49,50	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.