



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 20, 2023 – 07:00 PM EDT

PDB ID : 2IES  
Title : Crystal Structure of Aquifex aeolicus LpxC Complexed with Pyrophosphate  
Authors : Gennadios, H.A.; Christianson, D.W.  
Deposited on : 2006-09-19  
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1094 (3.10-3.10)
Clashscore	141614	1184 (3.10-3.10)
Ramachandran outliers	138981	1141 (3.10-3.10)
Sidechain outliers	138945	1141 (3.10-3.10)
RSRZ outliers	127900	1067 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	271	
1	B	271	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	CL	A	608	-	-	X	-

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 4417 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UDP-3-O-[3-hydroxymyristoyl] N-acetylglucosamine deacetylase.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
1	A	267	2166	1399	366	401	0	1	0
1	B	267	2166	1399	366	401	0	1	0


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	193	ALA	CYS	engineered mutation	UNP O67648
B	193	ALA	CYS	engineered mutation	UNP O67648

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Zn		
2	A	5	5	5	0	0

- Molecule 3 is PYROPHOSPHATE 2- (three-letter code: POP) (formula: H<sub>2</sub>O<sub>7</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O P 9 7 2	0	0
3	B	1	Total O P 9 7 2	0	0

- Molecule 4 is PALMITIC ACID (three-letter code: PLM) (formula: C<sub>16</sub>H<sub>32</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 18 16 2	0	0
4	B	1	Total C O 18 16 2	0	0

- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	2	Total Cl 2 2	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	13	Total O 13 13	0	0
6	B	11	Total O 11 11	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: UDP-3-O-[3-hydroxymyristoyl] N-acetylglucosamine deacetylase



- Molecule 1: UDP-3-O-[3-hydroxymyristoyl] N-acetylglucosamine deacetylase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	98.85Å 98.85Å 125.66Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 3.10 26.51 – 3.10	Depositor EDS
% Data completeness (in resolution range)	(Not available) (50.00-3.10) 99.2 (26.51-3.10)	Depositor EDS
$R_{merge}$	0.13	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.96 (at 3.11Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.230 , 0.277 0.219 , 0.262	Depositor DCC
$R_{free}$ test set	1232 reflections (9.81%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	56.9	Xtrriage
Anisotropy	0.063	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 45.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.037 for h,-h-k,-l	Xtrriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	4417	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	39.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.87% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, PLM, CL, POP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.41	0/2212	0.65	1/2978 (0.0%)
1	B	0.41	0/2212	0.65	1/2978 (0.0%)
All	All	0.41	0/4424	0.65	2/5956 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	2
All	All	0	4

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	196	TRP	CA-C-N	-7.59	100.50	117.20
1	A	196	TRP	CA-C-N	-5.39	105.34	117.20

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	196	TRP	Mainchain
1	B	196	TRP	Mainchain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2166	0	2181	90	0
1	B	2166	0	2181	96	0
2	A	5	0	0	0	0
3	A	9	0	0	1	0
3	B	9	0	0	0	0
4	A	18	0	31	1	1
4	B	18	0	31	2	2
5	A	2	0	0	0	3
6	A	13	0	0	1	0
6	B	11	0	0	2	0
All	All	4417	0	4424	186	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (186) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:75:LYS:HB2	1:A:100:GLU:HB2	1.54	0.88
1:B:75:LYS:HB2	1:B:100:GLU:HB2	1.57	0.86
1:A:7:VAL:HG23	1:A:30:PRO:HG3	1.59	0.85
1:B:7:VAL:HG23	1:B:30:PRO:HG3	1.60	0.82
1:A:194:PHE:O	1:A:197[B]:GLU:HB3	1.83	0.77
1:A:195:ASP:C	1:A:197[B]:GLU:H	1.84	0.77
1:B:37:ILE:HD12	1:B:90:THR:O	1.85	0.77
1:A:37:ILE:HD12	1:A:90:THR:O	1.87	0.74
1:A:41:LYS:HE3	1:A:98:GLY:O	1.87	0.74
1:B:195:ASP:C	1:B:197[A]:GLU:H	1.87	0.74
1:B:41:LYS:HE3	1:B:98:GLY:O	1.88	0.73
1:A:55:HIS:NE2	1:A:57:ASN:HB2	2.05	0.71
1:B:55:HIS:NE2	1:B:57:ASN:HB2	2.05	0.71
1:B:194:PHE:O	1:B:197[A]:GLU:HB3	1.90	0.71
1:A:42:ASN:O	1:A:44:VAL:HG23	1.91	0.71
1:B:42:ASN:O	1:B:44:VAL:HG23	1.92	0.70
1:B:250:LEU:CD2	1:B:272:VAL:HG13	2.23	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:190:ARG:NH2	1:A:216:LEU:HD12	2.07	0.68
1:B:190:ARG:NH2	1:B:216:LEU:HD12	2.09	0.67
1:A:250:LEU:CD2	1:A:272:VAL:HG13	2.25	0.66
1:A:197[A]:GLU:HB2	1:A:200:HIS:HB3	1.77	0.65
1:B:243:LEU:HA	1:B:268:ASN:ND2	2.11	0.64
1:B:26:LEU:HD11	1:B:101:ILE:HG23	1.80	0.63
1:A:26:LEU:HD11	1:A:101:ILE:HG23	1.81	0.63
1:A:243:LEU:HA	1:A:268:ASN:ND2	2.13	0.62
1:B:158:GLU:HG3	1:B:172:LYS:HB3	1.82	0.62
1:B:232:GLU:HG2	1:B:233:ASN:N	2.15	0.62
1:A:82:SER:HA	1:A:245:GLY:HA2	1.82	0.61
1:A:158:GLU:HG3	1:A:172:LYS:HB3	1.81	0.61
1:A:232:GLU:HG2	1:A:233:ASN:N	2.15	0.61
1:B:82:SER:HA	1:B:245:GLY:HA2	1.82	0.61
1:A:143:ARG:HH11	1:A:143:ARG:HG2	1.65	0.61
1:B:211:SER:HA	4:B:802:PLM:HE1	1.81	0.61
1:A:109:TRP:HB2	1:A:188:LEU:HD23	1.82	0.61
1:B:196:TRP:CD1	1:B:196:TRP:O	2.54	0.61
1:B:197[B]:GLU:O	1:B:198:ILE:C	2.40	0.60
1:B:109:TRP:HB2	1:B:188:LEU:HD23	1.84	0.59
1:B:232:GLU:HG2	1:B:233:ASN:H	1.68	0.59
1:B:27:ILE:HG22	1:B:29:HIS:CD2	2.39	0.58
1:A:27:ILE:HG22	1:A:29:HIS:CD2	2.38	0.58
1:A:87:LEU:HD21	1:A:112:TYR:CE1	2.39	0.58
1:B:197[A]:GLU:O	1:B:198:ILE:HD13	2.03	0.58
1:A:196:TRP:O	1:A:196:TRP:CD1	2.57	0.58
1:B:143:ARG:HG2	1:B:143:ARG:HH11	1.69	0.57
1:B:87:LEU:HD21	1:B:112:TYR:CE1	2.39	0.57
1:A:197[B]:GLU:O	1:A:198:ILE:HD13	2.05	0.57
1:B:196:TRP:O	1:B:197[B]:GLU:HG3	2.05	0.57
1:A:130:PHE:CE2	1:A:250:LEU:HD13	2.40	0.56
1:B:196:TRP:O	1:B:197[B]:GLU:CG	2.54	0.56
1:B:278:LYS:O	1:B:280:LYS:N	2.38	0.56
1:A:80:ILE:HD13	1:A:111:PHE:CD2	2.41	0.56
1:B:40:PHE:CZ	1:B:43:GLY:HA2	2.40	0.55
1:A:232:GLU:HG2	1:A:233:ASN:H	1.71	0.55
1:A:49:ARG:NH1	1:A:251:GLY:HA3	2.21	0.55
1:A:278:LYS:O	1:A:280:LYS:N	2.38	0.55
1:B:193:ALA:HA	1:B:197[A]:GLU:OE2	2.06	0.55
1:B:59:SER:HA	1:B:78:GLU:OE2	2.07	0.55
1:B:86:LEU:HD21	1:B:244:ILE:HD13	1.89	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:59:SER:HA	1:A:78:GLU:OE2	2.07	0.55
1:B:80:ILE:HD13	1:B:111:PHE:CD2	2.42	0.55
1:A:40:PHE:CZ	1:A:43:GLY:HA2	2.42	0.54
1:B:130:PHE:CE2	1:B:250:LEU:HD13	2.41	0.54
1:A:80:ILE:HD13	1:A:111:PHE:CE2	2.41	0.54
1:B:49:ARG:NH1	1:B:251:GLY:HA3	2.22	0.54
1:B:211:SER:N	1:B:214:ASN:HD21	2.05	0.54
1:A:86:LEU:HD21	1:A:244:ILE:HD13	1.90	0.53
1:A:278:LYS:C	1:A:280:LYS:H	2.12	0.53
1:B:139:GLU:O	1:B:140:ASP:HB2	2.08	0.53
1:B:250:LEU:HD21	1:B:272:VAL:HG13	1.89	0.53
1:A:18:ILE:HD12	1:A:103:ILE:HG12	1.90	0.53
1:A:58:HIS:HA	3:A:701:POP:O2	2.09	0.53
1:A:196:TRP:O	1:A:197[A]:GLU:HB3	2.08	0.53
1:A:211:SER:N	1:A:214:ASN:HD21	2.06	0.53
1:B:80:ILE:HD13	1:B:111:PHE:CE2	2.43	0.53
1:B:104:LEU:HD12	1:B:111:PHE:CE1	2.43	0.53
1:B:163:ASN:HB3	1:B:196:TRP:HH2	1.74	0.53
1:A:197[A]:GLU:O	1:A:198:ILE:C	2.48	0.52
1:B:18:ILE:HD12	1:B:103:ILE:HG12	1.92	0.52
1:B:133:GLU:H	1:B:280:LYS:HD3	1.75	0.52
1:B:234:GLU:HB3	1:B:235:PRO:HD3	1.92	0.52
1:A:139:GLU:O	1:A:140:ASP:HB2	2.09	0.52
1:A:163:ASN:HB3	1:A:196:TRP:HH2	1.74	0.51
1:A:250:LEU:HD21	1:A:272:VAL:HG13	1.90	0.51
1:B:278:LYS:C	1:B:280:LYS:H	2.12	0.51
1:A:133:GLU:H	1:A:280:LYS:HD3	1.76	0.51
1:A:254:VAL:HG12	1:A:255:LYS:N	2.26	0.50
1:A:35:THR:HB	1:A:91:ASN:HB3	1.94	0.50
1:B:49:ARG:HH12	1:B:251:GLY:HA3	1.76	0.49
1:A:234:GLU:HB3	1:A:235:PRO:HD3	1.93	0.49
1:A:104:LEU:HD12	1:A:111:PHE:CE1	2.47	0.49
1:A:7:VAL:HA	1:A:118:ASN:O	2.12	0.49
1:B:35:THR:HB	1:B:91:ASN:HB3	1.95	0.49
1:A:113:GLU:OE2	1:A:117:LYS:HE3	2.13	0.48
1:B:216:LEU:HD11	1:B:229:LEU:HD23	1.96	0.48
1:A:49:ARG:HH12	1:A:251:GLY:HA3	1.78	0.48
1:A:143:ARG:HG2	1:A:143:ARG:NH1	2.29	0.48
1:A:145:ILE:HG13	1:A:267:LEU:CD2	2.43	0.48
1:A:230:ARG:NH2	6:A:808:HOH:O	2.47	0.48
1:A:183:GLU:H	1:A:183:GLU:CD	2.18	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:7:VAL:HA	1:B:118:ASN:O	2.15	0.47
1:B:113:GLU:OE2	1:B:117:LYS:HE3	2.14	0.47
1:B:145:ILE:HG13	1:B:267:LEU:CD2	2.44	0.47
1:B:52:PHE:O	1:B:62:LEU:HA	2.14	0.47
1:B:183:GLU:H	1:B:183:GLU:CD	2.18	0.46
1:B:250:LEU:HD23	1:B:272:VAL:HG13	1.94	0.46
1:A:197[A]:GLU:C	1:A:199:GLU:N	2.66	0.46
1:B:254:VAL:HG12	1:B:255:LYS:N	2.30	0.46
1:A:197[A]:GLU:HB2	1:A:200:HIS:CB	2.43	0.46
1:A:254:VAL:CG1	1:A:255:LYS:N	2.79	0.46
1:A:52:PHE:O	1:A:62:LEU:HA	2.15	0.45
1:A:250:LEU:HD23	1:A:272:VAL:HG13	1.96	0.45
1:A:19:HIS:HA	1:A:207:GLY:H	1.82	0.45
1:A:3:LEU:HD13	1:A:123:GLN:O	2.17	0.45
1:A:80:ILE:HG23	1:A:81:LEU:N	2.32	0.45
1:A:278:LYS:O	1:A:279:GLN:HG2	2.16	0.45
1:A:5:LYS:HD3	1:A:120:ILE:HG21	1.99	0.45
1:B:278:LYS:O	1:B:279:GLN:HG2	2.16	0.45
1:B:82:SER:HA	1:B:245:GLY:CA	2.47	0.45
1:B:5:LYS:HD3	1:B:120:ILE:HG21	1.98	0.45
1:A:111:PHE:O	1:A:115:ILE:HG12	2.16	0.45
1:B:162:LYS:HD3	6:B:803:HOH:O	2.17	0.44
1:B:211:SER:N	1:B:214:ASN:ND2	2.66	0.44
1:A:198:ILE:HG21	4:A:801:PLM:HF1	1.98	0.44
1:A:216:LEU:HD11	1:A:229:LEU:HD23	1.99	0.44
1:A:264:GLY:O	1:A:265:HIS:C	2.55	0.44
1:B:18:ILE:HB	1:B:103:ILE:HG12	2.00	0.44
1:B:80:ILE:HG23	1:B:81:LEU:N	2.33	0.44
1:A:19:HIS:O	1:A:208:LYS:HB2	2.18	0.44
1:B:28:ILE:HD12	1:B:28:ILE:N	2.33	0.43
1:B:80:ILE:HG12	1:B:94:ILE:HD13	2.00	0.43
1:B:232:GLU:CG	1:B:233:ASN:N	2.81	0.43
1:B:18:ILE:HB	1:B:103:ILE:CG1	2.48	0.43
1:B:231:TYR:CD1	1:B:237:ARG:HD2	2.53	0.43
1:A:108:GLY:HA3	1:A:241:PHE:CZ	2.54	0.43
1:B:111:PHE:O	1:B:115:ILE:HG12	2.18	0.43
1:A:82:SER:HA	1:A:245:GLY:CA	2.48	0.43
1:B:130:PHE:CD2	1:B:250:LEU:HD13	2.53	0.43
1:B:5:LYS:HD3	1:B:120:ILE:CG2	2.48	0.43
1:B:29:HIS:HB2	1:B:93:THR:HB	1.99	0.43
1:B:143:ARG:HG2	1:B:143:ARG:NH1	2.32	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:19:HIS:HA	1:B:207:GLY:H	1.84	0.43
1:B:37:ILE:CD1	1:B:90:THR:O	2.63	0.43
1:A:231:TYR:CD1	1:A:237:ARG:HD2	2.53	0.43
1:B:60:THR:O	1:B:77:VAL:HG22	2.18	0.43
1:B:254:VAL:CG1	1:B:255:LYS:N	2.81	0.43
1:B:278:LYS:C	1:B:280:LYS:N	2.72	0.43
1:A:18:ILE:HB	1:A:103:ILE:HG12	2.01	0.43
1:A:278:LYS:C	1:A:280:LYS:N	2.72	0.43
1:A:5:LYS:HD3	1:A:120:ILE:CG2	2.48	0.42
1:A:29:HIS:HB2	1:A:93:THR:HB	2.01	0.42
1:B:19:HIS:O	1:B:208:LYS:HB2	2.19	0.42
1:A:55:HIS:CE1	1:A:57:ASN:HB2	2.54	0.42
1:A:80:ILE:HG12	1:A:94:ILE:HD13	2.02	0.42
1:B:46:ILE:HA	1:B:47:PRO:HD3	1.90	0.42
1:B:146:LYS:HB3	1:B:259:TYR:HB3	2.01	0.42
1:B:108:GLY:HA3	1:B:241:PHE:CZ	2.54	0.42
1:B:188:LEU:O	1:B:230:ARG:NH1	2.51	0.42
1:A:211:SER:N	1:A:214:ASN:ND2	2.67	0.42
1:B:212:LEU:HG	4:B:802:PLM:HF2	2.00	0.42
1:B:137:ILE:HG22	1:B:138:VAL:N	2.35	0.42
1:B:156:THR:OG1	1:B:174:THR:HG23	2.20	0.42
1:B:194:PHE:N	1:B:197[A]:GLU:HB3	2.34	0.42
1:B:55:HIS:CE1	1:B:57:ASN:HB2	2.55	0.41
1:A:18:ILE:HB	1:A:103:ILE:CG1	2.50	0.41
1:A:25:LYS:NZ	1:A:27:ILE:HD11	2.35	0.41
1:A:131:VAL:O	1:A:280:LYS:HD3	2.21	0.41
1:A:28:ILE:HD12	1:A:28:ILE:N	2.36	0.41
1:B:37:ILE:HD11	1:B:90:THR:HA	2.02	0.41
1:A:81:LEU:HA	1:A:81:LEU:HD23	1.82	0.41
1:A:130:PHE:CD2	1:A:250:LEU:HD13	2.54	0.41
1:A:146:LYS:HB3	1:A:259:TYR:HB3	2.01	0.41
1:B:25:LYS:NZ	1:B:27:ILE:HD11	2.35	0.41
1:B:243:LEU:HA	1:B:268:ASN:HD22	1.84	0.41
1:B:82:SER:HB2	1:B:245:GLY:HA3	2.03	0.41
1:B:55:HIS:HB3	1:B:61:ASP:OD2	2.20	0.41
1:A:82:SER:HB2	1:A:245:GLY:HA3	2.01	0.41
1:A:271:LEU:O	1:A:272:VAL:C	2.58	0.41
1:A:156:THR:OG1	1:A:174:THR:HG23	2.21	0.40
1:B:220:LYS:NZ	6:B:803:HOH:O	2.42	0.40
1:B:81:LEU:HD23	1:B:81:LEU:HA	1.83	0.40
1:B:197[B]:GLU:C	1:B:199:GLU:N	2.72	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:188:LEU:O	1:A:230:ARG:NH1	2.50	0.40
1:B:131:VAL:O	1:B:280:LYS:HD3	2.22	0.40
1:A:60:THR:O	1:A:77:VAL:HG22	2.21	0.40
1:A:137:ILE:HG22	1:A:138:VAL:N	2.36	0.40
1:B:167:PHE:CD2	1:B:221:ASP:HA	2.57	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:608:CL:CL	4:B:802:PLM:C4[3_464]	0.98	1.22
5:A:608:CL:CL	4:B:802:PLM:C5[3_464]	1.63	0.57
4:A:801:PLM:C4	5:A:607:CL:CL[6_665]	1.94	0.26

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	266/271 (98%)	230 (86%)	30 (11%)	6 (2%)	6	28
1	B	266/271 (98%)	228 (86%)	30 (11%)	8 (3%)	4	23
All	All	532/542 (98%)	458 (86%)	60 (11%)	14 (3%)	5	26

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	140	ASP
1	A	279	GLN
1	B	140	ASP
1	B	197[A]	GLU
1	B	197[B]	GLU
1	B	279	GLN

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	57	ASN
1	B	57	ASN
1	A	135	PRO
1	A	221	ASP
1	B	135	PRO
1	B	221	ASP
1	B	141	GLU
1	A	141	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	235/238 (99%)	224 (95%)	11 (5%)	26	59
1	B	235/238 (99%)	226 (96%)	9 (4%)	33	66
All	All	470/476 (99%)	450 (96%)	20 (4%)	30	62

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	GLU
1	A	57	ASN
1	A	134	GLU
1	A	144	LEU
1	A	151	ASP
1	A	191	THR
1	A	197[A]	GLU
1	A	197[B]	GLU
1	A	232	GLU
1	A	248	TYR
1	A	275	LEU
1	B	9	GLU
1	B	57	ASN
1	B	134	GLU
1	B	144	LEU

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	B	151	ASP
1	B	191	THR
1	B	232	GLU
1	B	248	TYR
1	B	275	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	79	HIS
1	A	122	ASN
1	A	238	HIS
1	A	268	ASN
1	B	79	HIS
1	B	122	ASN
1	B	238	HIS
1	B	268	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 7 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	PLM	B	802	-	17,17,17	1.49	2 (11%)	17,17,17	1.57	2 (11%)
3	POP	B	700	-	6,8,8	1.24	0	13,13,13	1.56	2 (15%)
4	PLM	A	801	-	17,17,17	1.37	2 (11%)	17,17,17	1.55	2 (11%)
3	POP	A	701	-	6,8,8	1.26	0	13,13,13	1.58	2 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PLM	B	802	-	-	12/15/15/15	-
3	POP	B	700	-	-	0/6/6/6	-
4	PLM	A	801	-	-	9/15/15/15	-
3	POP	A	701	-	-	0/6/6/6	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	802	PLM	C2-C1	4.58	1.61	1.50
4	A	801	PLM	C2-C1	4.09	1.60	1.50
4	B	802	PLM	O2-C1	2.36	1.30	1.22
4	A	801	PLM	O2-C1	2.32	1.29	1.22

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	801	PLM	CF-CE-CD	4.99	161.63	115.30
4	B	802	PLM	CF-CE-CD	4.94	161.13	115.30
3	B	700	POP	O2-P1-O	4.40	119.39	104.64
3	A	701	POP	O2-P1-O	4.34	119.18	104.64
4	B	802	PLM	CG-CF-CE	3.02	136.34	113.42
4	A	801	PLM	CG-CF-CE	2.96	135.86	113.42
3	B	700	POP	O6-P2-O5	2.30	116.43	107.64
3	A	701	POP	O6-P2-O5	2.18	115.95	107.64

There are no chirality outliers.

All (21) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	B	802	PLM	C5-C6-C7-C8
4	B	802	PLM	C8-C9-CA-CB
4	B	802	PLM	C9-CA-CB-CC
4	A	801	PLM	CC-CD-CE-CF
4	A	801	PLM	C9-CA-CB-CC
4	A	801	PLM	C5-C6-C7-C8
4	A	801	PLM	C8-C9-CA-CB
4	B	802	PLM	CA-CB-CC-CD
4	A	801	PLM	C2-C3-C4-C5
4	A	801	PLM	CB-CC-CD-CE
4	B	802	PLM	C3-C4-C5-C6
4	B	802	PLM	C6-C7-C8-C9
4	B	802	PLM	C1-C2-C3-C4
4	B	802	PLM	C2-C3-C4-C5
4	A	801	PLM	CD-CE-CF-CG
4	A	801	PLM	CA-CB-CC-CD
4	A	801	PLM	C6-C7-C8-C9
4	B	802	PLM	CB-CC-CD-CE
4	B	802	PLM	O2-C1-C2-C3
4	B	802	PLM	CC-CD-CE-CF
4	B	802	PLM	O1-C1-C2-C3

There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	802	PLM	2	2
4	A	801	PLM	1	1
3	A	701	POP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	267/271 (98%)	-0.18	6 (2%) 62 41	17, 37, 55, 82	0
1	B	267/271 (98%)	-0.14	5 (1%) 66 46	19, 37, 57, 81	0
All	All	534/542 (98%)	-0.16	11 (2%) 63 43	17, 37, 57, 82	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	280	LYS	3.1
1	B	142	GLY	2.6
1	B	279	GLN	2.6
1	A	279	GLN	2.4
1	B	141	GLU	2.4
1	B	126	GLU	2.3
1	A	32	LYS	2.3
1	B	124	ASN	2.2
1	A	124	ASN	2.1
1	A	35	THR	2.1
1	A	141	GLU	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.


## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	PLM	B	802	18/18	0.83	0.30	19,34,42,44	0
5	CL	A	608	1/1	0.86	0.18	18,18,18,18	1
2	ZN	A	602	1/1	0.87	0.16	26,26,26,26	1
5	CL	A	607	1/1	0.89	0.27	30,30,30,30	1
4	PLM	A	801	18/18	0.89	0.30	28,32,38,39	0
2	ZN	A	606	1/1	0.94	0.31	41,41,41,41	1
3	POP	A	701	9/9	0.94	0.19	59,60,61,61	0
2	ZN	A	604	1/1	0.95	0.15	30,30,30,30	1
3	POP	B	700	9/9	0.96	0.17	66,67,68,68	0
2	ZN	A	605	1/1	0.98	0.11	29,29,29,29	0
2	ZN	A	603	1/1	0.99	0.07	17,17,17,17	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [i](#)

There are no such residues in this entry.