

# Full wwPDB X-ray Structure Validation Report (i)

### Dec 3, 2023 - 11:52 pm GMT

PDB ID	:	2IWM
Title	:	precursor mutant Cys1Ser of Penicillin V Acylase from Bacillus sphaericus
Authors	:	Chandra, P.M.; Dodson, G.; Suresh, C.G.
Deposited on	:	2006-07-01
Resolution	:	2.50  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

## 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
Clashscore	141614	$5346 \ (2.50-2.50)$
Ramachandran outliers	138981	$5231 \ (2.50-2.50)$
Sidechain outliers	138945	5233(2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Note EDS was not executed.

Mol	Chain	Length	Quality of chain		
1	А	338	74%	19%	5% ••
1	В	338	69%	22%	7% ••
1	С	338	70%	22%	6% ••
1	D	338	67%	24%	7% •



#### 2IWM

## 2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 10733 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	224	Total	С	Ν	Ο	$\mathbf{S}$	0	0	0
	A	334	2606	1659	427	507	13	0		
1	р	334	Total	С	Ν	0	S	0	0	0
	I D		2606	1659	427	507	13			U
1	C	C 222	Total	С	Ν	0	S	0	0	0
	- 299	2599	1654	426	506	13	0	0	0	
1 D	333	Total	С	Ν	0	S	0	0	0	
		2599	1654	426	506	13		0	0	

• Molecule 1 is a protein called PENICILLIN ACYLASE.

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	4	SER	CYS	engineered mutation	UNP P12256
В	4	SER	CYS	engineered mutation	UNP P12256
С	4	SER	CYS	engineered mutation	UNP P12256
D	4	SER	CYS	engineered mutation	UNP P12256
А	101	ARG	THR	conflict	UNP P12256
В	101	ARG	THR	conflict	UNP P12256
С	101	ARG	THR	conflict	UNP P12256
D	101	ARG	THR	conflict	UNP P12256

• Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	90	Total O 90 90	0	0
2	В	72	Total O 72 72	0	0
2	С	72	Total O 72 72	0	0
2	D	89	Total O 89 89	0	0



## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Chain A: 19% 5% •• 74% • Molecule 1: PENICILLIN ACYLASE Chain B: 69% 22% 7% • Molecule 1: PENICILLIN ACYLASE Chain C: 70% 22% 6% ••
- Molecule 1: PENICILLIN ACYLASE



#### 

 $\bullet$  Molecule 1: PENICILLIN ACYLASE





## 4 Data and refinement statistics (i)

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source	
Space group	P 1 21 1	Depositor	
Cell constants	102.64Å 90.09Å 102.27Å	Depositor	
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $102.13^{\circ}$ $90.00^{\circ}$	Depositor	
Resolution (Å)	100.00 - 2.50	Depositor	
% Data completeness	99.8 (100.00-2.50)	Depositor	
(in resolution range)	55.0 (100.00 2.00)	Depositor	
$R_{merge}$	0.09	Depositor	
R <sub>sym</sub>	(Not available)	Depositor	
Refinement program	REFMAC 5.1.24	Depositor	
$R, R_{free}$	0.201 , $0.247$	Depositor	
Estimated twinning fraction	No twinning to report.	Xtriage	
Total number of atoms	10733	wwPDB-VP	
Average B, all atoms $(Å^2)$	27.0	wwPDB-VP	



## 5 Model quality (i)

## 5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.68	0/2661	0.91	12/3616~(0.3%)	
1	В	0.64	0/2661	0.91	18/3616~(0.5%)	
1	С	0.64	0/2654	0.86	9/3606~(0.2%)	
1	D	0.65	0/2654	0.88	8/3606~(0.2%)	
All	All	0.65	0/10630	0.89	47/14444~(0.3%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	1
1	В	0	1
1	С	0	1
All	All	0	3

There are no bond length outliers.

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
1	В	208	LEU	O-C-N	-11.19	104.79	122.70
1	А	13	ASP	CB-CG-OD2	8.09	125.58	118.30
1	В	208	LEU	C-N-CA	7.51	140.49	121.70
1	А	72	ASP	CB-CG-OD2	7.43	124.99	118.30
1	С	13	ASP	CB-CG-OD2	7.22	124.79	118.30
1	В	208	LEU	CA-C-N	7.11	132.83	117.20
1	В	209	ASP	O-C-N	7.05	133.99	122.70
1	D	72	ASP	CB-CG-OD2	6.99	124.59	118.30
1	А	207	ASP	CB-CG-OD2	6.57	124.21	118.30
1	В	327	ASP	CB-CG-OD2	6.53	124.18	118.30
1	A	64	ASP	CB-CG-OD2	6.46	124.11	118.30



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	D	225	ASP	CB-CG-OD2	6.21	123.89	118.30
1	В	209	ASP	CA-C-N	-6.12	103.73	117.20
1	А	327	ASP	CB-CG-OD2	6.11	123.80	118.30
1	А	23	ASP	CB-CG-OD2	6.05	123.74	118.30
1	В	316	ASP	CB-CG-OD2	6.04	123.74	118.30
1	С	298	ASP	CB-CG-OD2	6.01	123.71	118.30
1	С	327	ASP	CB-CG-OD2	5.98	123.68	118.30
1	С	120	ASP	CB-CG-OD2	5.94	123.65	118.30
1	А	316	ASP	CB-CG-OD2	5.93	123.64	118.30
1	А	120	ASP	CB-CG-OD2	5.93	123.64	118.30
1	В	162	ASP	CB-CG-OD2	5.93	123.64	118.30
1	А	209	ASP	CB-CG-OD2	5.92	123.63	118.30
1	В	72	ASP	CB-CG-OD2	5.87	123.58	118.30
1	D	207	ASP	CB-CG-OD2	5.81	123.53	118.30
1	D	29	ASP	CB-CG-OD2	5.72	123.45	118.30
1	D	14	ASP	CB-CG-OD2	5.70	123.43	118.30
1	В	241	TYR	C-N-CA	-5.63	107.62	121.70
1	В	94	ASP	CB-CG-OD2	5.62	123.36	118.30
1	С	23	ASP	CB-CG-OD2	5.55	123.29	118.30
1	В	207	ASP	CB-CG-OD2	5.54	123.29	118.30
1	D	327	ASP	CB-CG-OD2	5.49	123.24	118.30
1	D	151	ASP	CB-CG-OD2	5.46	123.22	118.30
1	В	298	ASP	CB-CG-OD2	5.45	123.20	118.30
1	А	14	ASP	CB-CG-OD2	5.42	123.18	118.30
1	В	29	ASP	CB-CG-OD2	5.27	123.04	118.30
1	В	14	ASP	CB-CG-OD2	5.22	123.00	118.30
1	С	121	ASP	CB-CG-OD2	5.20	122.98	118.30
1	С	72	ASP	CB-CG-OD2	5.18	122.96	118.30
1	А	13	ASP	CB-CG-OD1	-5.13	113.68	118.30
1	В	277	ASP	CB-CG-OD2	5.13	122.92	118.30
1	D	209	ASP	CB-CG-OD2	5.10	122.89	118.30
1	С	14	ASP	CB-CG-OD2	5.08	122.87	118.30
1	С	316	ASP	CB-CG-OD2	5.05	122.84	118.30
1	В	225	ASP	CB-CG-OD2	5.01	122.81	118.30
1	В	121	ASP	CB-CG-OD2	5.01	122.81	118.30
1	А	29	ASP	CB-CG-OD2	5.00	122.80	118.30

Continued from previous page...

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group	
1	А	94	ASP	Peptide	
Continued on next nage					



Continued from previous page...

Mol	Chain	$\mathbf{Res}$	Type	Group
1	В	208	LEU	Peptide
1	С	136	ASN	Peptide

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2606	0	2587	51	0
1	В	2606	0	2587	68	0
1	С	2599	0	2578	61	0
1	D	2599	0	2578	75	0
2	А	90	0	0	2	0
2	В	72	0	0	1	0
2	С	72	0	0	0	0
2	D	89	0	0	2	0
All	All	10733	0	10330	241	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (241) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:170:ARG:HG3	1:B:170:ARG:HH11	1.06	1.14
1:A:24:PHE:HB3	1:A:280:ILE:HD11	1.17	1.10
1:A:24:PHE:HB3	1:A:280:ILE:CD1	1.83	1.07
1:C:137:ILE:HG13	1:C:137:ILE:O	1.53	1.03
1:B:134:GLU:O	1:B:135:ALA:CB	2.13	0.95
1:D:95:GLU:OE1	1:D:95:GLU:HA	1.69	0.90
1:B:238:TRP:O	1:B:242:THR:HG23	1.72	0.89
1:A:24:PHE:CB	1:A:280:ILE:HD11	2.03	0.87
1:A:170:ARG:HH11	1:A:170:ARG:HG2	1.39	0.87
1:B:170:ARG:HG3	1:B:170:ARG:NH1	1.78	0.87
1:A:3:GLY:O	1:A:4:SER:OG	1.92	0.87
1:D:27:GLU:OE1	1:D:324:ARG:HD3	1.74	0.87
1:B:238:TRP:O	1:B:242:THR:CG2	2.23	0.86



	lo uo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:59:GLY:HA3	1:D:70:LEU:HD23	1.58	0.83
1:D:238:TRP:O	1:D:242:THR:CG2	2.26	0.83
1:D:238:TRP:O	1:D:242:THR:HG23	1.79	0.81
1:B:87:ALA:O	1:B:88:THR:HB	1.78	0.81
1:B:134:GLU:O	1:B:135:ALA:HB2	1.83	0.79
1:B:38:ASN:HA	1:B:52:ASN:HD21	1.48	0.78
1:A:170:ARG:HG2	1:A:170:ARG:NH1	1.98	0.76
1:C:137:ILE:O	1:C:137:ILE:CG1	2.35	0.74
1:B:170:ARG:HH11	1:B:170:ARG:CG	1.94	0.74
1:B:27:GLU:HB2	1:B:280:ILE:HG21	1.69	0.74
1:B:270:LEU:HD23	1:B:276:THR:HA	1.71	0.71
1:D:222:LEU:HD22	1:D:223:PRO:HD2	1.74	0.70
1:B:38:ASN:HA	1:B:52:ASN:ND2	2.06	0.70
1:A:2:LEU:HD12	1:A:25:THR:HG22	1.74	0.69
1:B:204:MET:HA	1:B:208:LEU:O	1.92	0.69
1:C:170:ARG:HH11	1:C:170:ARG:CG	2.05	0.68
1:A:126:LEU:HD12	1:A:159:ILE:CD1	2.22	0.68
1:B:88:THR:HG21	1:D:190:ARG:HH22	1.59	0.68
1:B:134:GLU:O	1:B:135:ALA:HB3	1.91	0.68
1:A:24:PHE:CB	1:A:280:ILE:CD1	2.69	0.67
1:D:332:ASN:O	1:D:333:GLN:CD	2.33	0.67
1:D:332:ASN:O	1:D:333:GLN:HB2	1.94	0.67
1:C:170:ARG:HH11	1:C:170:ARG:HG2	1.60	0.67
1:B:27:GLU:CB	1:B:280:ILE:HG21	2.25	0.66
1:D:31:LYS:HB2	1:D:320:PHE:O	1.95	0.66
1:C:137:ILE:O	1:C:139:LEU:N	2.28	0.66
1:D:332:ASN:O	1:D:333:GLN:CB	2.44	0.64
1:C:136:ASN:C	1:C:138:ILE:H	2.00	0.64
1:C:43:LEU:HD12	1:C:103:ILE:HG13	1.79	0.63
1:A:208:LEU:HD13	1:A:210:LEU:HD21	1.80	0.63
1:C:32:VAL:HG13	1:C:320:PHE:HB2	1.79	0.63
1:B:256:PHE:CD2	1:B:295:LYS:HE2	2.33	0.63
1:A:57:PHE:HE1	1:A:70:LEU:HD13	1.65	0.62
1:D:242:THR:HG21	1:D:258:ILE:CG1	2.29	0.62
1:B:136:ASN:N	1:B:136:ASN:HD22	1.98	0.61
1:C:137:ILE:C	1:C:139:LEU:N	2.52	0.61
1:C:137:ILE:HG12	1:C:139:LEU:CB	2.29	0.61
1:D:238:TRP:O	1:D:242:THR:HG22	1.98	0.61
1:B:4:SER:HB2	1:B:21:THR:O	2.01	0.61
1:C:137:ILE:O	1:C:138:ILE:C	2.37	0.61
1:A:53:ASN:HA	1:A:115:ASN:HD21	1.65	0.61



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:D:4:SER:HB3	1:D:21:THR:O	2.01	0.60
1:B:87:ALA:O	1:B:88:THR:CB	2.50	0.60
1:B:170:ARG:NH1	1:B:170:ARG:CG	2.58	0.60
1:C:42:ARG:NH1	1:C:48:ASN:ND2	2.50	0.60
1:D:1:MET:HE1	1:D:4:SER:OG	2.01	0.60
1:C:149:PHE:HE2	1:C:159:ILE:HD13	1.67	0.60
1:C:208:LEU:HD13	1:C:210:LEU:HD13	1.84	0.59
1:B:102:GLY:HA3	1:B:132:LEU:HD22	1.84	0.58
1:C:149:PHE:CE2	1:C:159:ILE:HD13	2.38	0.58
1:B:301:ARG:HB2	1:C:301:ARG:HG3	1.85	0.58
1:D:138:ILE:HD13	2:D:2015:HOH:O	2.03	0.58
1:D:57:PHE:HE1	1:D:70:LEU:HD13	1.68	0.58
1:B:213:PHE:CE1	1:C:180:PRO:HG3	2.38	0.58
1:C:170:ARG:HG2	1:C:170:ARG:NH1	2.18	0.58
1:D:137:ILE:HD13	1:D:137:ILE:N	2.19	0.58
1:C:42:ARG:HG2	1:C:67:SER:OG	2.04	0.57
1:C:39:TYR:CE1	1:C:317:LEU:HD13	2.39	0.57
1:C:137:ILE:HG12	1:C:139:LEU:HB2	1.86	0.57
1:A:42:ARG:NH2	1:A:45:GLU:O	2.39	0.56
1:B:222:LEU:HD22	1:B:223:PRO:HD2	1.87	0.56
1:D:76:GLU:HG3	1:D:77:LYS:HD3	1.86	0.56
1:C:42:ARG:HH11	1:C:48:ASN:ND2	2.04	0.56
1:A:126:LEU:HD12	1:A:159:ILE:HD13	1.87	0.56
1:B:238:TRP:O	1:B:242:THR:HG22	2.05	0.55
1:A:180:PRO:HG3	1:D:213:PHE:CE1	2.41	0.55
1:D:173:ILE:HD13	1:D:189:LEU:HD11	1.87	0.55
1:B:136:ASN:N	1:B:136:ASN:ND2	2.53	0.55
1:C:37:ARG:NH1	1:C:76:GLU:OE1	2.39	0.55
1:A:119:VAL:HG13	1:A:157:ILE:HG21	1.88	0.55
1:C:137:ILE:CG1	1:C:139:LEU:HB2	2.37	0.55
1:C:9:ILE:HG23	1:C:255:LEU:HD21	1.87	0.54
1:D:148:THR:HB	1:D:176:MET:CE	2.38	0.54
1:C:136:ASN:C	1:C:138:ILE:N	2.60	0.54
1:C:29:ASP:OD1	1:C:29:ASP:N	2.28	0.54
1:A:184:TRP:CD1	1:C:184:TRP:CD1	2.95	0.54
1:B:126:LEU:CD2	1:B:159:ILE:HG21	2.38	0.53
1:D:238:TRP:HA	1:D:238:TRP:CE3	2.43	0.53
1:A:170:ARG:HH11	1:A:170:ARG:CG	2.14	0.53
1:D:95:GLU:OE1	1:D:95:GLU:CA	2.52	0.53
1:A:11:THR:OG1	1:A:13:ASP:HB3	2.09	0.52
1:C:13:ASP:O	1:C:14:ASP:HB2	2.08	0.52



	to as pagem	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:3:GLY:C	1:A:4:SER:OG	2.43	0.52
1:B:332:ASN:O	1:B:334:VAL:HG23	2.10	0.52
1:A:4:SER:HB3	1:A:21:THR:O	2.09	0.52
1:C:83:MET:C	1:C:84:LEU:HD12	2.30	0.52
1:B:300:SER:OG	1:C:300:SER:O	2.28	0.52
1:B:84:LEU:HD13	1:B:176:MET:CE	2.41	0.51
1:B:330:GLN:HB3	1:B:334:VAL:HG23	1.92	0.51
1:D:102:GLY:HA3	1:D:132:LEU:HD22	1.92	0.51
1:A:11:THR:C	1:A:13:ASP:H	2.12	0.51
1:D:126:LEU:HD22	1:D:159:ILE:HG21	1.93	0.51
1:B:27:GLU:CB	1:B:280:ILE:CG2	2.88	0.51
1:C:57:PHE:HB3	1:C:75:ASN:HA	1.93	0.50
1:A:20:ARG:HD2	1:A:72:ASP:OD2	2.11	0.50
1:C:291:ASN:HD22	1:C:306:SER:HA	1.76	0.50
1:A:1:MET:CG	2:A:2002:HOH:O	2.60	0.50
1:A:146:HIS:HB2	1:A:160:GLU:HG2	1.93	0.50
1:C:193:ILE:HB	1:D:203:ILE:HG12	1.94	0.50
1:D:238:TRP:HA	1:D:238:TRP:HE3	1.77	0.49
1:C:170:ARG:HH11	1:C:170:ARG:CB	2.25	0.49
1:B:38:ASN:CA	1:B:52:ASN:HD21	2.20	0.49
1:D:3:GLY:HA3	2:D:2002:HOH:O	2.13	0.49
1:D:222:LEU:HD11	1:D:234:ARG:HG3	1.93	0.49
1:C:240:LYS:HD3	1:C:241:TYR:CZ	2.47	0.48
1:C:31:LYS:HB2	1:C:320:PHE:O	2.13	0.48
1:C:137:ILE:HG12	1:C:139:LEU:HB3	1.94	0.48
1:A:109:ILE:HG22	1:A:113:LEU:HD22	1.96	0.48
1:B:27:GLU:HB2	1:B:280:ILE:CG2	2.40	0.48
1:D:119:VAL:HA	1:D:122:VAL:HG13	1.96	0.48
1:D:227:THR:HB	1:D:228:PRO:CD	2.44	0.48
1:B:22:MET:O	1:B:280:ILE:HG13	2.14	0.47
1:B:83:MET:C	1:B:84:LEU:HD12	2.34	0.47
1:B:184:TRP:CD1	1:D:184:TRP:CD1	3.01	0.47
1:B:126:LEU:HD21	1:B:159:ILE:HG21	1.95	0.47
1:B:238:TRP:HA	1:B:238:TRP:CE3	2.49	0.47
1:D:1:MET:HB3	1:D:1:MET:HE2	1.45	0.47
1:B:88:THR:HG21	1:D:190:ARG:NH2	2.28	0.47
1:D:1:MET:CE	1:D:4:SER:OG	2.62	0.47
1:A:2:LEU:HD12	1:A:25:THR:CG2	2.41	0.47
1:B:301:ARG:HG2	2:B:2067:HOH:O	2.14	0.47
1:D:26:MET:O	1:D:28:PRO:HD3	2.13	0.47
1:A:126:LEU:HD12	1:A:159:ILE:HD12	1.97	0.47



	to as pagem	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:C:146:HIS:HB2	1:C:160:GLU:HG2	1.97	0.47	
1:D:242:THR:HG21	1:D:258:ILE:HG12	1.97	0.47	
1:C:211:THR:OG1	1:C:212:PRO:HD2	2.15	0.47	
1:C:43:LEU:HD13	1:C:111:GLN:NE2	2.29	0.47	
1:A:57:PHE:CE1	1:A:70:LEU:HD13	2.47	0.46	
1:B:291:ASN:HD22	1:B:306:SER:HA	1.80	0.46	
1:A:24:PHE:CE2	1:A:28:PRO:HD3	2.49	0.46	
1:A:85:TYR:CZ	1:A:144:PRO:HD2	2.50	0.46	
1:C:150:THR:HA	1:C:155:GLU:O	2.15	0.46	
1:C:211:THR:O	1:D:190:ARG:HB3	2.15	0.46	
1:D:180:PRO:HD2	1:D:185:HIS:NE2	2.29	0.46	
1:C:12:THR:OG1	1:C:246:LYS:HA	2.15	0.46	
1:C:137:ILE:C	1:C:139:LEU:H	2.15	0.46	
1:C:135:ALA:O	1:C:136:ASN:HB2	2.16	0.46	
1:C:208:LEU:HD13	1:C:210:LEU:CD1	2.46	0.46	
1:B:27:GLU:HB3	1:B:280:ILE:CG2	2.46	0.46	
1:D:9:ILE:HG12	1:D:255:LEU:HD21	1.98	0.46	
1:B:4:SER:CB	1:B:21:THR:O	2.63	0.46	
1:A:1:MET:HE2	1:A:1:MET:HB2	1.77	0.46	
1:B:178:ASN:HB2	1:B:228:PRO:HB3	1.98	0.46	
1:A:190:ARG:HB3	1:B:211:THR:O	2.17	0.45	
1:D:178:ASN:HB2	1:D:228:PRO:HB3	1.98	0.45	
1:D:231:ARG:HG2	1:D:262:VAL:HB	1.96	0.45	
1:D:43:LEU:HD12	1:D:103:ILE:HG13	1.97	0.45	
1:B:238:TRP:HA	1:B:238:TRP:HE3	1.82	0.45	
1:B:334:VAL:HG12	1:B:334:VAL:O	2.17	0.45	
1:D:106:VAL:O	1:D:106:VAL:HG13	2.16	0.45	
1:D:180:PRO:HD2	1:D:185:HIS:CE1	2.52	0.45	
1:D:196:THR:HB	1:D:197:PRO:HD2	1.98	0.45	
1:B:146:HIS:HB2	1:B:160:GLU:HG2	1.99	0.44	
1:A:204:MET:HG2	1:A:209:ASP:OD1	2.17	0.44	
1:C:33:ILE:O	1:C:58:VAL:HA	2.17	0.44	
1:D:1:MET:HE1	1:D:4:SER:HG	1.82	0.44	
1:D:79:LEU:HD13	1:D:113:LEU:HD12	2.00	0.44	
1:A:42:ARG:HG2	1:A:50:VAL:HG22	2.00	0.44	
1:C:84:LEU:O	1:C:146:HIS:HD2	2.00	0.44	
1:B:27:GLU:OE1	1:B:324:ARG:HD3	2.17	0.44	
1:B:208:LEU:HD23	1:B:208:LEU:HA	1.78	0.44	
1:D:231:ARG:HG2	1:D:262:VAL:CG1	2.47	0.44	
1:C:25:THR:HA	1:C:276:THR:O	2.16	0.43	
1:A:24:PHE:CD2	1:A:26:MET:O	2.71	0.43	



	louo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:103:ILE:CG2	1:A:131:LEU:HD12	2.48	0.43
1:C:211:THR:OG1	1:C:212:PRO:CD	2.66	0.43
1:D:227:THR:HB	1:D:228:PRO:HD2	2.00	0.43
1:D:242:THR:HG21	1:D:258:ILE:HD11	2.01	0.43
1:A:11:THR:OG1	1:A:13:ASP:CB	2.66	0.43
1:B:268:VAL:HG23	1:B:269:VAL:HG23	2.00	0.43
1:D:146:HIS:HB2	1:D:160:GLU:HG2	2.00	0.43
1:A:298:ASP:OD2	1:A:324:ARG:HG2	2.19	0.43
1:B:2:LEU:HD12	1:B:25:THR:HG22	2.00	0.43
1:C:146:HIS:CB	1:C:160:GLU:HG2	2.48	0.43
1:D:57:PHE:CD2	1:D:57:PHE:N	2.87	0.43
1:D:196:THR:HB	1:D:197:PRO:CD	2.48	0.43
1:C:105:PRO:HG2	1:C:142:ALA:HB1	2.01	0.43
1:D:293:TYR:HA	1:D:303:SER:O	2.19	0.43
1:A:146:HIS:CB	1:A:160:GLU:HG2	2.49	0.42
1:D:43:LEU:HD12	1:D:43:LEU:HA	1.62	0.42
1:D:280:ILE:CG2	1:D:281:TYR:N	2.82	0.42
1:B:85:TYR:CE2	1:B:87:ALA:HB2	2.55	0.42
1:B:116:CYS:SG	1:B:125:LYS:HG2	2.58	0.42
1:D:222:LEU:CD1	1:D:234:ARG:HG3	2.50	0.42
1:C:18:PHE:O	1:C:284:ALA:HA	2.19	0.42
1:C:289:SER:O	1:C:290:LYS:HB2	2.19	0.42
1:C:1:MET:HG2	1:C:22:MET:SD	2.60	0.42
1:A:160:GLU:HA	1:A:161:PRO:HD3	1.92	0.42
1:B:317:LEU:HD12	1:B:317:LEU:HA	1.83	0.42
1:D:61:GLY:HA3	1:D:69:VAL:O	2.20	0.42
1:D:172:THR:HB	1:D:182:TYR:CZ	2.54	0.42
1:A:39:TYR:CE1	1:A:317:LEU:HD13	2.55	0.42
1:B:88:THR:O	1:B:88:THR:HG22	2.19	0.41
1:B:150:THR:HA	1:B:155:GLU:O	2.20	0.41
1:B:205:MET:N	1:B:208:LEU:O	2.50	0.41
1:C:222:LEU:HD12	1:C:238:TRP:CZ2	2.55	0.41
1:D:170:ARG:HB2	1:D:170:ARG:NH1	2.35	0.41
1:A:323:ASP:OD1	1:A:323:ASP:C	2.59	0.41
1:B:56:ALA:CB	1:B:312:LEU:HD22	2.50	0.41
1:D:170:ARG:HB2	1:D:170:ARG:HH11	1.84	0.41
1:D:222:LEU:CD2	1:D:223:PRO:HD2	2.47	0.41
1:B:43:LEU:HD12	1:B:43:LEU:HA	1.96	0.41
1:D:278:TYR:CZ	1:D:280:ILE:HD12	2.55	0.41
1:A:31:LYS:HE2	2:A:2009:HOH:O	2.20	0.41
1:D:59:GLY:CA	1:D:70:LEU:HD23	2.41	0.41



A 4 1	A + 0	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:D:112:VAL:HG11	1:D:149:PHE:CE1	2.56	0.41
1:A:188:ASN:HD22	1:C:184:TRP:HZ2	1.69	0.41
1:B:103:ILE:HD11	1:B:111:GLN:HG3	2.03	0.41
1:A:76:GLU:O	1:A:290:LYS:HE2	2.21	0.41
1:B:119:VAL:HG21	1:B:155:GLU:HG2	2.01	0.41
1:C:240:LYS:NZ	1:D:204:MET:O	2.49	0.41
1:D:238:TRP:CE3	1:D:238:TRP:CA	3.03	0.41
1:B:26:MET:O	1:B:27:GLU:HG2	2.20	0.41
1:C:178:ASN:HB2	1:C:228:PRO:HB3	2.03	0.41
1:A:40:GLY:O	1:A:41:ILE:HD13	2.21	0.41
1:D:45:GLU:OE2	1:D:66:THR:OG1	2.38	0.41
1:B:34:ILE:HD13	1:B:310:GLU:HG3	2.02	0.40
1:D:125:LYS:HA	1:D:125:LYS:HD3	1.83	0.40
1:D:259:LEU:HD23	1:D:259:LEU:HA	1.91	0.40
1:A:24:PHE:HE2	1:A:28:PRO:HD3	1.85	0.40
1:D:15:LYS:HD2	1:D:248:GLU:HB2	2.03	0.40
1:A:141:PHE:O	1:A:143:PRO:HD3	2.22	0.40
1:B:84:LEU:HD13	1:B:176:MET:HE2	2.03	0.40
1:A:141:PHE:CD2	1:A:141:PHE:N	2.89	0.40
1:A:303:SER:HB3	1:D:331:LEU:HD22	2.03	0.40
1:D:122:VAL:HG22	1:D:157:ILE:HD11	2.03	0.40
1:B:76:GLU:O	1:B:290:LYS:HE2	2.21	0.40
1:C:11:THR:HG1	1:C:15:LYS:H	1.68	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	332/338~(98%)	314 (95%)	16 (5%)	2 (1%)	25	43
1	В	332/338~(98%)	310 (93%)	16 (5%)	6 (2%)	8	14



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	С	331/338~(98%)	306 (92%)	22~(7%)	3(1%)	17 31
1	D	331/338~(98%)	316 (96%)	15~(4%)	0	100 100
All	All	1326/1352 (98%)	1246 (94%)	69~(5%)	11 (1%)	19 35

All (11) Ramachandran outliers are listed below:

Mol	Chain	$\mathbf{Res}$	Type
1	В	2	LEU
1	В	135	ALA
1	В	138	ILE
1	В	209	ASP
1	С	136	ASN
1	С	137	ILE
1	А	2	LEU
1	А	4	SER
1	С	138	ILE
1	В	27	GLU
1	В	28	PRO

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	290/294~(99%)	257~(89%)	33 (11%)	5 11
1	В	290/294~(99%)	250~(86%)	40 (14%)	3 6
1	$\mathbf{C}$	289/294~(98%)	246~(85%)	43 (15%)	3 5
1	D	289/294~(98%)	247 (86%)	42 (14%)	3 6
All	All	1158/1176~(98%)	1000 (86%)	158 (14%)	3 7

All (158) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	1	MET
Continued on out one			



Mol	Chain	Res	Type
1	А	2	LEU
1	А	4	SER
1	А	20	ARG
1	А	25	THR
1	А	26	MET
1	А	27	GLU
1	А	31	LYS
1	А	32	VAL
1	А	43	LEU
1	А	44	LEU
1	А	70	LEU
1	А	85	TYR
1	А	106	VAL
1	А	113	LEU
1	А	125	LYS
1	А	146	HIS
1	А	170	ARG
1	А	198	ASN
1	А	208	LEU
1	А	215	GLN
1	А	222	LEU
1	А	238	TRP
1	А	244	LYS
1	А	246	LYS
1	А	272	ASN
1	А	276	THR
1	А	285	MET
1	А	290	LYS
1	А	306	SER
1	А	317	LEU
1	A	328	ILE
1	A	331	LEU
1	В	1	MET
1	В	2	LEU
1	В	20	ARG
1	В	25	THR
1	В	26	MET
1	В	31	LYS
1	В	37	ARG
1	В	43	LEU
1	B	44	LEU
1	В	48	ASN



Mol	Chain	Res	Type
1	В	85	TYR
1	В	101	ARG
1	В	113	LEU
1	В	125	LYS
1	В	132	LEU
1	В	133	ASN
1	В	134	GLU
1	В	136	ASN
1	В	137	ILE
1	В	145	LEU
1	В	146	HIS
1	В	170	ARG
1	В	204	MET
1	В	222	LEU
1	В	233	LEU
1	В	238	TRP
1	В	242	THR
1	В	244	LYS
1	В	260	SER
1	В	276	THR
1	В	280	ILE
1	В	290	LYS
1	В	299	ASN
1	В	300	SER
1	В	315	GLN
1	В	317	LEU
1	В	324	ARG
1	В	330	GLN
1	В	331	LEU
1	В	333	GLN
1	С	1	MET
1	С	2	LEU
1	C	13	ASP
1	С	20	ARG
1	C	27	GLU
1	C	29	ASP
1	C	31	LYS
1	C	32	VAL
1	C	34	ILE
1	С	42	ARG
1	C	43	LEU
1	С	44	LEU



Mol	Chain	Res	Type
1	С	46	LYS
1	С	48	ASN
1	С	85	TYR
1	С	98	LYS
1	С	106	VAL
1	С	113	LEU
1	С	120	ASP
1	С	126	LEU
1	С	136	ASN
1	С	137	ILE
1	С	139	LEU
1	С	146	HIS
1	С	153	SER
1	С	170	ARG
1	С	208	LEU
1	C	209	ASP
1	С	210	LEU
1	С	222	LEU
1	С	238	TRP
1	С	244	LYS
1	С	246	LYS
1	С	260	SER
1	С	266	LYS
1	С	273	GLU
1	С	275	LYS
1	С	276	THR
1	С	314	SER
1	С	317	LEU
1	С	319	THR
1	С	325	LYS
1	С	333	GLN
1	D	1	MET
1	D	4	SER
1	D	20	ARG
1	D	25	THR
1	D	26	MET
1	D	27	GLU
1	D	31	LYS
1	D	43	LEU
1	D	72	ASP
1	D	79	LEU
1	D	85	TYR



Mol	Chain	Res	Type
1	D	95	GLU
1	D	97	LYS
1	D	106	VAL
1	D	113	LEU
1	D	120	ASP
1	D	125	LYS
1	D	126	LEU
1	D	132	LEU
1	D	137	ILE
1	D	138	ILE
1	D	139	LEU
1	D	145	LEU
1	D	146	HIS
1	D	163	LYS
1	D	170	ARG
1	D	171	LYS
1	D	222	LEU
1	D	238	TRP
1	D	242	THR
1	D	243	GLU
1	D	268	VAL
1	D	276	THR
1	D	280	ILE
1	D	285	MET
1	D	290	LYS
1	D	312	LEU
1	D	315	GLN
1	D	317	LEU
1	D	321	GLU
1	D	331	LEU
1	D	333	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	38	ASN
1	А	52	ASN
1	А	115	ASN
1	А	133	ASN
1	А	188	ASN
1	А	315	GLN
1	В	38	ASN



Mol	Chain	Res	Type
1	В	52	ASN
1	В	133	ASN
1	В	136	ASN
1	В	186	GLN
1	В	188	ASN
1	В	254	ASN
1	В	291	ASN
1	В	299	ASN
1	В	333	GLN
1	С	38	ASN
1	С	48	ASN
1	С	52	ASN
1	С	186	GLN
1	С	188	ASN
1	С	215	GLN
1	С	254	ASN
1	С	291	ASN
1	С	315	GLN
1	D	38	ASN
1	D	52	ASN
1	D	188	ASN
1	D	215	GLN
1	D	291	ASN
1	D	315	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

There are no ligands in this entry.



## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates (i)

EDS was not executed - this section is therefore empty.

### 6.4 Ligands (i)

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers (i)

EDS was not executed - this section is therefore empty.

