



## Full wwPDB EM Validation Report ⓘ

Nov 19, 2022 – 12:32 PM EST

PDB ID : 3J0S  
EMDB ID : EMD-5354  
Title : Remodeling of actin filaments by ADF cofilin proteins  
Authors : Galkin, V.E.; Orlova, A.; Kudryashov, D.S.; Solodukhin, A.; Reisler, E.; Schroeder, G.F.; Egelman, E.H.  
Deposited on : 2011-11-24  
Resolution : 9.00 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.3

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 9.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	374	<div style="display: flex; align-items: center;"> <div style="width: 51%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 92%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange;"></div> </div> <p style="text-align: center;">51% <span style="margin-left: 100px;">92%</span> <span style="margin-left: 100px;">7%</span> .</p>
1	B	374	<div style="display: flex; align-items: center;"> <div style="width: 92%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange;"></div> </div> <p style="text-align: center;">92% <span style="margin-left: 100px;">7%</span> .</p>
1	C	374	<div style="display: flex; align-items: center;"> <div style="width: 92%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange;"></div> </div> <p style="text-align: center;">92% <span style="margin-left: 100px;">7%</span> .</p>
1	D	374	<div style="display: flex; align-items: center;"> <div style="width: 92%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange;"></div> </div> <p style="text-align: center;">92% <span style="margin-left: 100px;">7%</span> .</p>
1	E	374	<div style="display: flex; align-items: center;"> <div style="width: 92%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange;"></div> </div> <p style="text-align: center;">92% <span style="margin-left: 100px;">7%</span> .</p>
1	F	374	<div style="display: flex; align-items: center;"> <div style="width: 92%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange;"></div> </div> <p style="text-align: center;">92% <span style="margin-left: 100px;">7%</span> .</p>
1	G	374	<div style="display: flex; align-items: center;"> <div style="width: 92%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange;"></div> </div> <p style="text-align: center;">92% <span style="margin-left: 100px;">7%</span> .</p>
1	H	374	<div style="display: flex; align-items: center;"> <div style="width: 92%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange;"></div> </div> <p style="text-align: center;">92% <span style="margin-left: 100px;">7%</span> .</p>
1	I	374	<div style="display: flex; align-items: center;"> <div style="width: 92%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange;"></div> </div> <p style="text-align: center;">92% <span style="margin-left: 100px;">7%</span> .</p>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	J	374	
1	K	374	
1	L	374	
2	M	166	
2	N	166	
2	O	166	
2	P	166	
2	Q	166	
2	R	166	
2	S	166	
2	T	166	
2	U	166	
2	V	166	
2	W	166	
2	X	166	

## 2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 50556 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Actin, cytoplasmic 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	374	2917	1845	490	560	22	0	0
1	B	374	2917	1845	490	560	22	0	0
1	C	374	2917	1845	490	560	22	0	0
1	D	374	2917	1845	490	560	22	0	0
1	E	374	2917	1845	490	560	22	0	0
1	F	374	2917	1845	490	560	22	0	0
1	G	374	2917	1845	490	560	22	0	0
1	H	374	2917	1845	490	560	22	0	0
1	I	374	2917	1845	490	560	22	0	0
1	J	374	2917	1845	490	560	22	0	0
1	K	374	2917	1845	490	560	22	0	0
1	L	374	2917	1845	490	560	22	0	0

- Molecule 2 is a protein called Cofilin-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	M	166	1296	826	211	251	8	0	0
2	O	166	1296	826	211	251	8	0	0
2	N	166	1296	826	211	251	8	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf	Trace
2	Q	166	Total	C	N	O	S	0	0
			1296	826	211	251	8		
2	P	166	Total	C	N	O	S	0	0
			1296	826	211	251	8		
2	S	166	Total	C	N	O	S	0	0
			1296	826	211	251	8		
2	R	166	Total	C	N	O	S	0	0
			1296	826	211	251	8		
2	U	166	Total	C	N	O	S	0	0
			1296	826	211	251	8		
2	T	166	Total	C	N	O	S	0	0
			1296	826	211	251	8		
2	W	166	Total	C	N	O	S	0	0
			1296	826	211	251	8		
2	V	166	Total	C	N	O	S	0	0
			1296	826	211	251	8		
2	X	166	Total	C	N	O	S	0	0
			1296	826	211	251	8		






• Molecule 1: Actin, cytoplasmic 1



• Molecule 1: Actin, cytoplasmic 1




• Molecule 1: Actin, cytoplasmic 1




• Molecule 1: Actin, cytoplasmic 1




• Molecule 1: Actin, cytoplasmic 1





• Molecule 1: Actin, cytoplasmic 1







• Molecule 1: Actin, cytoplasmic 1



• Molecule 1: Actin, cytoplasmic 1















• Molecule 2: Cofilin-2





• Molecule 2: Cofilin-2





• Molecule 2: Cofilin-2





• Molecule 2: Cofilin-2





• Molecule 2: Cofilin-2






• Molecule 2: Cofilin-2







• Molecule 2: Cofilin-2



• Molecule 2: Cofilin-2



• Molecule 2: Cofilin-2



## 4 Experimental information

Property	Value	Source
EM reconstruction method	HELICAL	Depositor
Imposed symmetry	HELICAL, twist=162.1°, rise=27.6 Å, axial sym=C1	Depositor
Number of segments used	Not provided	
Resolution determination method	FSC	Depositor
CTF correction method	each EM	Depositor
Microscope	FEI TECNAI F20	Depositor
Voltage (kV)	200	Depositor
Electron dose ( $e^-/\text{Å}^2$ )	Not provided	
Minimum defocus (nm)	1100	Depositor
Maximum defocus (nm)	5300	Depositor
Magnification	50000	Depositor
Image detector	KODAK SO-163 FILM	Depositor
Maximum map value	0.237	Depositor
Minimum map value	-0.082	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.023	Depositor
Recommended contour level	0.043	Depositor
Map size (Å)	250.0, 250.0, 250.0	wwPDB
Map dimensions	100, 100, 100	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	2.5, 2.5, 2.5	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.43	0/2980	0.68	0/4035
1	B	0.43	0/2980	0.68	0/4035
1	C	0.43	0/2980	0.68	0/4035
1	D	0.42	0/2980	0.68	0/4035
1	E	0.42	0/2980	0.68	0/4035
1	F	0.43	0/2980	0.68	0/4035
1	G	0.43	0/2980	0.68	0/4035
1	H	0.43	0/2980	0.68	0/4035
1	I	0.43	0/2980	0.68	0/4035
1	J	0.43	0/2980	0.68	0/4035
1	K	0.43	0/2980	0.68	0/4035
1	L	0.43	0/2980	0.68	0/4035
2	M	0.48	0/1315	0.76	0/1762
2	N	0.48	0/1315	0.76	0/1762
2	O	0.48	0/1315	0.76	0/1762
2	P	0.48	0/1315	0.76	0/1762
2	Q	0.48	0/1315	0.76	0/1762
2	R	0.48	0/1315	0.76	0/1762
2	S	0.48	0/1315	0.76	0/1762
2	T	0.48	0/1315	0.76	0/1762
2	U	0.48	0/1315	0.76	0/1762
2	V	0.48	0/1315	0.76	0/1762
2	W	0.48	0/1315	0.76	0/1762
2	X	0.48	0/1315	0.76	0/1762
All	All	0.44	0/51540	0.71	0/69564

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2917	0	2879	0	0
1	B	2917	0	2879	0	0
1	C	2917	0	2879	0	0
1	D	2917	0	2879	0	0
1	E	2917	0	2879	0	0
1	F	2917	0	2879	0	0
1	G	2917	0	2879	0	0
1	H	2917	0	2879	0	0
1	I	2917	0	2879	0	0
1	J	2917	0	2879	0	0
1	K	2917	0	2879	0	0
1	L	2917	0	2879	0	0
2	M	1296	0	1345	0	0
2	N	1296	0	1345	0	0
2	O	1296	0	1345	0	0
2	P	1296	0	1345	0	0
2	Q	1296	0	1345	0	0
2	R	1296	0	1345	0	0
2	S	1296	0	1345	0	0
2	T	1296	0	1345	0	0
2	U	1296	0	1345	0	0
2	V	1296	0	1345	0	0
2	W	1296	0	1345	0	0
2	X	1296	0	1345	0	0
All	All	50556	0	50688	0	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). Clashscore could not be calculated for this entry.

There are no clashes within the asymmetric unit.

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	372/374 (100%)	349 (94%)	10 (3%)	13 (4%)	3	25
1	B	372/374 (100%)	349 (94%)	10 (3%)	13 (4%)	3	25
1	C	372/374 (100%)	348 (94%)	11 (3%)	13 (4%)	3	25
1	D	372/374 (100%)	349 (94%)	10 (3%)	13 (4%)	3	25
1	E	372/374 (100%)	349 (94%)	10 (3%)	13 (4%)	3	25
1	F	372/374 (100%)	349 (94%)	10 (3%)	13 (4%)	3	25
1	G	372/374 (100%)	349 (94%)	10 (3%)	13 (4%)	3	25
1	H	372/374 (100%)	349 (94%)	10 (3%)	13 (4%)	3	25
1	I	372/374 (100%)	349 (94%)	10 (3%)	13 (4%)	3	25
1	J	372/374 (100%)	349 (94%)	10 (3%)	13 (4%)	3	25
1	K	372/374 (100%)	349 (94%)	10 (3%)	13 (4%)	3	25
1	L	372/374 (100%)	349 (94%)	10 (3%)	13 (4%)	3	25
2	M	164/166 (99%)	141 (86%)	15 (9%)	8 (5%)	2	20
2	N	164/166 (99%)	141 (86%)	15 (9%)	8 (5%)	2	20
2	O	164/166 (99%)	141 (86%)	15 (9%)	8 (5%)	2	20
2	P	164/166 (99%)	141 (86%)	15 (9%)	8 (5%)	2	20
2	Q	164/166 (99%)	141 (86%)	15 (9%)	8 (5%)	2	20
2	R	164/166 (99%)	141 (86%)	15 (9%)	8 (5%)	2	20
2	S	164/166 (99%)	141 (86%)	15 (9%)	8 (5%)	2	20
2	T	164/166 (99%)	141 (86%)	15 (9%)	8 (5%)	2	20
2	U	164/166 (99%)	141 (86%)	15 (9%)	8 (5%)	2	20
2	V	164/166 (99%)	141 (86%)	15 (9%)	8 (5%)	2	20
2	W	164/166 (99%)	141 (86%)	15 (9%)	8 (5%)	2	20
2	X	164/166 (99%)	141 (86%)	15 (9%)	8 (5%)	2	20
All	All	6432/6480 (99%)	5879 (91%)	301 (5%)	252 (4%)	5	23

All (252) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	3	ASP
1	A	5	ILE
1	A	43	VAL
1	A	49	GLN
1	A	302	GLY
1	A	323	SER
1	B	3	ASP
1	B	5	ILE
1	B	43	VAL
1	B	49	GLN
1	B	302	GLY
1	B	323	SER
1	C	3	ASP
1	C	5	ILE
1	C	43	VAL
1	C	49	GLN
1	C	302	GLY
1	C	323	SER
1	D	3	ASP
1	D	5	ILE
1	D	43	VAL
1	D	49	GLN
1	D	302	GLY
1	D	323	SER
1	E	3	ASP
1	E	5	ILE
1	E	43	VAL
1	E	49	GLN
1	E	302	GLY
1	E	323	SER
1	F	3	ASP
1	F	5	ILE
1	F	43	VAL
1	F	49	GLN
1	F	302	GLY
1	F	323	SER
1	G	3	ASP
1	G	5	ILE
1	G	43	VAL
1	G	49	GLN
1	G	302	GLY
1	G	323	SER

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	H	3	ASP
1	H	5	ILE
1	H	43	VAL
1	H	49	GLN
1	H	302	GLY
1	H	323	SER
1	I	3	ASP
1	I	5	ILE
1	I	43	VAL
1	I	49	GLN
1	I	302	GLY
1	I	323	SER
1	J	3	ASP
1	J	5	ILE
1	J	43	VAL
1	J	49	GLN
1	J	302	GLY
1	J	323	SER
1	K	3	ASP
1	K	5	ILE
1	K	43	VAL
1	K	49	GLN
1	K	302	GLY
1	K	323	SER
1	L	3	ASP
1	L	5	ILE
1	L	43	VAL
1	L	49	GLN
1	L	302	GLY
1	L	323	SER
2	M	7	VAL
2	M	92	LYS
2	M	160	SER
2	M	164	LYS
2	O	7	VAL
2	O	92	LYS
2	O	160	SER
2	O	164	LYS
2	N	7	VAL
2	N	92	LYS
2	N	160	SER
2	N	164	LYS

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	Q	7	VAL
2	Q	92	LYS
2	Q	160	SER
2	Q	164	LYS
2	P	7	VAL
2	P	92	LYS
2	P	160	SER
2	P	164	LYS
2	S	7	VAL
2	S	92	LYS
2	S	160	SER
2	S	164	LYS
2	R	7	VAL
2	R	92	LYS
2	R	160	SER
2	R	164	LYS
2	U	7	VAL
2	U	92	LYS
2	U	160	SER
2	U	164	LYS
2	T	7	VAL
2	T	92	LYS
2	T	160	SER
2	T	164	LYS
2	W	7	VAL
2	W	92	LYS
2	W	160	SER
2	W	164	LYS
2	V	7	VAL
2	V	92	LYS
2	V	160	SER
2	V	164	LYS
2	X	7	VAL
2	X	92	LYS
2	X	160	SER
2	X	164	LYS
1	A	52	SER
1	A	350	SER
1	B	52	SER
1	B	350	SER
1	C	52	SER
1	C	350	SER

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	D	52	SER
1	D	350	SER
1	E	52	SER
1	E	350	SER
1	F	52	SER
1	F	350	SER
1	G	52	SER
1	G	350	SER
1	H	52	SER
1	H	350	SER
1	I	52	SER
1	I	350	SER
1	J	52	SER
1	J	350	SER
1	K	52	SER
1	K	350	SER
1	L	52	SER
1	L	350	SER
2	M	69	ALA
2	M	97	GLU
2	O	69	ALA
2	O	97	GLU
2	N	69	ALA
2	N	97	GLU
2	Q	69	ALA
2	Q	97	GLU
2	P	69	ALA
2	P	97	GLU
2	S	69	ALA
2	S	97	GLU
2	R	69	ALA
2	R	97	GLU
2	U	69	ALA
2	U	97	GLU
2	T	69	ALA
2	T	97	GLU
2	W	69	ALA
2	W	97	GLU
2	V	69	ALA
2	V	97	GLU
2	X	69	ALA
2	X	97	GLU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	44	MET
1	A	233	SER
1	B	44	MET
1	B	233	SER
1	C	44	MET
1	C	233	SER
1	D	44	MET
1	D	233	SER
1	E	44	MET
1	E	233	SER
1	F	44	MET
1	F	233	SER
1	G	44	MET
1	G	233	SER
1	H	44	MET
1	H	233	SER
1	I	44	MET
1	I	233	SER
1	J	44	MET
1	J	233	SER
1	K	44	MET
1	K	233	SER
1	L	44	MET
1	L	233	SER
2	M	63	THR
2	O	63	THR
2	N	63	THR
2	Q	63	THR
2	P	63	THR
2	S	63	THR
2	R	63	THR
2	U	63	THR
2	T	63	THR
2	W	63	THR
2	V	63	THR
2	X	63	THR
2	M	130	GLY
2	O	130	GLY
2	N	130	GLY
2	Q	130	GLY
2	P	130	GLY
2	S	130	GLY

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	R	130	GLY
2	U	130	GLY
2	T	130	GLY
2	W	130	GLY
2	V	130	GLY
2	X	130	GLY
1	A	45	VAL
1	B	45	VAL
1	C	45	VAL
1	D	45	VAL
1	E	45	VAL
1	F	45	VAL
1	G	45	VAL
1	H	45	VAL
1	I	45	VAL
1	J	45	VAL
1	K	45	VAL
1	L	45	VAL
1	A	197	GLY
1	B	197	GLY
1	C	197	GLY
1	D	197	GLY
1	F	197	GLY
1	G	197	GLY
1	H	197	GLY
1	I	197	GLY
1	J	197	GLY
1	K	197	GLY
1	L	197	GLY
1	E	197	GLY
1	A	182	GLY
1	B	182	GLY
1	C	182	GLY
1	D	182	GLY
1	E	182	GLY
1	F	182	GLY
1	G	182	GLY
1	H	182	GLY
1	I	182	GLY
1	J	182	GLY
1	K	182	GLY
1	L	182	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	317/317 (100%)	297 (94%)	20 (6%)	18	43
1	B	317/317 (100%)	297 (94%)	20 (6%)	18	43
1	C	317/317 (100%)	297 (94%)	20 (6%)	18	43
1	D	317/317 (100%)	297 (94%)	20 (6%)	18	43
1	E	317/317 (100%)	297 (94%)	20 (6%)	18	43
1	F	317/317 (100%)	297 (94%)	20 (6%)	18	43
1	G	317/317 (100%)	297 (94%)	20 (6%)	18	43
1	H	317/317 (100%)	297 (94%)	20 (6%)	18	43
1	I	317/317 (100%)	297 (94%)	20 (6%)	18	43
1	J	317/317 (100%)	297 (94%)	20 (6%)	18	43
1	K	317/317 (100%)	297 (94%)	20 (6%)	18	43
1	L	317/317 (100%)	297 (94%)	20 (6%)	18	43
2	M	144/144 (100%)	131 (91%)	13 (9%)	9	30
2	N	144/144 (100%)	131 (91%)	13 (9%)	9	30
2	O	144/144 (100%)	131 (91%)	13 (9%)	9	30
2	P	144/144 (100%)	131 (91%)	13 (9%)	9	30
2	Q	144/144 (100%)	131 (91%)	13 (9%)	9	30
2	R	144/144 (100%)	131 (91%)	13 (9%)	9	30
2	S	144/144 (100%)	131 (91%)	13 (9%)	9	30
2	T	144/144 (100%)	131 (91%)	13 (9%)	9	30
2	U	144/144 (100%)	131 (91%)	13 (9%)	9	30
2	V	144/144 (100%)	131 (91%)	13 (9%)	9	30
2	W	144/144 (100%)	131 (91%)	13 (9%)	9	30
2	X	144/144 (100%)	131 (91%)	13 (9%)	9	30
All	All	5532/5532 (100%)	5136 (93%)	396 (7%)	18	39

All (396) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	ASP
1	A	33	SER
1	A	37	ARG
1	A	45	VAL
1	A	51	ASP
1	A	61	LYS
1	A	140	LEU
1	A	143	TYR
1	A	155	SER
1	A	166	TYR
1	A	183	ARG
1	A	199	SER
1	A	201	THR
1	A	236	LEU
1	A	270	GLU
1	A	314	GLN
1	A	315	LYS
1	A	323	SER
1	A	346	LEU
1	A	350	SER
1	B	4	ASP
1	B	33	SER
1	B	37	ARG
1	B	45	VAL
1	B	51	ASP
1	B	61	LYS
1	B	140	LEU
1	B	143	TYR
1	B	155	SER
1	B	166	TYR
1	B	183	ARG
1	B	199	SER
1	B	201	THR
1	B	236	LEU
1	B	270	GLU
1	B	314	GLN
1	B	315	LYS
1	B	323	SER
1	B	346	LEU
1	B	350	SER
1	C	4	ASP
1	C	33	SER
1	C	37	ARG

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	C	45	VAL
1	C	51	ASP
1	C	61	LYS
1	C	140	LEU
1	C	143	TYR
1	C	155	SER
1	C	166	TYR
1	C	183	ARG
1	C	199	SER
1	C	201	THR
1	C	236	LEU
1	C	270	GLU
1	C	314	GLN
1	C	315	LYS
1	C	323	SER
1	C	346	LEU
1	C	350	SER
1	D	4	ASP
1	D	33	SER
1	D	37	ARG
1	D	45	VAL
1	D	51	ASP
1	D	61	LYS
1	D	140	LEU
1	D	143	TYR
1	D	155	SER
1	D	166	TYR
1	D	183	ARG
1	D	199	SER
1	D	201	THR
1	D	236	LEU
1	D	270	GLU
1	D	314	GLN
1	D	315	LYS
1	D	323	SER
1	D	346	LEU
1	D	350	SER
1	E	4	ASP
1	E	33	SER
1	E	37	ARG
1	E	45	VAL
1	E	51	ASP

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	E	61	LYS
1	E	140	LEU
1	E	143	TYR
1	E	155	SER
1	E	166	TYR
1	E	183	ARG
1	E	199	SER
1	E	201	THR
1	E	236	LEU
1	E	270	GLU
1	E	314	GLN
1	E	315	LYS
1	E	323	SER
1	E	346	LEU
1	E	350	SER
1	F	4	ASP
1	F	33	SER
1	F	37	ARG
1	F	45	VAL
1	F	51	ASP
1	F	61	LYS
1	F	140	LEU
1	F	143	TYR
1	F	155	SER
1	F	166	TYR
1	F	183	ARG
1	F	199	SER
1	F	201	THR
1	F	236	LEU
1	F	270	GLU
1	F	314	GLN
1	F	315	LYS
1	F	323	SER
1	F	346	LEU
1	F	350	SER
1	G	4	ASP
1	G	33	SER
1	G	37	ARG
1	G	45	VAL
1	G	51	ASP
1	G	61	LYS
1	G	140	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	G	143	TYR
1	G	155	SER
1	G	166	TYR
1	G	183	ARG
1	G	199	SER
1	G	201	THR
1	G	236	LEU
1	G	270	GLU
1	G	314	GLN
1	G	315	LYS
1	G	323	SER
1	G	346	LEU
1	G	350	SER
1	H	4	ASP
1	H	33	SER
1	H	37	ARG
1	H	45	VAL
1	H	51	ASP
1	H	61	LYS
1	H	140	LEU
1	H	143	TYR
1	H	155	SER
1	H	166	TYR
1	H	183	ARG
1	H	199	SER
1	H	201	THR
1	H	236	LEU
1	H	270	GLU
1	H	314	GLN
1	H	315	LYS
1	H	323	SER
1	H	346	LEU
1	H	350	SER
1	I	4	ASP
1	I	33	SER
1	I	37	ARG
1	I	45	VAL
1	I	51	ASP
1	I	61	LYS
1	I	140	LEU
1	I	143	TYR
1	I	155	SER

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	I	166	TYR
1	I	183	ARG
1	I	199	SER
1	I	201	THR
1	I	236	LEU
1	I	270	GLU
1	I	314	GLN
1	I	315	LYS
1	I	323	SER
1	I	346	LEU
1	I	350	SER
1	J	4	ASP
1	J	33	SER
1	J	37	ARG
1	J	45	VAL
1	J	51	ASP
1	J	61	LYS
1	J	140	LEU
1	J	143	TYR
1	J	155	SER
1	J	166	TYR
1	J	183	ARG
1	J	199	SER
1	J	201	THR
1	J	236	LEU
1	J	270	GLU
1	J	314	GLN
1	J	315	LYS
1	J	323	SER
1	J	346	LEU
1	J	350	SER
1	K	4	ASP
1	K	33	SER
1	K	37	ARG
1	K	45	VAL
1	K	51	ASP
1	K	61	LYS
1	K	140	LEU
1	K	143	TYR
1	K	155	SER
1	K	166	TYR
1	K	183	ARG

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	K	199	SER
1	K	201	THR
1	K	236	LEU
1	K	270	GLU
1	K	314	GLN
1	K	315	LYS
1	K	323	SER
1	K	346	LEU
1	K	350	SER
1	L	4	ASP
1	L	33	SER
1	L	37	ARG
1	L	45	VAL
1	L	51	ASP
1	L	61	LYS
1	L	140	LEU
1	L	143	TYR
1	L	155	SER
1	L	166	TYR
1	L	183	ARG
1	L	199	SER
1	L	201	THR
1	L	236	LEU
1	L	270	GLU
1	L	314	GLN
1	L	315	LYS
1	L	323	SER
1	L	346	LEU
1	L	350	SER
2	M	3	SER
2	M	19	LYS
2	M	30	LYS
2	M	40	LEU
2	M	48	ILE
2	M	75	LEU
2	M	93	GLU
2	M	96	LYS
2	M	114	LYS
2	M	124	ILE
2	M	149	LEU
2	M	158	VAL
2	M	159	ILE

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	O	3	SER
2	O	19	LYS
2	O	30	LYS
2	O	40	LEU
2	O	48	ILE
2	O	75	LEU
2	O	93	GLU
2	O	96	LYS
2	O	114	LYS
2	O	124	ILE
2	O	149	LEU
2	O	158	VAL
2	O	159	ILE
2	N	3	SER
2	N	19	LYS
2	N	30	LYS
2	N	40	LEU
2	N	48	ILE
2	N	75	LEU
2	N	93	GLU
2	N	96	LYS
2	N	114	LYS
2	N	124	ILE
2	N	149	LEU
2	N	158	VAL
2	N	159	ILE
2	Q	3	SER
2	Q	19	LYS
2	Q	30	LYS
2	Q	40	LEU
2	Q	48	ILE
2	Q	75	LEU
2	Q	93	GLU
2	Q	96	LYS
2	Q	114	LYS
2	Q	124	ILE
2	Q	149	LEU
2	Q	158	VAL
2	Q	159	ILE
2	P	3	SER
2	P	19	LYS
2	P	30	LYS

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	P	40	LEU
2	P	48	ILE
2	P	75	LEU
2	P	93	GLU
2	P	96	LYS
2	P	114	LYS
2	P	124	ILE
2	P	149	LEU
2	P	158	VAL
2	P	159	ILE
2	S	3	SER
2	S	19	LYS
2	S	30	LYS
2	S	40	LEU
2	S	48	ILE
2	S	75	LEU
2	S	93	GLU
2	S	96	LYS
2	S	114	LYS
2	S	124	ILE
2	S	149	LEU
2	S	158	VAL
2	S	159	ILE
2	R	3	SER
2	R	19	LYS
2	R	30	LYS
2	R	40	LEU
2	R	48	ILE
2	R	75	LEU
2	R	93	GLU
2	R	96	LYS
2	R	114	LYS
2	R	124	ILE
2	R	149	LEU
2	R	158	VAL
2	R	159	ILE
2	U	3	SER
2	U	19	LYS
2	U	30	LYS
2	U	40	LEU
2	U	48	ILE
2	U	75	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	U	93	GLU
2	U	96	LYS
2	U	114	LYS
2	U	124	ILE
2	U	149	LEU
2	U	158	VAL
2	U	159	ILE
2	T	3	SER
2	T	19	LYS
2	T	30	LYS
2	T	40	LEU
2	T	48	ILE
2	T	75	LEU
2	T	93	GLU
2	T	96	LYS
2	T	114	LYS
2	T	124	ILE
2	T	149	LEU
2	T	158	VAL
2	T	159	ILE
2	W	3	SER
2	W	19	LYS
2	W	30	LYS
2	W	40	LEU
2	W	48	ILE
2	W	75	LEU
2	W	93	GLU
2	W	96	LYS
2	W	114	LYS
2	W	124	ILE
2	W	149	LEU
2	W	158	VAL
2	W	159	ILE
2	V	3	SER
2	V	19	LYS
2	V	30	LYS
2	V	40	LEU
2	V	48	ILE
2	V	75	LEU
2	V	93	GLU
2	V	96	LYS
2	V	114	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	V	124	ILE
2	V	149	LEU
2	V	158	VAL
2	V	159	ILE
2	X	3	SER
2	X	19	LYS
2	X	30	LYS
2	X	40	LEU
2	X	48	ILE
2	X	75	LEU
2	X	93	GLU
2	X	96	LYS
2	X	114	LYS
2	X	124	ILE
2	X	149	LEU
2	X	158	VAL
2	X	159	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.



## 5.8 Polymer linkage issues

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-5354. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 52



Y Index: 47



Z Index: 95


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)


### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.043. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 753 nm<sup>3</sup>; this corresponds to an approximate mass of 681 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)



\*Reported resolution corresponds to spatial frequency of  $0.111 \text{\AA}^{-1}$

## 8 Fourier-Shell correlation


This section was not generated. No FSC curve or half-maps provided.



## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-5354 and PDB model 3J0S. Per-residue inclusion information can be found in section 3 on page 6.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.043 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.043).



















































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 74% of all backbone atoms, 69% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.043) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6865	 0.0890
A	 0.4563	 0.0560
B	 0.9189	 0.1240
C	 0.9259	 0.1230
D	 0.9224	 0.1230
E	 0.9273	 0.1230
F	 0.9238	 0.1240
G	 0.9266	 0.1220
H	 0.9280	 0.1230
I	 0.9133	 0.1200
J	 0.4427	 0.0450
K	 0.0014	 -0.0010
L	 0.0000	 0.0000
M	 0.0000	 -0.0010
N	 0.8946	 0.1120
O	 0.4208	 0.0430
P	 0.9032	 0.1180
Q	 0.9110	 0.1180
R	 0.9102	 0.1180
S	 0.9063	 0.1180
T	 0.9079	 0.1210
U	 0.9094	 0.1130
V	 0.4575	 0.0510
W	 0.9063	 0.1210
X	 0.0000	 0.0000

