

Nov 14, 2022 – 03:20 PM JST

:	6J6N
:	EMD-0691
:	Cryo-EM structure of the yeast B*-b1 complex at an average resolution of $3.86$
	angstrom
:	Wan, R.; Bai, R.; Yan, C.; Lei, J.; Shi, Y.
:	2019-01-15
:	3.86  Å(reported)
	::

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1. dev 43
Mogul	:	1.8.5 (274361), CSD as541be (2020)
MolProbity	:	4.02b-467
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.9
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.31.2

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $ELECTRON\ MICROSCOPY$ 

The reported resolution of this entry is 3.86 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f EM} {f structures} \ (\#{f Entries})$
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length			Quality	of chain		
1	А	2413	6%		77%		•	21%
2	С	1008	•		90%			• 9%
3	J	135	20%			80%		
4	0	451			76%		•	21%
5	Р	379	6%	51%		••	46%	
6	Q	364	•		78%		•	20%
7	R	339	•		76%		•	23%
8	S	175	<b>—</b>	39%	•	60%	6	



Continue	nued fron	<i>i</i> previous	page		
Mol	Chain	Length	Quality of chain		
9	Т	157	97%		•
10	Ζ	577	77%	•	23%
11	с	590	39% 73%	•	26%
12	d	687	82%	•	18%
13	Ι	215	47%	53%	
14	n	455	58% 62% •	34	%
15	Н	235	16% 30% 70%		
16	В	246	6% 9% 14% 77%		
17	D	214	<b>5</b> 6% 28°	%	16%
18	Е	112	54%	38%	• 8%
19	L	1175	8% 11% 6% 83%		
20	V	859	82%	•	16%
21	a	111	75%	•	24%
22	b	238	68% •		29%
23	t	175	88%		8% 11%
24	i	94	76%	•	21%
24	u	94	78%	·	21%
25	m	146	75%	6%	18%
25	Z	146	42%		26%
26	j	77	86%		12% •
26	х	77	95%		• •
27	h	86	<b>•</b> 79%		21%
27	w	86	48%		21%
28	е	110	62% 84%		8% 8%
28	g	110	85%		6% 8%



Mol	Chain	Length			Quality of	chain	
29	k	196	5%	44%	6% ·	49%	
29	s	196	20%	46%	·	53%	
30	1	101	<b></b>	61%	)	21%	18%
30	У	101		53%	80%		20%
31	О	503	22% 24%			75%	
31	р	503	22% 25%	•		75%	
31	q	503	25%			74%	
31	r	503	23%	•		75%	



# 2 Entry composition (i)

There are 35 unique types of molecules in this entry. The entry contains 78937 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Pre-mRNA-splicing factor 8.

Mol	Chain	Residues		At	AltConf	Trace			
1	А	1913	Total 15793	C 10154	N 2714	O 2868	${ m S}\ 57$	0	0

• Molecule 2 is a protein called Pre-mRNA-splicing factor SNU114.

Mol	Chain	Residues		Α	AltConf	Trace			
2	С	020	Total	С	Ν	Ο	$\mathbf{S}$	0	0
2	U	920	7348	4733	1223	1362	30	U	0

• Molecule 3 is a protein called Pre-mRNA-splicing factor CWC21.

Mol	Chain	Residues		Aton	ıs	AltConf	Trace	
3	J	27	Total 190	C 112	N 38	O 40	0	0

• Molecule 4 is a protein called Pre-mRNA-splicing factor PRP46.

Mol	Chain	Residues		At	AltConf	Trace			
4	Ο	357	Total 2810	C 1777	N 493	O 530	S 10	0	0

• Molecule 5 is a protein called Pre-mRNA-processing protein 45.

Mol	Chain	Residues		Ate		AltConf	Trace		
5	Р	205	Total 1608	C 1003	N 294	0 304	${f S}{7}$	0	0

• Molecule 6 is a protein called Pre-mRNA-splicing factor SLT11.

Mol	Chain	Residues		At	AltConf	Trace			
6	Q	292	Total 2301	C 1461	N 399	0 426	S 15	0	0



• Molecule 7 is a protein called Pre-mRNA-splicing factor CWC2.

Mol	Chain	Residues		At	oms			AltConf	Trace
7	R	261	Total 2089	C 1320	N 369	O 388	S 12	0	0

• Molecule 8 is a protein called Pre-mRNA-splicing factor CWC15.

Mol	Chain	Residues		Ate	oms			AltConf	Trace
8	S	70	Total 567	C 355	N 113	O 98	S 1	0	0

• Molecule 9 is a protein called Pre-mRNA-splicing factor BUD31.

Mol	Chain	Residues		A	toms		AltConf	Trace	
9	Т	157	Total 1291	C 808	N 240	O 232	S 11	0	0

• Molecule 10 is a protein called Pre-mRNA-splicing factor CWC22.

Mol	Chain	Residues		At	oms			AltConf	Trace
10	Z	447	Total 3651	C 2343	N 602	O 688	S 18	0	0

• Molecule 11 is a protein called Pre-mRNA-splicing factor CEF1.

Mol	Chain	Residues		Ate	oms			AltConf	Trace
11	С	436	Total 2978	C 1843	N 552	0 575	S 8	0	0

• Molecule 12 is a protein called Pre-mRNA-splicing factor CLF1.

Mol	Chain	Residues		At	oms			AltConf	Trace
12	d	566	Total 3881	C 2433	N 707	0 732	S 9	0	0

• Molecule 13 is a protein called Pre-mRNA-splicing factor SYF2.

Mol	Chain	Residues		At	oms		AltConf	Trace	
13	Ι	102	Total 822	C 504	N 152	0 165	S 1	0	0

• Molecule 14 is a protein called Pre-mRNA-processing factor 17.



Mol	Chain	Residues		A	toms	5			AltConf	Trace
14	n	299	Total 1894	C 1175	N 340	0 372	Р 1	S 6	0	0

• Molecule 15 is a protein called Pre-mRNA-splicing factor ISY1.

Mol	Chain	Residues		At	oms	AltConf	Trace		
15	Н	71	Total 629	C 399	N 116	0 113	S 1	0	0

• Molecule 16 is a RNA chain called UBC4 pre-mRNA.

Mol	Chain	Residues		$\mathbf{A}$	toms	AltConf	Trace		
16	В	57	Total 1206	С 542	N 209	O 398	Р 57	0	0

• Molecule 17 is a RNA chain called U5 snRNA.

Mol	Chain	Residues		А			AltConf	Trace	
17	D	179	Total 3795	C 1699	N 660	O 1258	Р 178	0	0

• Molecule 18 is a RNA chain called U6 snRNA.

Mol	Chain	Residues		Α	toms			AltConf	Trace
18	Е	103	Total 2192	C 982	N 391	0 716	Р 103	0	0

• Molecule 19 is a RNA chain called U2 snRNA.

Mol	Chain	Residues		Α	AltConf	Trace			
19	L	205	Total 4325	C 1936	N 728	0 1456	Р 205	0	0

• Molecule 20 is a protein called Pre-mRNA-splicing factor SYF1.

Mol	Chain	Residues		At	AltConf	Trace			
20	V	722	Total 4625	C 2893	N 825	O 895	S 12	0	0

• Molecule 21 is a protein called U2 small nuclear ribonucleoprotein B".



Mol	Chain	Residues		Aton	ıs	AltConf	Trace	
21	a	84	Total 416	C 248	N 84	O 84	0	0

• Molecule 22 is a protein called U2 small nuclear ribonucleoprotein A'.

Mol	Chain	Residues		Ato	ms	AltConf	Trace	
22	b	169	Total 841	$\begin{array}{c} \mathrm{C} \\ 503 \end{array}$	N 169	O 169	0	0

• Molecule 23 is a protein called Pre-mRNA-splicing factor SNT309.

Mol	Chain	Residues		At	oms	AltConf	Trace		
23	t	156	Total 926	C 585	N 160	0 180	S 1	0	0

• Molecule 24 is a protein called Small nuclear ribonucleoprotein E.

Mol	Chain	Residues		Ato	$\mathbf{ms}$		AltConf	Trace	
24	11	74	Total	С	Ν	Ο	$\mathbf{S}$	0	0
24	u	14	526	346	87	90	3	0	0
24	i	74	Total	С	Ν	Ο	S	0	0
24	1	74	541	358	90	90	3	0	0

• Molecule 25 is a protein called Small nuclear ribonucleoprotein Sm D1.

Mol	Chain	Residues		At	oms		AltConf	Trace	
25	m	110	Total	С	Ν	Ο	S	0	0
20	20 111	113	917	575	163	176	3	0	0
25	7	108	Total	С	Ν	Ο	$\mathbf{S}$	0	0
20	Z	100	824	521	142	158	3	0	0

• Molecule 26 is a protein called Small nuclear ribonucleoprotein G.

Mol	Chain	Residues		Ate	oms		AltConf	Trace	
26	i	75	Total	С	Ν	Ο	S	0	0
20 J	15	552	350	98	103	1	0	0	
26	v	75	Total	С	Ν	Ο	S	0	0
20	X	10	552	350	98	103	1	0	0

• Molecule 27 is a protein called Small nuclear ribonucleoprotein F.



Mol	Chain	Residues		Ato	ms		AltConf	Trace	
97	h	68	Total	С	Ν	Ο	S	0	0
21	11	08	518	337	96	84	1	0	0
97	117	68	Total	С	Ν	Ο	S	0	0
21	W	08	518	337	96	84	1	0	0

• Molecule 28 is a protein called Small nuclear ribonucleoprotein Sm D2.

Mol	Chain	Residues		At	oms		AltConf	Trace	
28	ď	101	Total	С	Ν	0	S	0	0
20 g	101	785	504	149	128	4	0	0	
20		101	Total	С	Ν	0	S	0	0
20	е	101	785	504	149	128	4	0	0

• Molecule 29 is a protein called Small nuclear ribonucleoprotein-associated protein B.

Mol	Chain	Residues		At	oms	AltConf	Trace		
29	k	100	Total 809	C 514	N 150	0 142	${ m S} { m 3}$	0	0
29	s	93	Total 749	C 476	N 138	0 132	${ m S} { m 3}$	0	0

• Molecule 30 is a protein called Small nuclear ribonucleoprotein Sm D3.

Mol	Chain	Residues		At	oms		AltConf	Trace	
20	1	\$3	Total	С	Ν	0	S	0	0
30	1	00	641	408	111	120	2	0	0
30	17	81	Total	С	Ν	0	S	0	0
- 50	У	01	616	394	107	113	2		

• Molecule 31 is a protein called Pre-mRNA-processing factor 19.

Mol	Chain	Residues	Atoms				AltConf	Trace		
21	r	195	Total	С	Ν	Ο	$\mathbf{S}$	0	0	
51	1 16	125	823	521	133	167	2	0	0	
21	n	198	Total	С	Ν	0	S	0	0	
51	р	120	843	532	136	173	2	0	0	
21	a	120	Total	С	Ν	0	S	0	0	
51	q	129	850	537	137	174	2	0	0	
21	0	196	Total	С	Ν	0	S	0	0	
31 0	0	120	830	525	134	169	2	0	0	

• Molecule 32 is INOSITOL HEXAKISPHOSPHATE (three-letter code: IHP) (formula:  $C_6H_{18}O_{24}P_6$ ).





Mol	Chain	Residues	Atoms			AltConf	
32	А	1	Total ( 36 (	С 6	0 24	Р 6	0

• Molecule 33 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula:  $C_{10}H_{16}N_5O_{14}P_3$ ).



Mol	Chain	Residues	Atoms				AltConf	
33	С	1	Total	С	Ν	Ο	Р	0
- 55	3 C	1	32	10	5	14	3	0

• Molecule 34 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).



Mol	Chain	Residues	Atoms	AltConf
34	С	1	Total Mg 1 1	0
34	Е	5	Total Mg 5 5	0

• Molecule 35 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	AltConf
35	Q	2	Total Zn 2 2	0
35	R	1	Total Zn 1 1	0
35	Т	3	Total Zn 3 3	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Pre-mRNA-splicing factor 8





## 

#### 

• Molecule 2: Pre-mRNA-splicing factor SNU114

Chain C:	90%	• 9%
MET GLU GLV ASP ASP PHE ASP GLU PHE	GLY ASN ALL CLEU CLY CLY VAL ASP PRO PRO PRO CLU CLU CLU CLU CLU CLU CLU CLU CLU CLU	ASN ASN ASN CLU CLU CLU CLU CLU CLU CLU CLU CLU CLV CLV CLV CLV CLV CLV CLV CLV CLV CLV
	Be Control of the second secon	8685 PHE ALA ALA SER PRO VAL SER ASN SER LTO3 696 CTO4 PTO4 PTO4
G731 Q732 N733 R745 R745	E827 1.841 1.978 F981 ₱1008	
• Molecule 3:	Pre-mRNA-splicing factor CWC21	
Chain J:	20% 80%	
MET S2 ARG ARG ARG ARG CLN GLN	SER SER GLN GLN GLN GLN GLN GLN GLN GLN GLN ALA ALA ALA ALA ALA ALA ALA ALA ALA A	ALL LYS LYS ARG GLU GLU VAL GLU VAL CLU VAL CLU ARG ARG ASP ASP LEU LEU
GLU GLU GLU GLU SER GLU GLU	TLE ASP LYS CYS CYS CYS CYS CYS CYS CYS CYS CYS ALA ALA ALA ARG CLN CLN CLN CLN CLN CLN CLN CLN CLN CLN	CLU CLU CLU CLU CLU HIS HIS CLU CLU
• Molecule 4:	Pre-mRNA-splicing factor PRP46	
Chain O:	76%	• 21%
MET ASP GLY ASP ASP HIS LYS LYS GLU GLU ASN	LEU ASP ASP ASP ASP ASP PHE SER ASN ASN ASN ASN ASN ASN ASN ASN ASN ASN	OLM SER LEU LEU LEU LEU THR TYR ARG ARG ARG ARG ARG ARG ARG ARG ARG AR
PHE SER GLY GLY CLU CLU CLY LYS LYS LYS LEU LEU	GIAN HIS HIS HIS PRA ARP ARP ALA ALA ALA ALA ALA ALA ALA ALA ALA AL	C327 C327 C327 C324 C346 C346 C344 C344 C344 C351 C351 C351 C351 C351 C351 C351 C351
F451		
• Molecule 5:	Pre-mRNA-processing protein 45	
Chain P:	51% •• 4	6%
MET PHE SER ASN ARG LEU PRO PRO LYS	HIS BER BER ARG CLN ARG ARG ARG ALA ALA ALA CLN CLN A102 A102 A102 A102 A102 CLN CLN CLN CLN CLN CLN CLN CLN CLN CLN	N107 N107 N108 N108 S109 C151 C151 C150 C151 C150 C155 C155 C155





• Molecule 10: Pre-mRNA-splicing factor CWC22 31% Chain Z: 77% 23% MET SER THR ALA THR ILE CLN N66 X67 X67 268 370 370 370 272 272 272 173 173 X75 776 377 377 377 180 180 180 481 182 282 283 183 183 **q21** Y 281 D 282 M 283 • Molecule 11: Pre-mRNA-splicing factor CEF1 39% Chain c: 73% 26% MET PRO PRO VAL VAL PRO PRO TLE TYR VAL ASN GLY ASI LYS ASI ASI LYS PR0 LLYS LLYS LLYS LLYS LLYS LLYS ASNP LLYS ASNP ALA ASN VAL LLYS ALA ASN VAL LLYS SER L LLEU TLE GLU GLN ALA ALA ALA THR THR THR VAL LEU VAL GLN MET PHE GLU ASN GLU ARG ALA MET ASN GLU GLU LE SRO VAL PRO GLU GLU ASP VAL ASP PHE LEU LYS GLU VAL GLU q528 H529 V530 Q531 Q532 P532 L533 L527 E534 Q535 Q536 N537 N538 E539 Q524 **q**52:



































• Molecule 31: Pre-mRNA-processing factor 19







#### SER PRICE PRICE COLUTINE COLUT

#### 

#### ALA ALA ILEU LLEU LLYS THR ASN ASP ASP PHE PHE PHE ASN VAL ALA ALA ILEU THR PRO

• Molecule 31: Pre-mRNA-processing factor 19











# 4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	395458	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	49.3	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT $(4k \ge 4k)$	Depositor
Maximum map value	0.209	Depositor
Minimum map value	-0.095	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.007	Depositor
Recommended contour level	0.028	Depositor
Map size (Å)	532.0, 532.0, 532.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.33, 1.33, 1.33	Depositor



# 5 Model quality (i)

# 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: IHP, MG, ZN, SEP, GTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond	Bond angles		
	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5		
1	А	0.45	0/16198	0.61	0/21958		
2	С	0.44	0/7503	0.62	0/10159		
3	J	0.40	0/191	0.67	0/254		
4	0	0.52	0/2872	0.65	0/3902		
5	Р	0.38	0/1629	0.55	0/2194		
6	Q	0.38	0/2339	0.62	0/3154		
7	R	0.41	0/2135	0.58	0/2871		
8	S	0.33	0/581	0.56	0/776		
9	Т	0.49	0/1315	0.59	0/1759		
10	Ζ	0.35	0/3712	0.56	0/5004		
11	с	0.32	0/2996	0.48	0/4033		
12	d	0.36	0/3931	0.50	0/5356		
13	Ι	0.36	0/826	0.51	0/1097		
14	n	0.34	0/1894	0.58	0/2529		
15	Н	0.37	0/644	0.70	0/864		
16	В	0.49	0/1347	0.92	0/2091		
17	D	0.56	0/4239	0.96	0/6598		
18	Ε	0.80	1/2452~(0.0%)	0.95	0/3817		
19	L	0.37	2/4815~(0.0%)	0.79	0/7467		
20	V	0.42	0/4662	0.51	0/6358		
21	a	0.42	0/415	0.57	0/577		
22	b	0.69	0/839	0.70	0/1169		
23	t	0.29	0/924	0.42	0/1244		
24	i	0.29	0/551	0.50	0/750		
24	u	0.29	0/535	0.48	0/730		
25	m	0.35	0/926	0.55	0/1257		
25	Z	0.30	0/833	0.54	0/1134		
26	j	0.45	0/557	0.54	0/756		
26	Х	0.34	0/557	0.51	0/756		
27	h	0.28	0/529	0.50	0/715		
27	W	0.28	0/529	0.50	0/715		
28	е	0.38	$0/\overline{799}$	0.52	0/1078		



Mal	Chain	Bo	nd lengths	Bond	l angles
	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5
28	g	0.40	0/799	0.55	0/1078
29	k	0.41	0/815	0.60	0/1092
29	s	0.36	0/755	0.59	0/1014
30	1	0.49	0/650	0.57	0/879
30	У	0.31	0/625	0.50	0/847
31	0	0.28	0/835	0.50	0/1126
31	р	0.25	0/848	0.51	0/1143
31	q	0.30	0/856	0.52	0/1155
31	r	0.29	0/828	0.54	0/1117
All	All	0.43	3/81286~(0.0%)	0.64	0/112573

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms		Observed(Å)	Ideal(Å)
19	L	12	U	O3'-P	7.07	1.69	1.61
19	L	1120	G	O3'-P	-5.48	1.54	1.61
18	Е	81	G	O3'-P	-5.11	1.55	1.61

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts (i)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	1905/2413~(79%)	1793~(94%)	95~(5%)	17 (1%)	17	53



$\mathbf{Mol}$	Chain	Analysed	Favoured	Allowed	Outliers	Perce	$\mathbf{ntiles}$
2	С	914/1008~(91%)	872 (95%)	41 (4%)	1 (0%)	51	83
3	J	25/135~(18%)	23~(92%)	2 (8%)	0	100	100
4	О	355/451~(79%)	316 (89%)	33 (9%)	6 (2%)	9	42
5	Р	197/379~(52%)	183 (93%)	6 (3%)	8 (4%)	3	26
6	Q	288/364~(79%)	263 (91%)	20 (7%)	5 (2%)	9	42
7	R	259/339~(76%)	247 (95%)	10 (4%)	2 (1%)	19	56
8	S	64/175~(37%)	60 (94%)	4 (6%)	0	100	100
9	Т	155/157~(99%)	146 (94%)	6 (4%)	3 (2%)	8	40
10	Ζ	443/577~(77%)	422 (95%)	21 (5%)	0	100	100
11	с	418/590~(71%)	398 (95%)	20 (5%)	0	100	100
12	d	534/687~(78%)	520 (97%)	13 (2%)	1 (0%)	47	78
13	Ι	98/215~(46%)	94 (96%)	4 (4%)	0	100	100
14	n	279/455~(61%)	249 (89%)	25 (9%)	5 (2%)	8	41
15	Н	69/235~(29%)	61 (88%)	8 (12%)	0	100	100
20	V	666/859~(78%)	642 (96%)	22 (3%)	2(0%)	41	74
21	a	82/111 (74%)	78 (95%)	3 (4%)	1 (1%)	13	48
22	b	165/238~(69%)	138 (84%)	20 (12%)	7 (4%)	3	26
23	t	150/175~(86%)	145 (97%)	4 (3%)	1 (1%)	22	59
24	i	70/94~(74%)	67~(96%)	3 (4%)	0	100	100
24	u	70/94~(74%)	67~(96%)	3(4%)	0	100	100
25	m	117/146~(80%)	111 (95%)	6 (5%)	0	100	100
25	Z	106/146~(73%)	100 (94%)	6 (6%)	0	100	100
26	j	73/77~(95%)	67~(92%)	5 (7%)	1 (1%)	11	45
26	х	73/77~(95%)	65~(89%)	7 (10%)	1 (1%)	11	45
27	h	64/86~(74%)	60 (94%)	4 (6%)	0	100	100
27	W	64/86~(74%)	61~(95%)	3~(5%)	0	100	100
28	е	99/110~(90%)	95~(96%)	3~(3%)	1 (1%)	15	51
28	g	$99/110\ (90\%)$	93~(94%)	4 (4%)	2(2%)	7	39
29	k	96/196~(49%)	90 (94%)	5 (5%)	1 (1%)	15	51
29	S	89/196~(45%)	83~(93%)	6 (7%)	0	100	100
30	1	81/101 (80%)	79~(98%)	0	2 (2%)	5	35



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
30	У	79/101~(78%)	75~(95%)	4(5%)	0	100 100
31	О	120/503~(24%)	115~(96%)	5(4%)	0	100 100
31	р	122/503~(24%)	118 (97%)	4(3%)	0	100 100
31	q	125/503~(25%)	116 (93%)	9~(7%)	0	100 100
31	r	119/503~(24%)	112 (94%)	7~(6%)	0	100 100
All	All	8732/13195~(66%)	8224 (94%)	441 (5%)	67 (1%)	24 56

All (67) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	131	LYS
1	А	260	PRO
1	А	403	TYR
1	А	773	SER
1	А	1575	TRP
1	А	1965	PHE
4	0	151	ASP
5	Р	106	LEU
9	Т	148	CYS
9	Т	150	CYS
12	d	423	ALA
14	n	292	HIS
14	n	372	HIS
21	a	68	GLN
22	b	68	PRO
22	b	95	PRO
22	b	125	LYS
22	b	149	PRO
26	j	75	ASP
1	А	510	PRO
1	А	771	PRO
1	А	1491	ILE
1	А	1964	PRO
2	С	71	GLY
4	0	219	ASP
4	0	351	GLY
5	Р	102	ALA
5	Р	105	LEU
5	Р	157	GLU
5	Р	162	GLU



Mol	Chain	Res	Type
20	V	798	LYS
22	b	98	VAL
23	t	112	SER
28	g	51	ASN
28	g	65	CYS
29	k	41	MET
28	е	51	ASN
30	1	78	LEU
1	А	128	TYR
4	0	218	ARG
5	Р	150	ASP
6	Q	256	SER
6	Q	297	PHE
6	Q	298	SER
7	R	151	LEU
9	Т	122	CYS
14	n	375	LYS
20	V	515	PRO
22	b	67	ILE
22	b	94	LEU
1	А	772	GLU
1	А	1165	LEU
1	А	1264	GLY
4	0	352	ILE
5	Р	101	PRO
30	1	40	MET
26	Х	75	ASP
1	А	268	LEU
1	А	1276	GLU
5	Р	161	ASN
6	Q	213	SER
7	R	206	LEU
14	n	387	ILE
14	n	427	LYS
1	А	130	PRO
4	0	149	PRO
6	Q	191	PRO

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM



entries.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	1737/2182~(80%)	1700~(98%)	37~(2%)	53 73
2	С	830/910~(91%)	820~(99%)	10 (1%)	71 83
3	J	21/121~(17%)	21 (100%)	0	100 100
4	Ο	312/397~(79%)	304~(97%)	8 (3%)	46 68
5	Р	175/328~(53%)	169~(97%)	6 (3%)	37 62
6	Q	265/332~(80%)	262~(99%)	3 (1%)	73 84
7	R	224/296~(76%)	221 (99%)	3 (1%)	69 81
8	S	57/151~(38%)	56~(98%)	1 (2%)	59 77
9	Т	141/141 (100%)	139~(99%)	2 (1%)	67 81
10	Ζ	417/538 (78%)	414 (99%)	3 (1%)	84 90
11	с	214/525~(41%)	209~(98%)	5 (2%)	50 70
12	d	274/633~(43%)	269~(98%)	5 (2%)	59 77
13	Ι	92/193~(48%)	92 (100%)	0	100 100
14	n	122/412~(30%)	108 (88%)	14 (12%)	5 26
15	Н	69/216~(32%)	69 (100%)	0	100 100
20	V	294/786~(37%)	279~(95%)	15~(5%)	24 53
23	t	39/165~(24%)	26~(67%)	13 (33%)	0 2
24	i	55/83~(66%)	52 (94%)	3~(6%)	21 51
24	u	52/83~(63%)	51 (98%)	1 (2%)	57 75
25	m	106/129~(82%)	97~(92%)	9~(8%)	10 39
25	Z	95/129~(74%)	95~(100%)	0	100 100
26	j	56/66~(85%)	48 (86%)	8 (14%)	3 20
26	х	56/66~(85%)	55~(98%)	1 (2%)	59 77
27	h	51/77~(66%)	51~(100%)	0	100 100
27	W	$51/\overline{77}\ (66\%)$	51 (100%)	0	100 100
28	е	82/103~(80%)	74 (90%)	8 (10%)	8 31
28	g	82/103~(80%)	77 (94%)	5 (6%)	18 48
29	k	92/176~(52%)	79~(86%)	13 (14%)	3 21
29	s	85/176~(48%)	82 (96%)	3(4%)	36 61

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
30	1	72/89~(81%)	53~(74%)	19~(26%)	0 4
30	У	68/89~(76%)	68 (100%)	0	100 100
31	О	60/451~(13%)	57~(95%)	3~(5%)	24 53
31	р	62/451~(14%)	58 (94%)	4 (6%)	17 46
31	q	62/451~(14%)	59~(95%)	3~(5%)	25 54
31	r	60/451~(13%)	57~(95%)	3~(5%)	24 53
All	All	6530/11576~(56%)	6322~(97%)	208 (3%)	42 63

All (208) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	129	THR
1	А	261	LEU
1	А	396	ARG
1	А	403	TYR
1	А	493	MET
1	А	695	LEU
1	А	705	GLN
1	А	716	ARG
1	А	772	GLU
1	А	1087	ASN
1	А	1099	ASN
1	А	1105	ARG
1	А	1140	ASN
1	А	1154	LYS
1	А	1165	LEU
1	А	1259	LEU
1	А	1292	ARG
1	А	1543	ARG
1	А	1574	PHE
1	А	1615	ASN
1	А	1628	ASP
1	А	1665	ILE
1	А	1669	LEU
1	А	1730	ASN
1	А	1739	ARG
1	А	1792	ASN
1	А	1803	ARG
1	А	1809	ASN
1	А	1961	LEU



Mol	Chain	Res	Type
1	А	1962	ARG
1	А	1965	PHE
1	А	1991	ILE
1	А	1993	ASP
1	А	2040	TRP
1	А	2065	ARG
1	А	2068	ASN
1	А	2084	LEU
2	С	234	LEU
2	С	289	ASN
2	С	294	ASN
2	С	300	LYS
2	С	362	LYS
2	С	461	LYS
2	С	726	ASN
2	С	733	ASN
2	С	745	ARG
2	С	841	LEU
4	0	113	ASN
4	0	327	CYS
4	0	346	GLU
4	0	348	GLU
4	0	349	LYS
4	0	433	THR
4	0	435	GLU
4	0	437	GLU
5	Р	87	ASN
5	Р	104	LEU
5	Р	106	LEU
5	Р	107	ASN
5	Р	157	GLU
5	Р	162	GLU
6	Q	230	LYS
6	Q	233	LYS
6	Q	298	SER
7	R	44	ASN
7	R	152	LYS
7	R	257	ASN
8	S	35	THR
9	Т	147	HIS
9	Т	153	CYS
10	Z	34	MET



Mol	Chain	Res	Type
10	Z	53	ARG
10	Ζ	445	LEU
11	с	504	PRO
11	с	505	PRO
11	с	517	VAL
11	с	532	PRO
11	с	550	PRO
12	d	123	ASN
12	d	231	ASN
12	d	284	LEU
12	d	315	ASN
12	d	316	ASN
14	n	159	PRO
14	n	162	PRO
14	n	208	PRO
14	n	257	PRO
14	n	258	THR
14	n	260	PRO
14	n	292	HIS
14	n	306	SER
14	n	327	PRO
14	n	340	PRO
14	n	373	PRO
14	n	424	PRO
14	n	428	PRO
14	n	436	PRO
20	V	385	PHE
20	V	386	GLU
20	V	397	ASN
20	V	398	ASP
20	V	438	ARG
20	V	529	HIS
20	V	530	ARG
20	v	544	ILE
20	v	574	TYR
20	v	576	THR
20	v	593	LEU
20	V	665	ILE
20	V	672	PHE
20	V	719	THR
20	V	726	ARG
23	t	13	PRO



Mol	Chain	Res	Type
23	t	76	THR
23	t	77	PRO
23	t	85	THR
23	t	96	PRO
23	t	100	THR
23	t	105	PRO
23	t	108	SER
23	t	109	SER
23	t	111	VAL
23	t	133	PRO
23	t	136	VAL
23	t	150	THR
24	u	35	ILE
25	m	33	SER
25	m	37	ASN
25	m	39	ILE
25	m	46	THR
25	m	47	LEU
25	m	52	LEU
25	m	86	ASN
25	m	92	ILE
25	m	93	ARG
26	j	18	ASN
26	j	20	ASN
26	j	22	SER
26	j	23	ARG
26	j	40	LEU
26	j	54	ASN
26	j	64	ARG
26	j	74	LEU
28	g	33	LEU
28	g	35	ASN
28	g	41	ARG
28	g	42	THR
28	g	57	ARG
29	k	14	ASN
29	k	15	LEU
29	k	39	LYS
29	k	41	MET
29	k	43	LEU
29	k	49	ILE
29	k	50	GLU



Mol	Chain	Res	Type
29	k	52	ARG
29	k	82	LEU
29	k	104	SER
29	k	105	LYS
29	k	106	LYS
29	k	109	LEU
28	е	41	ARG
28	е	49	ARG
28	е	57	ARG
28	е	70	GLU
28	е	88	GLU
28	е	90	PHE
28	е	92	SER
28	е	94	LEU
29	s	11	ARG
29	s	56	THR
29	s	82	LEU
30	1	11	LEU
30	1	15	GLN
30	1	21	LEU
30	1	23	LEU
30	1	30	ARG
30	1	32	LYS
30	1	36	SER
30	1	38	ASP
30	1	45	ARG
30	1	47	VAL
30	1	60	ASP
30	1	61	GLN
30	1	63	PHE
30	1	65	ARG
30	1	77	LEU
30	1	79	LYS
30	1	83	LEU
30	1	84	PHE
30	1	85	LYS
24	i	18	PHE
24	i	22	GLN
24	i	40	LYS
26	x	74	LEU
31	r	17	PRO
31	r	44	PRO



Mol	Chain	Res	Type
31	r	63	THR
31	р	17	PRO
31	р	44	PRO
31	р	63	THR
31	р	98	LEU
31	q	17	PRO
31	q	44	PRO
31	q	55	PRO
31	0	17	PRO
31	0	44	PRO
31	0	63	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (100) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	185	GLN
1	А	405	ASN
1	А	541	ASN
1	А	658	ASN
1	А	796	ASN
1	А	861	GLN
1	А	864	GLN
1	А	1034	ASN
1	А	1087	ASN
1	А	1099	ASN
1	А	1140	ASN
1	А	1156	HIS
1	А	1197	ASN
1	А	1221	ASN
1	А	1368	GLN
1	А	1431	HIS
1	А	1449	ASN
1	А	1455	GLN
1	А	1532	HIS
1	А	1540	ASN
1	А	1652	HIS
1	А	1687	HIS
1	А	1730	ASN
1	А	1792	ASN
1	А	1809	ASN
1	А	1863	HIS
1	А	1947	HIS



$\mathbf{Mol}$	Chain	ain Res Ty	
1	А	1990	ASN
1	А	2068	ASN
2	С	103	HIS
2	С	180	ASN
2	С	183	GLN
2	С	220	ASN
2	С	255	GLN
2	С	289	ASN
2	С	294	ASN
2	С	647	ASN
2	С	683	ASN
2	С	726	ASN
2	С	733	ASN
4	Ο	99	ASN
4	0	306	HIS
5	Р	87	ASN
5	Р	107	ASN
5	Р	111	HIS
5	Р	161	ASN
6	Q	106	ASN
6	Q	141	ASN
6	Q	243	ASN
6	Q	317	ASN
7	R	39	GLN
7	R	44	ASN
7	R	91	HIS
8	S	34	HIS
8	S	173	HIS
9	Т	56	HIS
9	Т	57	HIS
9	Т	112	ASN
9	Т	144	GLN
10	Ζ	84	ASN
10	Ζ	223	HIS
10	Ζ	310	HIS
10	Ζ	354	HIS
10	Ζ	441	ASN
11	с	214	ASN
12	d	123	ASN
12	d	315	ASN
12	d	316	ASN
15	Н	48	ASN



Mol	Chain	Res	Type
20	V	397	ASN
20	v	529	HIS
20	V	643	HIS
24	u	86	ASN
25	m	12	ASN
25	m	14	GLN
25	m	21	ASN
25	m	30	GLN
25	m	83	GLN
25	m	86	ASN
25	m	94	GLN
26	j	18	ASN
26	j	20	ASN
26	j	54	ASN
28	g	50	ASN
28	g	52	HIS
28	g	86	ASN
29	k	14	ASN
28	е	64	HIS
28	е	66	ASN
28	е	86	ASN
30	1	15	GLN
30	1	41	ASN
30	1	43	GLN
30	1	68	GLN
27	W	50	ASN
26	X	20	ASN
25	Z	12	ASN
25	Z	14	GLN
25	Z	21	ASN
25	Z	30	GLN

## 5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
16	В	55/246~(22%)	33~(60%)	5 (9%)
17	D	177/214 (82%)	56 (31%)	8 (4%)
18	Е	102/112~(91%)	43 (42%)	5 (4%)
19	L	194/1175~(16%)	75~(38%)	13 (6%)
All	All	528/1747~(30%)	207~(39%)	31 (5%)

All (207) RNA backbone outliers are listed below:



Mol	Chain	$\operatorname{Res}$	Type
16	В	-11	U
16	В	-10	G
16	В	-9	А
16	В	-8	U
16	В	-6	U
16	В	-4	G
16	В	-3	А
16	В	-1	А
16	В	0	G
16	В	1	G
16	В	2	U
16	В	3	А
16	В	7	С
16	В	8	U
16	В	9	A
16	В	10	А
16	В	11	А
16	В	12	G
16	В	13	U
16	В	14	U
16	В	15	А
16	В	52	U
16	В	53	U
16	В	54	А
16	В	55	U
16	В	56	G
16	В	57	С
16	В	58	U
16	В	70	А
16	В	71	С
16	В	74	А
16	В	75	А
16	В	78	A
17	D	12	С
17	D	13	A
17	D	14	G
17	D	18	A
17	D	20	U
17	D	24	G
17	D	$\overline{27}$	G
17	D	28	G
17	D	29	G
17	D	31	G



Mol	Chain	$\mathbf{Res}$	Type
17	D	33	U
17	D	38	A
17	D	41	А
17	D	42	A
17	D	43	G
17	D	44	А
17	D	45	А
17	D	71	А
17	D	75	А
17	D	77	А
17	D	79	С
17	D	80	G
17	D	81	A
17	D	82	A
17	D	84	А
17	D	96	U
17	D	99	U
17	D	100	А
17	D	101	С
17	D	103	А
17	D	104	G
17	D	109	А
17	D	113	G
17	D	127	U
17	D	128	А
17	D	129	G
17	D	130	А
17	D	131	А
17	D	132	А
17	D	139	А
17	D	141	G
17	D	$14\overline{2}$	C
17	D	151	A
17	D	160	U
17	D	161	U
17	D	162	G
17	D	163	C
17	D	164	C
17	D	165	A
17	D	166	U
17	D	168	U
17	D	170	U



Mol	Chain	Res	Type
17	D	171	U
17	D	174	G
17	D	175	G
17	D	178	С
18	Е	5	G
18	Е	12	А
18	Е	13	А
18	Е	14	C
18	Е	15	С
18	Е	16	С
18	Е	23	G
18	Е	31	G
18	Е	36	U
18	E	39	G
18	Е	40	А
18	Е	42	А
18	Е	51	А
18	Е	52	G
18	Е	54	U
18	Е	55	G
18	Е	56	А
18	Е	58	С
18	Е	59	А
18	Е	60	G
18	Е	62	А
18	Е	63	G
18	Е	64	U
18	Е	65	U
18	Е	66	С
18	Е	67	С
18	Е	68	С
18	Е	73	A
18	Е	74	U
18	Е	79	А
18	Е	80	U
18	Е	81	G
18	Ε	85	С
18	Е	86	G
18	Ε	87	U
18	Е	88	U
18	Е	90	U
18	Е	91	А



Mol	Chain	Res	Type
18	Е	92	С
18	Е	98	G
18	Е	100	U
18	Е	101	U
18	Е	102	U
19	L	2	С
19	L	3	G
19	L	4	А
19	L	5	А
19	L	6	U
19	L	7	С
19	L	9	С
19	L	12	U
19	L	16	U
19	L	18	U
19	L	19	U
19	L	21	G
19	L	23	U
19	L	25	А
19	L	26	G
19	L	29	С
19	L	30	А
19	L	31	А
19	L	32	G
19	L	41	С
19	L	43	G
19	L	44	U
19	L	45	U
19	L	53	G
19	L	54	U
19	L	86	U
19	L	109	С
19	L	110	A
19	L	111	С
19	L	115	U
19	L	119	G
19	L	120	G
19	L	121	С
19	L	124	С
19	L	129	A
19	L	141	A
19	L	153	U



Mol	Chain	Res	Type
19	L	1084	А
19	L	1085	G
19	L	1086	U
19	L	1091	G
19	L	1093	С
19	L	1094	G
19	L	1096	С
19	L	1098	С
19	L	1099	G
19	L	1100	А
19	L	1101	С
19	L	1102	С
19	L	1103	С
19	L	1104	U
19	L	1105	С
19	L	1106	G
19	L	1107	С
19	L	1108	А
19	L	1115	G
19	L	1120	G
19	L	1122	U
19	L	1123	С
19	L	1124	U
19	L	1125	U
19	L	1126	G
19	L	1128	С
19	L	1130	U
19	L	1137	U
19	L	1138	G
19	L	1139	G
19	L	1140	U
19	L	1144	U
19	L	1145	U
19	L	1146	G
19	L	1147	A
19	L	1149	G
19	L	1152	U
19	L	1166	G

Continued from previous page...

All (31) RNA pucker outliers are listed below: Continued on next page...



Mol	Chain	Res	Type
	<u> </u>	D	
Mol	Chain	Res	Type
16	В	2	U
16	В	7	С
16	В	9	A
16	В	57	С
16	В	69	А
17	D	17	С
17	D	27	G
17	D	28	G
17	D	83	С
17	D	99	U
17	D	127	U
17	D	150	U
17	D	163	С
18	Е	14	С
18	Е	55	G
18	Е	64	U
18	Е	85	С
18	Е	100	U
19	L	3	G
19	L	5	А
19	L	31	A
19	L	42	U
19	L	53	G
19	L	109	С
19	L	120	G
19	L	1085	G
19	L	1092	A
19	L	1093	С
19	L	1106	G
19	L	1107	С
19	L	1146	G

# 5.4 Non-standard residues in protein, DNA, RNA chains (i)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the



expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type	Type	Chain	Ros Link		B	ond leng	$\operatorname{gths}$	E	ond ang	gles
	Ullalli	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2	
14	SEP	n	73	14	8,9,10	1.51	1 (12%)	8,12,14	0.99	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	SEP	n	73	14	-	3/5/8/10	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	n	73	SEP	P-O1P	3.29	1.61	1.50

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
14	n	73	SEP	CB-OG-P-O2P
14	n	73	SEP	CB-OG-P-O3P
14	n	73	SEP	CB-OG-P-O1P

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

Of 14 ligands modelled in this entry, 12 are monoatomic - leaving 2 for Mogul analysis.



In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal True		Chain	Dec	Tinle	Bond lengths			Bond angles		
	туре	Unam	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
33	GTP	С	1500	34	26,34,34	0.95	2 (7%)	32,54,54	0.68	0
32	IHP	А	3000	-	36,36,36	0.76	0	54,60,60	0.57	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
33	GTP	С	1500	34	-	9/18/38/38	0/3/3/3
32	IHP	А	3000	-	-	6/30/54/54	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
33	С	1500	GTP	C5-C6	-2.56	1.42	1.47
33	С	1500	GTP	C8-N7	-2.10	1.31	1.35

There are no bond angle outliers.

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
32	А	3000	IHP	C2-C3-O13-P3
32	А	3000	IHP	C5-O15-P5-O25
33	С	1500	GTP	C5'-O5'-PA-O3A
33	С	1500	GTP	C5'-O5'-PA-O1A
33	С	1500	GTP	C3'-C4'-C5'-O5'
33	С	1500	GTP	O4'-C4'-C5'-O5'
32	А	3000	IHP	C4-C3-O13-P3
32	А	3000	IHP	C4-O14-P4-O24
33	С	1500	GTP	PB-O3B-PG-O2G
33	С	1500	GTP	PB-O3B-PG-O3G



	5	1	1 5	
Mol	Chain	$\mathbf{Res}$	Type	Atoms
32	А	3000	IHP	C3-O13-P3-O43
32	А	3000	IHP	C5-O15-P5-O35
33	С	1500	GTP	C5'-O5'-PA-O2A
33	С	1500	GTP	PG-O3B-PB-O1B
33	С	1500	GTP	PA-O3A-PB-O2B

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and sufficient must be highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





# 5.7 Other polymers (i)

There are no such residues in this entry.

# 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-0691. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

# 6.1 Orthogonal projections (i)

#### 6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

# 6.2 Central slices (i)

### 6.2.1 Primary map



X Index: 200

Y Index: 200



Z Index: 200

The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices (i)

#### 6.3.1 Primary map



X Index: 210

Y Index: 228

Z Index: 206

The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views (i)

#### 6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.028. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.



# 6.5 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



# 7 Map analysis (i)

This section contains the results of statistical analysis of the map.

# 7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



# 7.2 Volume estimate (i)



The volume at the recommended contour level is 1021  $\rm nm^3;$  this corresponds to an approximate mass of 922 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



# 7.3 Rotationally averaged power spectrum (i)



\*Reported resolution corresponds to spatial frequency of 0.259  $\text{\AA}^{-1}$ 



# 8 Fourier-Shell correlation (i)

This section was not generated. No FSC curve or half-maps provided.



# 9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-0691 and PDB model 6J6N. Per-residue inclusion information can be found in section 3 on page 12.

# 9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.028 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



# 9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.028).



# 9.4 Atom inclusion (i)



At the recommended contour level, 72% of all backbone atoms, 68% of all non-hydrogen atoms, are inside the map.



1.0

0.0 <0.0

# 9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.028) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	$\mathbf{Q} ext{-score}$
All	0.6827	0.2480
А	0.8210	0.3620
В	0.6891	0.2110
С	0.8762	0.3900
D	0.9033	0.2580
Е	0.9599	0.3630
Н	0.4023	0.0970
Ι	0.7531	0.2890
J	0.8717	0.3970
L	0.4985	0.0780
О	0.8802	0.4260
Р	0.7562	0.3360
Q	0.8185	0.3290
R	0.8721	0.3760
$\mathbf{S}$	0.7628	0.3950
Т	0.9030	0.4020
Z	0.5325	0.2310
a	0.5072	0.0430
b	0.5125	0.0450
с	0.4814	0.2030
d	0.7700	0.2460
е	0.3073	0.0600
g	0.7018	0.1280
h	0.8600	0.1290
i	0.8346	0.1430
j	0.7426	0.2110
k	0.7338	0.2230
1	0.8202	0.3080
m	0.6637	0.1580
n	0.1444	0.0390
0	0.1017	-0.0100
р	0.1204	0.0050
q	0.0154	-0.0080
r	0.0916	-0.0100
S	0.4596	0.0150



Chain	Atom inclusion	Q-score
t	0.0324	0.0250
u	0.3048	0.0290
V	0.6845	0.1200
W	0.3609	0.0580
x	0.2390	0.0380
У	0.3235	0.0380
Z	0.3877	0.0460

