



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 8, 2023 – 07:25 am GMT

PDB ID : 2JHT
Title : CRYSTAL STRUCTURE OF RHOGDI K135T,K138T,K141T MUTANT
Authors : Cooper, D.R.; Grelewska, K.; Derewenda, Z.S.
Deposited on : 2007-02-23
Resolution : 1.88 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	9470 (1.90-1.86)
Clashscore	141614	10282 (1.90-1.86)
Ramachandran outliers	138981	10152 (1.90-1.86)
Sidechain outliers	138945	10152 (1.90-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	138	83% 14% ..
1	B	138	75% 20% . .
1	C	138	75% 20% 5%
1	D	138	77% 17% 7%

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 4701 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RHO GDP-DISSOCIATION INHIBITOR 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	138	1112	710	182	214	6	0	1	0
1	B	138	1109	709	181	213	6	0	1	0
1	C	138	1104	705	181	213	5	0	0	0
1	D	138	1108	709	182	212	5	0	1	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	135	THR	LYS	engineered mutation	UNP P52565
A	138	THR	LYS	engineered mutation	UNP P52565
A	141	THR	LYS	engineered mutation	UNP P52565
B	135	THR	LYS	engineered mutation	UNP P52565
B	138	THR	LYS	engineered mutation	UNP P52565
B	141	THR	LYS	engineered mutation	UNP P52565
C	135	THR	LYS	engineered mutation	UNP P52565
C	138	THR	LYS	engineered mutation	UNP P52565
C	141	THR	LYS	engineered mutation	UNP P52565
D	135	THR	LYS	engineered mutation	UNP P52565
D	138	THR	LYS	engineered mutation	UNP P52565
D	141	THR	LYS	engineered mutation	UNP P52565

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0

- Molecule 3 is LITHIUM ION (three-letter code: LI) (formula: Li).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Li 1 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	100	Total O 100 100	0	0
4	B	57	Total O 57 57	0	0
4	C	56	Total O 56 56	0	0
4	D	44	Total O 44 44	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: RHO GDP-DISSOCIATION INHIBITOR 1

Chain A:  83% 14%



- Molecule 1: RHO GDP-DISSOCIATION INHIBITOR 1

Chain B:  75% 20%



- Molecule 1: RHO GDP-DISSOCIATION INHIBITOR 1

Chain C:  75% 20% 5%



- Molecule 1: RHO GDP-DISSOCIATION INHIBITOR 1

Chain D:  77% 17% 7%



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	190.83Å 34.02Å 103.94Å 90.00° 115.59° 90.00°	Depositor
Resolution (Å)	93.66 – 1.88 34.55 – 1.88	Depositor EDS
% Data completeness (in resolution range)	90.4 (93.66-1.88) 90.4 (34.55-1.88)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.53 (at 1.88Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.222 , 0.259 0.220 , 0.260	Depositor DCC
R_{free} test set	1143 reflections (2.55%)	wwPDB-VP
Wilson B-factor (Å ²)	24.8	Xtrriage
Anisotropy	1.203	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 56.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4701	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 21.29 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.2295e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, LI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.00	1/1137 (0.1%)	0.99	2/1539 (0.1%)
1	B	0.78	0/1137	0.94	1/1539 (0.1%)
1	C	0.76	1/1129 (0.1%)	0.85	1/1529 (0.1%)
1	D	1.20	4/1133 (0.4%)	0.82	2/1534 (0.1%)
All	All	0.95	6/4536 (0.1%)	0.90	6/6141 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
All	All	0	3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	99	LYS	CE-NZ	22.68	2.05	1.49
1	D	96	SER	CB-OG	19.29	1.67	1.42
1	D	99	LYS	CG-CD	10.08	1.86	1.52
1	A	193	GLU	CB-CG	6.33	1.64	1.52
1	D	99	LYS	CD-CE	5.83	1.65	1.51
1	C	163	GLU	CD-OE2	5.29	1.31	1.25

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	88	LEU	CA-CB-CG	6.58	130.43	115.30
1	D	134	ARG	N-CA-C	-5.86	95.17	111.00
1	A	66	MET	N-CA-CB	5.50	120.51	110.60
1	A	111	ARG	NE-CZ-NH1	-5.31	117.65	120.30
1	D	135	THR	N-CA-C	-5.27	96.76	111.00
1	C	172	ARG	NE-CZ-NH2	-5.22	117.69	120.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	65	ALA	Peptide
1	B	138	THR	Peptide
1	C	68	PRO	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1112	0	1099	28	0
1	B	1109	0	1100	29	0
1	C	1104	0	1091	34	1
1	D	1108	0	1094	31	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
3	A	1	0	0	0	0
4	A	100	0	0	9	0
4	B	57	0	0	4	0
4	C	56	0	0	6	0
4	D	44	0	0	1	0
All	All	4701	0	4384	117	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:99:LYS:CD	1:D:99:LYS:CG	1.86	1.48
1:D:96:SER:OG	1:D:96:SER:CB	1.67	1.41
1:B:89:ASP:OD1	1:B:91:THR:HG23	1.35	1.27
1:A:159:LEU:HG	4:A:2079:HOH:O	1.38	1.24
1:D:99:LYS:CE	1:D:99:LYS:NZ	2.05	1.18
1:A:159:LEU:CG	4:A:2079:HOH:O	1.94	1.07
1:A:111:ARG:HH11	1:A:111:ARG:CG	1.70	0.99
1:A:111:ARG:HG2	1:A:111:ARG:NH1	1.63	0.95
1:C:134:ARG:CG	1:C:134:ARG:HH11	1.79	0.93
1:A:111:ARG:HH11	1:A:111:ARG:HG2	0.80	0.93
1:B:178:LYS:HE3	1:B:191:SER:HB3	1.55	0.89
1:C:134:ARG:HH11	1:C:134:ARG:HG3	1.38	0.88
1:D:105:LYS:HG3	1:D:201:ASP:HA	1.56	0.85
1:C:69:ASN:HD21	1:C:121:GLU:HG3	1.43	0.84
1:C:134:ARG:NE	4:C:2029:HOH:O	2.11	0.82
1:D:99:LYS:CD	1:D:99:LYS:CB	2.61	0.79
1:D:99:LYS:CG	1:D:99:LYS:CE	2.67	0.72
1:B:178:LYS:CE	1:B:191:SER:HB3	2.19	0.72
1:B:65:ALA:O	1:B:66[B]:MET:CG	2.38	0.71
1:A:145[A]:MET:HG2	4:A:2065:HOH:O	1.91	0.70
1:A:138:THR:HG21	1:C:169:MET:O	1.91	0.70
1:A:159:LEU:CD1	4:A:2079:HOH:O	2.29	0.70
1:D:117:ARG:HD2	1:D:119:ASN:OD1	1.93	0.68
1:D:126:MET:CE	1:D:181:PHE:CE1	2.76	0.68
1:A:202:TRP:O	4:A:2098:HOH:O	2.10	0.67
1:C:134:ARG:CZ	4:C:2029:HOH:O	2.39	0.67
1:B:112:ILE:HD13	1:B:130:GLN:HE22	1.58	0.67
1:B:109:GLU:OE1	4:B:2014:HOH:O	2.14	0.66
1:D:123:VAL:HG11	1:D:126:MET:SD	2.36	0.66
1:A:69:ASN:HD21	1:A:123:VAL:CG1	2.09	0.65
1:A:69:ASN:HD21	1:A:123:VAL:HG13	1.61	0.65
1:A:145[B]:MET:SD	4:A:2052:HOH:O	2.54	0.65
1:C:69:ASN:HD22	1:C:120:ARG:NH1	1.96	0.64
1:B:180:ARG:NH2	4:B:2048:HOH:O	2.30	0.63
1:A:69:ASN:ND2	1:A:123:VAL:CG1	2.63	0.61
1:B:109:GLU:HG2	1:B:162:VAL:CG1	2.31	0.61
1:C:112:ILE:CD1	1:C:130:GLN:HE22	2.14	0.61
1:D:200:LYS:N	1:D:200:LYS:HD2	2.16	0.60
1:C:69:ASN:HD22	1:C:120:ARG:HH12	1.50	0.60
1:C:69:ASN:ND2	1:C:120:ARG:NH1	2.50	0.59
1:A:127:LYS:HD3	1:A:129:ILE:HD11	1.84	0.59
1:C:112:ILE:HD13	1:C:130:GLN:HE22	1.67	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:169:MET:HB3	1:B:172:ARG:NH1	2.18	0.58
1:B:178:LYS:NZ	4:B:2047:HOH:O	2.37	0.57
1:C:69:ASN:ND2	1:C:121:GLU:HG3	2.16	0.57
1:C:134:ARG:HH11	1:C:134:ARG:HG2	1.67	0.57
1:A:159:LEU:HD12	4:A:2079:HOH:O	1.99	0.57
1:B:65:ALA:O	1:B:66[B]:MET:HG2	2.05	0.56
1:B:81:SER:HB2	1:B:202:TRP:CZ2	2.41	0.56
1:C:174:SER:OG	4:C:2049:HOH:O	2.18	0.56
1:B:66[B]:MET:HG3	1:B:67:VAL:H	1.70	0.56
1:B:131:HIS:ND1	1:B:141:THR:HB	2.20	0.56
1:D:199:LYS:HD3	1:D:200:LYS:HE2	1.88	0.55
1:A:138:THR:CG2	1:C:170:LEU:HA	2.36	0.55
1:C:120:ARG:HB2	4:C:2001:HOH:O	2.07	0.55
1:B:139:ILE:O	1:B:139:ILE:HG23	2.07	0.54
1:D:200:LYS:H	1:D:200:LYS:CD	2.19	0.54
1:B:112:ILE:CD1	1:B:130:GLN:HE22	2.20	0.54
1:D:111:ARG:HD3	1:D:159:LEU:HD22	1.89	0.54
1:D:105:LYS:O	1:D:108:VAL:HG22	2.08	0.54
1:A:138:THR:HG21	1:C:170:LEU:HA	1.90	0.53
1:B:65:ALA:O	1:B:66[B]:MET:HG3	2.08	0.53
1:D:200:LYS:HD2	1:D:200:LYS:H	1.74	0.53
1:D:134:ARG:HH12	1:D:173:GLY:HA3	1.74	0.52
1:C:128:TYR:OH	1:C:130:GLN:NE2	2.38	0.52
1:B:139:ILE:O	1:B:139:ILE:CG2	2.58	0.52
1:B:131:HIS:HE2	1:B:180:ARG:HH11	1.56	0.52
1:A:111:ARG:HD3	4:A:2010:HOH:O	2.10	0.51
1:D:201:ASP:OD2	1:D:201:ASP:N	2.42	0.51
1:B:131:HIS:HB3	1:B:139:ILE:HD11	1.92	0.51
1:B:67:VAL:HG23	4:B:2019:HOH:O	2.11	0.51
1:C:129:ILE:HG12	1:C:143:ASP:HB3	1.93	0.51
1:D:109:GLU:HG2	1:D:162:VAL:HG12	1.93	0.50
1:C:134:ARG:CG	1:C:134:ARG:NH1	2.52	0.50
1:B:81:SER:HB2	1:B:202:TRP:HZ2	1.75	0.50
1:A:65:ALA:N	4:A:2001:HOH:O	2.43	0.50
1:C:134:ARG:HG3	1:C:134:ARG:NH1	2.13	0.50
1:D:109:GLU:HG2	1:D:162:VAL:CG1	2.42	0.49
1:B:89:ASP:OD1	1:B:91:THR:CG2	2.30	0.48
1:C:109:GLU:HG2	1:C:162:VAL:CG1	2.44	0.48
1:C:76:THR:HG23	1:C:87:GLU:HG2	1.96	0.48
1:C:66:MET:C	1:C:68:PRO:HD3	2.33	0.47
1:A:112:ILE:HD13	1:A:130:GLN:HE22	1.79	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:106:GLU:HB2	1:C:167:LYS:HB3	1.96	0.47
1:A:122:ILE:HG12	1:A:150:GLY:HA2	1.96	0.47
1:A:138:THR:CG2	1:C:169:MET:O	2.60	0.47
1:B:109:GLU:HG3	1:B:164:GLU:HG2	1.96	0.47
1:C:120:ARG:HD2	1:C:121:GLU:HG2	1.96	0.46
1:B:135:THR:OG1	1:D:135:THR:HG23	2.16	0.45
1:D:96:SER:CB	1:D:96:SER:HG	2.10	0.45
1:D:78:VAL:HB	1:D:111:ARG:HB3	1.99	0.45
1:D:126:MET:HE3	1:D:181:PHE:CE1	2.52	0.44
1:A:76:THR:HG23	1:A:87:GLU:HG2	1.99	0.44
1:C:66:MET:O	1:C:68:PRO:HD3	2.18	0.44
1:D:66:MET:HB3	1:D:67:VAL:H	1.50	0.44
1:C:154:GLU:HB2	4:C:2039:HOH:O	2.17	0.44
1:B:66[B]:MET:HG3	1:B:67:VAL:N	2.31	0.43
1:B:112:ILE:HD13	1:B:130:GLN:NE2	2.30	0.43
1:D:180:ARG:HG3	4:D:2019:HOH:O	2.18	0.43
1:D:82:ALA:HA	1:D:83:PRO:HD2	1.81	0.43
1:A:111:ARG:NH2	1:A:159:LEU:HD13	2.34	0.43
1:D:134:ARG:HG2	1:D:135:THR:CG2	2.48	0.43
1:B:117:ARG:HD3	1:B:155:GLU:HA	2.00	0.42
1:C:166:PRO:HG2	1:C:171:ALA:HB1	2.01	0.42
1:C:68:PRO:HA	1:C:120:ARG:NH2	2.34	0.42
1:A:134:ARG:HD3	1:A:175:TYR:CE2	2.54	0.42
1:C:123:VAL:HG21	1:C:126:MET:HE1	2.01	0.42
1:C:70:VAL:CG2	1:C:123:VAL:HG11	2.50	0.42
1:C:77:LEU:HD12	1:C:102:PHE:CD2	2.55	0.42
1:B:137:VAL:O	1:B:137:VAL:HG22	2.19	0.41
1:D:96:SER:OG	1:D:100:GLN:NE2	2.54	0.41
1:D:126:MET:HE1	1:D:181:PHE:CE1	2.54	0.41
1:A:134:ARG:HG3	4:C:2029:HOH:O	2.19	0.41
1:D:134:ARG:HG2	1:D:135:THR:HG22	2.02	0.41
1:A:184:ASP:OD1	1:A:184:ASP:N	2.42	0.41
1:D:134:ARG:HD2	1:D:175:TYR:CE2	2.56	0.41
1:A:123:VAL:HG23	1:A:123:VAL:O	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:91:THR:O	1:C:119:ASN:O[2_554]	1.91	0.29

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	137/138 (99%)	132 (96%)	4 (3%)	1 (1%)	22	11
1	B	137/138 (99%)	129 (94%)	3 (2%)	5 (4%)	3	0
1	C	136/138 (99%)	131 (96%)	5 (4%)	0	100	100
1	D	137/138 (99%)	132 (96%)	4 (3%)	1 (1%)	22	11
All	All	547/552 (99%)	524 (96%)	16 (3%)	7 (1%)	14	3

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	66[A]	MET
1	B	66[B]	MET
1	B	139	ILE
1	D	66	MET
1	B	136	GLY
1	B	137	VAL
1	A	66	MET

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	124/123 (101%)	120 (97%)	4 (3%)	39	27
1	B	124/123 (101%)	107 (86%)	17 (14%)	3	1
1	C	123/123 (100%)	115 (94%)	8 (6%)	17	7

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	D	122/123 (99%)	113 (93%)	9 (7%)	13 5
All	All	493/492 (100%)	455 (92%)	38 (8%)	13 4

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	111	ARG
1	A	143	ASP
1	A	170	LEU
1	A	184	ASP
1	B	66[A]	MET
1	B	66[B]	MET
1	B	67	VAL
1	B	81	SER
1	B	97	PHE
1	B	99	LYS
1	B	126	MET
1	B	134	ARG
1	B	137	VAL
1	B	138	THR
1	B	139	ILE
1	B	141	THR
1	B	169	MET
1	B	170	LEU
1	B	181	PHE
1	B	193	GLU
1	B	200	LYS
1	C	69	ASN
1	C	77	LEU
1	C	96	SER
1	C	109	GLU
1	C	121	GLU
1	C	134	ARG
1	C	167	LYS
1	C	186	LYS
1	D	87	GLU
1	D	101	SER
1	D	109	GLU
1	D	117	ARG
1	D	127	LYS
1	D	167	LYS
1	D	193	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	200	LYS
1	D	201	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	69	ASN
1	A	130	GLN
1	B	130	GLN
1	C	69	ASN
1	C	130	GLN
1	D	100	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	1203	-	4,4,4	0.43	0	6,6,6	0.74	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	B	1203	-	4,4,4	0.37	0	6,6,6	0.57	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands

Unable to reproduce the depositors R factor - this section is therefore empty.

6.5 Other polymers

Unable to reproduce the depositors R factor - this section is therefore empty.