



Full wwPDB X-ray Structure Validation Report

Jan 3, 2024 – 01:58 pm GMT

PDB ID : 5JJF
Title : Structure of the SRII/HtrII Complex in I212121 space group ("U" shape) - M state
Authors : Ishchenko, A.; Round, E.; Borshchevskiy, V.; Grudin, S.; Gushchin, I.; Klare, J.; Remeeva, A.; Polovinkin, V.; Utrobin, P.; Balandin, T.; Engelhard, M.; Bueldt, G.; Gordeliy, V.
Deposited on : 2016-04-23
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	248	
2	B	163	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	LFA	A	303	-	-	-	X
5	LFA	B	201	-	-	-	X

2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 4481 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sensory rhodopsin-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	221	3342	2236	530	564	12	0	221	0

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	240	GLU	-	expression tag	UNP P42196
A	241	ASN	-	expression tag	UNP P42196
A	242	SER	-	expression tag	UNP P42196
A	243	HIS	-	expression tag	UNP P42196
A	244	HIS	-	expression tag	UNP P42196
A	245	HIS	-	expression tag	UNP P42196
A	246	HIS	-	expression tag	UNP P42196
A	247	HIS	-	expression tag	UNP P42196
A	248	HIS	-	expression tag	UNP P42196
A	249	HIS	-	expression tag	UNP P42196

- Molecule 2 is a protein called Sensory rhodopsin II transducer.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	63	838	552	130	154	2	0	63	0

There are 10 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	4	ALA	-	expression tag	UNP P42259
B	158	ASN	-	expression tag	UNP P42259
B	159	SER	-	expression tag	UNP P42259
B	160	HIS	-	expression tag	UNP P42259
B	161	HIS	-	expression tag	UNP P42259
B	162	HIS	-	expression tag	UNP P42259

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	163	HIS	-	expression tag	UNP P42259
B	164	HIS	-	expression tag	UNP P42259
B	165	HIS	-	expression tag	UNP P42259
B	166	HIS	-	expression tag	UNP P42259

- Molecule 3 is RETINAL (three-letter code: RET) (formula: C₂₀H₂₈O).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C 40 40	0	1

- Molecule 4 is octyl beta-D-glucopyranoside (three-letter code: BOG) (formula: C₁₄H₂₈O₆).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	C O	0	0
			20	14 6		

- Molecule 5 is EICOSANE (three-letter code: LFA) (formula: $C_{20}H_{42}$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	C	0	0
			10	10		
5	A	1	Total	C	0	0
			7	7		
5	A	1	Total	C	0	0
			10	10		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C 10 10	0	0
5	A	1	Total C 16 16	0	0
5	A	1	Total C 16 16	0	0
5	A	1	Total C 10 10	0	0
5	A	1	Total C 16 16	0	0
5	A	1	Total C 5 5	0	0
5	B	1	Total C 10 10	0	0
5	B	1	Total C 5 5	0	0
5	B	1	Total C 16 16	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	46	Total O 90 90	0	46
6	B	10	Total O 20 20	0	10


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Sensory rhodopsin-2



- Molecule 2: Sensory rhodopsin II transducer



4 Data and refinement statistics

Property	Value	Source
Space group	I 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	49.56Å 113.78Å 125.39Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	36.00 – 1.90 36.30 – 1.90	Depositor EDS
% Data completeness (in resolution range)	98.6 (36.00-1.90) 98.6 (36.30-1.90)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.17 (at 1.89Å)	Xtrriage
Refinement program	PHENIX 1.8_1069	Depositor
R, R_{free}	0.202 , 0.232 0.202 , 0.229	Depositor DCC
R_{free} test set	1420 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	31.0	Xtrriage
Anisotropy	0.794	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 70.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4481	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.68% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BOG, LFA, RET

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

There are no protein, RNA or DNA chains available to summarize Z scores of covalent bonds and angles.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3342	0	3478	30	0
2	B	838	0	890	14	0
3	A	40	0	54	4	0
4	A	20	0	28	2	0
5	A	100	0	191	7	0
5	B	31	0	59	3	0
6	A	90	0	0	0	0
6	B	20	0	0	0	0
All	All	4481	0	4700	47	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (47) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:50[G]:THR:HG22	2:B:52[G]:ASP:H	1.32	0.94
1:A:101[G]:VAL:CG1	1:A:140[G]:TYR:CD2	2.64	0.81
1:A:59[G]:GLY:HA2	5:A:308:LFA:H42	1.68	0.72
2:B:22[G]:MET:SD	2:B:82[G]:LEU:HB3	2.31	0.71
1:A:59[M]:GLY:HA2	5:A:308:LFA:H42	1.73	0.69
1:A:19[M]:THR:HG21	5:A:309:LFA:H91	1.75	0.68
1:A:101[G]:VAL:HG13	1:A:140[G]:TYR:CD2	2.28	0.68
3:A:301[G]:RET:H171	3:A:301[G]:RET:H8	1.77	0.66
1:A:30[M]:GLY:O	1:A:34[M]:ARG:HG3	1.99	0.63
2:B:27[G]:ILE:HD12	2:B:27[G]:ILE:O	2.02	0.60
2:B:27[G]:ILE:HD12	2:B:27[G]:ILE:C	2.23	0.59
1:A:59[G]:GLY:H	5:A:308:LFA:H13	1.69	0.58
2:B:47[G]:ALA:O	2:B:50[G]:THR:HB	2.04	0.57
2:B:28[M]:PHE:CZ	5:B:203:LFA:H142	2.42	0.54
1:A:216[M]:ALA:HB2	4:A:302:BOG:H7'2	1.89	0.53
1:A:101[G]:VAL:CG1	1:A:140[G]:TYR:HD2	2.20	0.52
1:A:162[M]:ARG:NH2	2:B:83[M]:GLY:O	2.45	0.50
1:A:30[G]:GLY:O	1:A:34[G]:ARG:HG3	2.11	0.49
2:B:22[G]:MET:CE	2:B:82[G]:LEU:HB3	2.42	0.49
2:B:50[G]:THR:HG22	2:B:52[G]:ASP:N	2.14	0.49
1:A:101[M]:VAL:HG13	1:A:140[M]:TYR:CD2	2.48	0.48
1:A:59[M]:GLY:H	5:A:308:LFA:H13	1.78	0.48
1:A:150[M]:SER:HA	1:A:157[M]:LYS:HD2	1.95	0.48
2:B:28[M]:PHE:CE1	5:B:203:LFA:H142	2.48	0.48
3:A:301[M]:RET:H8	3:A:301[M]:RET:H161	1.95	0.48
2:B:50[M]:THR:HG22	2:B:52[M]:ASP:H	1.78	0.48
1:A:22[M]:PHE:CZ	1:A:209[M]:GLY:HA3	2.49	0.47
1:A:101[G]:VAL:HG13	1:A:140[G]:TYR:CE2	2.49	0.46
2:B:32[G]:LEU:HD23	2:B:32[G]:LEU:HA	1.72	0.45
1:A:46[G]:ILE:HG23	5:A:308:LFA:H142	1.97	0.45
1:A:211[G]:ILE:HG12	5:B:203:LFA:H42	1.99	0.45
3:A:301[G]:RET:H181	3:A:301[G]:RET:H7	1.80	0.44
1:A:31[M]:SER:HA	1:A:34[M]:ARG:CZ	2.48	0.43
1:A:221[G]:ALA:O	1:A:222[G]:GLU:HB3	2.18	0.43
1:A:98[G]:PHE:O	1:A:102[G]:ILE:HG12	2.19	0.43
1:A:216[G]:ALA:HB2	4:A:302:BOG:H7'2	2.01	0.43
2:B:22[G]:MET:HE2	2:B:82[G]:LEU:HD23	2.00	0.43
1:A:90[G]:LEU:O	1:A:152[G]:ARG:HD3	2.19	0.42
1:A:46[M]:ILE:HG23	5:A:308:LFA:H142	2.01	0.42
1:A:101[G]:VAL:HG11	1:A:140[G]:TYR:HD2	1.84	0.41
1:A:93[G]:LEU:HD22	1:A:97[G]:GLU:HB3	2.02	0.41
1:A:27[G]:ARG:HG2	1:A:28[G]:ASP:N	2.34	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:170[M]:LEU:HD12	1:A:170[M]:LEU:HA	1.87	0.41
1:A:187[M]:LEU:HD23	1:A:187[M]:LEU:HA	1.87	0.41
3:A:301[M]:RET:H7	3:A:301[M]:RET:H181	1.93	0.40
2:B:41[M]:TYR:O	2:B:45[M]:THR:HG23	2.22	0.40
1:A:167[M]:THR:HG23	1:A:171[M]:TRP:CE2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	438/248 (177%)	436 (100%)	2 (0%)	0	100 100
2	B	122/163 (75%)	120 (98%)	2 (2%)	0	100 100
All	All	560/411 (136%)	556 (99%)	4 (1%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	LFA	A	303	-	9,9,19	0.23	0	8,8,18	0.56	0
5	LFA	A	310	-	15,15,19	0.27	0	14,14,18	0.51	0
5	LFA	A	311	-	4,4,19	0.27	0	3,3,18	0.38	0
5	LFA	B	201	-	9,9,19	0.24	0	8,8,18	0.49	0
5	LFA	A	305	-	9,9,19	0.29	0	8,8,18	0.43	0
5	LFA	A	306	-	9,9,19	0.27	0	8,8,18	0.52	0
4	BOG	A	302	-	20,20,20	0.39	0	25,25,25	0.78	0
5	LFA	A	308	-	15,15,19	0.31	0	14,14,18	0.52	0
5	LFA	A	309	-	9,9,19	0.21	0	8,8,18	0.63	0
5	LFA	A	304	-	6,6,19	0.31	0	5,5,18	0.31	0
5	LFA	B	203	-	15,15,19	0.26	0	14,14,18	0.50	0
5	LFA	A	307	-	15,15,19	0.27	0	14,14,18	0.49	0
3	RET	A	301[M]	1	20,20,21	2.03	6 (30%)	27,27,28	3.06	12 (44%)
5	LFA	B	202	-	4,4,19	0.25	0	3,3,18	0.39	0
3	RET	A	301[G]	1	20,20,21	1.74	4 (20%)	27,27,28	2.98	13 (48%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	LFA	A	303	-	-	2/7/7/17	-
5	LFA	A	310	-	-	4/13/13/17	-
5	LFA	A	311	-	-	0/2/2/17	-
5	LFA	B	201	-	-	0/7/7/17	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	LFA	A	305	-	-	2/7/7/17	-
5	LFA	A	306	-	-	1/7/7/17	-
4	BOG	A	302	-	-	1/11/31/31	0/1/1/1
5	LFA	A	308	-	-	7/13/13/17	-
5	LFA	A	309	-	-	1/7/7/17	-
5	LFA	A	304	-	-	1/4/4/17	-
5	LFA	B	203	-	-	3/13/13/17	-
5	LFA	A	307	-	-	4/13/13/17	-
3	RET	A	301[M]	1	-	3/13/30/31	0/1/1/1
5	LFA	B	202	-	-	0/2/2/17	-
3	RET	A	301[G]	1	-	0/13/30/31	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	301[G]	RET	C17-C1	3.95	1.61	1.53
3	A	301[M]	RET	C5-C6	3.77	1.41	1.34
3	A	301[G]	RET	C14-C13	3.69	1.36	1.33
3	A	301[M]	RET	C14-C13	3.49	1.36	1.33
3	A	301[M]	RET	C1-C6	3.43	1.58	1.53
3	A	301[M]	RET	C17-C1	3.38	1.60	1.53
3	A	301[M]	RET	C16-C1	2.92	1.59	1.53
3	A	301[G]	RET	C16-C1	2.58	1.58	1.53
3	A	301[G]	RET	C1-C6	2.15	1.56	1.53
3	A	301[M]	RET	C10-C9	2.01	1.38	1.35

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	301[M]	RET	C20-C13-C14	-9.05	96.98	123.71
3	A	301[G]	RET	C4-C5-C6	-8.13	110.92	122.73
3	A	301[G]	RET	C11-C10-C9	-6.09	118.62	127.31
3	A	301[M]	RET	C12-C13-C14	5.68	136.81	118.80
3	A	301[M]	RET	C20-C13-C12	5.15	126.19	118.08
3	A	301[G]	RET	C18-C5-C6	4.81	129.93	124.53
3	A	301[M]	RET	C18-C5-C6	4.66	129.76	124.53
3	A	301[G]	RET	C3-C4-C5	4.52	122.15	114.08
3	A	301[M]	RET	C11-C10-C9	-4.43	120.99	127.31
3	A	301[G]	RET	C2-C1-C6	4.08	116.76	110.48
3	A	301[G]	RET	C10-C11-C12	-3.82	111.28	123.22
3	A	301[M]	RET	C8-C9-C10	-3.58	113.45	118.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	301[G]	RET	C7-C6-C5	-3.35	113.36	121.46
3	A	301[M]	RET	C10-C11-C12	-3.15	113.38	123.22
3	A	301[G]	RET	C18-C5-C4	2.85	119.09	113.62
3	A	301[G]	RET	C2-C3-C4	-2.69	105.36	111.38
3	A	301[M]	RET	C7-C6-C5	-2.68	114.98	121.46
3	A	301[G]	RET	C3-C2-C1	-2.60	105.30	114.60
3	A	301[M]	RET	C19-C9-C8	2.40	121.86	118.08
3	A	301[G]	RET	C17-C1-C2	-2.40	99.32	108.91
3	A	301[M]	RET	C18-C5-C4	-2.35	109.10	113.62
3	A	301[M]	RET	C1-C6-C7	2.34	122.39	115.78
3	A	301[G]	RET	C1-C6-C7	2.24	122.12	115.78
3	A	301[M]	RET	C4-C5-C6	-2.21	119.52	122.73
3	A	301[G]	RET	C17-C1-C6	2.18	113.84	110.30

There are no chirality outliers.

All (29) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	301[M]	RET	C20-C13-C14-C15
5	A	310	LFA	C11-C12-C13-C14
5	A	304	LFA	C2-C3-C4-C5
5	A	307	LFA	C11-C12-C13-C14
5	A	306	LFA	C3-C4-C5-C6
4	A	302	BOG	C2'-C1'-O1-C1
5	A	310	LFA	C10-C11-C12-C13
5	B	203	LFA	C4-C5-C6-C7
5	A	308	LFA	C4-C5-C6-C7
5	A	303	LFA	C1-C2-C3-C4
5	A	308	LFA	C1-C2-C3-C4
3	A	301[M]	RET	C12-C13-C14-C15
5	A	310	LFA	C11-C10-C9-C8
5	A	310	LFA	C4-C5-C6-C7
5	A	305	LFA	C7-C8-C9-C10
5	A	309	LFA	C3-C4-C5-C6
5	B	203	LFA	C13-C14-C15-C16
5	A	305	LFA	C1-C2-C3-C4
5	A	308	LFA	C5-C6-C7-C8
5	A	308	LFA	C13-C14-C15-C16
5	B	203	LFA	C1-C2-C3-C4
5	A	307	LFA	C11-C10-C9-C8
5	A	307	LFA	C6-C7-C8-C9
5	A	303	LFA	C5-C6-C7-C8

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	A	308	LFA	C12-C13-C14-C15
5	A	307	LFA	C10-C11-C12-C13
5	A	308	LFA	C6-C7-C8-C9
3	A	301[M]	RET	C11-C10-C9-C19
5	A	308	LFA	C11-C12-C13-C14





There are no ring outliers.




6 monomers are involved in 16 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	302	BOG	2	0
5	A	308	LFA	6	0
5	A	309	LFA	1	0
5	B	203	LFA	3	0
3	A	301[M]	RET	2	0
3	A	301[G]	RET	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	221/248 (89%)	0.81	24 (10%) 5 6	9, 18, 49, 88	0
2	B	63/163 (38%)	1.19	9 (14%) 2 2	14, 32, 54, 74	0
All	All	284/411 (69%)	0.89	33 (11%) 4 5	9, 19, 54, 88	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	221[G]	ALA	7.4
2	B	84[G]	GLY	6.8
1	A	65[G]	GLU	5.4
2	B	82[G]	LEU	5.3
2	B	25[G]	VAL	5.3
2	B	22[G]	MET	5.2
2	B	24[G]	ALA	5.2
1	A	95[G]	SER	4.9
1	A	24[G]	TRP	4.7
1	A	98[G]	PHE	4.3
1	A	222[G]	GLU	4.2
1	A	217[G]	ALA	4.2
1	A	147[G]	GLU	4.1
1	A	2[G]	VAL	4.1
1	A	220[G]	ARG	3.8
1	A	140[G]	TYR	3.6
1	A	118[G]	VAL	3.4
1	A	28[G]	ASP	3.4
2	B	83[G]	GLY	3.4
1	A	96[G]	ARG	3.3
1	A	119[G]	PRO	3.3
1	A	31[G]	SER	3.2
1	A	94[G]	ASP	3.0
1	A	121[G]	ILE	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	71[G]	LEU	2.8
1	A	49[G]	VAL	2.6
1	A	43[G]	ILE	2.5
1	A	219[G]	LEU	2.4
1	A	122[G]	GLU	2.4
2	B	49[G]	ALA	2.4
1	A	66[G]	ARG	2.3
1	A	100[G]	ILE	2.3
2	B	52[G]	ASP	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	LFA	B	201	10/20	0.35	1.09	29,41,44,46	10
5	LFA	A	307	16/20	0.56	0.31	49,61,68,70	0
5	LFA	A	303	10/20	0.58	0.41	18,30,33,33	10
5	LFA	A	304	7/20	0.58	0.38	36,41,50,52	0
5	LFA	A	306	10/20	0.61	0.35	53,57,69,70	0
5	LFA	B	203	16/20	0.63	0.27	40,60,76,77	0
5	LFA	A	309	10/20	0.70	0.25	30,46,52,58	0
5	LFA	A	310	16/20	0.71	0.23	43,60,67,68	0
5	LFA	A	311	5/20	0.72	0.15	53,54,58,59	0
5	LFA	A	305	10/20	0.73	0.21	41,45,52,59	0
4	BOG	A	302	20/20	0.74	0.28	22,71,93,94	0
5	LFA	A	308	16/20	0.77	0.28	25,38,56,58	0
5	LFA	B	202	5/20	0.79	0.23	49,50,52,55	0
3	RET	A	301[M]	20/21	0.91	0.25	22,24,27,29	20

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	RET	A	301[G]	20/21	0.91	0.25	22,23,26,27	20

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around LFA A 307:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 303:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 306:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA B 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 309:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 310:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 305:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BOG A 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 308:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around RET A 301 (M):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around RET A 301 (G):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.