



# wwPDB X-ray Structure Validation Summary Report ⓘ

Jan 4, 2024 – 06:38 pm GMT

PDB ID : 5JVG  
Title : The large ribosomal subunit from *Deinococcus radiodurans* in complex with avilamycin  
Authors : Krupkin, M.; Wekselman, I.; Matzov, D.; Eyal, Z.; Diskin Posner, Y.; Rozenberg, H.; Zimmerman, E.; Bashan, A.; Yonath, A.  
Deposited on : 2016-05-11  
Resolution : 3.43 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.43 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1486 (3.50-3.34)
Clashscore	141614	1572 (3.50-3.34)
Ramachandran outliers	138981	1534 (3.50-3.34)
Sidechain outliers	138945	1535 (3.50-3.34)
RSRZ outliers	127900	1395 (3.50-3.34)
RNA backbone	3102	1012 (3.88-2.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	X	2877	
2	Y	124	
3	A	275	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	B	211	
5	C	205	
6	D	180	
7	E	185	
8	F	144	
9	G	174	
10	H	134	
11	I	156	
12	J	141	
13	K	116	
14	L	114	
15	M	166	
16	N	118	
17	O	100	
18	P	134	
19	Q	95	
20	R	115	
21	S	237	
22	T	91	
23	U	81	
24	V	67	
25	W	55	
26	Z	60	
27	1	55	
28	2	47	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	3	66	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
31	MG	3	101	-	-	-	X
31	MG	X	2904	-	-	-	X
31	MG	X	2958	-	-	-	X
31	MG	X	3000	-	-	-	X
31	MG	X	3010	-	-	-	X
31	MG	X	3033	-	-	-	X
31	MG	X	3039	-	-	-	X
31	MG	X	3054	-	-	-	X
31	MG	X	3064	-	-	-	X
31	MG	X	3072	-	-	-	X
31	MG	X	3073	-	-	-	X
31	MG	X	3089	-	-	-	X
31	MG	X	3102	-	-	-	X
31	MG	X	3103	-	-	-	X
31	MG	X	3104	-	-	-	X
31	MG	X	3160	-	-	-	X
31	MG	X	3170	-	-	-	X
31	MG	X	3189	-	-	-	X
31	MG	X	3215	-	-	-	X
31	MG	X	3219	-	-	-	X
31	MG	X	3225	-	-	-	X
31	MG	X	3231	-	-	-	X
31	MG	X	3234	-	-	-	X
31	MG	X	3239	-	-	-	X
31	MG	X	3248	-	-	-	X
31	MG	X	3250	-	-	-	X
31	MG	X	3252	-	-	-	X
31	MG	X	3261	-	-	-	X
31	MG	X	3266	-	-	-	X
31	MG	X	3300	-	-	-	X
31	MG	X	3301	-	-	-	X
31	MG	X	3314	-	-	-	X
31	MG	Y	209	-	-	-	X
32	MPD	X	3316	-	-	X	-

## 2 Entry composition [i](#)

There are 33 unique types of molecules in this entry. The entry contains 85766 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	X	2710	58191	25957	10742	18782	2710	0	1	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
X	1526	U	C	conflict	GB 1026245073
X	1890	A	G	conflict	GB 1026245073

- Molecule 2 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	Y	120	2561	1143	471	827	120	0	0	0

- Molecule 3 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	A	272	2085	1299	416	366	4	0	0	0

- Molecule 4 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	B	205	1539	965	295	271	8	0	0	0

- Molecule 5 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	C	195	1489	925	285	276	3	0	0	0

- Molecule 6 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	D	177	1367	869	241	250	7	0	0	0

- Molecule 7 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
7	E	171	1286	812	237	236	1	0	0	0

- Molecule 8 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
8	F	63	451	280	82	86	3	0	0	0

- Molecule 9 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
9	G	142	1114	704	209	198	3	0	0	0

- Molecule 10 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	H	134	997	614	198	180	5	0	0	0

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
11	I	134	982	601	195	186	0	0	0

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
12	J	136	1060	680	192	181	7	0	0	0

- Molecule 13 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
13	K	115	897	552	183	159	3	0	0	0

- Molecule 14 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
14	L	104	779	476	161	142		0	0	0

- Molecule 15 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
15	M	119	939	586	185	168		0	0	0

- Molecule 16 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
16	N	117	978	608	210	159	1	0	0	0

- Molecule 17 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
17	O	97	759	477	142	140		0	0	0

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
18	P	128	1015	640	200	173	2	0	0	0

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
19	Q	93	726	458	136	130	2	0	0	0

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
20	R	110	809	504	153	151	1	0	0	0

- Molecule 21 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
21	S	180	1370	864	241	259	6	0	0	0

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
22	T	74	556	351	107	97	1	0	0	0

- Molecule 23 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
23	U	74	549	341	111	97	0	0	0

- Molecule 24 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
24	V	65	525	322	106	95	2	0	0	0

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
25	W	55	424	264	82	76	2	0	0	0

- Molecule 26 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
26	Z	57	444	273	91	75	5	0	0	0

- Molecule 27 is a protein called 50S ribosomal protein L33.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
27	1	53	Total 427	C 271	N 79	O 76	S 1	0	0	0


- Molecule 28 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
28	2	46	Total 383	C 230	N 91	O 60	S 2	0	0	0

- Molecule 29 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
29	3	59	Total 453	C 285	N 92	O 73	S 3	0	0	0

- Molecule 30 is Avilamycin (three-letter code: 6NO) (formula:  $C_{61}H_{88}Cl_2O_{32}$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	Cl	O		
30	X	1	Total 95	C 61	Cl 2	O 32	0	0

- Molecule 31 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
31	X	420	Total 420	Mg 420	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
31	Y	19	Total Mg 19 19	0	0
31	A	1	Total Mg 1 1	0	0
31	J	1	Total Mg 1 1	0	0
31	K	1	Total Mg 1 1	0	0
31	M	1	Total Mg 1 1	0	0
31	N	1	Total Mg 1 1	0	0
31	T	1	Total Mg 1 1	0	0
31	3	1	Total Mg 1 1	0	0

- Molecule 32 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
32	X	1	Total C O 8 6 2	0	0
32	X	1	Total C O 8 6 2	0	0
32	X	1	Total C O 8 6 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
32	X	1	Total	C	O	0	0
			8	6	2		
32	X	1	Total	C	O	0	0
			8	6	2		

- Molecule 33 is SPERMIDINE (three-letter code: SPD) (formula: C<sub>7</sub>H<sub>19</sub>N<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
33	X	1	Total	C	N	0	0
			10	7	3		
33	X	1	Total	C	N	0	0
			10	7	3		
33	X	1	Total	C	N	0	0
			10	7	3		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: 23S ribosomal RNA




G2001	A1911	G1833	G1675	G1584	U1490	U1409	U1325	U1231	C1145	U1056	G961	C878
U2004	G1912	G1834	U1679	A1585	A1493	U1410	U1326	A1231	G1145	A1057	G961	A879
U2005	G1913	C1835	U1680	A1586	A1494	C1411	U1326	U1232	G1146	G1058	A964	C884
G2006	U1914	G1836	U1681	A1587	G1495	U1413	U1329	U1240	G1148	A1059	C968	U890
G2007	G1918	G1837	A1682	U1592	G1496	G1414	G1330	G1240	G1149	U1061	U969	U890
G2010	A1919	G1838	G1683	C1593	C1497	G1417	G1331	G1247	C1150	A970	A970	A
G2014	A1920	G1842	G1684	U1594	G1498	C1418	G1332	U1247	U1151	A1065	A971	G
G2015	U1922	A1845	A1685	A1595	A1499	C1418	G1333	G1248	C1152	G1066	C972	G
G2018	U1923	C1773	A1686	A1596	U1500	G1419	A1334	G1249	C1153	G1067	C972	G
G2019	C1924	A1845	A1687	A1597	U1500	A1420	A1335	A1250	A1154	G	U973	G
G2020	C1925	G1849	C1692	C1598	G1504	U1421	G1336	G1251	G1155	G1070	G885	C
G2021	U1926	G1850	A1693	U1600	U1505	C1422	G1337	G1251	G1156	U1071	G885	C
G2022	C1930	U1856	G1602	U1601	A1509	A1423	G1338	A1255	G1157	U1072	A994	C
G2023	A1943	G1861	A1603	G1602	U1513	G1427	U1339	A1256	U1161	G1073	C998	A
U2024	C1944	U1785	C1700	A1603	U1513	G1428	G1341	U1256	U1162	G1074	C998	A
A2025	C1945	C1786	U1787	A1607	U1515	A1429	U1342	C1264	C1163	C1075	A999	C
C2026	U1946	U1787	U1608	U1607	U1515	G1430	C1343	G1265	C1164	U1077	G1000	C
C2027	C1947	C1772	U1608	U1608	A1516	U1431	C1344	G1266	C1165	A1078	C1003	A
C2031	U1948	A1774	C1614	C1614	G1520	G1432	C1345	A1267	G1166	G1079	A1003	G
C2032	A1949	A1775	A1619	A1619	U1521	A1433	U1357	U1268	A1167	A1080	U1005	C
C2033	G1951	U1710	C1623	C1623	U1522	A1437	C1358	C1270	U1172	A1081	U1006	U
A2034	A1952	C1711	A1624	A1624	A	G1438	G1359	C1271	G1173	A1082	A1007	A
A2035	A1953	C1795	A1625	A1625	C	G1439	G1360	A1275	G1085	G1082	A1007	C
C2038	A1954	A1796	A1626	A1626	U1528	G1440	G1361	C1087	C1086	C1087	C1016	A911
C2039	G1955	U1799	A1630	A1630	C1528	A1441	U1370	U1276	C1087	C1087	C1016	A911
A2040	U1964	C1801	A1631	A1631	U1539	A1442	U1371	U1277	C1090	C1090	U1019	C914
A2041	U1965	A1802	A1632	A1632	U1540	G1443	U1372	G1279	C1090	C1090	A1021	C915
A2042	U1965	A1803	C1633	C1633	G1541	G1443	A1373	U1280	U1182	U1093	A1022	C915
A2043	C1973	G1804	G1633	G1633	U1542	C1444	G1374	U1281	U1183	C1094	U1023	A822
G2044	U1974	U1805	G1636	G1636	G1542	C1444	G1374	U1282	U1184	A1095	U1026	A923
A2045	G1975	G1806	G1637	G1637	U1551	C1444	G1374	U1283	U1185	A1096	C1027	C924
C2046	U1976	G1807	G1638	G1638	U1552	C1444	G1374	U1284	U1186	A1097	G1028	U925
C2047	U1976	A1808	G1638	G1638	U1553	C1444	G1374	U1285	U1187	G1098	G1029	U925
C2048	C1979	C1808	G1638	G1638	U1554	C1444	G1374	U1286	U1188	A1099	G1029	C926
G2052	A1981	G1809	A1643	A1643	U1555	C1444	G1374	U1287	U1189	G1100	U1030	C927
U2058	A1981	U1810	A1643	A1643	U1555	C1444	G1374	U1288	U1190	U1101	C1031	G928
U2062	G1983	U1811	C1648	C1648	U1555	C1444	G1374	U1289	U1191	A1106	A1032	G938
A2063	A1984	A1813	C1655	C1655	U1560	C1463	A1386	U1291	U1194	A1106	A1032	C939
U2067	G1987	G1815	U1666	U1666	A1561	A1464	A1386	A1292	U1195	U1116	G1035	U941
C2068	A1988	G1816	C1661	C1661	U1562	A1464	A1386	A1292	U1195	G1117	U1037	U943
U2069	C1989	U1817	G1662	G1662	U1563	A1466	A1386	A1297	G1201	G1121	A1040	A944
G2070	U1990	G1818	C1663	C1663	U1564	U1467	A1386	G1393	A1202	A1122	A1040	G945
G2076	U1991	A1821	G1664	G1664	U1564	U1468	A1386	A1397	A1203	G1123	G1041	U946
G2077	C1992	C1825	C1665	C1665	U1569	U1469	A1386	U1301	A1205	G1125	G1045	C948
G2078	U1997	U1827	G1670	G1670	U1570	G1470	A1386	U1301	G1205	A1126	U1046	A952
G2083	A1998	C1830	A1671	A1671	U1571	U1478	A1386	U1301	U1212	G1127	U1046	G953
G2084	U1999	G1831	A1672	A1672	U1572	G1479	A1386	U1301	U1213	C1127	G1049	U954
G2085	U2000	G1832	C1673	C1673	U1573	U1480	A1386	U1301	U1217	A1129	G1050	G955
			C1674	C1674	U1575	U1482	A1386	U1301	G1222	C1134	C1052	A956
					U1582	U1488	A1386	U1301	G1223	C1135	G958	G957
					U1583	C1489	A1386	U1301	G1225	G1142	C1054	C959
											A1055	U960




• Molecule 2: 5S ribosomal RNA




• Molecule 3: 50S ribosomal protein L2







• Molecule 4: 50S ribosomal protein L3




• Molecule 5: 50S ribosomal protein L4



• Molecule 6: 50S ribosomal protein L5









• Molecule 7: 50S ribosomal protein L6



• Molecule 8: 50S ribosomal protein L11



• Molecule 9: 50S ribosomal protein L13




• Molecule 10: 50S ribosomal protein L14







- Molecule 11: 50S ribosomal protein L15




- Molecule 12: 50S ribosomal protein L16




- Molecule 13: 50S ribosomal protein L17




- Molecule 14: 50S ribosomal protein L18




- Molecule 15: 50S ribosomal protein L19







• Molecule 16: 50S ribosomal protein L20



• Molecule 17: 50S ribosomal protein L21




• Molecule 18: 50S ribosomal protein L22




• Molecule 19: 50S ribosomal protein L23








- Molecule 24: 50S ribosomal protein L29




- Molecule 25: 50S ribosomal protein L30




- Molecule 26: 50S ribosomal protein L32





- Molecule 27: 50S ribosomal protein L33



- Molecule 28: 50S ribosomal protein L34



- Molecule 29: 50S ribosomal protein L35



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	170.03Å 412.63Å 698.14Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.55 – 3.43 51.02 – 3.43	Depositor EDS
% Data completeness (in resolution range)	88.9 (49.55-3.43) 88.9 (51.02-3.43)	Depositor EDS
$R_{merge}$	0.17	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.61 (at 3.40Å)	Xtrriage
Refinement program	PHENIX	Depositor
R, $R_{free}$	0.211 , 0.253 0.214 , 0.255	Depositor DCC
$R_{free}$ test set	14626 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	99.1	Xtrriage
Anisotropy	0.729	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.18 , 65.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	85766	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	106.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.18% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: 6NO, MPD, SPD, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	X	0.45	3/65161 (0.0%)	0.98	120/101636 (0.1%)
2	Y	0.32	0/2863	0.82	2/4461 (0.0%)
3	A	0.34	0/2127	0.66	3/2864 (0.1%)
4	B	0.41	0/1567	0.69	0/2105
5	C	0.34	0/1512	0.61	0/2046
6	D	0.25	0/1385	0.54	0/1862
7	E	0.25	0/1308	0.47	0/1771
8	F	0.24	0/455	0.48	0/611
9	G	0.39	0/1138	0.70	0/1539
10	H	0.40	0/1007	0.68	0/1352
11	I	0.39	0/991	0.69	0/1328
12	J	0.41	0/1083	0.64	0/1451
13	K	0.43	0/905	0.68	0/1212
14	L	0.35	0/785	0.64	0/1048
15	M	0.45	0/952	0.72	1/1277 (0.1%)
16	N	0.36	0/994	0.58	0/1323
17	O	0.35	0/768	0.66	1/1025 (0.1%)
18	P	0.43	0/1028	0.65	0/1375
19	Q	0.35	0/737	0.60	0/988
20	R	0.37	0/819	0.71	0/1103
21	S	0.27	0/1395	0.57	0/1897
22	T	0.37	0/563	0.66	0/747
23	U	0.36	0/553	0.73	0/741
24	V	0.25	0/529	0.48	0/704
25	W	0.32	0/426	0.52	0/568
26	Z	0.38	0/456	0.64	0/613
27	1	0.37	0/434	0.76	1/579 (0.2%)
28	2	0.37	0/387	0.72	0/509
29	3	0.40	0/459	0.72	0/604
All	All	0.43	3/92787 (0.0%)	0.90	128/139339 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
6	D	0	2
9	G	0	2
11	I	0	2
14	L	0	2
15	M	0	1
21	S	0	1
22	T	0	1
23	U	0	3
27	1	0	1
28	2	0	1
29	3	0	3
All	All	0	19

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	X	774	A	N9-C4	7.85	1.42	1.37
1	X	774	A	N7-C5	6.14	1.43	1.39
1	X	774	A	C6-N1	-5.13	1.31	1.35

The worst 5 of 128 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	X	1670	G	N1-C6-O6	-12.98	112.11	119.90
1	X	774	A	N1-C6-N6	-12.65	111.01	118.60
1	X	1675	C	O5'-P-OP1	-12.45	94.49	105.70
1	X	1670	G	C5-C6-O6	9.99	134.60	128.60
1	X	1670	G	C6-C5-N7	9.02	135.81	130.40

There are no chirality outliers.

5 of 19 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
6	D	81	GLN	Peptide
6	D	83	MET	Peptide
9	G	107	GLN	Peptide
9	G	113	GLU	Peptide
11	I	38	LYS	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	X	58191	0	29325	964	0
2	Y	2561	0	1306	45	0
3	A	2085	0	2158	110	0
4	B	1539	0	1600	84	0
5	C	1489	0	1516	87	0
6	D	1367	0	1408	59	0
7	E	1286	0	1336	25	0
8	F	451	0	474	9	0
9	G	1114	0	1144	69	0
10	H	997	0	1046	34	0
11	I	982	0	1002	54	0
12	J	1060	0	1073	40	0
13	K	897	0	955	48	0
14	L	779	0	820	62	0
15	M	939	0	964	38	0
16	N	978	0	1020	55	0
17	O	759	0	774	38	0
18	P	1015	0	1094	47	0
19	Q	726	0	753	22	0
20	R	809	0	848	45	0
21	S	1370	0	1385	41	0
22	T	556	0	579	18	0
23	U	549	0	584	40	0
24	V	525	0	546	7	0
25	W	424	0	470	17	0
26	Z	444	0	440	28	0
27	1	427	0	445	33	0
28	2	383	0	414	21	0
29	3	453	0	488	37	0
30	X	95	0	0	2	0
31	3	1	0	0	0	0
31	A	1	0	0	0	0
31	J	1	0	0	0	0
31	K	1	0	0	0	0
31	M	1	0	0	0	0
31	N	1	0	0	0	0
31	T	1	0	0	0	0

*Continued on next page...*



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
31	X	420	0	0	0	0
31	Y	19	0	0	0	0
32	X	40	0	70	15	0
33	X	30	0	57	7	0
All	All	85766	0	56094	1897	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

The worst 5 of 1897 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:1277:G:OP1	26:Z:19:ARG:NH2	1.99	0.95
1:X:1669:A:OP2	13:K:9:LYS:NZ	2.00	0.95
1:X:2757:G:H5''	1:X:2758:A:H5'	1.49	0.94
1:X:2015:G:N7	32:X:3316:MPD:O4	2.00	0.93
10:H:28:GLY:HA2	10:H:50:ILE:HD11	1.52	0.91

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	270/275 (98%)	226 (84%)	44 (16%)	0	100	100
4	B	203/211 (96%)	189 (93%)	13 (6%)	1 (0%)	29	65
5	C	193/205 (94%)	163 (84%)	27 (14%)	3 (2%)	9	41
6	D	175/180 (97%)	145 (83%)	27 (15%)	3 (2%)	9	40
7	E	169/185 (91%)	160 (95%)	8 (5%)	1 (1%)	25	61
8	F	61/144 (42%)	54 (88%)	6 (10%)	1 (2%)	9	41

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
9	G	140/174 (80%)	120 (86%)	16 (11%)	4 (3%)	4	29
10	H	132/134 (98%)	125 (95%)	7 (5%)	0	100	100
11	I	132/156 (85%)	103 (78%)	27 (20%)	2 (2%)	10	42
12	J	134/141 (95%)	111 (83%)	23 (17%)	0	100	100
13	K	113/116 (97%)	103 (91%)	10 (9%)	0	100	100
14	L	102/114 (90%)	79 (78%)	20 (20%)	3 (3%)	4	29
15	M	117/166 (70%)	109 (93%)	6 (5%)	2 (2%)	9	40
16	N	115/118 (98%)	105 (91%)	9 (8%)	1 (1%)	17	53
17	O	95/100 (95%)	83 (87%)	12 (13%)	0	100	100
18	P	126/134 (94%)	120 (95%)	6 (5%)	0	100	100
19	Q	91/95 (96%)	74 (81%)	15 (16%)	2 (2%)	6	35
20	R	108/115 (94%)	87 (81%)	20 (18%)	1 (1%)	17	53
21	S	178/237 (75%)	153 (86%)	21 (12%)	4 (2%)	6	35
22	T	72/91 (79%)	62 (86%)	10 (14%)	0	100	100
23	U	72/81 (89%)	52 (72%)	15 (21%)	5 (7%)	1	11
24	V	63/67 (94%)	59 (94%)	4 (6%)	0	100	100
25	W	53/55 (96%)	51 (96%)	2 (4%)	0	100	100
26	Z	55/60 (92%)	52 (94%)	3 (6%)	0	100	100
27	1	51/55 (93%)	33 (65%)	15 (29%)	3 (6%)	1	14
28	2	44/47 (94%)	36 (82%)	7 (16%)	1 (2%)	6	34
29	3	57/66 (86%)	42 (74%)	13 (23%)	2 (4%)	3	25
All	All	3121/3522 (89%)	2696 (86%)	386 (12%)	39 (1%)	13	46

5 of 39 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	D	85	VAL
6	D	173	MET
9	G	85	ALA
28	2	39	ARG
29	3	40	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
3	A	212/216 (98%)	175 (82%)	37 (18%)	2 9
4	B	155/157 (99%)	134 (86%)	21 (14%)	4 19
5	C	155/163 (95%)	134 (86%)	21 (14%)	4 19
6	D	143/156 (92%)	126 (88%)	17 (12%)	5 23
7	E	136/144 (94%)	129 (95%)	7 (5%)	24 57
8	F	46/107 (43%)	44 (96%)	2 (4%)	29 62
9	G	118/146 (81%)	100 (85%)	18 (15%)	2 15
10	H	103/103 (100%)	84 (82%)	19 (18%)	1 7
11	I	96/121 (79%)	74 (77%)	22 (23%)	1 3
12	J	104/115 (90%)	81 (78%)	23 (22%)	1 3
13	K	92/93 (99%)	80 (87%)	12 (13%)	4 20
14	L	74/82 (90%)	49 (66%)	25 (34%)	0 1
15	M	99/134 (74%)	86 (87%)	13 (13%)	4 20
16	N	96/97 (99%)	87 (91%)	9 (9%)	8 34
17	O	76/79 (96%)	64 (84%)	12 (16%)	2 13
18	P	108/115 (94%)	95 (88%)	13 (12%)	5 23
19	Q	75/76 (99%)	64 (85%)	11 (15%)	3 16
20	R	88/96 (92%)	72 (82%)	16 (18%)	1 7
21	S	149/192 (78%)	130 (87%)	19 (13%)	4 20
22	T	55/67 (82%)	50 (91%)	5 (9%)	9 35
23	U	55/66 (83%)	45 (82%)	10 (18%)	1 7
24	V	53/55 (96%)	50 (94%)	3 (6%)	20 53
25	W	48/48 (100%)	40 (83%)	8 (17%)	2 10
26	Z	49/53 (92%)	39 (80%)	10 (20%)	1 5
27	1	45/48 (94%)	34 (76%)	11 (24%)	0 3
28	2	39/40 (98%)	30 (77%)	9 (23%)	1 3

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
29	3	44/52 (85%)	28 (64%)	16 (36%)	0 1
All	All	2513/2821 (89%)	2124 (84%)	389 (16%)	2 14

5 of 389 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
15	M	57	ILE
20	R	48	VAL
16	N	22	LYS
18	P	39	ARG
21	S	22	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 7 such sidechains are listed below:

Mol	Chain	Res	Type
18	P	10	ASN
19	Q	43	GLN
26	Z	35	GLN
24	V	54	ASN
13	K	3	HIS

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	X	2700/2877 (93%)	584 (21%)	42 (1%)
2	Y	119/124 (95%)	25 (21%)	1 (0%)
All	All	2819/3001 (93%)	609 (21%)	43 (1%)

5 of 609 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	X	4	C
1	X	14	A
1	X	15	G
1	X	23	G
1	X	34	U

5 of 43 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	X	1923	U
1	X	2312	A
1	X	1975	G
1	X	2204	A
1	X	2591	C

#### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

#### 5.6 Ligand geometry [i](#)

Of 455 ligands modelled in this entry, 446 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
33	SPD	X	3321	-	9,9,9	0.29	0	8,8,8	0.78	0
32	MPD	X	3315	-	7,7,7	0.20	0	9,10,10	0.49	0
33	SPD	X	3322	-	9,9,9	0.32	0	8,8,8	0.63	0
32	MPD	X	3318	-	7,7,7	0.31	0	9,10,10	0.31	0
32	MPD	X	3316	-	7,7,7	0.46	0	9,10,10	1.11	1 (11%)
32	MPD	X	3317	-	7,7,7	0.31	0	9,10,10	0.25	0
30	6NO	X	2901	-	101,105,105	1.52	14 (13%)	130,164,164	1.71	27 (20%)
33	SPD	X	3320	-	9,9,9	0.31	0	8,8,8	0.91	0
32	MPD	X	3319	-	7,7,7	0.30	0	9,10,10	0.17	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
33	SPD	X	3321	-	-	3/7/7/7	-
32	MPD	X	3315	-	-	3/5/5/5	-
33	SPD	X	3322	-	-	2/7/7/7	-
32	MPD	X	3318	-	-	3/5/5/5	-
32	MPD	X	3316	-	-	1/5/5/5	-
32	MPD	X	3317	-	-	1/5/5/5	-
30	6NO	X	2901	-	-	13/47/211/211	0/11/11/11
33	SPD	X	3320	-	-	1/7/7/7	-
32	MPD	X	3319	-	-	4/5/5/5	-

The worst 5 of 14 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
30	X	2901	6NO	C08-C05	-6.08	1.39	1.51
30	X	2901	6NO	O53-C49	5.70	1.47	1.40
30	X	2901	6NO	C04-C09	-4.19	1.40	1.50
30	X	2901	6NO	C51-C50	-3.99	1.47	1.54
30	X	2901	6NO	O25-C16	3.87	1.48	1.41

The worst 5 of 28 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	X	2901	6NO	C44-O44-C36	-5.77	104.11	114.42
30	X	2901	6NO	C01-C06-C05	-5.12	119.54	122.79
30	X	2901	6NO	O47-C47-C46	-4.17	96.54	103.49
30	X	2901	6NO	C06-C01-C02	4.13	121.94	117.81
30	X	2901	6NO	C24-C23-C22	-3.51	108.98	115.07

There are no chirality outliers.

5 of 31 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
30	X	2901	6NO	O33-C29-O39-C39
30	X	2901	6NO	C37-C36-O44-C44
30	X	2901	6NO	O40-C36-O44-C44
30	X	2901	6NO	O52-C52-C75-O75
32	X	3316	MPD	C2-C3-C4-C5

There are no ring outliers.

7 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
33	X	3321	SPD	3	0
32	X	3315	MPD	3	0
33	X	3322	SPD	3	0
32	X	3316	MPD	11	0
30	X	2901	6NO	2	0
33	X	3320	SPD	1	0
32	X	3319	MPD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	X	2710/2877 (94%)	-0.65	11 (0%) 92 91	35, 91, 200, 334	0
2	Y	120/124 (96%)	-0.72	1 (0%) 86 84	97, 137, 188, 213	0
3	A	272/275 (98%)	0.30	16 (5%) 22 24	53, 112, 177, 240	0
4	B	205/211 (97%)	-0.13	4 (1%) 65 64	28, 66, 136, 250	0
5	C	195/205 (95%)	0.12	11 (5%) 24 25	56, 103, 204, 281	0
6	D	177/180 (98%)	0.65	24 (13%) 3 4	120, 178, 253, 296	0
7	E	171/185 (92%)	0.18	6 (3%) 44 44	69, 137, 216, 268	0
8	F	63/144 (43%)	1.90	21 (33%) 0 0	142, 200, 295, 418	0
9	G	142/174 (81%)	0.29	10 (7%) 16 19	48, 89, 188, 342	0
10	H	134/134 (100%)	-0.37	0 100 100	29, 61, 104, 144	0
11	I	134/156 (85%)	0.61	17 (12%) 3 5	51, 120, 206, 280	0
12	J	136/141 (96%)	0.28	8 (5%) 22 24	58, 99, 176, 252	0
13	K	115/116 (99%)	-0.19	1 (0%) 84 83	25, 47, 100, 192	0
14	L	104/114 (91%)	1.06	21 (20%) 1 1	65, 124, 188, 298	0
15	M	119/166 (71%)	-0.20	5 (4%) 36 36	40, 62, 136, 200	0
16	N	117/118 (99%)	-0.20	1 (0%) 84 83	51, 82, 127, 243	0
17	O	97/100 (97%)	0.01	4 (4%) 37 37	63, 107, 193, 284	0
18	P	128/134 (95%)	-0.11	3 (2%) 60 59	17, 64, 110, 190	0
19	Q	93/95 (97%)	0.26	5 (5%) 25 27	57, 103, 159, 219	0
20	R	110/115 (95%)	0.69	12 (10%) 5 8	65, 110, 221, 253	0
21	S	180/237 (75%)	0.54	21 (11%) 4 7	95, 152, 223, 265	0
22	T	74/91 (81%)	0.90	12 (16%) 1 2	66, 101, 148, 193	0
23	U	74/81 (91%)	1.42	21 (28%) 0 0	62, 127, 214, 239	0
24	V	65/67 (97%)	0.40	7 (10%) 5 8	84, 131, 191, 271	0

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
25	W	55/55 (100%)	1.10	12 (21%) 0 1	57, 93, 139, 184	0
26	Z	57/60 (95%)	-0.46	0 100 100	28, 55, 117, 149	0
27	1	53/55 (96%)	1.22	13 (24%) 0 0	82, 147, 236, 292	0
28	2	46/47 (97%)	0.60	6 (13%) 3 5	56, 78, 116, 190	0
29	3	59/66 (89%)	1.05	12 (20%) 1 1	59, 106, 166, 333	0
All	All	6005/6523 (92%)	-0.13	285 (4%) 31 32	17, 100, 205, 418	0

The worst 5 of 285 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
9	G	155	THR	10.7
8	F	114	ASP	9.0
8	F	110	THR	8.6
8	F	127	VAL	7.8
8	F	113	PRO	7.8

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
31	MG	X	3239	1/1	0.19	0.78	84,84,84,84	0
31	MG	X	3252	1/1	0.30	0.42	111,111,111,111	0
31	MG	X	3000	1/1	0.42	1.83	82,82,82,82	0
31	MG	X	3266	1/1	0.42	0.76	56,56,56,56	0
31	MG	X	3261	1/1	0.46	0.60	78,78,78,78	0
31	MG	X	3144	1/1	0.46	0.28	76,76,76,76	0

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
31	MG	X	3245	1/1	0.47	0.39	98,98,98,98	0
31	MG	X	3169	1/1	0.49	0.19	77,77,77,77	0
31	MG	X	3074	1/1	0.53	0.39	61,61,61,61	0
31	MG	X	3248	1/1	0.57	0.53	87,87,87,87	0
31	MG	X	3089	1/1	0.59	0.48	79,79,79,79	0
31	MG	X	3234	1/1	0.61	0.55	83,83,83,83	0
31	MG	X	3273	1/1	0.61	0.28	70,70,70,70	0
31	MG	X	3301	1/1	0.62	1.14	80,80,80,80	0
31	MG	X	3072	1/1	0.64	0.65	73,73,73,73	0
31	MG	X	3180	1/1	0.64	0.40	115,115,115,115	0
31	MG	X	3225	1/1	0.64	0.55	79,79,79,79	0
31	MG	X	3170	1/1	0.67	0.60	105,105,105,105	0
31	MG	Y	209	1/1	0.67	0.40	81,81,81,81	0
31	MG	X	3300	1/1	0.68	0.65	67,67,67,67	0
31	MG	X	3103	1/1	0.70	0.43	84,84,84,84	0
31	MG	X	3160	1/1	0.71	0.46	92,92,92,92	0
31	MG	X	3102	1/1	0.71	0.54	46,46,46,46	0
31	MG	X	3064	1/1	0.71	1.11	76,76,76,76	0
31	MG	X	3060	1/1	0.71	0.21	47,47,47,47	0
31	MG	Y	218	1/1	0.71	0.13	83,83,83,83	0
31	MG	X	3087	1/1	0.72	0.37	54,54,54,54	0
31	MG	Y	216	1/1	0.72	0.37	70,70,70,70	0
31	MG	X	3054	1/1	0.72	0.53	72,72,72,72	0
31	MG	X	3073	1/1	0.73	0.79	94,94,94,94	0
31	MG	X	3039	1/1	0.73	0.54	51,51,51,51	0
31	MG	X	3314	1/1	0.73	0.87	62,62,62,62	0
31	MG	Y	219	1/1	0.73	0.34	81,81,81,81	0
31	MG	X	3176	1/1	0.74	0.21	47,47,47,47	0
31	MG	X	3229	1/1	0.74	0.40	71,71,71,71	0
31	MG	X	3250	1/1	0.74	0.79	73,73,73,73	0
31	MG	X	3305	1/1	0.74	0.05	125,125,125,125	0
31	MG	X	3309	1/1	0.74	0.30	87,87,87,87	0
31	MG	X	3189	1/1	0.74	0.46	61,61,61,61	0
31	MG	X	3219	1/1	0.74	0.47	85,85,85,85	0
31	MG	X	3262	1/1	0.74	0.28	113,113,113,113	0
31	MG	X	3241	1/1	0.74	0.32	85,85,85,85	0
31	MG	X	3271	1/1	0.74	0.12	78,78,78,78	0
31	MG	X	3091	1/1	0.75	0.40	49,49,49,49	0
31	MG	X	3255	1/1	0.75	0.16	69,69,69,69	0
31	MG	X	3104	1/1	0.75	0.93	70,70,70,70	0
31	MG	X	3231	1/1	0.75	1.07	96,96,96,96	0

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
31	MG	X	2958	1/1	0.76	0.54	38,38,38,38	0
31	MG	X	3215	1/1	0.76	0.40	54,54,54,54	0
31	MG	X	3033	1/1	0.76	0.46	75,75,75,75	0
31	MG	X	3069	1/1	0.76	0.27	49,49,49,49	0
31	MG	X	3132	1/1	0.77	0.40	70,70,70,70	0
31	MG	X	3177	1/1	0.78	0.29	75,75,75,75	0
31	MG	X	3080	1/1	0.78	0.38	29,29,29,29	0
31	MG	X	3049	1/1	0.78	0.38	70,70,70,70	0
31	MG	X	3010	1/1	0.78	0.89	72,72,72,72	0
31	MG	X	3126	1/1	0.78	0.26	42,42,42,42	0
31	MG	X	3059	1/1	0.78	0.33	51,51,51,51	0
31	MG	X	3004	1/1	0.79	0.28	43,43,43,43	0
31	MG	X	2904	1/1	0.79	0.41	64,64,64,64	0
31	MG	X	3191	1/1	0.79	0.31	32,32,32,32	0
31	MG	3	101	1/1	0.79	0.64	31,31,31,31	0
31	MG	X	3137	1/1	0.80	0.60	57,57,57,57	0
31	MG	X	3178	1/1	0.80	0.21	60,60,60,60	0
31	MG	X	3218	1/1	0.80	0.31	78,78,78,78	0
31	MG	X	3115	1/1	0.81	0.19	75,75,75,75	0
31	MG	Y	215	1/1	0.81	0.56	81,81,81,81	0
31	MG	X	3257	1/1	0.81	0.55	77,77,77,77	0
31	MG	X	3249	1/1	0.82	0.33	103,103,103,103	0
31	MG	Y	210	1/1	0.82	0.31	64,64,64,64	0
31	MG	X	3086	1/1	0.82	0.31	41,41,41,41	0
31	MG	X	2961	1/1	0.82	0.60	35,35,35,35	0
31	MG	X	3141	1/1	0.82	0.30	62,62,62,62	0
31	MG	X	3312	1/1	0.82	0.14	71,71,71,71	0
31	MG	X	3062	1/1	0.82	0.73	49,49,49,49	0
31	MG	X	3112	1/1	0.83	0.62	42,42,42,42	0
31	MG	X	3195	1/1	0.83	0.28	90,90,90,90	0
31	MG	X	3113	1/1	0.83	0.31	38,38,38,38	0
31	MG	X	2915	1/1	0.83	0.56	39,39,39,39	0
31	MG	X	3065	1/1	0.83	0.75	57,57,57,57	0
31	MG	X	3190	1/1	0.83	0.64	56,56,56,56	0
31	MG	Y	206	1/1	0.84	0.19	70,70,70,70	0
31	MG	X	3275	1/1	0.84	0.40	70,70,70,70	0
31	MG	X	3179	1/1	0.84	0.41	62,62,62,62	0
31	MG	X	3083	1/1	0.84	0.29	50,50,50,50	0
31	MG	X	3145	1/1	0.84	0.23	83,83,83,83	0
31	MG	X	3267	1/1	0.84	0.44	50,50,50,50	0
31	MG	X	3230	1/1	0.84	0.36	99,99,99,99	0
31	MG	K	201	1/1	0.84	0.54	48,48,48,48	0

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
31	MG	X	3153	1/1	0.84	0.62	58,58,58,58	0
31	MG	X	3156	1/1	0.85	0.31	72,72,72,72	0
31	MG	X	3224	1/1	0.85	0.21	32,32,32,32	0
31	MG	Y	213	1/1	0.85	0.40	83,83,83,83	0
31	MG	X	3082	1/1	0.85	0.29	51,51,51,51	0
31	MG	X	3105	1/1	0.85	0.29	80,80,80,80	0
31	MG	X	3207	1/1	0.85	0.29	75,75,75,75	0
31	MG	X	3152	1/1	0.85	0.20	74,74,74,74	0
31	MG	X	3251	1/1	0.85	0.29	85,85,85,85	0
31	MG	X	3093	1/1	0.85	0.67	44,44,44,44	0
31	MG	X	3202	1/1	0.86	0.22	64,64,64,64	0
31	MG	X	3056	1/1	0.86	0.32	66,66,66,66	0
31	MG	X	3212	1/1	0.86	0.29	53,53,53,53	0
31	MG	X	2990	1/1	0.86	0.36	60,60,60,60	0
31	MG	X	3182	1/1	0.86	0.31	75,75,75,75	0
31	MG	X	3016	1/1	0.86	0.44	60,60,60,60	0
31	MG	X	3111	1/1	0.86	0.60	49,49,49,49	0
31	MG	X	3133	1/1	0.86	0.30	73,73,73,73	0
31	MG	T	101	1/1	0.86	0.40	30,30,30,30	0
31	MG	X	3088	1/1	0.86	0.29	51,51,51,51	0
33	SPD	X	3322	10/10	0.86	0.23	90,90,90,90	0
31	MG	Y	212	1/1	0.87	0.41	78,78,78,78	0
31	MG	X	3221	1/1	0.87	0.29	49,49,49,49	0
31	MG	X	3181	1/1	0.87	0.44	51,51,51,51	0
31	MG	X	3034	1/1	0.87	0.46	35,35,35,35	0
31	MG	X	3268	1/1	0.87	0.11	115,115,115,115	0
31	MG	X	3095	1/1	0.88	0.65	65,65,65,65	0
31	MG	X	3173	1/1	0.88	0.46	82,82,82,82	0
31	MG	X	3254	1/1	0.88	0.63	19,19,19,19	0
31	MG	X	2981	1/1	0.88	0.41	52,52,52,52	0
31	MG	Y	203	1/1	0.88	0.45	30,30,30,30	0
31	MG	X	3198	1/1	0.88	0.21	66,66,66,66	0
31	MG	X	2937	1/1	0.88	0.22	31,31,31,31	0
31	MG	X	3120	1/1	0.88	0.39	56,56,56,56	0
31	MG	X	3265	1/1	0.88	0.27	74,74,74,74	0
31	MG	X	3238	1/1	0.88	0.28	50,50,50,50	0
31	MG	X	3208	1/1	0.88	0.23	61,61,61,61	0
31	MG	X	3240	1/1	0.88	0.51	82,82,82,82	0
31	MG	X	3012	1/1	0.88	0.53	49,49,49,49	0
31	MG	X	3046	1/1	0.88	0.13	64,64,64,64	0
31	MG	X	2956	1/1	0.88	0.40	31,31,31,31	0
31	MG	X	3283	1/1	0.88	0.39	50,50,50,50	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
31	MG	X	3135	1/1	0.88	0.27	67,67,67,67	0
31	MG	X	3136	1/1	0.88	0.10	43,43,43,43	0
31	MG	X	3149	1/1	0.89	0.27	24,24,24,24	0
31	MG	X	2996	1/1	0.89	0.27	41,41,41,41	0
31	MG	X	3067	1/1	0.89	0.41	60,60,60,60	0
31	MG	Y	202	1/1	0.89	0.28	52,52,52,52	0
31	MG	X	3155	1/1	0.89	0.25	68,68,68,68	0
31	MG	X	2962	1/1	0.89	0.31	84,84,84,84	0
31	MG	Y	208	1/1	0.89	0.20	72,72,72,72	0
31	MG	X	3159	1/1	0.89	0.66	31,31,31,31	0
31	MG	X	3187	1/1	0.89	0.25	57,57,57,57	0
31	MG	X	3114	1/1	0.89	0.27	70,70,70,70	0
31	MG	X	2979	1/1	0.89	0.17	37,37,37,37	0
31	MG	X	3279	1/1	0.89	0.28	50,50,50,50	0
31	MG	X	3281	1/1	0.89	0.61	54,54,54,54	0
31	MG	X	3045	1/1	0.89	0.61	30,30,30,30	0
31	MG	X	3298	1/1	0.89	0.39	20,20,20,20	0
31	MG	X	3106	1/1	0.89	0.26	57,57,57,57	0
31	MG	X	3175	1/1	0.89	0.25	72,72,72,72	0
31	MG	X	3303	1/1	0.89	0.23	67,67,67,67	0
32	MPD	X	3316	8/8	0.89	0.39	62,62,62,62	0
31	MG	X	3127	1/1	0.89	1.51	52,52,52,52	0
31	MG	X	2916	1/1	0.90	0.54	0,0,0,0	0
31	MG	X	2994	1/1	0.90	0.68	58,58,58,58	0
31	MG	X	3150	1/1	0.90	0.43	65,65,65,65	0
31	MG	X	3036	1/1	0.90	0.27	41,41,41,41	0
31	MG	X	3047	1/1	0.90	0.62	23,23,23,23	0
31	MG	X	3038	1/1	0.90	0.65	32,32,32,32	0
31	MG	X	3075	1/1	0.90	0.63	52,52,52,52	0
31	MG	X	3077	1/1	0.90	0.28	61,61,61,61	0
31	MG	X	3213	1/1	0.90	0.16	34,34,34,34	0
31	MG	X	3302	1/1	0.90	0.14	100,100,100,100	0
31	MG	X	3263	1/1	0.90	0.38	59,59,59,59	0
31	MG	X	3214	1/1	0.90	0.55	71,71,71,71	0
31	MG	A	301	1/1	0.90	0.40	46,46,46,46	0
31	MG	X	3051	1/1	0.90	0.24	29,29,29,29	0
31	MG	X	3311	1/1	0.90	0.27	59,59,59,59	0
31	MG	X	3053	1/1	0.90	0.19	64,64,64,64	0
31	MG	X	3119	1/1	0.90	0.38	62,62,62,62	0
32	MPD	X	3318	8/8	0.90	0.18	79,79,79,79	0
31	MG	X	3328	1/1	0.90	0.32	33,33,33,33	0
31	MG	X	3313	1/1	0.91	0.15	74,74,74,74	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
31	MG	X	3217	1/1	0.91	0.55	48,48,48,48	0
31	MG	X	3246	1/1	0.91	0.40	87,87,87,87	0
31	MG	X	2972	1/1	0.91	0.17	33,33,33,33	0
31	MG	X	3003	1/1	0.91	0.47	49,49,49,49	0
31	MG	Y	204	1/1	0.91	0.65	60,60,60,60	0
31	MG	Y	205	1/1	0.91	0.34	44,44,44,44	0
31	MG	X	3276	1/1	0.91	0.52	114,114,114,114	0
31	MG	X	3277	1/1	0.91	0.40	39,39,39,39	0
31	MG	X	3123	1/1	0.91	0.48	18,18,18,18	0
31	MG	X	3196	1/1	0.91	0.37	95,95,95,95	0
31	MG	Y	211	1/1	0.91	0.07	59,59,59,59	0
31	MG	X	3282	1/1	0.91	0.40	58,58,58,58	0
31	MG	X	3138	1/1	0.91	1.02	44,44,44,44	0
31	MG	X	3290	1/1	0.91	0.14	71,71,71,71	0
31	MG	X	3032	1/1	0.91	0.36	39,39,39,39	0
31	MG	X	3204	1/1	0.91	0.32	51,51,51,51	0
31	MG	X	2997	1/1	0.91	0.39	47,47,47,47	0
31	MG	X	3130	1/1	0.91	0.57	62,62,62,62	0
31	MG	X	3235	1/1	0.91	0.33	79,79,79,79	0
31	MG	X	3007	1/1	0.91	0.41	30,30,30,30	0
31	MG	X	3307	1/1	0.91	0.38	25,25,25,25	0
31	MG	X	3184	1/1	0.91	0.64	131,131,131,131	0
31	MG	X	3172	1/1	0.91	0.32	60,60,60,60	0
33	SPD	X	3321	10/10	0.91	0.27	88,88,88,88	0
31	MG	X	2999	1/1	0.91	0.30	29,29,29,29	0
31	MG	X	3210	1/1	0.92	0.15	62,62,62,62	0
31	MG	X	3325	1/1	0.92	0.65	104,104,104,104	0
31	MG	X	3327	1/1	0.92	0.20	66,66,66,66	0
31	MG	X	2973	1/1	0.92	0.33	23,23,23,23	0
31	MG	X	3329	1/1	0.92	0.56	95,95,95,95	0
31	MG	X	3134	1/1	0.92	0.58	25,25,25,25	0
31	MG	X	2974	1/1	0.92	0.41	45,45,45,45	0
31	MG	X	3011	1/1	0.92	0.35	33,33,33,33	0
31	MG	X	3278	1/1	0.92	0.16	50,50,50,50	0
31	MG	X	3216	1/1	0.92	0.14	70,70,70,70	0
31	MG	X	3094	1/1	0.92	0.38	76,76,76,76	0
31	MG	X	2965	1/1	0.92	0.42	52,52,52,52	0
31	MG	X	3101	1/1	0.92	0.22	52,52,52,52	0
31	MG	X	3289	1/1	0.92	0.28	74,74,74,74	0
31	MG	X	3220	1/1	0.92	0.16	66,66,66,66	0
31	MG	X	3292	1/1	0.92	0.37	28,28,28,28	0
31	MG	X	3143	1/1	0.92	0.46	56,56,56,56	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
31	MG	X	2933	1/1	0.92	0.74	32,32,32,32	0
31	MG	X	3055	1/1	0.92	0.28	49,49,49,49	0
31	MG	X	3258	1/1	0.92	0.64	56,56,56,56	0
31	MG	X	3228	1/1	0.92	0.83	85,85,85,85	0
31	MG	X	3200	1/1	0.92	0.29	64,64,64,64	0
31	MG	X	3306	1/1	0.92	0.09	116,116,116,116	0
31	MG	X	3201	1/1	0.92	0.56	69,69,69,69	0
31	MG	X	3070	1/1	0.92	0.20	39,39,39,39	0
31	MG	X	3028	1/1	0.92	0.19	3,3,3,3	0
31	MG	X	3005	1/1	0.92	0.45	45,45,45,45	0
31	MG	X	3110	1/1	0.92	0.26	55,55,55,55	0
31	MG	X	3244	1/1	0.93	0.07	61,61,61,61	0
31	MG	X	3174	1/1	0.93	0.41	52,52,52,52	0
31	MG	X	3129	1/1	0.93	0.15	21,21,21,21	0
31	MG	X	2976	1/1	0.93	0.23	29,29,29,29	0
31	MG	X	3096	1/1	0.93	0.23	50,50,50,50	0
31	MG	X	3014	1/1	0.93	0.55	28,28,28,28	0
31	MG	X	2967	1/1	0.93	0.28	14,14,14,14	0
31	MG	X	3017	1/1	0.93	0.33	30,30,30,30	0
31	MG	X	3118	1/1	0.93	0.16	113,113,113,113	0
31	MG	X	3209	1/1	0.93	0.32	52,52,52,52	0
31	MG	X	3076	1/1	0.93	0.54	90,90,90,90	0
31	MG	X	3323	1/1	0.93	0.20	22,22,22,22	0
31	MG	X	2917	1/1	0.93	0.44	6,6,6,6	0
31	MG	X	3285	1/1	0.93	0.23	84,84,84,84	0
31	MG	X	3168	1/1	0.93	0.52	76,76,76,76	0
31	MG	X	2925	1/1	0.93	0.51	9,9,9,9	0
31	MG	Y	201	1/1	0.93	0.41	57,57,57,57	0
31	MG	X	3142	1/1	0.93	0.44	57,57,57,57	0
32	MPD	X	3319	8/8	0.93	0.15	91,91,91,91	0
31	MG	X	3107	1/1	0.93	0.22	67,67,67,67	0
30	6NO	X	2901	95/95	0.93	0.19	114,114,114,114	0
31	MG	X	3023	1/1	0.94	0.30	50,50,50,50	0
31	MG	X	3024	1/1	0.94	0.25	27,27,27,27	0
31	MG	X	3025	1/1	0.94	0.19	33,33,33,33	0
31	MG	X	3206	1/1	0.94	0.22	57,57,57,57	0
31	MG	X	3310	1/1	0.94	0.29	63,63,63,63	0
31	MG	X	2988	1/1	0.94	0.50	48,48,48,48	0
31	MG	X	3031	1/1	0.94	0.22	64,64,64,64	0
31	MG	X	3057	1/1	0.94	0.33	36,36,36,36	0
31	MG	X	3165	1/1	0.94	0.32	8,8,8,8	0
31	MG	X	3122	1/1	0.94	0.31	52,52,52,52	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
31	MG	X	2923	1/1	0.94	0.47	13,13,13,13	0
31	MG	X	3326	1/1	0.94	0.44	55,55,55,55	0
31	MG	X	3124	1/1	0.94	0.20	47,47,47,47	0
31	MG	X	2993	1/1	0.94	0.64	26,26,26,26	0
31	MG	X	3061	1/1	0.94	0.26	38,38,38,38	0
31	MG	X	3092	1/1	0.94	0.16	53,53,53,53	0
31	MG	X	2924	1/1	0.94	0.22	26,26,26,26	0
31	MG	X	3131	1/1	0.94	0.21	36,36,36,36	0
31	MG	X	3270	1/1	0.94	0.16	85,85,85,85	0
31	MG	X	3063	1/1	0.94	0.27	52,52,52,52	0
31	MG	X	2939	1/1	0.94	0.42	24,24,24,24	0
31	MG	Y	207	1/1	0.94	0.49	93,93,93,93	0
31	MG	X	3274	1/1	0.94	0.23	74,74,74,74	0
31	MG	X	2975	1/1	0.94	0.50	38,38,38,38	0
31	MG	X	3097	1/1	0.94	0.76	63,63,63,63	0
31	MG	X	3066	1/1	0.94	0.41	48,48,48,48	0
31	MG	X	3013	1/1	0.94	0.10	42,42,42,42	0
31	MG	X	3068	1/1	0.94	0.65	48,48,48,48	0
31	MG	Y	214	1/1	0.94	0.37	64,64,64,64	0
31	MG	X	3185	1/1	0.94	0.20	87,87,87,87	0
31	MG	X	3040	1/1	0.94	0.70	70,70,70,70	0
31	MG	X	3042	1/1	0.94	0.22	42,42,42,42	0
31	MG	X	3237	1/1	0.94	0.34	88,88,88,88	0
31	MG	X	2949	1/1	0.94	0.41	16,16,16,16	0
31	MG	J	201	1/1	0.94	0.26	55,55,55,55	0
31	MG	X	2908	1/1	0.94	0.37	15,15,15,15	0
31	MG	X	3194	1/1	0.94	0.18	70,70,70,70	0
31	MG	X	3293	1/1	0.94	0.41	71,71,71,71	0
31	MG	X	2968	1/1	0.94	0.58	34,34,34,34	0
32	MPD	X	3317	8/8	0.94	0.36	73,73,73,73	0
31	MG	X	3146	1/1	0.94	0.36	46,46,46,46	0
31	MG	X	3048	1/1	0.94	0.42	0,0,0,0	0
33	SPD	X	3320	10/10	0.94	0.27	44,44,44,44	0
31	MG	X	3020	1/1	0.94	0.36	47,47,47,47	0
31	MG	X	3247	1/1	0.94	0.20	101,101,101,101	0
31	MG	X	3148	1/1	0.95	0.15	29,29,29,29	0
31	MG	X	3280	1/1	0.95	0.08	84,84,84,84	0
31	MG	X	3197	1/1	0.95	0.26	49,49,49,49	0
31	MG	X	2935	1/1	0.95	0.19	15,15,15,15	0
31	MG	X	3222	1/1	0.95	0.21	21,21,21,21	0
31	MG	X	3223	1/1	0.95	0.26	34,34,34,34	0
31	MG	X	3253	1/1	0.95	0.14	25,25,25,25	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
31	MG	X	3058	1/1	0.95	0.35	35,35,35,35	0
31	MG	X	3019	1/1	0.95	0.24	44,44,44,44	0
31	MG	X	2920	1/1	0.95	0.63	19,19,19,19	0
31	MG	X	3294	1/1	0.95	0.23	78,78,78,78	0
31	MG	X	3296	1/1	0.95	0.24	56,56,56,56	0
31	MG	X	3297	1/1	0.95	0.26	25,25,25,25	0
31	MG	X	2921	1/1	0.95	0.27	7,7,7,7	0
31	MG	X	2941	1/1	0.95	0.19	40,40,40,40	0
31	MG	X	3008	1/1	0.95	0.72	39,39,39,39	0
31	MG	X	3233	1/1	0.95	0.66	63,63,63,63	0
31	MG	X	3264	1/1	0.95	0.29	47,47,47,47	0
31	MG	X	3304	1/1	0.95	0.15	88,88,88,88	0
31	MG	X	2942	1/1	0.95	0.17	19,19,19,19	0
31	MG	X	2948	1/1	0.95	0.41	32,32,32,32	0
31	MG	X	3236	1/1	0.95	0.28	56,56,56,56	0
31	MG	X	2998	1/1	0.95	0.45	50,50,50,50	0
31	MG	N	201	1/1	0.95	0.20	44,44,44,44	0
31	MG	X	3211	1/1	0.95	0.22	32,32,32,32	0
31	MG	X	3188	1/1	0.95	0.23	68,68,68,68	0
31	MG	X	3272	1/1	0.95	0.13	105,105,105,105	0
31	MG	X	2934	1/1	0.95	0.20	64,64,64,64	0
31	MG	X	2985	1/1	0.95	0.41	29,29,29,29	0
31	MG	X	3015	1/1	0.95	0.28	46,46,46,46	0
31	MG	X	3193	1/1	0.95	0.08	63,63,63,63	0
31	MG	X	3128	1/1	0.95	0.25	73,73,73,73	0
31	MG	X	3001	1/1	0.95	0.54	57,57,57,57	0
31	MG	X	3116	1/1	0.96	0.21	61,61,61,61	0
31	MG	X	3324	1/1	0.96	0.53	26,26,26,26	0
31	MG	X	2955	1/1	0.96	0.36	14,14,14,14	0
31	MG	X	3002	1/1	0.96	0.24	34,34,34,34	0
31	MG	X	2971	1/1	0.96	0.79	38,38,38,38	0
31	MG	X	2902	1/1	0.96	0.31	27,27,27,27	0
31	MG	X	2928	1/1	0.96	0.26	10,10,10,10	0
31	MG	X	2930	1/1	0.96	0.38	26,26,26,26	0
31	MG	X	3021	1/1	0.96	0.46	48,48,48,48	0
31	MG	X	3183	1/1	0.96	0.17	40,40,40,40	0
31	MG	X	3284	1/1	0.96	0.07	56,56,56,56	0
31	MG	X	3151	1/1	0.96	0.14	79,79,79,79	0
31	MG	X	3286	1/1	0.96	0.15	47,47,47,47	0
31	MG	X	3288	1/1	0.96	0.18	54,54,54,54	0
31	MG	X	2910	1/1	0.96	0.19	25,25,25,25	0
31	MG	X	3186	1/1	0.96	0.10	45,45,45,45	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
31	MG	X	3291	1/1	0.96	0.09	116,116,116,116	0
31	MG	X	3078	1/1	0.96	0.47	82,82,82,82	0
31	MG	X	3154	1/1	0.96	0.26	70,70,70,70	0
31	MG	X	3043	1/1	0.96	0.29	33,33,33,33	0
31	MG	X	3044	1/1	0.96	0.12	10,10,10,10	0
31	MG	X	2963	1/1	0.96	0.29	29,29,29,29	0
31	MG	X	3259	1/1	0.96	0.47	69,69,69,69	0
31	MG	X	3260	1/1	0.96	0.19	63,63,63,63	0
31	MG	X	3084	1/1	0.96	0.17	37,37,37,37	0
31	MG	X	3161	1/1	0.96	0.33	25,25,25,25	0
31	MG	X	3109	1/1	0.96	0.24	74,74,74,74	0
31	MG	X	3166	1/1	0.96	0.35	18,18,18,18	0
31	MG	X	3085	1/1	0.96	0.35	45,45,45,45	0
31	MG	X	2911	1/1	0.96	0.34	11,11,11,11	0
31	MG	X	3232	1/1	0.96	0.33	8,8,8,8	0
31	MG	X	3308	1/1	0.96	0.18	46,46,46,46	0
31	MG	X	3026	1/1	0.96	0.53	35,35,35,35	0
31	MG	X	3171	1/1	0.96	0.25	39,39,39,39	0
31	MG	X	2919	1/1	0.96	0.49	40,40,40,40	0
31	MG	X	3029	1/1	0.96	0.22	48,48,48,48	0
31	MG	X	3205	1/1	0.96	0.15	55,55,55,55	0
31	MG	X	2984	1/1	0.96	0.24	22,22,22,22	0
31	MG	X	3090	1/1	0.97	0.20	11,11,11,11	0
31	MG	X	2947	1/1	0.97	0.09	33,33,33,33	0
31	MG	X	2931	1/1	0.97	0.45	25,25,25,25	0
31	MG	X	2932	1/1	0.97	0.46	31,31,31,31	0
31	MG	X	2952	1/1	0.97	0.22	31,31,31,31	0
31	MG	X	2954	1/1	0.97	0.23	36,36,36,36	0
31	MG	X	2978	1/1	0.97	0.52	42,42,42,42	0
31	MG	X	2905	1/1	0.97	0.36	13,13,13,13	0
31	MG	X	3100	1/1	0.97	0.29	69,69,69,69	0
31	MG	X	3269	1/1	0.97	0.13	62,62,62,62	0
31	MG	X	3006	1/1	0.97	0.17	29,29,29,29	0
31	MG	X	3037	1/1	0.97	0.52	60,60,60,60	0
31	MG	X	2907	1/1	0.97	0.47	18,18,18,18	0
31	MG	X	2982	1/1	0.97	0.46	40,40,40,40	0
31	MG	X	2913	1/1	0.97	0.51	0,0,0,0	0
31	MG	X	3041	1/1	0.97	0.27	30,30,30,30	0
31	MG	X	3071	1/1	0.97	0.16	46,46,46,46	0
31	MG	X	2926	1/1	0.97	0.63	23,23,23,23	0
31	MG	X	2986	1/1	0.97	0.48	42,42,42,42	0
31	MG	X	3192	1/1	0.97	0.51	55,55,55,55	0

*Continued on next page...*

*Continued from previous page...*


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
31	MG	X	2987	1/1	0.97	0.62	32,32,32,32	0
31	MG	X	2927	1/1	0.97	0.31	9,9,9,9	0
31	MG	X	2989	1/1	0.97	0.20	45,45,45,45	0
31	MG	X	2940	1/1	0.97	0.26	32,32,32,32	0
31	MG	X	2991	1/1	0.97	0.20	22,22,22,22	0
31	MG	X	3079	1/1	0.97	0.12	62,62,62,62	0
31	MG	X	3242	1/1	0.97	0.25	72,72,72,72	0
31	MG	X	3243	1/1	0.97	0.15	83,83,83,83	0
31	MG	X	3199	1/1	0.97	0.18	53,53,53,53	0
31	MG	X	3157	1/1	0.97	0.14	77,77,77,77	0
31	MG	X	3158	1/1	0.97	0.19	118,118,118,118	0
31	MG	Y	217	1/1	0.97	0.06	65,65,65,65	0
31	MG	X	3117	1/1	0.97	0.15	64,64,64,64	0
31	MG	X	2914	1/1	0.97	0.38	4,4,4,4	0
31	MG	X	3081	1/1	0.97	0.09	16,16,16,16	0
31	MG	X	3295	1/1	0.97	0.16	59,59,59,59	0
31	MG	X	3164	1/1	0.97	0.48	16,16,16,16	0
31	MG	M	201	1/1	0.97	0.57	7,7,7,7	0
31	MG	X	3050	1/1	0.97	0.23	41,41,41,41	0
31	MG	X	2903	1/1	0.97	0.32	11,11,11,11	0
31	MG	X	3299	1/1	0.97	0.20	89,89,89,89	0
32	MPD	X	3315	8/8	0.97	0.14	62,62,62,62	0
31	MG	X	3052	1/1	0.97	0.13	21,21,21,21	0
31	MG	X	2995	1/1	0.97	0.40	41,41,41,41	0
31	MG	X	3022	1/1	0.97	0.16	53,53,53,53	0
31	MG	X	3256	1/1	0.97	0.23	48,48,48,48	0
31	MG	X	2943	1/1	0.97	0.22	35,35,35,35	0
31	MG	X	2970	1/1	0.97	0.53	30,30,30,30	0
31	MG	X	2946	1/1	0.97	0.28	11,11,11,11	0
31	MG	X	2969	1/1	0.98	0.23	8,8,8,8	0
31	MG	X	2944	1/1	0.98	0.25	1,1,1,1	0
31	MG	X	2945	1/1	0.98	0.19	32,32,32,32	0
31	MG	X	2909	1/1	0.98	0.21	24,24,24,24	0
31	MG	X	2957	1/1	0.98	0.25	26,26,26,26	0
31	MG	X	3121	1/1	0.98	0.18	30,30,30,30	0
31	MG	X	2992	1/1	0.98	0.15	25,25,25,25	0
31	MG	X	3098	1/1	0.98	0.38	23,23,23,23	0
31	MG	X	3035	1/1	0.98	0.11	31,31,31,31	0
31	MG	X	3125	1/1	0.98	0.31	37,37,37,37	0
31	MG	X	2918	1/1	0.98	0.39	6,6,6,6	0
31	MG	X	2960	1/1	0.98	0.56	30,30,30,30	0
31	MG	X	2922	1/1	0.98	0.24	12,12,12,12	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
31	MG	X	2977	1/1	0.98	0.21	33,33,33,33	0
31	MG	X	2936	1/1	0.98	0.43	21,21,21,21	0
31	MG	X	2950	1/1	0.98	0.56	31,31,31,31	0
31	MG	X	2980	1/1	0.98	0.13	23,23,23,23	0
31	MG	X	3108	1/1	0.98	0.07	74,74,74,74	0
31	MG	X	3162	1/1	0.98	0.31	20,20,20,20	0
31	MG	X	2964	1/1	0.98	0.33	9,9,9,9	0
31	MG	X	2951	1/1	0.98	0.21	15,15,15,15	0
31	MG	X	2983	1/1	0.98	0.20	27,27,27,27	0
31	MG	X	2966	1/1	0.98	0.38	32,32,32,32	0
31	MG	X	3226	1/1	0.98	0.20	145,145,145,145	0
31	MG	X	3287	1/1	0.98	0.41	65,65,65,65	0
31	MG	X	3227	1/1	0.98	0.13	44,44,44,44	0
31	MG	X	2912	1/1	0.98	0.38	3,3,3,3	0
31	MG	X	3139	1/1	0.98	0.34	29,29,29,29	0
31	MG	X	3140	1/1	0.98	0.31	27,27,27,27	0
31	MG	X	2953	1/1	0.98	0.30	53,53,53,53	0
31	MG	X	3027	1/1	0.98	0.30	14,14,14,14	0
31	MG	X	3167	1/1	0.99	0.06	7,7,7,7	0
31	MG	X	3099	1/1	0.99	0.32	46,46,46,46	0
31	MG	X	2959	1/1	0.99	0.22	39,39,39,39	0
31	MG	X	3203	1/1	0.99	0.04	42,42,42,42	0
31	MG	X	3030	1/1	0.99	0.27	0,0,0,0	0
31	MG	X	3018	1/1	0.99	0.20	35,35,35,35	0
31	MG	X	2938	1/1	0.99	0.27	8,8,8,8	0
31	MG	X	3009	1/1	0.99	0.71	31,31,31,31	0
31	MG	X	3163	1/1	0.99	0.47	0,0,0,0	0
31	MG	X	2906	1/1	0.99	0.30	35,35,35,35	0
31	MG	X	2929	1/1	0.99	0.24	21,21,21,21	0
31	MG	X	3147	1/1	0.99	0.10	82,82,82,82	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.