



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 10, 2023 – 07:52 PM EDT

PDB ID : 4JY0
Title : Crystal structure of hcv ns5b polymerase in complex with compound 3
Authors : Coulombe, R.
Deposited on : 2013-03-28
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	576	 2% 80% 16% ..
1	B	576	 7% 76% 20% ..

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9260 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Genome polyprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	559	4358	2745	770	811	32	0	0	0
1	B	558	4346	2737	768	809	32	0	0	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	571	HIS	-	expression tag	UNP O92972
A	572	HIS	-	expression tag	UNP O92972
A	573	HIS	-	expression tag	UNP O92972
A	574	HIS	-	expression tag	UNP O92972
A	575	HIS	-	expression tag	UNP O92972
A	576	HIS	-	expression tag	UNP O92972
B	571	HIS	-	expression tag	UNP O92972
B	572	HIS	-	expression tag	UNP O92972
B	573	HIS	-	expression tag	UNP O92972
B	574	HIS	-	expression tag	UNP O92972
B	575	HIS	-	expression tag	UNP O92972
B	576	HIS	-	expression tag	UNP O92972

- Molecule 2 is (4S,5R)-1-(4-tert-butylbenzoyl)-2-(2-methylpropyl)-4-pyrazin-2-yl-5-(1,3-thiazol-2-yl)-L-proline (three-letter code: 1O9) (formula: C₂₇H₃₂N₄O₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			35	27	4	3	1		
2	B	1	Total	C	N	O	S	0	0
			35	27	4	3	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	287	Total	O	0	0
			287	287		
3	B	199	Total	O	0	0
			199	199		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Genome polyprotein



- Molecule 1: Genome polyprotein



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	105.82Å 107.97Å 133.42Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.20 38.33 – 2.20	Depositor EDS
% Data completeness (in resolution range)	(Not available) (40.00-2.20) 81.7 (38.33-2.20)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.33 (at 2.20Å)	Xtrriage
Refinement program	CNX 2002	Depositor
R, R_{free}	0.213 , 0.248 0.211 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	28.1	Xtrriage
Anisotropy	0.613	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 45.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.027 for k,h,-l	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9260	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 1O9

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.31	0/4453	0.59	0/6044
1	B	0.28	0/4440	0.57	0/6025
All	All	0.30	0/8893	0.58	0/12069

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4358	0	4369	68	0
1	B	4346	0	4357	85	0
2	A	35	0	31	1	0
2	B	35	0	31	2	0
3	A	287	0	0	3	0
3	B	199	0	0	4	0
All	All	9260	0	8788	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:470:SER:O	1:B:474:LEU:HG	1.79	0.82
1:A:106:LYS:HA	1:A:106:LYS:HE2	1.61	0.81
1:B:82:LEU:HD13	1:B:249:ALA:HB2	1.63	0.78
1:A:201:VAL:HG22	1:A:384:LEU:HD13	1.67	0.76
1:A:201:VAL:HG23	1:A:384:LEU:HD22	1.70	0.73
1:B:201:VAL:HG22	1:B:384:LEU:HD13	1.72	0.72
1:B:461:GLN:HB3	1:B:545:LEU:HD11	1.72	0.71
1:B:24:ASN:HB3	1:B:25:PRO:HD2	1.71	0.71
1:A:336:LEU:HD12	1:A:356:PRO:HD3	1.73	0.70
1:A:440:GLU:HG2	1:A:457:LEU:CD1	2.22	0.70
1:A:32:ARG:HH12	1:A:495:PRO:HG3	1.57	0.70
1:A:314:LEU:HB3	1:A:321:VAL:HG12	1.75	0.69
1:B:31:LEU:HD12	1:B:31:LEU:O	1.94	0.68
1:B:336:LEU:HD23	1:B:356:PRO:HD3	1.78	0.66
1:B:465:ARG:NH1	1:B:545:LEU:HB2	2.11	0.65
1:A:515:GLY:HA2	1:A:519:ALA:HB2	1.81	0.62
1:A:440:GLU:HG2	1:A:457:LEU:HD12	1.83	0.61
1:A:314:LEU:HB3	1:A:321:VAL:CG1	2.29	0.61
1:A:466:LEU:HD22	1:A:551:PHE:HE2	1.66	0.61
1:B:211:LYS:HB2	1:B:214:PRO:HB3	1.83	0.60
1:B:515:GLY:HA2	1:B:519:ALA:HB2	1.83	0.59
1:A:57:LEU:C	1:A:57:LEU:HD23	2.24	0.58
1:B:419:LEU:HD21	1:B:497:LEU:HD13	1.86	0.58
1:A:306:ALA:O	1:A:307:LYS:HB2	2.04	0.57
1:A:539:ILE:HB	1:A:542:ALA:HB2	1.86	0.57
1:B:27:SER:HB2	1:B:400:ALA:HB2	1.86	0.57
1:B:485:VAL:O	1:B:489:LEU:HG	2.04	0.57
1:B:263:GLY:HA2	1:B:277:ARG:NH1	2.20	0.56
1:B:422:ARG:HG2	1:B:426:MET:HE1	1.88	0.56
1:A:82:LEU:HD13	1:A:249:ALA:HB2	1.87	0.56
1:A:440:GLU:HG2	1:A:457:LEU:HD11	1.87	0.56
1:B:45:ALA:O	1:B:49:GLN:HG3	2.06	0.56
1:A:40:THR:HB	1:A:157:ALA:HB2	1.89	0.55
1:A:119:ILE:HD13	1:A:169:VAL:HG11	1.89	0.55
1:B:48:ARG:NH1	3:B:1040:HOH:O	2.39	0.55
1:A:233:ILE:HD13	1:A:261:TYR:O	2.07	0.55
1:B:33:HIS:HE1	3:B:1181:HOH:O	1.91	0.54
1:A:222:ARG:HB2	1:A:351:GLY:HA2	1.88	0.54
1:A:308:LEU:HD13	1:A:335:ALA:HB1	1.90	0.54
1:A:501:ARG:HD3	3:A:865:HOH:O	2.07	0.54
1:B:24:ASN:CB	1:B:25:PRO:HD2	2.37	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:517:ARG:HG3	1:B:517:ARG:HH11	1.73	0.54
1:A:519:ALA:O	1:A:523:ARG:HG3	2.08	0.53
1:B:196:SER:OG	1:B:199:GLN:HG3	2.08	0.53
1:B:200:ARG:HD3	1:B:384:LEU:HD21	1.91	0.53
1:B:178:VAL:HG23	3:B:1103:HOH:O	2.09	0.53
1:A:505:ARG:HH22	1:A:531:ARG:CZ	2.21	0.53
1:B:314:LEU:HB3	1:B:321:VAL:CG1	2.39	0.53
1:B:390:THR:HB	1:B:391:PRO:HD3	1.91	0.53
1:A:308:LEU:HB3	1:A:311:CYS:SG	2.49	0.52
1:B:309:GLN:O	1:B:324:CYS:HB2	2.09	0.52
1:B:187:MET:HE1	1:B:296:TYR:HB2	1.91	0.52
1:B:115:ALA:O	1:B:119:ILE:HG13	2.10	0.52
1:B:461:GLN:CB	1:B:545:LEU:HD11	2.40	0.51
1:A:116:VAL:HG12	1:A:120:ARG:NH1	2.25	0.51
1:A:485:VAL:O	1:A:489:LEU:HG	2.11	0.51
1:B:187:MET:HE3	1:B:296:TYR:CD2	2.46	0.51
1:B:384:LEU:HD23	2:B:601:IO9:H27	1.94	0.50
1:A:172:LYS:HE3	1:A:560:ILE:HD13	1.94	0.50
1:A:549:GLY:HA2	1:A:552:VAL:CG2	2.42	0.50
1:B:93:PRO:HG3	1:B:561:TYR:HB2	1.95	0.49
1:B:466:LEU:HD22	1:B:551:PHE:HE2	1.77	0.49
1:B:48:ARG:HG2	1:B:159:LEU:HG	1.95	0.48
1:A:106:LYS:HA	1:A:106:LYS:CE	2.38	0.48
1:B:506:SER:O	1:B:510:LYS:HG3	2.13	0.48
1:A:268:ASN:HD21	1:A:272:GLN:HB2	1.78	0.48
1:B:191:TYR:O	1:B:194:GLN:HG2	2.13	0.48
1:B:416:ALA:HB3	1:B:417:PRO:HD3	1.96	0.48
1:A:93:PRO:HG3	1:A:561:TYR:HB2	1.96	0.48
1:B:496:PRO:HG2	1:B:499:THR:HG23	1.96	0.48
1:B:331:GLU:H	1:B:331:GLU:CD	2.16	0.48
1:B:118:HIS:O	1:B:122:VAL:HG23	2.14	0.47
1:B:501:ARG:HG2	1:B:505:ARG:CZ	2.44	0.47
1:A:461:GLN:HB3	1:A:542:ALA:HA	1.97	0.47
1:B:187:MET:CE	1:B:292:THR:HG22	2.44	0.47
1:B:273:ASN:ND2	1:B:275:GLY:H	2.12	0.47
1:A:247:PRO:HG3	1:B:234:ARG:HD3	1.95	0.47
1:B:182:LEU:HD12	1:B:243:CYS:SG	2.54	0.47
1:B:439:LEU:O	1:B:457:LEU:HG	2.15	0.47
1:B:328:GLY:O	1:B:331:GLU:HG2	2.15	0.46
1:B:501:ARG:O	1:B:505:ARG:HG3	2.15	0.46
1:B:507:VAL:O	1:B:511:LEU:HG	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:215:MET:SD	1:B:216:GLY:N	2.89	0.46
1:B:314:LEU:HB3	1:B:321:VAL:HG13	1.96	0.46
1:B:423:MET:HA	1:B:528:TRP:CZ2	2.51	0.46
1:B:556:SER:HB3	3:B:1177:HOH:O	2.14	0.45
1:B:21:LEU:HD12	1:B:34:HIS:HB2	1.97	0.45
1:B:473:THR:HG22	1:B:536:LEU:HD12	1.98	0.45
1:A:32:ARG:NH1	1:A:495:PRO:HG3	2.28	0.45
1:A:254:ARG:HG2	1:B:251:GLN:NE2	2.32	0.45
1:A:308:LEU:HD12	1:A:308:LEU:HA	1.79	0.45
1:A:118:HIS:HB2	3:A:941:HOH:O	2.16	0.45
1:A:268:ASN:ND2	1:A:272:GLN:HB2	2.32	0.45
1:B:384:LEU:HD23	2:B:601:1O9:H30	1.99	0.45
1:A:21:LEU:HD12	1:A:22:PRO:HD2	1.98	0.44
1:B:523:ARG:O	1:B:527:ASN:HB2	2.17	0.44
1:A:19:SER:OG	1:A:20:LYS:HD2	2.18	0.44
1:B:86:GLU:H	1:B:86:GLU:CD	2.20	0.44
1:A:32:ARG:HD2	3:A:838:HOH:O	2.18	0.44
1:A:346:TYR:O	1:A:347:SER:HB3	2.17	0.44
1:A:106:LYS:HE2	1:A:106:LYS:CA	2.41	0.44
1:A:423:MET:HA	1:A:528:TRP:CZ2	2.53	0.44
1:A:448:TYR:CE2	1:A:551:PHE:HD1	2.36	0.44
1:B:40:THR:HB	1:B:157:ALA:HB2	1.99	0.44
1:B:46:SER:HA	1:B:49:GLN:HE21	1.82	0.44
1:B:85:ILE:HD11	1:B:120:ARG:HG2	2.00	0.44
1:B:144:VAL:HB	1:B:394:ARG:HG2	1.99	0.44
1:A:5:THR:O	1:A:275:GLY:HA3	2.19	0.43
1:A:63:HIS:O	1:A:67:VAL:HG23	2.18	0.43
1:A:93:PRO:HA	1:A:94:PRO:HD3	1.90	0.43
1:A:432:ILE:O	1:A:436:GLN:HG3	2.18	0.43
1:B:116:VAL:O	1:B:120:ARG:HG3	2.17	0.43
1:A:201:VAL:CG2	1:A:384:LEU:HD13	2.41	0.43
1:B:465:ARG:HH12	1:B:545:LEU:HB2	1.82	0.43
1:A:541:ALA:O	1:A:545:LEU:HG	2.19	0.43
1:B:188:GLY:O	1:B:194:GLN:NE2	2.51	0.43
1:A:384:LEU:HD23	2:A:601:1O9:H27	2.01	0.43
1:B:555:TYR:CD1	1:B:560:ILE:HG13	2.54	0.43
1:B:346:TYR:O	1:B:347:SER:HB3	2.19	0.42
1:B:219:TYR:HB3	1:B:320:LEU:HD23	2.01	0.42
1:B:313:MET:SD	1:B:322:VAL:HG22	2.60	0.42
1:B:517:ARG:HG3	1:B:517:ARG:NH1	2.34	0.42
1:A:390:THR:HB	1:A:391:PRO:HD3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:515:GLY:CA	1:A:519:ALA:HB2	2.49	0.42
1:A:439:LEU:O	1:A:457:LEU:HG	2.20	0.42
1:A:531:ARG:O	1:A:533:LYS:HD2	2.20	0.42
1:B:93:PRO:HA	1:B:94:PRO:HD3	1.90	0.42
1:A:547:LEU:O	1:A:550:TRP:HB2	2.20	0.42
1:A:361:GLU:HG2	1:A:370:VAL:O	2.20	0.42
1:A:549:GLY:HA2	1:A:552:VAL:HG23	2.00	0.42
1:B:30:LEU:O	1:B:494:VAL:HG22	2.20	0.42
1:B:374:HIS:O	1:B:474:LEU:HA	2.19	0.42
1:B:439:LEU:HB3	1:B:457:LEU:HD21	2.02	0.42
1:B:340:THR:OG1	1:B:354:PRO:HG3	2.20	0.41
1:A:21:LEU:HD23	1:A:34:HIS:HA	2.02	0.41
1:A:470:SER:O	1:A:474:LEU:HG	2.20	0.41
1:A:523:ARG:O	1:A:527:ASN:HB2	2.20	0.41
1:B:397:TRP:CE2	1:B:401:ARG:HD2	2.55	0.41
1:B:30:LEU:HD22	1:B:30:LEU:HA	1.91	0.41
1:B:426:MET:O	1:B:430:PHE:HB2	2.20	0.41
1:B:32:ARG:HH11	1:B:32:ARG:HG2	1.85	0.41
1:A:84:SER:OG	1:A:87:GLU:HG3	2.20	0.41
1:B:215:MET:HB2	1:B:326:SER:HB2	2.03	0.40
1:B:314:LEU:HD12	1:B:314:LEU:HA	1.88	0.40
1:B:501:ARG:HG2	1:B:505:ARG:NH2	2.36	0.40
1:A:144:VAL:HB	1:A:394:ARG:HG2	2.03	0.40
1:B:268:ASN:HB3	1:B:274:CYS:SG	2.61	0.40
1:A:7:THR:HG23	1:A:275:GLY:HA2	2.02	0.40
1:A:176:TYR:OH	1:A:562:HIS:HE1	2.05	0.40
1:A:505:ARG:HH22	1:A:531:ARG:NH1	2.20	0.40
1:B:422:ARG:HA	1:B:426:MET:HE3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	555/576 (96%)	538 (97%)	17 (3%)	0	100	100
1	B	554/576 (96%)	534 (96%)	19 (3%)	1 (0%)	47	55
All	All	1109/1152 (96%)	1072 (97%)	36 (3%)	1 (0%)	51	60

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	533	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	477/491 (97%)	466 (98%)	11 (2%)	50	63
1	B	475/491 (97%)	471 (99%)	4 (1%)	81	90
All	All	952/982 (97%)	937 (98%)	15 (2%)	62	76

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	LEU
1	A	106	LYS
1	A	159	LEU
1	A	273	ASN
1	A	308	LEU
1	A	336	LEU
1	A	352	ASP
1	A	381	VAL
1	A	384	LEU
1	A	402	HIS
1	A	531	ARG
1	B	32	ARG
1	B	86	GLU
1	B	303	CYS
1	B	384	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	49	GLN
1	A	251	GLN
1	A	273	ASN
1	A	309	GLN
1	A	544	GLN
1	A	562	HIS
1	B	49	GLN
1	B	110	ASN
1	B	251	GLN
1	B	273	ASN
1	B	406	ASN
1	B	438	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	1O9	B	601	-	35,38,38	2.03	10 (28%)	34,57,57	1.04	1 (2%)
2	1O9	A	601	-	35,38,38	1.92	8 (22%)	34,57,57	1.07	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	1O9	B	601	-	-	2/29/52/52	0/4/4/4
2	1O9	A	601	-	-	5/29/52/52	0/4/4/4

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	1O9	C2-N1	4.55	1.52	1.48
2	A	601	1O9	C9-C2	4.37	1.59	1.54
2	A	601	1O9	C2-N1	4.17	1.52	1.48
2	B	601	1O9	C17-C18	4.05	1.45	1.39
2	B	601	1O9	C9-C2	4.04	1.59	1.54
2	A	601	1O9	C19-C18	4.04	1.45	1.39
2	B	601	1O9	C13-N1	3.63	1.44	1.36
2	B	601	1O9	C26-N27	3.61	1.40	1.34
2	B	601	1O9	C2-C6	3.49	1.58	1.53
2	A	601	1O9	C26-N27	3.47	1.39	1.34
2	A	601	1O9	C13-N1	3.39	1.44	1.36
2	B	601	1O9	C19-C18	3.37	1.44	1.39
2	A	601	1O9	C17-C18	3.16	1.44	1.39
2	A	601	1O9	C2-C6	2.64	1.57	1.53
2	B	601	1O9	C5-N1	2.22	1.50	1.47
2	A	601	1O9	C20-C19	2.11	1.42	1.38
2	B	601	1O9	C28-N27	2.07	1.39	1.34
2	B	601	1O9	C31-N30	2.04	1.38	1.34

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	1O9	O14-C13-C15	-2.77	114.84	120.23
2	A	601	1O9	O14-C13-C15	-2.67	115.04	120.23

There are no chirality outliers.

All (7) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	601	1O9	C9-C2-C6-O7
2	A	601	1O9	C9-C2-C6-O8
2	A	601	1O9	C31-C26-C4-C3
2	B	601	1O9	C31-C26-C4-C3
2	A	601	1O9	C3-C2-C6-O8
2	A	601	1O9	C3-C2-C6-O7
2	B	601	1O9	C11-C10-C9-C2

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	601	1O9	2	0
2	A	601	1O9	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	559/576 (97%)	-0.14	11 (1%) 65 63	20, 31, 55, 89	0
1	B	558/576 (96%)	0.24	40 (7%) 15 14	21, 41, 73, 90	0
All	All	1117/1152 (96%)	0.05	51 (4%) 32 31	20, 36, 69, 90	0

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	27	SER	8.1
1	A	545	LEU	7.1
1	B	153	GLY	5.0
1	B	24	ASN	4.6
1	B	26	LEU	4.6
1	A	544	GLN	4.5
1	A	543	SER	4.4
1	B	563	SER	4.4
1	A	541	ALA	4.3
1	B	29	SER	4.3
1	B	23	ILE	4.2
1	A	563	SER	4.1
1	A	542	ALA	4.0
1	A	540	PRO	4.0
1	B	511	LEU	3.9
1	B	544	GLN	3.7
1	B	512	LEU	3.7
1	B	523	ARG	3.5
1	B	25	PRO	3.5
1	B	531	ARG	3.5
1	B	515	GLY	3.4
1	B	212	LYS	3.3
1	B	532	THR	3.2
1	B	534	LEU	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	545	LEU	3.2
1	B	57	LEU	2.9
1	B	514	GLN	2.9
1	B	543	SER	2.8
1	B	516	GLY	2.7
1	B	541	ALA	2.7
1	A	535	LYS	2.7
1	A	149	PRO	2.6
1	B	542	ALA	2.6
1	B	509	ALA	2.6
1	A	546	ASP	2.5
1	B	154	ARG	2.5
1	B	546	ASP	2.5
1	B	438	GLN	2.4
1	B	535	LYS	2.4
1	B	519	ALA	2.4
1	B	106	LYS	2.4
1	B	110	ASN	2.3
1	B	437	GLU	2.2
1	B	309	GLN	2.2
1	B	526	PHE	2.2
1	B	330	GLN	2.1
1	B	111	LEU	2.1
1	B	540	PRO	2.1
1	A	547	LEU	2.0
1	B	529	ALA	2.0
1	B	510	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	1O9	B	601	35/35	0.88	0.24	45,53,62,64	0
2	1O9	A	601	35/35	0.92	0.18	32,41,48,52	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.