Full wwPDB X-ray Structure Validation Report (i)

Nov 15, 2023 – 11:59 PM JST

PDB ID	:	6KA2
Title	:	Crystal structure of a Thebaine synthase from Papaver somniferum in complex with TBN
Authors	:	Xue, J.; Yu, X.J.; Huang, J.W.; Liu, W.D.; Chen, C.C.; Guo, R.T.
Deposited on	:	2019-06-20
Resolution	:	2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1164 (2.36-2.36)
Clashscore	141614	1232 (2.36-2.36)
Ramachandran outliers	138981	1211 (2.36-2.36)
Sidechain outliers	138945	1212 (2.36-2.36)
RSRZ outliers	127900	1150 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	160	5% 68% 24% • 6%
1	B	160	9% 77% 18% 5%
1	C	160	6% 70% 18% 6% 6%
1	D	160	16% 57% 31% • 9%

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 5054 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Thebaine synthase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	151	1203	751	202	242	8	0	0	0
1	B	152	1209	754	203	244	8	0	0	0
1	C	150	1196	746	201	241	8	0	0	0
1	D	145	1161	727	195	231	8	0	0	0

- Molecule 2 is (4R,7aR,12bS)-7,9-dimethoxy-3-methyl-2,4,7a,13-tetrahydro-1H-4,12-methanobenzofuro[3,2-e]isoquinoline (three-letter code: D4R) (formula: $C_{19}H_{21}NO_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	23	19	1	3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	B	1	23	19	1	3	0	0
			Total	C	N	O		
2	C	1	23	19	1	3	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
3	A	48	48	48	0	0
			Total	O		
3	B	48	48	48	0	0
			Total	O		
3	C	70	70	70	0	0
			Total	O		
3	D	50	50	50	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Thebaine synthase 2

Chain A:



• Molecule 1: Thebaine synthase 2

Chain B:



• Molecule 1: Thebaine synthase 2

Chain C:



• Molecule 1: Thebaine synthase 2

Chain D:


MET ALA PRO LEU GLY VAL S7 K12 L13 S14 L17 D20 C21 D22 K25 Y26 Y27 N28 M29 Y30 K31 E34 D35 V36 K37 K38 P41 H42 L43 C44 V47 K48 I49 I50 S51 G52 D53 P54 T55 S56 S57 G58 K61 E62 W63 N66 I67 D68 G69 K70 T71
I72 V75 E76 T79 H80 D81 D82 E83 T84 K85 T86 L87 R88 H89 F92 V96 K101 T105 I106 M107 N110 P111 K112 PRO ASP GLY ASN G117 R122 S123 I124 E127 L140 Q141 I147 M150 N151 K152 Y153 L154 R155 ASP SER GLU SER ASN

4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α, β, γ	155.08Å 43.46Å 118.80Å 90.00° 129.40° 90.00°	Depositor
Resolution (Å)	25.00 – 2.35 24.94 – 2.35	Depositor EDS
% Data completeness (in resolution range)	99.9 (25.00-2.35) 100.0 (24.94-2.35)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	3.63 (at 2.36Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.196 , 0.242 0.205 , 0.244	Depositor DCC
R_{free} test set	1243 reflections (4.79%)	wwPDB-VP
Wilson B-factor (Å^2)	44.3	Xtriage
Anisotropy	0.185	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.35 , 54.7	EDS
L-test for twinning[2]	$< \|L\| > = 0.48$, $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	0.027 for h,-k,-h-l	Xtriage
F_o,F_c correlation	0.95	EDS
Total number of atoms	5054	wwPDB-VP
Average B, all atoms (Å^2)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.42% of the height of the origin peak. No significant pseudotranslation is detected.*

[1]Intensities estimated from amplitudes.

[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: D4R

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\|>5$	RMSZ	$\#\|Z\|>5$
1	A	0.68	0/1226	0.87	0/1655
1	B	0.69	0/1232	0.90	0/1663
1	C	0.72	0/1219	0.92	0/1645
1	D	0.66	0/1182	0.91	0/1592
All	All	0.69	0/4859	0.90	0/6555

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1203	0	1165	21	0
1	B	1209	0	1170	18	0
1	C	1196	0	1156	30	0
1	D	1161	0	1131	32	0
2	A	23	0	0	0	0
2	B	23	0	0	0	0
2	C	23	0	0	1	0
3	A	48	0	0	1	0
3	B	48	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	70	0	0	4	0
3	D	50	0	0	4	0
All	All	5054	0	4622	100	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:37:LYS:HA	1:D:44:CYS:SG	1.83	1.19
1:B:59:CYS:HB3	1:B:78:THR:HG22	1.51	0.92
1:A:76:GLU:HG3	1:A:89:HIS:HB3	1.55	0.88
1:D:44:CYS:SG	1:D:44:CYS:O	2.35	0.84
1:D:36:VAL:HG11	1:D:63:TRP:HH2	1.43	0.81
1:C:29:MET:HG2	1:C:150:MET:HE1	1.66	0.75
1:B:59:CYS:HB3	1:B:78:THR:CG2	2.18	0.73
1:D:36:VAL:HG11	1:D:63:TRP:CH2	2.24	0.72
1:A:145:GLN:NE2	1:A:149:ASP:OD2	2.23	0.72
1:B:79:THR:HG22	3:B:312:HOH:O	1.89	0.71
1:A:14:SER:HB3	1:A:123:SER:HB3	1.73	0.70
1:D:155:ARG:HB3	1:D:155:ARG:CZ	2.22	0.69
1:B:66:ASN:HD21	1:B:69:GLY:C	1.96	0.68
1:D:76:GLU:HG3	1:D:89:HIS:HB3	1.74	0.68
1:C:44:CYS:SG	1:C:47:VAL:HG22	2.36	0.65
1:D:13:LEU:HB3	1:D:140:LEU:HD22	1.79	0.64
1:D:29:MET:HG2	1:D:150:MET:SD	2.39	0.63
1:C:76:GLU:HG3	1:C:89:HIS:HB3	1.81	0.63
1:D:42:HIS:CD2	1:D:42:HIS:H	2.17	0.62
1:D:155:ARG:HB3	1:D:155:ARG:NH1	2.14	0.62
1:B:76:GLU:HG3	1:B:89:HIS:HB3	1.83	0.61
1:C:59:CYS:HB3	1:C:78:THR:HG22	1.84	0.59
1:D:31:LYS:O	1:D:31:LYS:HG3	2.03	0.58
1:D:29:MET:CG	1:D:150:MET:SD	2.92	0.58
1:D:72:ILE:HD13	3:D:202:HOH:O	2.03	0.58
1:D:107:MET:HG3	1:D:122:ARG:HD2	1.86	0.58
1:B:79:THR:HG23	1:B:88:ARG:HB3	1.86	0.57
1:C:8:GLY:O	1:C:128:LYS:HE3	2.05	0.56
1:C:78:THR:CG2	1:C:78:THR:O	2.53	0.56
1:B:77:GLU:OE1	1:B:90:ARG:NH2	2.29	0.56
1:B:150:MET:HE3	1:B:154:LEU:HG	1.89	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:79:THR:CG2	1:B:88:ARG:HB3	2.38	0.54
1:C:105:THR:HG21	2:C:200:D4R:CAJ	2.37	0.54
1:A:76:GLU:CG	1:A:89:HIS:HB3	2.33	0.54
1:C:67:ILE:HD13	1:C:142:PHE:CD2	2.43	0.53
1:C:80:HIS:CE1	3:C:304:HOH:O	2.61	0.53
1:D:27:TYR:CZ	1:D:31:LYS:HE2	2.43	0.53
1:A:76:GLU:OE2	1:A:78:THR:N	2.43	0.52
1:C:76:GLU:CG	1:C:89:HIS:HB3	2.40	0.52
1:C:150:MET:HG3	1:C:154:LEU:HD12	1.92	0.52
1:A:67:ILE:CD1	1:A:142:PHE:CD2	2.92	0.51
1:C:101:LYS:NZ	1:C:127:GLU:OE2	2.44	0.51
1:A:134:PRO:HG2	3:A:328:HOH:O	2.11	0.50
1:C:12:LYS:HA	1:C:124:ILE:O	2.12	0.49
1:C:45:VAL:HG22	1:C:64:ASN:HB3	1.95	0.49
1:A:31:LYS:HZ1	1:A:82:ASP:CG	2.15	0.48
1:A:10:VAL:HG22	1:A:127:GLU:HG2	1.95	0.48
1:D:101:LYS:HE2	1:D:127:GLU:OE2	2.13	0.48
1:C:78:THR:HG22	1:C:78:THR:O	2.13	0.48
1:D:72:ILE:CD1	3:D:202:HOH:O	2.60	0.48
1:C:107:MET:HE2	1:C:122:ARG:CD	2.44	0.48
1:A:67:ILE:HD13	1:A:142:PHE:CD2	2.49	0.48
1:C:114:ASP:OD1	1:C:114:ASP:N	2.37	0.47
1:D:29:MET:HG3	1:D:150:MET:CE	2.44	0.47
1:D:112:LYS:HD3	1:D:112:LYS:HA	1.70	0.47
1:D:26:TYR:OH	1:D:147:ILE:HA	2.15	0.47
1:A:114:ASP:OD1	1:A:116:ASN:O	2.33	0.47
1:D:70:LYS:HB2	3:D:202:HOH:O	2.14	0.47
1:B:21:CYS:HB3	1:B:151:ASN:ND2	2.30	0.46
1:A:16:GLU:HG3	1:A:121:THR:OG1	2.15	0.46
1:D:27:TYR:CE2	1:D:85:LYS:HA	2.51	0.46
1:D:21:CYS:SG	1:D:25:LYS:HB3	2.56	0.46
1:C:48:LYS:HE2	3:C:328:HOH:O	2.16	0.45
1:C:29:MET:CG	1:C:150:MET:HE1	2.41	0.45
1:C:7:SER:HA	3:C:313:HOH:O	2.15	0.45
1:A:29:MET:O	1:A:32:HIS:O	2.34	0.45
1:D:68:ASP:HB3	1:D:70:LYS:HD3	1.98	0.45
1:B:37:LYS:HD3	1:B:46:ASP:OD1	2.17	0.45
1:C:70:LYS:NZ	1:C:72:ILE:HD11	2.31	0.44
1:C:13:LEU:O	1:C:123:SER:HA	2.18	0.44
1:B:62:GLU:OE2	1:B:73:ARG:HD2	2.19	0.43
1:C:45:VAL:HG22	1:C:64:ASN:CB	2.49	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:78:THR:CG2	1:B:78:THR:O	2.67	0.43
1:B:102:LYS:O	1:B:126:TYR:HA	2.18	0.43
1:D:105:THR:HA	1:D:123:SER:O	2.18	0.43
1:A:12:LYS:HA	1:A:124:ILE:O	2.18	0.43
1:A:31:LYS:NZ	1:A:82:ASP:OD1	2.50	0.43
1:D:12:LYS:HA	1:D:124:ILE:O	2.19	0.43
1:C:122:ARG:HG3	1:C:147:ILE:HD11	2.01	0.42
1:A:64:ASN:ND2	1:A:73:ARG:HB2	2.35	0.42
1:A:75:VAL:HB	1:A:93:GLU:HB3	2.00	0.42
1:D:141:GLN:HE21	1:D:141:GLN:HB3	1.62	0.42
1:C:8:GLY:O	1:C:128:LYS:CE	2.67	0.42
1:A:25:LYS:HE3	1:A:154:LEU:HD22	2.02	0.42
1:B:78:THR:O	1:B:78:THR:HG23	2.20	0.42
1:C:29:MET:O	1:C:32:HIS:O	2.37	0.42
1:A:102:LYS:O	1:A:126:TYR:HA	2.20	0.42
1:B:67:ILE:CD1	1:B:139:TYR:CD1	3.03	0.42
1:C:7:SER:CA	3:C:313:HOH:O	2.68	0.41
1:D:29:MET:HG3	1:D:150:MET:SD	2.59	0.41
1:B:67:ILE:CD1	1:B:139:TYR:CE1	3.03	0.41
1:D:81:ASP:HB3	1:D:84:THR:OG1	2.21	0.41
1:A:33:GLY:O	1:A:36:VAL:HG23	2.21	0.41
1:D:70:LYS:CB	3:D:202:HOH:O	2.69	0.41
1:C:8:GLY:HA2	1:D:17:LEU:HD21	2.03	0.40
1:D:44:CYS:HB2	1:D:63:TRP:CZ3	2.56	0.40
1:C:67:ILE:HG13	1:C:72:ILE:HD12	2.03	0.40
1:A:76:GLU:OE2	1:A:77:GLU:C	2.60	0.40
1:C:35:ASP:HA	1:C:38:LYS:HG3	2.03	0.40
1:B:155:ARG:HG3	1:B:156:ASP:N	2.35	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	149/160 (93%)	145 (97%)	4 (3%)	0	100	100
1	B	150/160 (94%)	143 (95%)	7 (5%)	0	100	100
1	C	148/160 (92%)	141 (95%)	7 (5%)	0	100	100
1	D	141/160 (88%)	131 (93%)	10 (7%)	0	100	100
All	All	588/640 (92%)	560 (95%)	28 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	138/145 (95%)	126 (91%)	12 (9%)	10	9
1	B	139/145 (96%)	134 (96%)	5 (4%)	35	43
1	C	137/145 (94%)	124 (90%)	13 (10%)	8	7
1	D	133/145 (92%)	109 (82%)	24 (18%)	1	1
All	All	547/580 (94%)	493 (90%)	54 (10%)	8	7

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	VAL
1	A	25	LYS
1	A	37	LYS
1	A	44	CYS
1	A	45	VAL
1	A	51	SER
1	A	53	ASP
1	A	70	LYS
1	A	76	GLU
1	A	101	LYS
1	A	109	VAL
1	A	145	GLN
1	B	22	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	53	ASP
1	B	72	ILE
1	B	101	LYS
1	B	123	SER
1	C	7	SER
1	C	25	LYS
1	C	29	MET
1	C	40	VAL
1	C	45	VAL
1	C	47	VAL
1	C	48	LYS
1	C	51	SER
1	C	70	LYS
1	C	76	GLU
1	C	78	THR
1	C	114	ASP
1	C	130	ASN
1	D	14	SER
1	D	20	ASP
1	D	22	ASP
1	D	30	TYR
1	D	31	LYS
1	D	34	GLU
1	D	47	VAL
1	D	53	ASP
1	D	55	THR
1	D	56	SER
1	D	57	SER
1	D	61	LYS
1	D	66	ASN
1	D	70	LYS
1	D	71	THR
1	D	76	GLU
1	D	79	THR
1	D	80	HIS
1	D	88	ARG
1	D	92	PHE
1	D	96	VAL
1	D	112	LYS
1	D	151	ASN
1	D	155	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	64	ASN
1	A	145	GLN
1	B	28	ASN
1	B	66	ASN
1	B	132	ASN
1	B	151	ASN
1	C	132	ASN
1	C	141	GLN
1	C	151	ASN
1	D	42	HIS
1	D	132	ASN
1	D	141	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	D4R	A	200	-	24,27,27	3.25	9 (37%)	26,43,43	2.72	7 (26%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	D4R	B	200	-	24,27,27	3.12	9 (37%)	26,43,43	1.28	4 (15%)
2	D4R	C	200	-	24,27,27	3.29	8 (33%)	26,43,43	2.39	7 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	D4R	A	200	-	-	2/4/53/53	0/6/5/5
2	D4R	B	200	-	-	4/4/53/53	0/6/5/5
2	D4R	C	200	-	-	4/4/53/53	0/6/5/5

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	200	D4R	CAE-CAH	-10.85	1.37	1.52
2	A	200	D4R	CAE-CAH	-10.64	1.37	1.52
2	B	200	D4R	CAE-CAH	-10.07	1.38	1.52
2	C	200	D4R	CAN-CAK	-6.55	1.39	1.51
2	A	200	D4R	CAN-CAK	-6.33	1.39	1.51
2	A	200	D4R	CAE-CAG	-5.95	1.39	1.51
2	B	200	D4R	CAN-CAK	-5.41	1.41	1.51
2	C	200	D4R	CAE-CAG	-5.28	1.40	1.51
2	C	200	D4R	CAO-CAH	5.10	1.40	1.33
2	B	200	D4R	CAE-CAG	-5.05	1.41	1.51
2	B	200	D4R	CAR-CAL	4.30	1.40	1.34
2	B	200	D4R	CAO-CAH	4.20	1.39	1.33
2	A	200	D4R	CAO-CAH	4.15	1.39	1.33
2	C	200	D4R	CAR-CAL	3.42	1.39	1.34
2	A	200	D4R	CAR-CAL	3.34	1.39	1.34
2	C	200	D4R	CAK-CAG	-3.21	1.33	1.39
2	C	200	D4R	CAJ-CAG	-3.01	1.33	1.38
2	B	200	D4R	CAK-CAG	-2.89	1.34	1.39
2	A	200	D4R	CAM-CAQ	-2.86	1.45	1.52
2	A	200	D4R	CAJ-CAG	-2.77	1.33	1.38
2	B	200	D4R	CAM-CAQ	-2.71	1.45	1.52
2	B	200	D4R	CAP-CAJ	-2.65	1.35	1.41
2	A	200	D4R	CAK-CAG	-2.50	1.35	1.39
2	C	200	D4R	CAP-CAJ	-2.29	1.36	1.41
2	B	200	D4R	CAQ-NAD	2.24	1.51	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	200	D4R	CAP-CAJ	-2.04	1.36	1.41

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	A	200	D4R	OAB-CAL-CAF	7.98	116.81	110.06
2	C	200	D4R	OAB-CAL-CAF	7.63	116.52	110.06
2	A	200	D4R	OAB-CAL-CAR	-6.55	120.02	126.09
2	C	200	D4R	OAB-CAL-CAR	-5.07	121.39	126.09
2	A	200	D4R	CAP-CAJ-CAG	-3.89	116.44	121.05
2	C	200	D4R	CAP-CAJ-CAG	-3.81	116.54	121.05
2	A	200	D4R	CAM-CAQ-NAD	-3.79	106.44	110.96
2	A	200	D4R	OAA-CAJ-CAP	3.69	132.70	125.55
2	C	200	D4R	OAA-CAJ-CAP	3.21	131.78	125.55
2	A	200	D4R	CAT-CAS-CAK	-2.68	117.86	121.39
2	B	200	D4R	CAP-CAJ-CAG	-2.64	117.92	121.05
2	A	200	D4R	CAJ-OAA-CAF	2.58	107.55	104.79
2	B	200	D4R	CAM-CAE-CAG	2.33	116.49	111.53
2	C	200	D4R	CAJ-OAA-CAF	2.33	107.27	104.79
2	C	200	D4R	CAT-CAS-CAK	-2.28	118.39	121.39
2	B	200	D4R	OAA-CAJ-CAP	2.26	129.93	125.55
2	B	200	D4R	CAT-CAS-CAK	-2.19	118.50	121.39
2	C	200	D4R	OAC-CAP-CAT	-2.00	120.93	124.37

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	200	D4R	CAR-CAL-OAB-CAV
2	A	200	D4R	CAF-CAL-OAB-CAV
2	B	200	D4R	CAR-CAL-OAB-CAV
2	C	200	D4R	CAR-CAL-OAB-CAV
2	C	200	D4R	CAF-CAL-OAB-CAV
2	C	200	D4R	CAJ-CAP-OAC-CAW
2	C	200	D4R	CAT-CAP-OAC-CAW
2	B	200	D4R	CAJ-CAP-OAC-CAW
2	B	200	D4R	CAF-CAL-OAB-CAV
2	B	200	D4R	CAT-CAP-OAC-CAW

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	200	D4R	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand D4R A 200



Ligand D4R B 200



Ligand D4R C 200



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	151/160 (94%)	0.21	8 (5%) 26 38	27, 49, 80, 117	0
1	B	152/160 (95%)	0.36	15 (9%) 7 11	24, 49, 82, 104	0
1	C	150/160 (93%)	0.13	10 (6%) 17 26	25, 48, 86, 117	0
1	D	145/160 (90%)	0.93	25 (17%) 1 2	28, 68, 102, 114	0
All	All	598/640 (93%)	0.40	58 (9%) 7 12	24, 52, 90, 117	0

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	55	THR	6.6
1	D	51	SER	6.4
1	A	114	ASP	6.3
1	A	113	PRO	5.8
1	D	57	SER	5.3
1	A	115	GLY	4.9
1	D	83	GLU	4.9
1	B	52	GLY	4.8
1	D	56	SER	4.7
1	D	30	TYR	4.6
1	C	7	SER	4.4
1	D	29	MET	4.4
1	B	55	THR	4.2
1	D	153	TYR	4.2
1	A	155	ARG	4.0
1	B	156	ASP	3.7
1	C	56	SER	3.5
1	A	116	ASN	3.4
1	B	6	VAL	3.1
1	D	53	ASP	3.0
1	C	34	GLU	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	88	ARG	3.0
1	B	39	ALA	2.9
1	D	154	LEU	2.9
1	D	67	ILE	2.9
1	D	117	GLY	2.9
1	C	132	ASN	2.8
1	A	156	ASP	2.7
1	D	58	GLY	2.7
1	B	56	SER	2.7
1	B	70	LYS	2.6
1	D	49	ILE	2.6
1	B	71	THR	2.6
1	D	52	GLY	2.6
1	B	72	ILE	2.5
1	C	131	GLU	2.5
1	D	38	LYS	2.5
1	D	152	LYS	2.5
1	C	55	THR	2.5
1	C	54	PRO	2.5
1	B	157	SER	2.5
1	B	69	GLY	2.4
1	D	110	ASN	2.4
1	D	63	TRP	2.4
1	D	75	VAL	2.3
1	C	53	ASP	2.2
1	B	34	GLU	2.2
1	B	51	SER	2.2
1	D	87	LEU	2.2
1	C	50	ILE	2.2
1	D	26	TYR	2.2
1	D	84	THR	2.1
1	A	34	GLU	2.0
1	C	48	LYS	2.0
1	D	41	PRO	2.0
1	B	40	VAL	2.0
1	A	83	GLU	2.0
1	B	146	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
2	D4R	B	200	23/23	0.89	0.23	58,63,72,80	0
2	D4R	A	200	23/23	0.91	0.21	56,72,84,88	0
2	D4R	C	200	23/23	0.91	0.19	70,85,89,90	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around D4R B 200:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around D4R A 200:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around D4R C 200:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers (i)

There are no such residues in this entry.