



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 9, 2023 – 01:09 PM EDT

PDB ID : 7KDU
Title : Ricin bound to VHH antibody V5E4
Authors : Rudolph, M.J.
Deposited on : 2020-10-09
Resolution : 2.81 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.35.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.81 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	267	 73% 23% .
2	B	262	 62% 33% . .
3	C	133	 40% 32% . . 26%
4	D	2	 100%
5	E	2	 50% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	F	2	 50% 50%

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 5086 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ricin chain A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	256	2023	1281	358	379	5	0	0	0

- Molecule 2 is a protein called Ricin chain B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	257	1998	1252	351	383	12	0	0	0

- Molecule 3 is a protein called VHH antibody V5E4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	98	771	484	133	150	4	0	0	0

- Molecule 4 is an oligosaccharide called alpha-L-fucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	D	2	24	14	1	9	0	0	0

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	E	2	Total	C	N	O	0	0	0
			28	16	2	10			
5	F	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	2	Total	Zn	0	0
			2	2		

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	110	Total	O	0	0
			110	110		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	B	65	Total	O	0	0
			65	65		
8	C	33	Total	O	0	0
			33	33		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Ricin chain A



- Molecule 2: Ricin chain B



- Molecule 3: VHH antibody V5E4



- Molecule 4: alpha-L-fucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  100%

MAG1
FUC2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  50% 50%

MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  50% 50%

MAG1
MAG2

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	45.28Å 76.49Å 101.44Å 90.00° 90.92° 90.00°	Depositor
Resolution (Å)	30.54 – 2.81 30.54 – 2.81	Depositor EDS
% Data completeness (in resolution range)	98.8 (30.54-2.81) 98.8 (30.54-2.81)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.51 (at 2.81Å)	Xtrriage
Refinement program	PHENIX 1.11.1_2575	Depositor
R, R_{free}	0.237 , 0.294 0.237 , 0.294	Depositor DCC
R_{free} test set	879 reflections (5.22%)	wwPDB-VP
Wilson B-factor (Å ²)	60.2	Xtrriage
Anisotropy	0.334	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 57.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.037 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	5086	wwPDB-VP
Average B, all atoms (Å ²)	79.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, ZN, FUC, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.29	0/2066	0.45	0/2811
2	B	0.30	0/2042	0.49	0/2791
3	C	0.28	0/778	0.51	1/1036 (0.1%)
All	All	0.29	0/4886	0.48	1/6638 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	53	LEU	CB-CG-CD1	-5.17	102.21	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	135	ASN	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2023	0	1990	45	0
2	B	1998	0	1939	77	0
3	C	771	0	723	41	0
4	D	24	0	22	0	0
5	E	28	0	25	0	0
5	F	28	0	25	3	0
6	A	4	0	6	0	0
7	A	2	0	0	0	0
8	A	110	0	0	17	2
8	B	65	0	0	10	2
8	C	33	0	0	6	0
All	All	5086	0	4730	153	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:248:TYR:HH	3:C:58:THR:N	1.42	1.17
1:A:26:ARG:NH2	8:A:401:HOH:O	1.82	1.11
3:C:104:TYR:HB2	3:C:107:GLN:HG3	1.51	0.93
1:A:160:GLN:NE2	8:A:403:HOH:O	2.07	0.88
2:B:16:ARG:NH1	2:B:109:ALA:O	2.15	0.79
2:B:195:SER:HB2	2:B:197:ILE:HG13	1.66	0.78
2:B:252:GLY:O	8:B:302:HOH:O	2.04	0.75
2:B:6:ASP:OD1	8:B:303:HOH:O	2.05	0.74
2:B:248:TYR:OH	3:C:58:THR:N	2.20	0.73
2:B:79:ASP:OD2	8:B:304:HOH:O	2.07	0.73
1:A:64:ASN:O	8:A:404:HOH:O	2.08	0.72
2:B:105:LEU:HB3	2:B:120:VAL:HG22	1.70	0.72
2:B:67:TYR:HB3	2:B:73:VAL:HB	1.72	0.71
1:A:61:GLU:OE1	8:A:405:HOH:O	2.09	0.71
3:C:33:ALA:O	8:C:201:HOH:O	2.08	0.70
3:C:20:LEU:HD12	3:C:81:LEU:HD23	1.73	0.70
2:B:193:SER:HB2	2:B:202:VAL:HG12	1.74	0.69
2:B:123:ASN:O	8:B:305:HOH:O	2.10	0.69
2:B:42:ASN:ND2	2:B:44:ASP:OD1	2.25	0.68
2:B:22:ASP:OD1	2:B:46:ASN:ND2	2.25	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:52:SER:OG	3:C:53:LEU:N	2.27	0.68
2:B:124:ILE:HG22	8:B:309:HOH:O	1.94	0.67
3:C:34:MET:SD	8:C:201:HOH:O	2.52	0.67
2:B:253:ASP:OD2	3:C:52:SER:OG	2.12	0.67
1:A:31:ARG:NH1	8:A:416:HOH:O	2.27	0.67
2:B:89:ARG:O	2:B:100:ASN:ND2	2.27	0.66
2:B:213:GLY:H	2:B:226:ASN:HD21	1.42	0.66
1:A:219:GLN:O	8:A:406:HOH:O	2.15	0.65
2:B:34:ILE:HB	2:B:75:VAL:HG23	1.78	0.65
1:A:48:ARG:NH2	1:A:99:GLU:OE2	2.29	0.64
1:A:64:ASN:HB2	1:A:145:GLU:HG3	1.79	0.63
3:C:98:ALA:HA	8:C:201:HOH:O	1.98	0.63
1:A:193:ARG:NH2	3:C:101:GLU:OE1	2.29	0.63
2:B:170:GLU:N	8:B:312:HOH:O	2.30	0.63
1:A:182:GLN:NE2	2:B:220:ASN:O	2.31	0.63
2:B:197:ILE:HG22	2:B:198:ARG:H	1.63	0.63
3:C:34:MET:HG3	3:C:79:VAL:HG21	1.81	0.62
2:B:253:ASP:OD2	3:C:54:SER:OG	2.18	0.62
3:C:104:TYR:HB2	3:C:107:GLN:CG	2.27	0.62
3:C:40:ALA:N	8:C:205:HOH:O	2.32	0.62
2:B:24:ARG:NH1	8:B:313:HOH:O	2.31	0.62
2:B:170:GLU:O	8:B:306:HOH:O	2.16	0.62
2:B:216:TRP:HZ3	2:B:247:LEU:HD21	1.63	0.62
3:C:72:ARG:NH1	3:C:74:ASN:OD1	2.33	0.61
1:A:214:LEU:HD13	1:A:252:ILE:HD11	1.83	0.61
1:A:241:SER:O	2:B:136:ASN:ND2	2.30	0.60
2:B:65:THR:HG22	2:B:88:THR:HG22	1.83	0.60
2:B:216:TRP:CZ3	2:B:247:LEU:HD21	2.37	0.60
1:A:19:GLN:O	8:A:407:HOH:O	2.16	0.59
2:B:157:GLY:HA2	2:B:204:ILE:HB	1.85	0.59
2:B:74:TYR:HA	2:B:119:THR:HA	1.85	0.59
1:A:29:ARG:NH2	1:A:185:GLU:OE1	2.28	0.58
2:B:251:HIS:CE1	2:B:253:ASP:HB2	2.39	0.58
1:A:60:VAL:HG22	1:A:72:LEU:HB2	1.86	0.58
3:C:35:GLY:O	3:C:97:LYS:N	2.33	0.57
3:C:72:ARG:HA	3:C:79:VAL:HG22	1.86	0.57
1:A:221:SER:OG	1:A:222:ASN:O	2.17	0.57
1:A:151:LEU:O	8:A:408:HOH:O	2.17	0.56
1:A:26:ARG:NH1	8:A:421:HOH:O	2.31	0.55
1:A:166:ARG:NH1	8:A:431:HOH:O	2.38	0.55
2:B:192:THR:HG23	2:B:214:GLN:HG2	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:69:TYR:HB3	2:B:103:SER:HB3	1.88	0.55
3:C:90:ASP:O	3:C:94:TYR:OH	2.22	0.55
2:B:16:ARG:HD2	2:B:128:SER:HA	1.88	0.55
2:B:74:TYR:CZ	2:B:76:MET:HE2	2.42	0.55
3:C:47:PHE:O	3:C:61:GLN:HG3	2.07	0.55
1:A:187:GLU:OE2	1:A:235:ARG:NH1	2.40	0.54
1:A:10:ASN:OD1	8:A:409:HOH:O	2.18	0.54
2:B:154:ALA:HB2	2:B:173:TRP:CH2	2.44	0.53
3:C:3:GLN:H	3:C:25:SER:HB3	1.73	0.53
3:C:28:THR:HA	3:C:31:SER:HB2	1.91	0.53
1:A:206:THR:HG21	1:A:232:LEU:HA	1.90	0.52
3:C:54:SER:N	3:C:55:GLY:HA2	2.23	0.52
3:C:46:ASP:OD1	8:C:203:HOH:O	2.18	0.52
2:B:56:THR:HG22	2:B:58:ARG:HG3	1.92	0.51
2:B:242:LEU:O	2:B:244:GLN:HG2	2.11	0.51
2:B:259:LEU:HD12	2:B:260:PRO:HD2	1.90	0.51
2:B:45:ALA:O	2:B:59:SER:OG	2.29	0.51
2:B:223:THR:HG21	2:B:250:LEU:HD13	1.93	0.50
3:C:2:VAL:HG23	3:C:112:VAL:HG11	1.93	0.50
1:A:145:GLU:OE1	8:A:410:HOH:O	2.19	0.50
2:B:127:VAL:HB	2:B:210:ALA:HB1	1.94	0.49
3:C:32:TYR:N	3:C:99:THR:O	2.45	0.49
3:C:32:TYR:CG	3:C:53:LEU:HD11	2.47	0.49
2:B:158:GLN:HA	2:B:203:LYS:HD2	1.94	0.49
2:B:24:ARG:NH2	8:B:301:HOH:O	1.91	0.49
3:C:6:GLU:HB2	3:C:117:THR:HG23	1.95	0.49
1:A:144:LEU:O	1:A:148:ILE:HG13	2.13	0.48
2:B:219:LYS:HD2	2:B:225:LEU:HD22	1.94	0.48
3:C:60:TYR:CE1	3:C:70:ILE:HG22	2.48	0.48
2:B:75:VAL:HG22	2:B:118:LEU:O	2.14	0.48
1:A:154:TYR:HB2	1:A:159:THR:HB	1.95	0.48
1:A:222:ASN:O	1:A:224:GLY:N	2.47	0.48
2:B:226:ASN:HB3	2:B:229:SER:HB3	1.96	0.47
2:B:132:LEU:HB3	2:B:177:ALA:HB1	1.95	0.47
3:C:107:GLN:O	8:C:204:HOH:O	2.20	0.47
2:B:132:LEU:HG	2:B:134:THR:HG23	1.96	0.47
2:B:234:ASP:HB3	2:B:246:ILE:HG13	1.96	0.47
1:A:39:ARG:NH2	1:A:259:CYS:O	2.46	0.47
1:A:229:PRO:HB3	1:A:243:TYR:CE2	2.50	0.46
2:B:135:ASN:O	2:B:137:THR:HG23	2.14	0.46
2:B:103:SER:O	2:B:105:LEU:HD13	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:51:ILE:HD11	3:C:70:ILE:O	2.16	0.46
2:B:159:VAL:HG12	2:B:203:LYS:HA	1.97	0.46
1:A:20:SER:C	8:A:407:HOH:O	2.54	0.46
2:B:37:TRP:CD2	2:B:38:PRO:HD2	2.51	0.46
2:B:197:ILE:HB	2:B:200:THR:HG22	1.98	0.46
3:C:36:TRP:N	3:C:49:ALA:O	2.43	0.45
1:A:139:LEU:HB3	1:A:188:MET:HE1	1.99	0.45
3:C:2:VAL:HA	3:C:25:SER:HB3	1.97	0.45
2:B:148:TYR:OH	3:C:32:TYR:HB2	2.17	0.45
2:B:97:THR:HG22	2:B:215:ARG:HH12	1.82	0.45
2:B:76:MET:HE2	2:B:76:MET:HB3	1.76	0.44
1:A:182:GLN:NE2	2:B:220:ASN:OD1	2.44	0.44
1:A:29:ARG:HG2	1:A:254:LEU:HD11	1.99	0.44
3:C:38:ARG:NH1	3:C:90:ASP:O	2.50	0.44
2:B:135:ASN:HD21	5:F:1:NAG:C1	2.31	0.43
3:C:71:SER:O	3:C:79:VAL:HG13	2.17	0.43
1:A:218:ILE:O	1:A:221:SER:HB3	2.19	0.43
2:B:65:THR:OG1	2:B:76:MET:HG2	2.19	0.43
2:B:135:ASN:OD1	5:F:1:NAG:C1	2.67	0.43
1:A:75:ASP:O	1:A:79:ALA:N	2.45	0.43
1:A:29:ARG:HD3	1:A:179:ALA:O	2.19	0.43
3:C:35:GLY:HA2	3:C:49:ALA:O	2.19	0.43
3:C:28:THR:HG21	3:C:77:ASN:HA	1.99	0.43
1:A:75:ASP:HB3	1:A:78:ASN:OD1	2.18	0.43
1:A:34:THR:HG23	1:A:36:ALA:H	1.84	0.43
1:A:134:ARG:NH2	8:A:426:HOH:O	2.34	0.43
2:B:96:GLY:O	2:B:131:TRP:N	2.42	0.43
2:B:153:GLN:HB2	2:B:171:GLN:HG2	2.01	0.42
2:B:159:VAL:H	2:B:203:LYS:HD3	1.84	0.42
2:B:197:ILE:HG22	2:B:198:ARG:N	2.33	0.42
1:A:23:ASN:N	8:A:407:HOH:O	2.51	0.42
2:B:189:ASN:HB3	2:B:204:ILE:HG22	2.01	0.42
2:B:135:ASN:ND2	5:F:1:NAG:C1	2.82	0.42
3:C:47:PHE:HD2	3:C:61:GLN:HG2	1.85	0.42
3:C:38:ARG:HG3	3:C:94:TYR:CE1	2.54	0.42
1:A:11:PHE:HB2	1:A:24:PHE:CD1	2.55	0.41
1:A:124:ASP:OD1	8:A:411:HOH:O	2.21	0.41
2:B:19:LEU:HD22	2:B:38:PRO:HA	2.02	0.41
1:A:227:ALA:HA	2:B:9:PRO:HB3	2.03	0.41
2:B:102:ARG:O	2:B:103:SER:OG	2.27	0.41
2:B:132:LEU:HD12	2:B:133:PRO:HD2	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:94:HIS:NE2	8:A:402:HOH:O	2.04	0.41
3:C:51:ILE:HG13	3:C:70:ILE:HG12	2.03	0.41
1:A:207:LEU:HD23	1:A:207:LEU:HA	1.94	0.40
2:B:52:LYS:HE3	2:B:52:LYS:HB3	1.96	0.40
2:B:192:THR:HG21	2:B:205:LEU:HD12	2.03	0.40
2:B:193:SER:N	2:B:213:GLY:O	2.54	0.40
2:B:25:ASP:CG	8:B:310:HOH:O	2.59	0.40
2:B:248:TYR:CG	2:B:249:PRO:HD2	2.56	0.40
3:C:38:ARG:HG3	3:C:94:TYR:HE1	1.87	0.40
1:A:234:ARG:HB3	1:A:236:ASN:O	2.21	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:A:486:HOH:O	8:B:350:HOH:O[1_655]	1.87	0.33
8:A:486:HOH:O	8:B:305:HOH:O[1_655]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	254/267 (95%)	239 (94%)	15 (6%)	0	100	100
2	B	253/262 (97%)	238 (94%)	15 (6%)	0	100	100
3	C	77/133 (58%)	70 (91%)	7 (9%)	0	100	100
All	All	584/662 (88%)	547 (94%)	37 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	215/226 (95%)	211 (98%)	4 (2%)	57	85
2	B	224/227 (99%)	218 (97%)	6 (3%)	44	78
3	C	80/104 (77%)	74 (92%)	6 (8%)	13	37
All	All	519/557 (93%)	503 (97%)	16 (3%)	40	74

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	125	ARG
1	A	223	GLN
1	A	240	PHE
1	A	258	ARG
2	B	6	ASP
2	B	76	MET
2	B	105	LEU
2	B	195	SER
2	B	198	ARG
2	B	200	THR
3	C	52	SER
3	C	53	LEU
3	C	54	SER
3	C	63	SER
3	C	102	ARG
3	C	111	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	D	1	4,1	14,14,15	0.77	1 (7%)	17,19,21	1.13	2 (11%)
4	FUC	D	2	4	10,10,11	0.72	0	14,14,16	0.99	1 (7%)
5	NAG	E	1	5,2	14,14,15	0.63	0	17,19,21	1.32	3 (17%)
5	NAG	E	2	5	14,14,15	0.24	0	17,19,21	0.48	0
5	NAG	F	1	5	14,14,15	0.94	0	17,19,21	2.07	9 (52%)
5	NAG	F	2	5	14,14,15	0.14	0	17,19,21	0.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	D	1	4,1	-	2/6/23/26	0/1/1/1
4	FUC	D	2	4	-	-	0/1/1/1
5	NAG	E	1	5,2	-	1/6/23/26	0/1/1/1
5	NAG	E	2	5	-	2/6/23/26	0/1/1/1
5	NAG	F	1	5	-	2/6/23/26	0/1/1/1
5	NAG	F	2	5	-	4/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	1	NAG	C1-C2	2.13	1.55	1.52

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	F	1	NAG	O4-C4-C3	-3.54	102.16	110.35
5	F	1	NAG	O5-C1-C2	-3.40	105.91	111.29
4	D	1	NAG	C1-O5-C5	3.34	116.71	112.19
5	F	1	NAG	O3-C3-C4	2.90	117.06	110.35
5	E	1	NAG	C1-O5-C5	2.89	116.11	112.19
5	F	1	NAG	C3-C4-C5	2.81	115.26	110.24
5	F	1	NAG	C1-C2-N2	2.64	115.00	110.49
5	E	1	NAG	C1-C2-N2	2.56	114.86	110.49
5	F	1	NAG	C1-O5-C5	-2.51	108.79	112.19
5	F	1	NAG	C6-C5-C4	2.34	118.48	113.00
5	F	1	NAG	O5-C5-C4	-2.11	105.70	110.83
4	D	1	NAG	C1-C2-N2	2.11	114.09	110.49
5	E	1	NAG	O4-C4-C3	-2.11	105.48	110.35
4	D	2	FUC	O5-C5-C4	2.08	113.25	109.52
5	F	1	NAG	C2-N2-C7	2.05	125.82	122.90

There are no chirality outliers.

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	F	2	NAG	O5-C5-C6-O6
4	D	1	NAG	O5-C5-C6-O6
5	F	1	NAG	O5-C5-C6-O6
5	F	1	NAG	C4-C5-C6-O6
4	D	1	NAG	C4-C5-C6-O6
5	F	2	NAG	C4-C5-C6-O6
5	F	2	NAG	C8-C7-N2-C2
5	F	2	NAG	O7-C7-N2-C2
5	E	1	NAG	O5-C5-C6-O6
5	E	2	NAG	C3-C2-N2-C7
5	E	2	NAG	C1-C2-N2-C7


There are no ring outliers.


1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	F	1	NAG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	EDO	A	301	-	3,3,3	0.49	0	2,2,2	0.28	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	A	301	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	256/267 (95%)	-0.18	4 (1%) 72 66	33, 58, 91, 113	0
2	B	257/262 (98%)	0.37	16 (6%) 20 13	52, 89, 121, 139	0
3	C	98/133 (73%)	0.73	10 (10%) 6 3	72, 119, 138, 146	0
All	All	611/662 (92%)	0.19	30 (4%) 29 20	33, 79, 127, 146	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	32	TYR	8.6
2	B	29	HIS	6.0
2	B	78	TYR	4.1
2	B	33	ALA	3.7
3	C	75	ALA	3.5
2	B	28	PHE	3.5
1	A	239	LYS	3.4
3	C	29	PHE	3.3
3	C	41	PRO	3.3
3	C	5	VAL	3.2
3	C	56	ALA	3.1
3	C	33	ALA	3.0
1	A	230	ILE	2.9
2	B	130	GLY	2.8
2	B	113	ASN	2.8
2	B	196	ASN	2.8
3	C	31	SER	2.7
3	C	19	ARG	2.7
3	C	68	PHE	2.7
2	B	132	LEU	2.6
1	A	171	CYS	2.6
2	B	110	THR	2.6
2	B	41	SER	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	131	TRP	2.6
2	B	104	SER	2.4
2	B	111	SER	2.3
2	B	42	ASN	2.3
1	A	231	GLN	2.3
2	B	47	GLN	2.2
2	B	262	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	D	1	14/15	0.74	0.29	73,89,99,102	0
4	FUC	D	2	10/11	0.82	0.30	86,90,95,96	0
5	NAG	E	2	14/15	0.84	0.32	83,92,96,97	0
5	NAG	F	2	14/15	0.84	0.26	78,91,98,102	0
5	NAG	F	1	14/15	0.87	0.33	72,81,104,110	0
5	NAG	E	1	14/15	0.92	0.22	58,70,85,89	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain D:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	EDO	A	301	4/4	0.84	0.81	61,63,72,77	0
7	ZN	A	303	1/1	0.97	0.08	90,90,90,90	0
7	ZN	A	302	1/1	0.98	0.08	69,69,69,69	0

6.5 Other polymers [i](#)

There are no such residues in this entry.