



Full wwPDB EM Validation Report ⓘ

Nov 1, 2022 – 07:41 PM EDT

PDB ID : 5KEN
EMDB ID : EMD-8242
Title : EBOV GP in complex with variable Fab domains of IgGs c4G7 and c13C6
Authors : Pallesen, J.; Murin, C.D.; de Val, N.; Cottrell, C.A.; Hastie, K.M.; Turner, H.L.; Fusco, M.L.; Flyak, A.I.; Zeitlin, L.; Crowe Jr., J.E.; Andersen, K.G.; Saphire, E.O.; Ward, A.B.
Deposited on : 2016-06-09
Resolution : 4.30 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	276	
1	E	276	
1	K	276	
2	B	113	
2	F	113	
2	M	113	
3	C	118	
3	G	118	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	N	118	
4	D	107	
4	H	107	
4	O	107	
5	I	107	
5	P	107	
6	J	121	
6	Q	121	
7	L	5	
7	S	5	
7	T	5	
8	R	2	
8	U	2	
8	V	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	NAG	L	1	-	-	X	-
7	NAG	S	1	-	-	X	-
7	NAG	T	1	-	-	X	-
7	NAG	T	2	-	-	X	-
8	NAG	U	1	-	-	X	-
9	NAG	E	401	-	-	X	-
9	NAG	K	407	-	-	X	-

2 Entry composition i

There are 9 unique types of molecules in this entry. The entry contains 16913 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ebola surface glycoprotein, GP1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	207	Total	C	N	O	S	0	0
			1596	1016	272	303	5		
1	E	235	Total	C	N	O	S	0	0
			1829	1162	316	346	5		
1	K	235	Total	C	N	O	S	0	0
			1829	1162	316	346	5		

- Molecule 2 is a protein called Ebola surface glycoprotein, GP2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	113	Total	C	N	O	S	0	0
			890	567	155	162	6		
2	F	113	Total	C	N	O	S	0	0
			890	567	155	162	6		
2	M	113	Total	C	N	O	S	0	0
			890	567	155	162	6		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	544	THR	ILE	conflict	UNP Q05320
F	544	THR	ILE	conflict	UNP Q05320
M	544	THR	ILE	conflict	UNP Q05320

- Molecule 3 is a protein called c4G7 variable Fab domain heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	118	Total	C	N	O	S	0	0
			903	570	143	185	5		
3	G	118	Total	C	N	O	S	0	0
			903	570	143	185	5		
3	N	118	Total	C	N	O	S	0	0
			903	570	143	185	5		

- Molecule 4 is a protein called c4G7 variable Fab domain light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	107	Total 827	C 524	N 135	O 165	S 3	0	0
4	H	107	Total 827	C 524	N 135	O 165	S 3	0	0
4	O	107	Total 827	C 524	N 135	O 165	S 3	0	0


- Molecule 5 is a protein called c13C6 variable Fab domain light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	I	107	Total 815	C 509	N 135	O 167	S 4	0	0
5	P	107	Total 815	C 509	N 135	O 167	S 4	0	0

- Molecule 6 is a protein called c13C6 variable Fab domain heavy chain.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	J	121	Total 930	C 593	N 154	O 180	S 3	0	0
6	Q	121	Total 930	C 593	N 154	O 180	S 3	0	0

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
7	L	5	Total 61	C 34	N 2	O 25	0	0
7	S	5	Total 61	C 34	N 2	O 25	0	0
7	T	5	Total 61	C 34	N 2	O 25	0	0

- Molecule 8 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
8	R	2	Total	C	N	O	0	0
			28	16	2	10		
8	U	2	Total	C	N	O	0	0
			28	16	2	10		
8	V	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 9 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
9	E	1	Total	C	N	O	0
			14	8	1	5	
9	K	1	Total	C	N	O	0
			28	16	2	10	
9	K	1	Total	C	N	O	0
			28	16	2	10	


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Ebola surface glycoprotein, GP1




- Molecule 1: Ebola surface glycoprotein, GP1




- Molecule 1: Ebola surface glycoprotein, GP1









- Molecule 2: Ebola surface glycoprotein, GP2




- Molecule 2: Ebola surface glycoprotein, GP2




- Molecule 2: Ebola surface glycoprotein, GP2




- Molecule 3: c4G7 variable Fab domain heavy chain



- Molecule 3: c4G7 variable Fab domain heavy chain




- Molecule 3: c4G7 variable Fab domain heavy chain



- Molecule 4: c4G7 variable Fab domain light chain

Chain D:  96%



• Molecule 4: c4G7 variable Fab domain light chain

Chain H:  96%




• Molecule 4: c4G7 variable Fab domain light chain

Chain O:  97%



• Molecule 5: c13C6 variable Fab domain light chain

Chain I:  93%




• Molecule 5: c13C6 variable Fab domain light chain

Chain P:  93%




• Molecule 6: c13C6 variable Fab domain heavy chain

Chain J:  94%




• Molecule 6: c13C6 variable Fab domain heavy chain


Chain Q:  94%




- Molecule 7: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucofuranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	73000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	57	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	22500	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.039	Depositor
Minimum map value	-0.012	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.011	Depositor
Map size (Å)	319.63998, 319.63998, 319.63998	wwPDB
Map dimensions	244, 244, 244	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.31, 1.31, 1.31	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.82	0/1633	0.90	2/2220 (0.1%)
1	E	0.83	0/1869	0.91	2/2532 (0.1%)
1	K	0.83	0/1869	0.94	5/2532 (0.2%)
2	B	0.81	0/914	0.87	2/1246 (0.2%)
2	F	0.81	0/914	0.85	1/1246 (0.1%)
2	M	0.80	0/914	0.84	0/1246
3	C	0.81	0/923	0.89	0/1246
3	G	0.81	0/923	0.95	1/1246 (0.1%)
3	N	0.82	0/923	0.93	1/1246 (0.1%)
4	D	0.77	0/847	0.84	0/1145
4	H	0.79	0/847	0.85	0/1145
4	O	0.78	0/847	0.86	0/1145
5	I	0.70	0/831	0.86	1/1127 (0.1%)
5	P	0.69	0/831	0.85	1/1127 (0.1%)
6	J	0.73	0/954	0.87	1/1292 (0.1%)
6	Q	0.73	0/954	0.93	2/1292 (0.2%)
All	All	0.79	0/16993	0.89	19/23033 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
6	J	0	2
6	Q	0	2
All	All	0	4

There are no bond length outliers.

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	220	TYR	CB-CG-CD2	-7.38	116.57	121.00
3	G	98	TYR	CB-CG-CD2	-7.22	116.67	121.00
1	K	220	TYR	CB-CG-CD2	-7.21	116.67	121.00
1	E	99	TYR	CB-CG-CD1	-7.17	116.70	121.00
1	K	99	TYR	CB-CG-CD1	-6.92	116.85	121.00
2	F	587	ARG	NE-CZ-NH2	-6.82	116.89	120.30
1	K	136	ARG	NE-CZ-NH2	-6.63	116.99	120.30
1	E	220	TYR	CB-CG-CD2	-6.59	117.05	121.00
2	B	587	ARG	NE-CZ-NH2	-6.50	117.05	120.30
1	K	136	ARG	NE-CZ-NH1	6.28	123.44	120.30
6	J	102	TYR	CB-CG-CD1	-6.11	117.33	121.00
6	Q	102	TYR	CB-CG-CD1	-6.06	117.36	121.00
3	N	94	ARG	NE-CZ-NH2	-5.93	117.33	120.30
1	A	164	ARG	NE-CZ-NH2	-5.62	117.49	120.30
1	K	299	ARG	NE-CZ-NH1	5.60	123.10	120.30
5	I	91	TYR	CB-CG-CD2	-5.60	117.64	121.00
6	Q	90	TYR	CB-CG-CD2	-5.36	117.78	121.00
2	B	517	TYR	CB-CG-CD1	-5.23	117.86	121.00
5	P	91	TYR	CB-CG-CD2	-5.20	117.88	121.00

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
6	J	100(D)	MET	Peptide,Mainchain
6	Q	100(D)	MET	Peptide,Mainchain

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1596	0	1545	22	0
1	E	1829	0	1785	30	0
1	K	1829	0	1787	50	0
2	B	890	0	855	26	0
2	F	890	0	855	29	0
2	M	890	0	855	43	0
3	C	903	0	864	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	G	903	0	864	4	0
3	N	903	0	864	4	0
4	D	827	0	794	3	0
4	H	827	0	794	3	0
4	O	827	0	794	2	0
5	I	815	0	791	3	0
5	P	815	0	791	5	0
6	J	930	0	894	5	0
6	Q	930	0	894	2	0
7	L	61	0	52	20	0
7	S	61	0	52	22	0
7	T	61	0	51	30	0
8	R	28	0	24	4	0
8	U	28	0	25	15	0
8	V	28	0	25	4	0
9	E	14	0	13	9	0
9	K	28	0	26	11	0
All	All	16913	0	16294	240	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (240) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:257:ASN:HB3	8:R:1:NAG:C1	1.21	1.58
1:K:238:ASN:ND2	9:K:407:NAG:C1	1.85	1.40
1:E:238:ASN:HD21	9:E:401:NAG:C2	1.34	1.36
1:E:238:ASN:ND2	9:E:401:NAG:N2	1.69	1.34
2:M:509:PRO:CG	7:T:1:NAG:O6	1.76	1.34
1:A:156:GLU:HB3	7:L:1:NAG:O7	1.20	1.33
1:E:238:ASN:HD21	9:E:401:NAG:C7	1.44	1.30
1:K:238:ASN:HD21	9:K:407:NAG:C1	1.42	1.30
1:E:257:ASN:CB	8:R:1:NAG:C1	2.10	1.28
1:K:268:ASN:ND2	8:U:1:NAG:H62	1.49	1.27
1:K:229:GLU:HG3	9:K:406:NAG:O7	1.14	1.26
1:K:257:ASN:ND2	8:V:1:NAG:H82	1.52	1.22
1:K:156:GLU:CB	7:T:1:NAG:O7	1.90	1.19
1:E:238:ASN:ND2	9:E:401:NAG:C7	2.03	1.18
1:E:238:ASN:ND2	9:E:401:NAG:C2	1.82	1.17
1:K:156:GLU:HB3	7:T:1:NAG:O7	0.99	1.15

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:603:ILE:HD11	2:M:602:HIS:CE1	1.82	1.14
2:M:531:TRP:HH2	7:S:1:NAG:H83	1.10	1.12
1:K:268:ASN:ND2	8:U:1:NAG:C6	2.13	1.11
2:M:563:ASN:OD1	7:T:1:NAG:C1	1.99	1.10
1:K:238:ASN:HD21	9:K:407:NAG:C2	1.65	1.07
1:K:268:ASN:ND2	8:U:1:NAG:O5	1.87	1.07
2:M:531:TRP:CH2	7:S:1:NAG:H83	1.88	1.07
2:M:509:PRO:CD	7:T:1:NAG:O6	2.03	1.05
1:A:156:GLU:OE1	7:L:1:NAG:O3	1.75	1.05
1:K:156:GLU:O	7:T:1:NAG:C8	2.04	1.05
1:E:238:ASN:ND2	9:E:401:NAG:H2	1.68	1.04
2:F:602:HIS:HE1	2:M:603:ILE:HD11	1.19	1.04
1:K:268:ASN:ND2	8:U:1:NAG:C5	2.21	1.04
2:M:509:PRO:HG2	7:T:1:NAG:O6	1.57	1.03
1:K:238:ASN:CG	9:K:407:NAG:C1	2.27	1.01
1:K:156:GLU:HB3	7:T:1:NAG:C7	1.91	1.01
1:K:229:GLU:CG	9:K:406:NAG:O7	2.08	1.00
2:B:563:ASN:OD1	7:L:1:NAG:C1	2.13	0.96
1:K:156:GLU:O	7:T:1:NAG:H81	1.64	0.96
1:K:268:ASN:HD21	8:U:1:NAG:H62	1.31	0.96
1:K:268:ASN:OD1	8:U:1:NAG:C1	2.14	0.95
2:F:531:TRP:CH2	7:L:1:NAG:H83	2.00	0.95
1:A:156:GLU:O	7:L:1:NAG:H81	1.67	0.95
2:F:602:HIS:CE1	2:M:603:ILE:HD11	2.01	0.94
1:A:156:GLU:CB	7:L:1:NAG:O7	2.14	0.94
8:V:1:NAG:H62	8:V:2:NAG:C7	1.98	0.93
8:R:1:NAG:H62	8:R:2:NAG:C7	1.98	0.93
2:M:563:ASN:CG	7:T:1:NAG:C1	2.36	0.93
2:B:603:ILE:HD11	2:M:602:HIS:HE1	1.31	0.92
1:K:257:ASN:HD21	8:V:1:NAG:H82	1.26	0.91
2:B:603:ILE:CD1	2:M:602:HIS:CE1	2.54	0.90
2:B:531:TRP:O	2:B:531:TRP:CD1	2.24	0.90
2:F:509:PRO:CD	7:S:1:NAG:O6	2.20	0.90
1:K:268:ASN:CG	8:U:1:NAG:O5	2.09	0.90
2:M:509:PRO:HG3	7:T:1:NAG:O6	1.73	0.89
1:K:268:ASN:HD22	8:U:1:NAG:H62	1.30	0.89
2:M:531:TRP:CD1	2:M:531:TRP:O	2.25	0.88
1:K:229:GLU:HG3	9:K:406:NAG:C7	2.05	0.87
2:B:509:PRO:CG	7:L:1:NAG:O6	2.23	0.87
2:F:531:TRP:HH2	7:L:1:NAG:H83	1.38	0.86
1:K:257:ASN:ND2	8:V:1:NAG:C8	2.37	0.86

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:156:GLU:O	7:L:1:NAG:C8	2.24	0.84
6:J:98:PHE:CD2	6:J:98:PHE:O	2.31	0.84
1:E:238:ASN:CG	9:E:401:NAG:N2	2.24	0.84
1:K:268:ASN:HD21	8:U:1:NAG:C6	1.86	0.83
1:K:156:GLU:OE2	7:T:2:NAG:H5	1.82	0.80
2:M:531:TRP:CD1	2:M:531:TRP:C	2.55	0.79
2:B:531:TRP:CD1	2:B:531:TRP:C	2.53	0.78
2:F:509:PRO:HD3	7:S:1:NAG:O6	1.82	0.78
1:K:156:GLU:O	7:T:1:NAG:H83	1.83	0.78
2:M:509:PRO:HG2	7:T:1:NAG:HO6	1.46	0.77
1:K:238:ASN:OD1	9:K:407:NAG:C1	2.34	0.76
2:B:509:PRO:HG2	7:L:1:NAG:O6	1.84	0.75
2:B:603:ILE:CG1	2:M:602:HIS:CE1	2.71	0.73
2:F:531:TRP:O	2:F:531:TRP:CD1	2.41	0.73
2:F:563:ASN:HD21	7:S:1:NAG:H5	1.51	0.73
1:E:156:GLU:HB3	7:S:1:NAG:O7	1.89	0.72
2:B:603:ILE:CD1	2:M:602:HIS:HE1	1.96	0.71
1:E:243:GLN:OE1	1:E:243:GLN:N	2.22	0.71
1:E:238:ASN:ND2	9:E:401:NAG:O7	2.24	0.71
2:F:563:ASN:HD21	7:S:1:NAG:C5	2.05	0.69
1:E:156:GLU:O	7:S:1:NAG:H81	1.93	0.69
2:F:509:PRO:CG	7:S:1:NAG:O6	2.39	0.69
2:F:566:THR:OG1	7:S:1:NAG:H82	1.94	0.67
1:K:238:ASN:ND2	9:K:407:NAG:C2	2.41	0.67
3:C:103:TRP:O	3:C:103:TRP:CE3	2.48	0.67
1:K:258:GLU:O	1:K:262:THR:OG1	2.14	0.66
2:M:531:TRP:HH2	7:S:1:NAG:C8	1.99	0.66
2:M:509:PRO:HG3	7:T:1:NAG:C6	2.26	0.65
1:K:268:ASN:CG	8:U:1:NAG:C1	2.63	0.65
1:K:268:ASN:OD1	8:U:1:NAG:O5	2.10	0.65
1:E:258:GLU:O	1:E:262:THR:OG1	2.16	0.64
1:A:156:GLU:OE2	7:L:2:NAG:H5	1.98	0.64
2:F:518:TRP:CE3	2:F:518:TRP:O	2.51	0.64
2:M:534:TYR:O	2:M:534:TYR:CD1	2.51	0.64
7:S:1:NAG:H61	7:S:2:NAG:C7	2.29	0.63
7:T:1:NAG:H61	7:T:2:NAG:C7	2.29	0.63
3:G:85:GLU:N	3:G:85:GLU:OE1	2.29	0.63
2:B:563:ASN:CG	7:L:1:NAG:C1	2.67	0.62
7:L:1:NAG:H61	7:L:2:NAG:C7	2.29	0.62
1:K:229:GLU:N	1:K:229:GLU:OE1	2.33	0.62
5:P:63:THR:OG1	5:P:74:THR:OG1	2.18	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:534:TYR:O	2:B:534:TYR:CD1	2.54	0.61
2:B:603:ILE:HG12	2:M:602:HIS:CE1	2.35	0.61
2:B:603:ILE:CG1	2:M:602:HIS:HE1	2.11	0.60
8:U:2:NAG:O7	8:U:2:NAG:H3	2.00	0.60
2:F:531:TRP:CD1	2:F:531:TRP:C	2.73	0.59
2:F:531:TRP:CZ2	7:L:1:NAG:H83	2.38	0.59
4:H:65:SER:OG	4:H:72:SER:OG	2.20	0.59
1:E:229:GLU:OE1	1:E:229:GLU:N	2.35	0.58
2:M:518:TRP:O	2:M:518:TRP:CE3	2.56	0.58
1:K:155:LYS:NZ	7:T:4:MAN:O4	2.30	0.58
3:N:7:SER:O	3:N:107:THR:OG1	2.21	0.58
1:K:243:GLN:OE1	1:K:243:GLN:N	2.33	0.58
4:H:65:SER:HG	4:H:72:SER:HG	1.49	0.57
3:C:103:TRP:O	3:C:103:TRP:HE3	1.88	0.57
5:I:63:THR:OG1	5:I:74:THR:OG1	2.23	0.57
7:L:1:NAG:O4	7:L:2:NAG:O7	2.24	0.56
7:T:1:NAG:O4	7:T:2:NAG:O7	2.24	0.56
1:K:156:GLU:CG	7:T:1:NAG:O7	2.54	0.56
1:K:216:THR:O	1:K:216:THR:HG23	2.06	0.56
2:M:508:GLN:HG2	7:T:2:NAG:H81	1.87	0.55
7:S:1:NAG:O4	7:S:2:NAG:O7	2.24	0.55
1:E:277:VAL:HG13	1:E:277:VAL:O	2.06	0.55
2:F:535:PHE:HZ	7:L:4:MAN:H61	1.72	0.55
2:M:518:TRP:O	2:M:518:TRP:CD2	2.60	0.55
2:M:509:PRO:HD3	7:T:1:NAG:O6	2.00	0.54
2:B:531:TRP:O	2:B:531:TRP:HD1	1.88	0.54
6:J:98:PHE:O	6:J:98:PHE:HD2	1.85	0.54
7:S:1:NAG:C6	7:S:2:NAG:C7	2.86	0.54
2:F:508:GLN:HG2	7:S:2:NAG:H81	1.87	0.54
1:K:156:GLU:OE2	7:T:2:NAG:C5	2.54	0.54
7:L:1:NAG:C6	7:L:2:NAG:C7	2.86	0.54
7:T:1:NAG:C6	7:T:2:NAG:C7	2.85	0.54
1:K:266:ARG:HA	1:K:266:ARG:HH11	1.72	0.54
2:M:540:GLU:OE1	2:M:540:GLU:N	2.28	0.54
3:C:66:LYS:HD2	3:C:66:LYS:N	2.24	0.52
2:F:563:ASN:ND2	7:S:1:NAG:O5	2.31	0.52
5:P:107:ARG:OXT	5:P:107:ARG:HG3	2.10	0.52
1:A:131:GLY:N	1:A:174:THR:OG1	2.43	0.51
1:A:184:LEU:HD12	1:A:184:LEU:C	2.30	0.51
2:F:508:GLN:NE2	7:S:1:NAG:H62	2.26	0.51
2:M:531:TRP:CH2	7:S:1:NAG:C8	2.78	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:563:ASN:OD1	7:T:1:NAG:N2	2.44	0.51
1:A:252:PHE:C	1:A:252:PHE:CD2	2.84	0.50
2:F:566:THR:OG1	7:S:1:NAG:C8	2.59	0.50
1:K:238:ASN:ND2	9:K:407:NAG:N2	2.49	0.50
1:A:216:THR:HG23	1:A:216:THR:O	2.11	0.49
4:H:11:LEU:HD23	4:H:11:LEU:C	2.33	0.49
1:E:265:LYS:O	1:E:266:ARG:HB3	2.11	0.49
2:F:563:ASN:ND2	7:S:1:NAG:C5	2.73	0.49
2:F:508:GLN:CG	7:S:2:NAG:H81	2.42	0.49
1:K:269:THR:OG1	1:K:271:GLY:O	2.30	0.49
2:F:518:TRP:O	2:F:518:TRP:CD2	2.66	0.49
6:J:53:TRP:HA	6:J:53:TRP:CE3	2.47	0.49
6:Q:98:PHE:CD2	6:Q:98:PHE:C	2.86	0.49
2:B:509:PRO:HG3	7:L:1:NAG:O6	2.11	0.48
1:E:238:ASN:HD21	9:E:401:NAG:H2	1.37	0.48
1:K:156:GLU:C	7:T:1:NAG:H81	2.33	0.48
7:L:1:NAG:H62	7:L:2:NAG:O7	2.13	0.48
7:S:1:NAG:H62	7:S:2:NAG:O7	2.13	0.48
7:T:1:NAG:H62	7:T:2:NAG:O7	2.13	0.48
1:K:229:GLU:CG	9:K:406:NAG:C7	2.81	0.48
8:U:1:NAG:O6	8:U:2:NAG:H83	2.14	0.48
1:K:220:TYR:CD2	1:K:220:TYR:N	2.82	0.47
3:N:3:GLN:N	3:N:25:SER:OG	2.46	0.47
1:E:241:TYR:O	1:E:242:VAL:HB	2.13	0.47
2:B:506:ASN:OD1	2:B:506:ASN:O	2.33	0.47
2:B:602:HIS:CE1	2:F:603:ILE:HD11	2.50	0.47
2:M:563:ASN:OD1	7:T:1:NAG:C2	2.59	0.47
3:C:103:TRP:O	4:D:43:SER:OG	2.33	0.47
1:K:176:PHE:N	1:K:176:PHE:CD1	2.82	0.47
1:A:176:PHE:N	1:A:176:PHE:CD1	2.80	0.47
2:M:509:PRO:HG3	7:T:1:NAG:H61	1.97	0.46
5:P:106:LEU:O	5:P:107:ARG:HB3	2.15	0.46
2:B:540:GLU:OE1	2:B:540:GLU:N	2.32	0.46
1:E:216:THR:HG23	1:E:216:THR:O	2.15	0.46
1:E:176:PHE:CD1	1:E:176:PHE:N	2.83	0.46
3:G:3:GLN:N	3:G:25:SER:OG	2.48	0.46
1:E:103:GLU:HA	2:F:517:TYR:HA	1.98	0.46
1:E:278:ASN:ND2	1:E:303:SER:OG	2.49	0.46
1:A:219:ARG:HD2	1:A:219:ARG:N	2.31	0.45
1:A:79:VAL:HB	1:A:80:PRO:HD3	1.97	0.45
2:B:515:LEU:HB2	2:B:548:MET:HB2	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:79:VAL:HB	1:E:80:PRO:HD3	1.98	0.45
3:G:29:PHE:CD1	3:G:29:PHE:C	2.87	0.45
6:Q:96:ASP:HB3	6:Q:97:PRO:CD	2.47	0.45
2:B:509:PRO:CD	7:L:1:NAG:O6	2.65	0.45
1:A:241:TYR:O	1:A:242:VAL:HB	2.16	0.45
2:B:603:ILE:HG12	2:M:602:HIS:ND1	2.32	0.45
1:E:184:LEU:C	1:E:184:LEU:HD12	2.37	0.45
2:F:506:ASN:OD1	2:F:506:ASN:O	2.35	0.45
6:J:96:ASP:HB3	6:J:97:PRO:CD	2.47	0.45
4:O:11:LEU:HD23	4:O:11:LEU:C	2.37	0.45
4:D:62:PHE:CD1	4:D:62:PHE:N	2.85	0.44
6:J:53:TRP:HA	6:J:53:TRP:HE3	1.82	0.44
1:K:252:PHE:C	1:K:252:PHE:CD2	2.90	0.44
1:K:268:ASN:HD22	8:U:1:NAG:C6	2.01	0.44
1:K:89:ARG:HG2	1:K:90:SER:O	2.18	0.44
2:M:534:TYR:CD1	2:M:534:TYR:C	2.87	0.44
2:F:506:ASN:OD1	2:F:506:ASN:C	2.57	0.43
1:K:79:VAL:HB	1:K:80:PRO:HD3	2.00	0.43
5:P:65:SER:OG	5:P:66:GLY:N	2.52	0.43
1:E:277:VAL:O	1:E:277:VAL:CG1	2.66	0.43
1:A:215:SER:O	1:A:216:THR:HB	2.18	0.43
1:A:252:PHE:CD2	1:A:252:PHE:O	2.72	0.42
2:M:508:GLN:OE1	2:M:508:GLN:N	2.35	0.42
2:F:602:HIS:CE1	2:M:603:ILE:CD1	2.88	0.42
2:M:508:GLN:HG2	2:M:509:PRO:HD3	2.01	0.42
3:C:94:ARG:HB3	3:C:101:ALA:HB3	2.00	0.42
2:M:550:ASN:HB2	2:M:555:ILE:HD12	2.01	0.42
3:G:103:TRP:O	3:G:103:TRP:CE3	2.73	0.42
1:E:252:PHE:CD2	1:E:252:PHE:C	2.92	0.42
2:M:531:TRP:O	2:M:531:TRP:HD1	1.92	0.42
1:E:262:THR:OG1	1:E:263:SER:N	2.52	0.42
3:N:61:GLN:OE1	3:N:61:GLN:N	2.43	0.41
2:B:534:TYR:CD1	2:B:534:TYR:C	2.88	0.41
4:D:2:ILE:O	4:D:2:ILE:HG23	2.19	0.41
1:K:266:ARG:CZ	1:K:266:ARG:HB3	2.49	0.41
4:O:62:PHE:CD1	4:O:62:PHE:N	2.88	0.41
2:F:515:LEU:HB2	2:F:548:MET:HB2	2.01	0.41
5:I:106:LEU:O	5:I:107:ARG:HB3	2.21	0.41
2:M:563:ASN:HD21	7:T:1:NAG:H5	1.85	0.41
2:M:515:LEU:HB2	2:M:548:MET:HB2	2.02	0.41
8:R:1:NAG:H62	8:R:2:NAG:C8	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:518:TRP:CE3	2:M:518:TRP:C	2.94	0.41
1:A:69:ASN:ND2	1:A:105:ALA:HA	2.36	0.41
5:P:107:ARG:OXT	5:P:107:ARG:CG	2.67	0.41
3:C:40:SER:HA	3:C:88:ALA:HB2	2.03	0.41
3:N:50:ASN:HB3	3:N:58:THR:HG22	2.02	0.41
2:B:508:GLN:N	2:B:509:PRO:CD	2.84	0.41
1:A:151:PHE:O	1:A:153:PHE:N	2.53	0.40
1:A:184:LEU:HD12	1:A:184:LEU:O	2.21	0.40
2:B:547:LEU:HD23	2:B:547:LEU:C	2.42	0.40
3:C:38:LYS:HE2	3:C:38:LYS:HB3	1.83	0.40
2:F:532:ILE:HA	2:F:533:PRO:HD3	1.93	0.40
1:K:268:ASN:HD21	8:U:1:NAG:C5	2.07	0.40
1:E:69:ASN:ND2	1:E:105:ALA:HA	2.36	0.40
1:A:124:ALA:HA	1:A:172:ARG:HB2	2.02	0.40
1:A:182:ALA:HB2	2:B:562:ALA:HB2	2.03	0.40
2:M:509:PRO:CG	7:T:1:NAG:C6	2.80	0.40
1:A:106:GLU:O	1:A:137:TYR:N	2.54	0.40
5:I:94:TYR:HA	5:I:95:PRO:C	2.41	0.40
1:E:241:TYR:CD2	1:E:241:TYR:N	2.90	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	203/276 (74%)	191 (94%)	4 (2%)	8 (4%)	3	26
1	E	229/276 (83%)	217 (95%)	5 (2%)	7 (3%)	4	31
1	K	229/276 (83%)	214 (93%)	10 (4%)	5 (2%)	6	38
2	B	111/113 (98%)	105 (95%)	5 (4%)	1 (1%)	17	56
2	F	111/113 (98%)	103 (93%)	7 (6%)	1 (1%)	17	56

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	M	111/113 (98%)	103 (93%)	7 (6%)	1 (1%)	17	56
3	C	116/118 (98%)	113 (97%)	3 (3%)	0	100	100
3	G	116/118 (98%)	115 (99%)	0	1 (1%)	17	56
3	N	116/118 (98%)	113 (97%)	3 (3%)	0	100	100
4	D	105/107 (98%)	104 (99%)	0	1 (1%)	15	54
4	H	105/107 (98%)	104 (99%)	0	1 (1%)	15	54
4	O	105/107 (98%)	102 (97%)	2 (2%)	1 (1%)	15	54
5	I	105/107 (98%)	103 (98%)	2 (2%)	0	100	100
5	P	105/107 (98%)	103 (98%)	2 (2%)	0	100	100
6	J	119/121 (98%)	111 (93%)	7 (6%)	1 (1%)	19	60
6	Q	119/121 (98%)	112 (94%)	5 (4%)	2 (2%)	9	43
All	All	2105/2298 (92%)	2013 (96%)	62 (3%)	30 (1%)	15	47

All (30) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	101	ALA
2	B	584	ILE
2	F	584	ILE
1	K	153	PHE
2	M	584	ILE
1	A	152	ALA
1	A	177	ALA
1	A	216	THR
1	E	216	THR
3	G	66	LYS
1	K	216	THR
1	A	242	VAL
1	E	153	PHE
1	E	266	ARG
1	A	153	PHE
1	E	152	ALA
1	E	242	VAL
4	H	51	ALA
6	J	100(B)	ASN
1	K	218	ILE
4	O	51	ALA
6	Q	100(B)	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	218	ILE
4	D	51	ALA
1	E	218	ILE
1	K	242	VAL
1	A	122	LEU
1	E	122	LEU
1	K	122	LEU
6	Q	96	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	171/238 (72%)	171 (100%)	0	100	100
1	E	197/238 (83%)	197 (100%)	0	100	100
1	K	197/238 (83%)	197 (100%)	0	100	100
2	B	92/92 (100%)	91 (99%)	1 (1%)	73	85
2	F	92/92 (100%)	91 (99%)	1 (1%)	73	85
2	M	92/92 (100%)	91 (99%)	1 (1%)	73	85
3	C	98/98 (100%)	98 (100%)	0	100	100
3	G	98/98 (100%)	98 (100%)	0	100	100
3	N	98/98 (100%)	98 (100%)	0	100	100
4	D	92/92 (100%)	92 (100%)	0	100	100
4	H	92/92 (100%)	92 (100%)	0	100	100
4	O	92/92 (100%)	92 (100%)	0	100	100
5	I	92/92 (100%)	92 (100%)	0	100	100
5	P	92/92 (100%)	92 (100%)	0	100	100
6	J	99/99 (100%)	99 (100%)	0	100	100
6	Q	99/99 (100%)	99 (100%)	0	100	100
All	All	1793/1942 (92%)	1790 (100%)	3 (0%)	93	96

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	531	TRP
2	F	545	GLU
2	M	531	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	602	HIS
1	E	238	ASN
2	F	602	HIS
1	K	238	ASN
1	K	268	ASN
2	M	602	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

21 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	NAG	L	1	7	14,14,15	0.40	0	17,19,21	1.27	3 (17%)
7	NAG	L	2	7	14,14,15	0.32	0	17,19,21	0.99	1 (5%)
7	BMA	L	3	7	11,11,12	0.26	0	15,15,17	0.72	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	MAN	L	4	7	11,11,12	0.29	0	15,15,17	0.68	0
7	MAN	L	5	7	11,11,12	0.26	0	15,15,17	0.57	0
8	NAG	R	1	1,8	14,14,15	0.30	0	17,19,21	0.88	1 (5%)
8	NAG	R	2	8	14,14,15	0.28	0	17,19,21	0.67	0
7	NAG	S	1	7	14,14,15	0.39	0	17,19,21	1.26	3 (17%)
7	NAG	S	2	7	14,14,15	0.29	0	17,19,21	0.99	1 (5%)
7	BMA	S	3	7	11,11,12	0.27	0	15,15,17	0.71	0
7	MAN	S	4	7	11,11,12	0.27	0	15,15,17	0.68	0
7	MAN	S	5	7	11,11,12	0.28	0	15,15,17	0.57	0
7	NAG	T	1	7	14,14,15	0.40	0	17,19,21	1.26	3 (17%)
7	NAG	T	2	7	14,14,15	0.31	0	17,19,21	1.00	2 (11%)
7	BMA	T	3	7	11,11,12	0.28	0	15,15,17	0.70	0
7	MAN	T	4	7	11,11,12	0.29	0	15,15,17	0.69	0
7	MAN	T	5	7	11,11,12	0.28	0	15,15,17	0.57	0
8	NAG	U	1	8	14,14,15	0.50	0	17,19,21	0.73	0
8	NAG	U	2	8	14,14,15	0.29	0	17,19,21	0.60	0
8	NAG	V	1	8	14,14,15	0.30	0	17,19,21	0.88	1 (5%)
8	NAG	V	2	8	14,14,15	0.27	0	17,19,21	0.66	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	L	1	7	-	2/6/23/26	0/1/1/1
7	NAG	L	2	7	-	0/6/23/26	0/1/1/1
7	BMA	L	3	7	-	0/2/19/22	0/1/1/1
7	MAN	L	4	7	-	2/2/19/22	0/1/1/1
7	MAN	L	5	7	-	2/2/19/22	0/1/1/1
8	NAG	R	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	R	2	8	-	0/6/23/26	0/1/1/1
7	NAG	S	1	7	-	2/6/23/26	0/1/1/1
7	NAG	S	2	7	-	0/6/23/26	0/1/1/1
7	BMA	S	3	7	-	0/2/19/22	0/1/1/1
7	MAN	S	4	7	-	2/2/19/22	0/1/1/1
7	MAN	S	5	7	-	2/2/19/22	0/1/1/1
7	NAG	T	1	7	-	2/6/23/26	0/1/1/1
7	NAG	T	2	7	-	0/6/23/26	0/1/1/1
7	BMA	T	3	7	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	MAN	T	4	7	-	2/2/19/22	0/1/1/1
7	MAN	T	5	7	-	2/2/19/22	0/1/1/1
8	NAG	U	1	8	-	1/6/23/26	0/1/1/1
8	NAG	U	2	8	-	2/6/23/26	0/1/1/1
8	NAG	V	1	8	-	0/6/23/26	0/1/1/1
8	NAG	V	2	8	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	L	1	NAG	O5-C5-C4	-2.59	104.51	110.83
7	T	1	NAG	O5-C5-C4	-2.58	104.55	110.83
7	S	1	NAG	O5-C5-C4	-2.57	104.56	110.83
8	V	1	NAG	C1-O5-C5	2.56	115.67	112.19
8	R	1	NAG	C1-O5-C5	2.56	115.67	112.19
7	S	2	NAG	O5-C1-C2	-2.53	107.30	111.29
7	T	2	NAG	O5-C1-C2	-2.52	107.31	111.29
7	L	2	NAG	O5-C1-C2	-2.52	107.31	111.29
7	L	1	NAG	O5-C1-C2	-2.47	107.39	111.29
7	S	1	NAG	O5-C1-C2	-2.45	107.42	111.29
7	T	1	NAG	O5-C1-C2	-2.45	107.43	111.29
7	S	1	NAG	C2-N2-C7	-2.42	119.46	122.90
7	L	1	NAG	C2-N2-C7	-2.39	119.49	122.90
7	T	1	NAG	C2-N2-C7	-2.38	119.52	122.90
7	T	2	NAG	C2-N2-C7	-2.01	120.05	122.90

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	S	4	MAN	O5-C5-C6-O6
7	T	4	MAN	O5-C5-C6-O6
7	L	4	MAN	O5-C5-C6-O6
7	L	5	MAN	O5-C5-C6-O6
7	S	5	MAN	O5-C5-C6-O6
7	T	5	MAN	O5-C5-C6-O6
7	L	4	MAN	C4-C5-C6-O6
7	L	5	MAN	C4-C5-C6-O6
7	S	4	MAN	C4-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
7	S	5	MAN	C4-C5-C6-O6
7	T	4	MAN	C4-C5-C6-O6
7	T	5	MAN	C4-C5-C6-O6
8	U	1	NAG	C1-C2-N2-C7
7	L	1	NAG	O5-C5-C6-O6
7	S	1	NAG	O5-C5-C6-O6
7	T	1	NAG	O5-C5-C6-O6
7	L	1	NAG	C4-C5-C6-O6
7	S	1	NAG	C4-C5-C6-O6
7	T	1	NAG	C4-C5-C6-O6
8	U	2	NAG	C3-C2-N2-C7
8	U	2	NAG	C4-C5-C6-O6


There are no ring outliers.


14 monomers are involved in 95 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	V	2	NAG	1	0
8	U	2	NAG	2	0
8	R	2	NAG	2	0
7	T	1	NAG	26	0
8	V	1	NAG	4	0
7	S	1	NAG	20	0
8	U	1	NAG	14	0
8	R	1	NAG	4	0
7	T	4	MAN	1	0
7	T	2	NAG	7	0
7	L	1	NAG	18	0
7	L	4	MAN	1	0
7	L	2	NAG	5	0
7	S	2	NAG	6	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.














5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	NAG	E	401	-	14,14,15	0.28	0	17,19,21	0.88	1 (5%)
9	NAG	K	407	-	14,14,15	0.33	0	17,19,21	0.88	1 (5%)
9	NAG	K	406	-	14,14,15	0.68	0	17,19,21	2.31	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	E	401	-	-	0/6/23/26	0/1/1/1
9	NAG	K	407	-	-	0/6/23/26	0/1/1/1
9	NAG	K	406	-	-	6/6/23/26	0/1/1/1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	K	406	NAG	C1-O5-C5	7.48	122.32	112.19
9	K	406	NAG	O5-C1-C2	-5.01	103.38	111.29
9	K	407	NAG	C1-O5-C5	2.62	115.74	112.19
9	E	401	NAG	C1-O5-C5	2.57	115.68	112.19

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	K	406	NAG	C3-C2-N2-C7
9	K	406	NAG	O5-C5-C6-O6
9	K	406	NAG	C8-C7-N2-C2
9	K	406	NAG	C4-C5-C6-O6
9	K	406	NAG	O7-C7-N2-C2
9	K	406	NAG	C1-C2-N2-C7

There are no ring outliers.

3 monomers are involved in 20 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	E	401	NAG	9	0
9	K	407	NAG	7	0
9	K	406	NAG	4	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-8242. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 122



Y Index: 122




Z Index: 122


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 132



Y Index: 134




Z Index: 109


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.011. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 248 nm³; this corresponds to an approximate mass of 224 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.233 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-8242 and PDB model 5KEN. Per-residue inclusion information can be found in section 3 on page 7.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.011 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.011).















































9.4 Atom inclusion [i](#)



At the recommended contour level, 91% of all backbone atoms, 73% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.011) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7320	 0.1850
A	 0.6432	 0.1760
B	 0.7526	 0.2040
C	 0.7390	 0.1690
D	 0.7552	 0.1840
E	 0.7438	 0.1840
F	 0.7400	 0.2080
G	 0.6558	 0.1630
H	 0.6573	 0.1720
I	 0.7150	 0.1860
J	 0.5708	 0.1760
K	 0.8195	 0.1920
L	 0.6393	 0.3130
M	 0.7526	 0.1960
N	 0.7807	 0.1840
O	 0.8017	 0.1890
P	 0.7700	 0.1790
Q	 0.8222	 0.1740
R	 0.4286	 0.2860
S	 0.6885	 0.3330
T	 0.7541	 0.2830
U	 0.5714	 0.3140
V	 0.2857	 0.1780

