



# wwPDB X-ray Structure Validation Summary Report i

Oct 9, 2023 – 04:54 PM EDT

PDB ID : 7KG5  
Title : Dihydrodipicolinate synthase (DHDPS) from C.jejuni, H56W mutant with pyruvate bound in the active site  
Authors : Saran, S.; Majdi Yazdi, M.; Sanders, D.A.R.  
Deposited on : 2020-10-15  
Resolution : 1.95 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain			
1	F	310	%	87%	8%	.

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	EDO	C	304	-	-	X	-
4	PEG	A	310	-	-	X	-
4	PEG	F	305	-	-	X	-
5	ACT	D	307	-	-	X	-

## 2 Entry composition (i)

There are 9 unique types of molecules in this entry. The entry contains 15020 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 4-hydroxy-tetrahydrodipicolinate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	297	Total 2306	C 1469	N 381	O 443	S 13	0	2	0
1	B	296	Total 2298	C 1466	N 380	O 439	S 13	0	1	0
1	C	296	Total 2298	C 1466	N 380	O 439	S 13	0	1	0
1	D	296	Total 2286	C 1455	N 378	O 440	S 13	0	2	0
1	E	296	Total 2285	C 1455	N 378	O 439	S 13	0	1	0
1	F	297	Total 2296	C 1460	N 379	O 444	S 13	0	3	0

There are 78 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	expression tag	UNP Q9PPB4
A	-10	ARG	-	expression tag	UNP Q9PPB4
A	-9	GLY	-	expression tag	UNP Q9PPB4
A	-8	SER	-	expression tag	UNP Q9PPB4
A	-7	HIS	-	expression tag	UNP Q9PPB4
A	-6	HIS	-	expression tag	UNP Q9PPB4
A	-5	HIS	-	expression tag	UNP Q9PPB4
A	-4	HIS	-	expression tag	UNP Q9PPB4
A	-3	HIS	-	expression tag	UNP Q9PPB4
A	-2	HIS	-	expression tag	UNP Q9PPB4
A	-1	GLY	-	expression tag	UNP Q9PPB4
A	0	SER	-	expression tag	UNP Q9PPB4
A	56	TRP	HIS	engineered mutation	UNP Q9PPB4
B	-11	MET	-	expression tag	UNP Q9PPB4
B	-10	ARG	-	expression tag	UNP Q9PPB4
B	-9	GLY	-	expression tag	UNP Q9PPB4
B	-8	SER	-	expression tag	UNP Q9PPB4

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-7	HIS	-	expression tag	UNP Q9PPB4
B	-6	HIS	-	expression tag	UNP Q9PPB4
B	-5	HIS	-	expression tag	UNP Q9PPB4
B	-4	HIS	-	expression tag	UNP Q9PPB4
B	-3	HIS	-	expression tag	UNP Q9PPB4
B	-2	HIS	-	expression tag	UNP Q9PPB4
B	-1	GLY	-	expression tag	UNP Q9PPB4
B	0	SER	-	expression tag	UNP Q9PPB4
B	56	TRP	HIS	engineered mutation	UNP Q9PPB4
C	-11	MET	-	expression tag	UNP Q9PPB4
C	-10	ARG	-	expression tag	UNP Q9PPB4
C	-9	GLY	-	expression tag	UNP Q9PPB4
C	-8	SER	-	expression tag	UNP Q9PPB4
C	-7	HIS	-	expression tag	UNP Q9PPB4
C	-6	HIS	-	expression tag	UNP Q9PPB4
C	-5	HIS	-	expression tag	UNP Q9PPB4
C	-4	HIS	-	expression tag	UNP Q9PPB4
C	-3	HIS	-	expression tag	UNP Q9PPB4
C	-2	HIS	-	expression tag	UNP Q9PPB4
C	-1	GLY	-	expression tag	UNP Q9PPB4
C	0	SER	-	expression tag	UNP Q9PPB4
C	56	TRP	HIS	engineered mutation	UNP Q9PPB4
D	-11	MET	-	expression tag	UNP Q9PPB4
D	-10	ARG	-	expression tag	UNP Q9PPB4
D	-9	GLY	-	expression tag	UNP Q9PPB4
D	-8	SER	-	expression tag	UNP Q9PPB4
D	-7	HIS	-	expression tag	UNP Q9PPB4
D	-6	HIS	-	expression tag	UNP Q9PPB4
D	-5	HIS	-	expression tag	UNP Q9PPB4
D	-4	HIS	-	expression tag	UNP Q9PPB4
D	-3	HIS	-	expression tag	UNP Q9PPB4
D	-2	HIS	-	expression tag	UNP Q9PPB4
D	-1	GLY	-	expression tag	UNP Q9PPB4
D	0	SER	-	expression tag	UNP Q9PPB4
D	56	TRP	HIS	engineered mutation	UNP Q9PPB4
E	-11	MET	-	expression tag	UNP Q9PPB4
E	-10	ARG	-	expression tag	UNP Q9PPB4
E	-9	GLY	-	expression tag	UNP Q9PPB4
E	-8	SER	-	expression tag	UNP Q9PPB4
E	-7	HIS	-	expression tag	UNP Q9PPB4
E	-6	HIS	-	expression tag	UNP Q9PPB4
E	-5	HIS	-	expression tag	UNP Q9PPB4

*Continued on next page...*


*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	-4	HIS	-	expression tag	UNP Q9PPB4
E	-3	HIS	-	expression tag	UNP Q9PPB4
E	-2	HIS	-	expression tag	UNP Q9PPB4
E	-1	GLY	-	expression tag	UNP Q9PPB4
E	0	SER	-	expression tag	UNP Q9PPB4
E	56	TRP	HIS	engineered mutation	UNP Q9PPB4
F	-11	MET	-	expression tag	UNP Q9PPB4
F	-10	ARG	-	expression tag	UNP Q9PPB4
F	-9	GLY	-	expression tag	UNP Q9PPB4
F	-8	SER	-	expression tag	UNP Q9PPB4
F	-7	HIS	-	expression tag	UNP Q9PPB4
F	-6	HIS	-	expression tag	UNP Q9PPB4
F	-5	HIS	-	expression tag	UNP Q9PPB4
F	-4	HIS	-	expression tag	UNP Q9PPB4
F	-3	HIS	-	expression tag	UNP Q9PPB4
F	-2	HIS	-	expression tag	UNP Q9PPB4
F	-1	GLY	-	expression tag	UNP Q9PPB4
F	0	SER	-	expression tag	UNP Q9PPB4
F	56	TRP	HIS	engineered mutation	UNP Q9PPB4

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	2	Total Mg 2 2	0	0
2	B	3	Total Mg 3 3	0	0
2	C	2	Total Mg 2 2	0	0
2	D	2	Total Mg 2 2	0	0
2	E	2	Total Mg 2 2	0	0
2	F	2	Total Mg 2 2	0	0

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0

Continued on next page...

*Continued from previous page...*


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	E	1	Total C O 4 2 2	0	0
3	E	1	Total C O 4 2 2	0	0
3	E	1	Total C O 4 2 2	0	0
3	E	1	Total C O 4 2 2	0	0
3	E	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0

- Molecule 4 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	C	1	Total C O 7 4 3	0	0
4	C	1	Total C O 7 4 3	0	0
4	C	1	Total C O 7 4 3	0	0
4	D	1	Total C O 7 4 3	0	0
4	D	1	Total C O 7 4 3	0	0
4	F	1	Total C O 7 4 3	0	0
4	F	1	Total C O 7 4 3	0	0

- Molecule 5 is ACETATE ION (three-letter code: ACT) (formula: C<sub>2</sub>H<sub>3</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	E	1	Total C O 4 2 2	0	0
5	F	1	Total C O 4 2 2	0	0
5	F	1	Total C O 4 2 2	0	0
5	F	1	Total C O 4 2 2	0	0

- Molecule 6 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C<sub>8</sub>H<sub>18</sub>O<sub>5</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			13	8	5		
6	D	1	Total	C	O	0	0
			13	8	5		

- Molecule 7 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>4</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			10	6	4		
7	B	1	Total	C	O	0	0
			10	6	4		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	C	1	Total C O 10 6 4	0	0
7	E	1	Total C O 10 6 4	0	0

- Molecule 8 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	B	1	Total C O 6 3 3	0	0
8	C	1	Total C O 6 3 3	0	0
8	E	1	Total C O 6 3 3	0	0
8	E	1	Total C O 6 3 3	0	0

- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	161	Total O 161 161	0	0
9	B	159	Total O 159 159	0	0
9	C	155	Total O 155 155	0	0

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	D	153	Total O 153 153	0	0
9	E	153	Total O 153 153	0	0
9	F	160	Total O 160 160	0	0


### 3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 4-hydroxy-tetrahydrodipicolinate synthase




- Molecule 1: 4-hydroxy-tetrahydrodipicolinate synthase




- Molecule 1: 4-hydroxy-tetrahydrodipicolinate synthase



- Molecule 1: 4-hydroxy-tetrahydrodipicolinate synthase




- Molecule 1: 4-hydroxy-tetrahydrodipicolinate synthase





- Molecule 1: 4-hydroxy-tetrahydrodipicolinate synthase



## 4 Data and refinement statistics i

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	85.13 Å    231.25 Å    202.10 Å 90.00°    90.00°    90.00°	Depositor
Resolution (Å)	46.30 – 1.95 46.30 – 1.95	Depositor EDS
% Data completeness (in resolution range)	98.1 (46.30-1.95) 98.1 (46.30-1.95)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	1.46 (at 1.95 Å)	Xtriage
Refinement program	PHENIX dev_2398	Depositor
$R$ , $R_{free}$	0.174 , 0.210 0.176 , 0.211	Depositor DCC
$R_{free}$ test set	7105 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	29.5	Xtriage
Anisotropy	0.274	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 47.8	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.47$ , $< L^2 > = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	15020	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.31% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ACT, EDO, PGE, PEG, KPI, MG, PG4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.41	0/2339	0.52	0/3163
1	B	0.39	0/2325	0.53	0/3144
1	C	0.38	1/2325 (0.0%)	0.52	0/3144
1	D	0.40	2/2321 (0.1%)	0.53	0/3137
1	E	0.37	1/2315 (0.0%)	0.52	0/3129
1	F	0.36	0/2336	0.53	0/3159
All	All	0.38	4/13961 (0.0%)	0.53	0/18876

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	167	GLU	CD-OE2	-5.18	1.20	1.25
1	D	167	GLU	CD-OE1	-5.13	1.20	1.25
1	D	167	GLU	CD-OE2	-5.13	1.20	1.25
1	E	167	GLU	CD-OE1	-5.11	1.20	1.25

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2306	0	2336	28	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2298	0	2326	6	0
1	C	2298	0	2330	14	0
1	D	2286	0	2323	11	0
1	E	2285	0	2322	14	0
1	F	2296	0	2327	23	0
2	A	2	0	0	0	0
2	B	3	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
2	E	2	0	0	0	0
2	F	2	0	0	0	0
3	A	24	0	36	6	0
3	B	28	0	42	3	0
3	C	20	0	30	4	0
3	D	8	0	12	0	0
3	E	20	0	30	7	0
3	F	8	0	12	1	0
4	A	14	0	20	9	0
4	C	21	0	30	1	0
4	D	14	0	20	0	0
4	F	14	0	20	6	0
5	A	4	0	3	1	0
5	C	8	0	6	0	0
5	D	8	0	6	2	0
5	E	4	0	3	0	0
5	F	12	0	9	1	0
6	A	13	0	18	0	0
6	D	13	0	18	1	0
7	B	20	0	28	1	0
7	C	10	0	14	0	0
7	E	10	0	14	0	0
8	B	6	0	8	0	0
8	C	6	0	8	0	0
8	E	12	0	16	1	0
9	A	161	0	0	0	0
9	B	159	0	0	1	0
9	C	155	0	0	2	0
9	D	153	0	0	1	0
9	E	153	0	0	1	0
9	F	160	0	0	3	0
All	All	15020	0	14367	97	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 97 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:159:CYS:HA	4:F:305:PEG:H21	1.36	1.07
1:C:166:KPI:H1A	9:C:460:HOH:O	1.58	1.04
1:A:30:LEU:HB3	4:A:310:PEG:H31	1.60	0.84
1:A:7:ILE:HG21	1:A:186:MET:HE3	1.58	0.83
1:E:5:ILE:HD12	1:E:186:MET:HE2	1.68	0.75

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	296/310 (96%)	290 (98%)	6 (2%)	0	100 100
1	B	294/310 (95%)	289 (98%)	5 (2%)	0	100 100
1	C	294/310 (95%)	288 (98%)	6 (2%)	0	100 100
1	D	295/310 (95%)	289 (98%)	6 (2%)	0	100 100
1	E	294/310 (95%)	288 (98%)	6 (2%)	0	100 100
1	F	297/310 (96%)	292 (98%)	5 (2%)	0	100 100
All	All	1770/1860 (95%)	1736 (98%)	34 (2%)	0	100 100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	251/260 (96%)	250 (100%)	1 (0%)	91	90
1	B	249/260 (96%)	248 (100%)	1 (0%)	91	90
1	C	249/260 (96%)	249 (100%)	0	100	100
1	D	250/260 (96%)	248 (99%)	2 (1%)	81	80
1	E	249/260 (96%)	249 (100%)	0	100	100
1	F	252/260 (97%)	252 (100%)	0	100	100
All	All	1500/1560 (96%)	1496 (100%)	4 (0%)	92	92

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	ASP
1	B	71	LYS
1	D	68	GLU
1	D	280	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	128	GLN

### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains (i)

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	KPI	A	166	1	11,13,14	1.23	1 (9%)	10,15,17	2.58	6 (60%)
1	KPI	C	166	1	11,13,14	1.14	2 (18%)	10,15,17	2.75	5 (50%)
1	KPI	F	166	1	11,13,14	1.01	0	10,15,17	2.50	4 (40%)
1	KPI	B	166	1	11,13,14	1.72	3 (27%)	10,15,17	2.58	3 (30%)
1	KPI	E	166	1	11,13,14	0.99	0	10,15,17	2.37	4 (40%)
1	KPI	D	166	1	11,13,14	1.09	1 (9%)	10,15,17	2.21	4 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KPI	A	166	1	-	0/13/14/16	-
1	KPI	C	166	1	-	0/13/14/16	-
1	KPI	F	166	1	-	0/13/14/16	-
1	KPI	B	166	1	-	4/13/14/16	-
1	KPI	E	166	1	-	1/13/14/16	-
1	KPI	D	166	1	-	0/13/14/16	-

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	166	KPI	C1-CX1	3.51	1.56	1.49
1	A	166	KPI	CX2-CX1	3.33	1.53	1.49
1	C	166	KPI	CX2-CX1	2.48	1.52	1.49
1	D	166	KPI	CX2-CX1	2.29	1.52	1.49
1	B	166	KPI	O2-CX2	2.28	1.28	1.22

The worst 5 of 26 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	166	KPI	CE-NZ-CX1	5.77	137.42	121.70
1	F	166	KPI	CE-NZ-CX1	5.46	136.57	121.70
1	D	166	KPI	CE-NZ-CX1	5.17	135.79	121.70
1	A	166	KPI	CE-NZ-CX1	5.09	135.56	121.70
1	C	166	KPI	CE-NZ-CX1	5.03	135.40	121.70

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	B	166	KPI	NZ-CX1-CX2-O1
1	B	166	KPI	NZ-CX1-CX2-O2
1	B	166	KPI	C1-CX1-CX2-O1
1	B	166	KPI	C1-CX1-CX2-O2
1	E	166	KPI	N-CA-CB-CG

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	C	166	KPI	2	0
1	F	166	KPI	1	0

## 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [\(i\)](#)

Of 68 ligands modelled in this entry, 13 are monoatomic - leaving 55 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	PEG	A	309	-	6,6,6	0.48	0	5,5,5	0.31	0
8	GOL	B	313	-	5,5,5	0.29	0	5,5,5	0.35	0
4	PEG	D	305	-	6,6,6	0.48	0	5,5,5	0.29	0
3	EDO	F	303	-	3,3,3	0.54	0	2,2,2	0.21	0
5	ACT	D	308	-	3,3,3	0.78	0	3,3,3	1.33	0
3	EDO	E	305	-	3,3,3	0.51	0	2,2,2	0.11	0
7	PGE	E	301	-	9,9,9	0.33	0	8,8,8	0.19	0
8	GOL	E	310	-	5,5,5	0.33	0	5,5,5	0.31	0
3	EDO	A	306	-	3,3,3	0.57	0	2,2,2	0.14	0
3	EDO	C	304	-	3,3,3	0.34	0	2,2,2	0.47	0
3	EDO	D	304	-	3,3,3	0.48	0	2,2,2	0.31	0
4	PEG	F	306	-	6,6,6	0.48	0	5,5,5	0.65	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	EDO	C	308	-	3,3,3	0.49	0	2,2,2	0.37	0
3	EDO	B	308	-	3,3,3	0.45	0	2,2,2	0.43	0
5	ACT	D	307	-	3,3,3	0.76	0	3,3,3	1.27	0
4	PEG	C	311	-	6,6,6	0.49	0	5,5,5	0.42	0
6	PG4	D	309	-	12,12,12	0.52	0	11,11,11	0.27	0
7	PGE	B	302	-	9,9,9	0.30	0	8,8,8	0.32	0
5	ACT	F	307	-	3,3,3	0.76	0	3,3,3	1.33	0
3	EDO	C	305	-	3,3,3	0.50	0	2,2,2	0.28	0
4	PEG	A	310	-	6,6,6	0.69	0	5,5,5	0.51	0
3	EDO	D	303	-	3,3,3	0.39	0	2,2,2	0.43	0
3	EDO	B	309	-	3,3,3	0.48	0	2,2,2	0.25	0
3	EDO	B	306	-	3,3,3	0.50	0	2,2,2	0.32	0
3	EDO	E	304	-	3,3,3	0.47	0	2,2,2	0.42	0
5	ACT	F	309	-	3,3,3	0.76	0	3,3,3	1.35	0
8	GOL	C	314	-	5,5,5	0.31	0	5,5,5	0.34	0
5	ACT	C	312	-	3,3,3	0.75	0	3,3,3	1.27	0
3	EDO	B	307	-	3,3,3	0.49	0	2,2,2	0.31	0
3	EDO	C	306	-	3,3,3	0.53	0	2,2,2	0.22	0
4	PEG	D	306	-	6,6,6	0.48	0	5,5,5	0.22	0
8	GOL	E	311	-	5,5,5	0.36	0	5,5,5	0.35	0
7	PGE	B	301	-	9,9,9	0.30	0	8,8,8	0.32	0
7	PGE	C	301	-	9,9,9	0.32	0	8,8,8	0.29	0
3	EDO	E	307	-	3,3,3	0.51	0	2,2,2	0.30	0
3	EDO	A	304	-	3,3,3	0.41	0	2,2,2	0.52	0
6	PG4	A	312	-	12,12,12	0.51	0	11,11,11	0.19	0
5	ACT	A	311	-	3,3,3	0.79	0	3,3,3	1.31	0
3	EDO	A	308	-	3,3,3	0.44	0	2,2,2	0.36	0
3	EDO	C	307	-	3,3,3	0.53	0	2,2,2	0.26	0
3	EDO	E	306	-	3,3,3	0.42	0	2,2,2	0.41	0
3	EDO	B	312	-	3,3,3	0.45	0	2,2,2	0.38	0
5	ACT	F	308	-	3,3,3	0.72	0	3,3,3	1.38	0
4	PEG	C	310	-	6,6,6	0.48	0	5,5,5	0.19	0
3	EDO	A	305	-	3,3,3	0.40	0	2,2,2	0.40	0
4	PEG	F	305	-	6,6,6	0.59	0	5,5,5	0.57	0
3	EDO	A	307	-	3,3,3	0.38	0	2,2,2	0.67	0
3	EDO	B	310	-	3,3,3	0.60	0	2,2,2	0.18	0
3	EDO	B	311	-	3,3,3	0.47	0	2,2,2	0.36	0
4	PEG	C	309	2	6,6,6	0.52	0	5,5,5	0.27	0
3	EDO	A	303	-	3,3,3	0.43	0	2,2,2	0.48	0
3	EDO	E	308	-	3,3,3	0.46	0	2,2,2	0.38	0
5	ACT	C	313	-	3,3,3	0.81	0	3,3,3	1.51	0
3	EDO	F	304	-	3,3,3	0.38	0	2,2,2	0.43	0
5	ACT	E	309	-	3,3,3	0.77	0	3,3,3	1.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PEG	A	309	-	-	1/4/4/4	-
8	GOL	B	313	-	-	2/4/4/4	-
4	PEG	D	305	-	-	0/4/4/4	-
3	EDO	F	303	-	-	0/1/1/1	-
3	EDO	E	305	-	-	0/1/1/1	-
7	PGE	E	301	-	-	0/7/7/7	-
8	GOL	E	310	-	-	2/4/4/4	-
3	EDO	A	306	-	-	1/1/1/1	-
3	EDO	C	304	-	-	1/1/1/1	-
3	EDO	D	304	-	-	1/1/1/1	-
4	PEG	F	306	-	-	3/4/4/4	-
3	EDO	C	308	-	-	1/1/1/1	-
3	EDO	B	308	-	-	0/1/1/1	-
4	PEG	C	311	-	-	4/4/4/4	-
6	PG4	D	309	-	-	2/10/10/10	-
7	PGE	B	302	-	-	6/7/7/7	-
3	EDO	C	305	-	-	0/1/1/1	-
4	PEG	A	310	-	-	0/4/4/4	-
3	EDO	D	303	-	-	0/1/1/1	-
3	EDO	B	309	-	-	0/1/1/1	-
3	EDO	B	306	-	-	0/1/1/1	-
3	EDO	E	304	-	-	1/1/1/1	-
8	GOL	C	314	-	-	4/4/4/4	-
3	EDO	B	307	-	-	1/1/1/1	-
3	EDO	C	306	-	-	1/1/1/1	-
4	PEG	D	306	-	-	1/4/4/4	-
8	GOL	E	311	-	-	2/4/4/4	-
7	PGE	C	301	-	-	1/7/7/7	-
3	EDO	E	307	-	-	1/1/1/1	-
3	EDO	A	304	-	-	0/1/1/1	-
6	PG4	A	312	-	-	0/10/10/10	-
3	EDO	A	308	-	-	1/1/1/1	-
3	EDO	C	307	-	-	1/1/1/1	-
3	EDO	E	306	-	-	1/1/1/1	-
3	EDO	B	312	-	-	1/1/1/1	-
4	PEG	C	310	-	-	1/4/4/4	-
3	EDO	A	305	-	-	0/1/1/1	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PEG	F	305	-	-	2/4/4/4	-
3	EDO	A	307	-	-	1/1/1/1	-
3	EDO	B	310	-	-	0/1/1/1	-
3	EDO	B	311	-	-	0/1/1/1	-
4	PEG	C	309	2	-	2/4/4/4	-
3	EDO	A	303	-	-	0/1/1/1	-
3	EDO	E	308	-	-	1/1/1/1	-
7	PGE	B	301	-	-	1/7/7/7	-
3	EDO	F	304	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 48 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	B	313	GOL	O1-C1-C2-C3
8	E	310	GOL	O1-C1-C2-C3
8	E	311	GOL	O1-C1-C2-C3
4	F	306	PEG	C4-C3-O2-C2
4	C	309	PEG	O2-C3-C4-O4

There are no ring outliers.

23 monomers are involved in 43 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	309	PEG	1	0
3	E	305	EDO	1	0
8	E	310	GOL	1	0
3	C	304	EDO	4	0
4	F	306	PEG	2	0
5	D	307	ACT	2	0
6	D	309	PG4	1	0
7	B	302	PGE	1	0
4	A	310	PEG	8	0
3	E	304	EDO	2	0
3	B	307	EDO	2	0
3	E	307	EDO	1	0
5	A	311	ACT	1	0
3	A	308	EDO	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	306	EDO	3	0
5	F	308	ACT	1	0
3	A	305	EDO	2	0
4	F	305	PEG	4	0
3	A	307	EDO	1	0
3	B	311	EDO	1	0
4	C	309	PEG	1	0
3	A	303	EDO	1	0
3	F	304	EDO	1	0

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	296/310 (95%)	-0.08	3 (1%) 82 87	21, 27, 41, 59	0
1	B	295/310 (95%)	-0.14	2 (0%) 87 92	21, 27, 41, 54	0
1	C	295/310 (95%)	-0.04	2 (0%) 87 92	22, 28, 42, 53	0
1	D	295/310 (95%)	-0.07	3 (1%) 82 87	21, 28, 44, 56	1 (0%)
1	E	295/310 (95%)	-0.15	0 100 100	21, 29, 42, 54	0
1	F	296/310 (95%)	0.01	4 (1%) 75 82	21, 29, 44, 58	1 (0%)
All	All	1772/1860 (95%)	-0.08	14 (0%) 86 90	21, 28, 43, 59	2 (0%)

The worst 5 of 14 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	56[A]	TRP	4.1
1	D	56	TRP	3.3
1	C	56[A]	TRP	2.8
1	F	283	PHE	2.6
1	B	56[A]	TRP	2.5

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	KPI	B	166	14/15	0.72	0.19	20,20,20,20	0
1	KPI	E	166	14/15	0.75	0.19	20,20,20,20	0
1	KPI	D	166	14/15	0.76	0.20	20,20,20,20	0
1	KPI	A	166	14/15	0.76	0.20	20,20,20,20	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	KPI	F	166	14/15	0.78	0.19	20,20,20,20	0
1	KPI	C	166	14/15	0.81	0.20	20,20,20,20	0

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	PEG	C	311	7/7	0.73	0.33	42,47,52,61	0
8	GOL	B	313	6/6	0.73	0.21	42,52,60,76	0
5	ACT	F	309	4/4	0.76	0.16	40,47,50,53	0
3	EDO	F	303	4/4	0.77	0.16	39,40,44,47	0
4	PEG	F	306	7/7	0.77	0.25	32,40,45,45	0
5	ACT	C	313	4/4	0.78	0.29	37,48,49,50	0
3	EDO	C	305	4/4	0.79	0.19	40,41,47,61	0
8	GOL	C	314	6/6	0.79	0.22	40,49,50,53	0
8	GOL	E	310	6/6	0.80	0.17	48,50,58,58	0
2	MG	D	301	1/1	0.81	0.15	58,58,58,58	0
3	EDO	C	308	4/4	0.81	0.23	46,52,54,57	0
2	MG	C	302	1/1	0.83	0.16	56,56,56,56	0
5	ACT	D	307	4/4	0.83	0.19	39,41,48,58	0
3	EDO	E	304	4/4	0.84	0.12	33,36,43,47	0
2	MG	F	302	1/1	0.84	0.12	55,55,55,55	0
8	GOL	E	311	6/6	0.84	0.23	51,54,62,63	0
3	EDO	E	305	4/4	0.85	0.31	31,31,44,50	0
3	EDO	A	306	4/4	0.85	0.18	34,39,41,47	0
4	PEG	C	309	7/7	0.85	0.16	38,42,56,57	0
4	PEG	C	310	7/7	0.86	0.18	35,44,56,62	0
5	ACT	A	311	4/4	0.86	0.19	42,44,47,53	0
3	EDO	C	307	4/4	0.86	0.14	43,44,44,53	0
4	PEG	A	309	7/7	0.87	0.13	38,45,55,56	0
3	EDO	B	306	4/4	0.87	0.20	35,36,37,56	0
3	EDO	B	312	4/4	0.87	0.28	41,42,44,56	0
7	PGE	C	301	10/10	0.87	0.13	34,39,47,50	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	ACT	F	307	4/4	0.88	0.14	47,54,55,65	0
7	PGE	E	301	10/10	0.88	0.13	41,45,49,50	0
3	EDO	A	308	4/4	0.89	0.34	36,39,46,56	0
4	PEG	D	306	7/7	0.89	0.21	42,49,53,55	0
7	PGE	B	302	10/10	0.89	0.20	39,44,52,62	0
7	PGE	B	301	10/10	0.90	0.14	32,43,47,47	0
3	EDO	B	308	4/4	0.90	0.26	38,44,45,49	0
4	PEG	D	305	7/7	0.90	0.20	42,45,49,52	0
3	EDO	B	310	4/4	0.90	0.14	28,33,36,41	0
6	PG4	D	309	13/13	0.91	0.16	36,43,59,62	0
3	EDO	D	304	4/4	0.91	0.15	38,39,41,47	0
2	MG	E	303	1/1	0.91	0.11	44,44,44,44	0
3	EDO	C	306	4/4	0.92	0.12	30,31,37,42	0
3	EDO	A	307	4/4	0.92	0.28	29,38,38,40	0
3	EDO	E	308	4/4	0.92	0.15	36,37,38,44	0
3	EDO	B	307	4/4	0.92	0.16	32,37,43,49	0
2	MG	C	303	1/1	0.92	0.15	51,51,51,51	0
2	MG	D	302	1/1	0.93	0.07	36,36,36,36	0
3	EDO	E	306	4/4	0.93	0.27	33,44,48,48	0
4	PEG	F	305	7/7	0.93	0.16	25,29,31,33	0
5	ACT	F	308	4/4	0.94	0.16	33,42,44,52	0
3	EDO	A	305	4/4	0.94	0.21	27,33,41,43	0
6	PG4	A	312	13/13	0.94	0.14	30,35,46,47	0
3	EDO	C	304	4/4	0.94	0.23	35,36,37,38	0
5	ACT	D	308	4/4	0.94	0.16	31,41,43,51	0
3	EDO	B	311	4/4	0.94	0.10	36,40,42,42	0
2	MG	A	302	1/1	0.95	0.10	46,46,46,46	0
5	ACT	C	312	4/4	0.95	0.13	39,46,47,48	0
2	MG	B	303	1/1	0.95	0.04	31,31,31,31	0
2	MG	B	304	1/1	0.95	0.31	48,48,48,48	0
3	EDO	A	303	4/4	0.95	0.16	34,36,37,38	0
3	EDO	E	307	4/4	0.95	0.14	31,33,34,36	0
3	EDO	A	304	4/4	0.95	0.15	37,38,41,42	0
3	EDO	D	303	4/4	0.95	0.17	29,36,50,54	0
3	EDO	F	304	4/4	0.95	0.26	27,38,41,48	0
4	PEG	A	310	7/7	0.96	0.23	23,30,34,34	0
3	EDO	B	309	4/4	0.96	0.11	33,35,38,43	0
2	MG	A	301	1/1	0.97	0.03	30,30,30,30	0
5	ACT	E	309	4/4	0.97	0.07	30,33,34,35	0
2	MG	E	302	1/1	0.97	0.09	42,42,42,42	0
2	MG	B	305	1/1	0.98	0.09	39,39,39,39	0
2	MG	F	301	1/1	0.99	0.16	36,36,36,36	0

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.