

Full wwPDB X-ray Structure Validation Report (i)

Aug 6, 2023 – 01:45 AM EDT

PDB ID	:	1KJJ
Title	:	Crystal structure of glycniamide ribonucleotide transformylase in complex with
		Mg-ATP-gamma-S
Authors	:	Thoden, J.B.; Firestine, S.M.; Benkovic, S.J.; Holden, H.M.
Deposited on	:	2001-12-04
Resolution	:	1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution $(\#$ Entries resolution $(\hat{\lambda}))$
	(#Entries)	(#Entries, resolution range(A))
Clashscore	141614	$2466 \ (1.76-1.76)$
Ramachandran outliers	138981	2437 (1.76-1.76)
Sidechain outliers	138945	2437 (1.76-1.76)
RSRZ outliers	127900	2298 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	1	
1	А	391	% 7 0%	23%	5% ••
1	В	391	60%	30%	8% ••



2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 6647 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called phosphoribosylglycinamide formyltransferase 2.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	А	386	Total 2949	C 1860	N 522	0 554	S 13	0	1	0
1	В	385	Total 2943	C 1855	N 521	O 553	S 14	0	1	0

• Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	2	Total Mg 2 2	0	0
2	В	2	Total Mg 2 2	0	0

• Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total Na 1 1	0	0

• Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total Cl 1 1	0	0

• Molecule 5 is PHOSPHOTHIOPHOSPHORIC ACID-ADENYLATE ESTER (three-letter code: AGS) (formula: C₁₀H₁₆N₅O₁₂P₃S).





Mol	Chain	Residues		A	ton	ıs			ZeroOcc	AltConf	
5	Δ	1	Total	С	Ν	Ο	Р	\mathbf{S}	0	0	
0	Л	T	31	10	5	12	3	1	0		
Б	Р	1	Total	С	Ν	Ο	Р	\mathbf{S}	0	0	
5	D	L	31	10	5	12	3	1	0	0	

• Molecule 6 is 3[N-MORPHOLINO]PROPANE SULFONIC ACID (three-letter code: MPO) (formula: $C_7H_{15}NO_4S$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
6	Δ	1	Total	С	Ν	0	S	0	0
0	11	1	13	7	1	4	1		0



• Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	396	Total O 396 396	0	0
7	В	278	Total O 278 278	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.





• Molecule 1: phosphoribosylglycinamide formyltransferase 2





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants	61.90Å 179.30Å 76.10Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution(A)	30.00 - 1.75	Depositor
Resolution (A)	50.94 - 1.75	EDS
% Data completeness	96.0 (30.00-1.75)	Depositor
(in resolution range)	95.3(50.94-1.75)	EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.53 (at 1.75 \text{\AA})$	Xtriage
Refinement program	TNT	Depositor
P. P.	0.184 , 0.233	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.182 , (Not available)	DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	19.1	Xtriage
Anisotropy	0.422	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.33, 106.1	EDS
L-test for $twinning^2$	$ < L >=0.48, < L^2>=0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	6647	wwPDB-VP
Average B, all atoms $(Å^2)$	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.44% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CL, NA, AGS, MPO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles		
IVIOI	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	1.02	19/3002~(0.6%)	1.57	57/4068~(1.4%)	
1	В	0.99	17/2996~(0.6%)	1.55	48/4060~(1.2%)	
All	All	1.00	36/5998~(0.6%)	1.56	105/8128~(1.3%)	

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$\operatorname{Ideal}(\operatorname{\AA})$
1	В	96	GLU	CD-OE2	8.45	1.34	1.25
1	А	30	GLU	CD-OE2	8.39	1.34	1.25
1	В	172	GLU	CD-OE2	7.94	1.34	1.25
1	А	72	GLU	CD-OE2	7.56	1.33	1.25
1	В	226	GLU	CD-OE2	7.55	1.33	1.25
1	А	96	GLU	CD-OE2	7.23	1.33	1.25
1	В	143	GLU	CD-OE2	6.78	1.33	1.25
1	В	299	GLU	CD-OE1	-6.62	1.18	1.25
1	А	37	GLU	CD-OE2	6.61	1.32	1.25
1	В	97	GLU	CD-OE2	6.47	1.32	1.25
1	В	138	GLU	CD-OE2	6.33	1.32	1.25
1	В	82	GLU	CD-OE2	6.27	1.32	1.25
1	А	95	GLU	CD-OE2	6.08	1.32	1.25
1	А	84	GLU	CD-OE2	5.99	1.32	1.25
1	В	37	GLU	CD-OE1	-5.95	1.19	1.25
1	А	26	GLU	CD-OE2	5.94	1.32	1.25
1	В	267	GLU	CD-OE2	5.94	1.32	1.25
1	А	138	GLU	CD-OE2	5.84	1.32	1.25
1	А	279	GLU	CD-OE2	5.77	1.31	1.25
1	А	82	GLU	CD-OE2	5.75	1.31	1.25
1	В	249	GLU	CD-OE2	5.71	1.31	1.25
1	В	95	GLU	CD-OE2	5.69	1.31	1.25
1	A	245	GLU	CD-OE2	5.68	1.31	1.25
1	А	124	GLU	CD-OE2	5.65	1.31	1.25



Mol	Chain	\mathbf{Res}	Type	Atoms	\mathbf{Z}	Observed(A)	Ideal(Å)
1	А	97	GLU	CD-OE2	5.60	1.31	1.25
1	А	274	GLU	CD-OE2	5.58	1.31	1.25
1	В	357	GLU	CD-OE2	5.52	1.31	1.25
1	В	245	GLU	CD-OE2	5.45	1.31	1.25
1	А	249	GLU	CD-OE2	5.35	1.31	1.25
1	А	203	GLU	CD-OE2	5.32	1.31	1.25
1	В	72	GLU	CD-OE2	5.28	1.31	1.25
1	А	379	GLU	CD-OE2	5.26	1.31	1.25
1	А	172	GLU	CD-OE2	5.19	1.31	1.25
1	В	232	GLU	CD-OE1	-5.19	1.20	1.25
1	А	357	GLU	CD-OE2	5.07	1.31	1.25
1	В	124	GLU	CD-OE2	5.06	1.31	1.25

All (105) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	363	ARG	NE-CZ-NH2	-12.71	113.95	120.30
1	А	363	ARG	NE-CZ-NH1	11.68	126.14	120.30
1	В	191	ARG	NE-CZ-NH1	11.14	125.87	120.30
1	А	286	ASP	CB-CG-OD1	10.52	127.77	118.30
1	А	136	ASP	CB-CG-OD2	-10.13	109.18	118.30
1	В	191	ARG	NE-CZ-NH2	-10.11	115.25	120.30
1	В	351	ARG	NE-CZ-NH2	-9.82	115.39	120.30
1	А	169	ARG	NE-CZ-NH1	9.51	125.05	120.30
1	А	114	ARG	NE-CZ-NH1	9.35	124.97	120.30
1	А	169	ARG	NE-CZ-NH2	-9.12	115.74	120.30
1	А	229	ASP	CB-CG-OD2	-8.96	110.23	118.30
1	А	227	ASP	CB-CG-OD1	8.77	126.19	118.30
1	А	42	ASP	CB-CG-OD1	8.74	126.17	118.30
1	В	286	ASP	CB-CG-OD2	-8.52	110.63	118.30
1	А	191	ARG	NE-CZ-NH1	8.47	124.53	120.30
1	В	296	ASP	CB-CG-OD2	-8.45	110.70	118.30
1	В	296	ASP	CB-CG-OD1	8.31	125.78	118.30
1	В	363	ARG	NE-CZ-NH2	-8.27	116.17	120.30
1	А	119	ARG	NE-CZ-NH2	-8.24	116.18	120.30
1	А	347	ASP	CB-CG-OD1	8.11	125.60	118.30
1	В	286	ASP	CB-CG-OD1	8.01	125.51	118.30
1	А	283	ARG	NE-CZ-NH2	-7.94	116.33	120.30
1	А	340	VAL	CA-CB-CG1	-7.91	99.03	110.90
1	A	114	ARG	NE-CZ-NH2	-7.82	116.39	120.30
1	В	261	TYR	CB-CG-CD2	-7.81	116.31	121.00
1	В	133	ARG	NE-CZ-NH2	-7.76	116.42	120.30



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	380	ARG	CD-NE-CZ	7.63	134.28	123.60
1	А	42	ASP	CB-CG-OD2	-7.56	111.50	118.30
1	А	316	ARG	NE-CZ-NH1	7.55	124.08	120.30
1	В	14	ARG	NE-CZ-NH2	-7.50	116.55	120.30
1	А	286	ASP	CB-CG-OD2	-7.43	111.62	118.30
1	А	201	ASP	CB-CG-OD1	7.34	124.91	118.30
1	А	252	ARG	NE-CZ-NH1	7.22	123.91	120.30
1	В	43	ARG	NE-CZ-NH2	-7.22	116.69	120.30
1	А	296	ASP	CB-CG-OD1	7.21	124.79	118.30
1	А	283	ARG	NE-CZ-NH1	7.11	123.86	120.30
1	В	42	ASP	CB-CG-OD1	7.11	124.70	118.30
1	В	147	ASP	CB-CG-OD2	-7.01	111.99	118.30
1	В	69	ARG	NE-CZ-NH1	7.00	123.80	120.30
1	В	347	ASP	CB-CG-OD1	6.93	124.53	118.30
1	А	201	ASP	CB-CG-OD2	-6.91	112.08	118.30
1	В	33	ARG	NE-CZ-NH1	6.89	123.75	120.30
1	А	305	ARG	NE-CZ-NH1	6.81	123.71	120.30
1	А	65	ASP	CB-CG-OD2	-6.80	112.18	118.30
1	А	359	ASP	CB-CG-OD2	-6.78	112.20	118.30
1	В	347	ASP	CB-CG-OD2	-6.75	112.22	118.30
1	В	89	ASP	CB-CG-OD2	-6.75	112.22	118.30
1	А	380	ARG	NE-CZ-NH2	6.71	123.66	120.30
1	В	363	ARG	NE-CZ-NH1	6.71	123.65	120.30
1	В	65	ASP	CB-CG-OD2	-6.67	112.30	118.30
1	А	14	ARG	NE-CZ-NH2	-6.53	117.04	120.30
1	В	89	ASP	CB-CG-OD1	6.47	124.12	118.30
1	В	201	ASP	CB-CG-OD2	-6.41	112.53	118.30
1	В	42	ASP	CB-CG-OD2	-6.34	112.59	118.30
1	А	227	ASP	CB-CG-OD2	-6.31	112.62	118.30
1	А	296	ASP	CB-CG-OD2	-6.25	112.67	118.30
1	В	46	ASP	CB-CG-OD1	6.25	123.92	118.30
1	А	246	ARG	NE-CZ-NH1	6.24	123.42	120.30
1	А	229	ASP	CB-CG-OD1	6.24	123.92	118.30
1	А	133	ARG	NE-CZ-NH1	6.07	123.33	120.30
1	В	273	ASP	CB-CG-OD2	-6.06	112.84	118.30
1	В	273	ASP	CB-CG-OD1	6.05	123.74	118.30
1	В	33	ARG	NE-CZ-NH2	-6.03	117.28	120.30
1	В	65	ASP	CB-CG-OD1	6.01	123.71	118.30
1	В	213	ASP	CB-CG-OD1	5.95	123.65	118.30
1	В	213	ASP	CB-CG-OD2	-5.90	112.99	118.30
1	A	136	ASP	CB-CG-OD1	5.87	123.58	118.30
1	В	136	ASP	CB-CG-OD1	5.80	123.52	118.30



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	338	ASP	CB-CG-OD2	-5.79	113.09	118.30
1	А	65	ASP	CB-CG-OD1	5.77	123.50	118.30
1	А	305	ARG	NE-CZ-NH2	-5.75	117.42	120.30
1	А	273	ASP	CB-CG-OD2	-5.75	113.13	118.30
1	А	213	ASP	CB-CG-OD1	5.75	123.47	118.30
1	А	44	TYR	CB-CG-CD1	5.73	124.44	121.00
1	В	285	HIS	N-CA-CB	-5.73	100.29	110.60
1	А	197	VAL	CG1-CB-CG2	-5.72	101.75	110.90
1	А	69	ARG	NE-CZ-NH1	5.70	123.15	120.30
1	А	230	TYR	CB-CG-CD1	-5.68	117.59	121.00
1	В	227	ASP	CB-CG-OD2	-5.55	113.30	118.30
1	В	217	PHE	CB-CA-C	-5.54	99.31	110.40
1	А	376	ASP	CB-CG-OD2	-5.52	113.33	118.30
1	А	136	ASP	N-CA-CB	5.52	120.54	110.60
1	В	104	CYS	N-CA-CB	5.51	120.53	110.60
1	А	44	TYR	CB-CG-CD2	-5.51	117.69	121.00
1	В	142	ARG	NE-CZ-NH1	5.50	123.05	120.30
1	В	353	PHE	N-CA-C	5.50	125.84	111.00
1	А	213	ASP	CB-CG-OD2	-5.48	113.37	118.30
1	В	9	ARG	NE-CZ-NH1	5.42	123.01	120.30
1	В	227	ASP	CB-CG-OD1	5.37	123.13	118.30
1	А	140	LEU	CB-CG-CD1	-5.36	101.88	111.00
1	В	340	VAL	CA-CB-CG1	-5.29	102.97	110.90
1	В	380	ARG	NE-CZ-NH1	5.26	122.93	120.30
1	А	140	LEU	N-CA-CB	-5.24	99.91	110.40
1	А	147	ASP	CB-CG-OD1	5.24	123.02	118.30
1	А	191	ARG	NE-CZ-NH2	-5.23	117.68	120.30
1	В	169	ARG	NE-CZ-NH1	5.22	122.91	120.30
1	В	145	VAL	CA-CB-CG2	-5.20	103.09	110.90
1	А	376	ASP	CB-CG-OD1	5.19	122.97	118.30
1	A	338	ASP	CB-CG-OD1	5.17	122.95	118.30
1	А	55	ARG	NE-CZ-NH1	5.15	122.87	120.30
1	A	79	ILE	CB-CA-C	5.04	121.69	111.60
1	В	43	ARG	NE-CZ-NH1	5.04	122.82	120.30
1	A	46	ASP	CB-CG-OD1	5.03	122.83	118.30
1	В	231	ARG	NE-CZ-NH1	5.01	122.81	120.30
1	А	353	PHE	N-CA-C	5.00	124.50	111.00

Continued from previous page...

There are no chirality outliers.

There are no planarity outliers.



5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2949	0	2974	65	0
1	В	2943	0	2965	124	1
2	А	2	0	0	0	0
2	В	2	0	0	0	0
3	А	1	0	0	0	0
4	А	1	0	0	0	0
5	А	31	0	12	2	0
5	В	31	0	12	1	0
6	А	13	0	15	0	0
7	А	396	0	0	6	0
7	В	278	0	0	10	1
All	All	6647	0	5978	191	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (191) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:79:ILE:HD11	1:B:99:LEU:HD22	1.32	1.06
1:B:94:LEU:HB3	1:B:99:LEU:HD13	1.50	0.94
1:B:348:LEU:HB2	1:B:380:ARG:HH11	1.35	0.90
1:B:156:PRO:HG2	1:B:159:SER:HB2	1.52	0.90
1:B:161:SER:HB2	1:B:163:LYS:HE3	1.52	0.89
1:A:93:GLN:HE21	1:A:93:GLN:HA	1.40	0.85
1:B:191:ARG:HG3	1:B:192:VAL:N	1.99	0.78
1:A:380:ARG:HH11	1:A:380:ARG:HG3	1.47	0.77
1:B:153:ILE:CD1	1:B:197:VAL:HG22	2.14	0.76
1:A:99:LEU:HB2	7:A:625:HOH:O	1.86	0.76
1:B:141:PHE:CE1	1:B:145:VAL:HG21	2.20	0.76
1:B:156:PRO:HG2	1:B:159:SER:CB	2.16	0.75
1:A:18:LEU:HG	1:A:79:ILE:HD11	1.69	0.74
1:B:153:ILE:HD11	1:B:197:VAL:HG22	1.71	0.73
1:B:348:LEU:HB2	1:B:380:ARG:NH1	2.01	0.73
1:B:132:TYR:O	1:B:133:ARG:HD2	1.88	0.73



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:378:ILE:O	1:A:382:LYS:HG3	1.89	0.72
1:B:143:GLU:O	1:B:146:ALA:HB3	1.88	0.72
1:B:68:ARG:HB2	1:B:90:MET:HE3	1.73	0.70
1:B:150:TYR:HB3	1:B:151:PRO:HA	1.71	0.70
1:B:171:ALA:HA	1:B:174:LEU:HD13	1.74	0.70
1:B:79:ILE:CD1	1:B:99:LEU:HD22	2.15	0.70
1:A:79:ILE:HB	1:A:99:LEU:HD21	1.71	0.69
1:B:140:LEU:HA	1:B:143:GLU:HB2	1.75	0.69
1:B:174:LEU:HD12	1:B:174:LEU:H	1.58	0.68
1:B:200:PHE:HA	1:B:271[B]:CYS:SG	2.33	0.68
1:B:65:ASP:O	1:B:69:ARG:HG3	1.94	0.68
1:B:141:PHE:HE1	1:B:145:VAL:HG21	1.57	0.67
1:B:154:VAL:HG23	1:B:194:VAL:HG22	1.76	0.67
1:A:16:MET:O	1:A:79:ILE:HD12	1.93	0.67
1:B:79:ILE:HD11	1:B:99:LEU:CD2	2.17	0.66
1:B:161:SER:CB	1:B:163:LYS:HE3	2.26	0.66
1:B:174:LEU:HD12	1:B:174:LEU:N	2.10	0.66
1:B:88:THR:HG21	1:B:112:MET:HG2	1.78	0.66
1:A:16:MET:HB3	1:A:79:ILE:HD13	1.79	0.65
1:A:316:ARG:HD3	7:B:556:HOH:O	1.94	0.65
1:B:171:ALA:O	1:B:174:LEU:HD13	1.97	0.65
1:B:178:TRP:O	1:B:182:GLN:NE2	2.28	0.64
1:B:348:LEU:HD22	1:B:380:ARG:NH1	2.12	0.64
1:A:178:TRP:O	1:A:182:GLN:HG2	1.98	0.63
1:A:209:VAL:HG22	1:A:263:LEU:HD12	1.80	0.63
1:B:135:ALA:O	1:B:191:ARG:HD3	1.99	0.63
1:A:164:GLY:HA2	1:A:180:TYR:CE1	2.34	0.62
1:B:169:ARG:HH11	1:B:169:ARG:HG3	1.65	0.62
1:A:380:ARG:HG3	1:A:380:ARG:NH1	2.13	0.62
1:B:81:PRO:HB3	1:B:86:ILE:CD1	2.30	0.61
1:B:171:ALA:C	1:B:174:LEU:HD13	2.20	0.61
1:A:82:GLU:HB2	7:A:433:HOH:O	2.00	0.61
1:B:115:GLU:HG3	1:B:134:PHE:CE2	2.36	0.61
1:B:138:GLU:OE2	1:B:142:ARG:NH1	2.33	0.61
1:B:150:TYR:CE2	1:B:168:ILE:HG22	2.35	0.61
1:B:138:GLU:O	1:B:142:ARG:HB2	2.02	0.60
1:B:138:GLU:HA	1:B:141:PHE:HB3	1.84	0.60
1:A:200:PHE:HA	1:A:271:CYS:SG	2.42	0.59
1:B:115:GLU:HA	1:B:134:PHE:CZ	2.37	0.59
1:A:127:LEU:HD11	1:A:254:VAL:HG23	1.83	0.59
1:B:9:ARG:HB3	1:B:10:PRO:HD2	1.85	0.59



	A A A	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:136:ASP:OD2	1:B:136:ASP:N	2.35	0.59
1:A:375:VAL:HG23	7:A:725:HOH:O	2.02	0.58
1:B:20:SER:HB3	1:B:49:ALA:HB3	1.85	0.58
1:B:153:ILE:HD12	1:B:197:VAL:HG22	1.85	0.57
1:A:39[A]:ILE:HD11	1:A:55:ARG:NH2	2.19	0.57
1:B:174:LEU:H	1:B:174:LEU:CD1	2.17	0.57
1:B:106:ARG:HD3	7:B:591:HOH:O	2.04	0.56
1:B:137:SER:O	1:B:141:PHE:N	2.29	0.56
1:B:127:LEU:HD21	1:B:253:LYS:HD2	1.87	0.56
1:B:9:ARG:HB3	1:B:10:PRO:CD	2.35	0.56
1:B:115:GLU:O	1:B:119:ARG:HG3	2.06	0.56
1:B:253:LYS:HG3	7:B:616:HOH:O	2.07	0.55
1:B:155:LYS:HG2	1:B:165:GLN:HG3	1.88	0.55
1:B:171:ALA:HA	1:B:174:LEU:CD1	2.37	0.55
1:B:174:LEU:O	1:B:175:ALA:C	2.44	0.55
1:A:251:ALA:O	1:A:255:VAL:HG13	2.06	0.54
1:B:115:GLU:HG3	1:B:134:PHE:CD2	2.41	0.54
1:B:150:TYR:CB	1:B:151:PRO:HA	2.33	0.54
1:B:242:LEU:HD21	1:B:246:ARG:NH1	2.23	0.53
1:A:100:ASN:C	1:A:100:ASN:HD22	2.12	0.53
1:A:137:SER:OG	1:A:140:LEU:HB2	2.09	0.53
1:B:348:LEU:HD22	1:B:380:ARG:HH11	1.73	0.52
1:A:93:GLN:HA	1:A:93:GLN:NE2	2.19	0.52
1:B:219:ALA:HB1	1:B:236:PRO:HB3	1.92	0.52
1:B:198:VAL:HA	7:B:609:HOH:O	2.11	0.51
1:B:199:LYS:O	1:B:199:LYS:HG3	2.10	0.51
1:A:138:GLU:O	1:A:142:ARG:HG3	2.11	0.50
1:B:131:THR:OG1	1:B:196:GLY:HA3	2.10	0.50
1:A:16:MET:HG2	1:A:79:ILE:CD1	2.42	0.50
1:A:249:GLU:HB3	7:A:668:HOH:O	2.10	0.50
1:B:68:ARG:CB	1:B:90:MET:HE3	2.41	0.50
1:A:348:LEU:HD11	1:A:384:ALA:HB2	1.93	0.50
1:B:132:TYR:N	1:B:132:TYR:CD2	2.80	0.50
1:A:245:GLU:O	1:A:249:GLU:HG3	2.13	0.49
1:A:176:GLN:NE2	1:A:176:GLN:HA	2.27	0.49
1:A:286:ASP:OD2	1:A:363:ARG:NH2	2.43	0.49
1:B:362:ARG:HD2	7:B:577:HOH:O	2.12	0.49
1:A:127:LEU:CD1	1:A:254:VAL:HG23	2.42	0.49
1:B:37:GLU:HA	1:B:54:HIS:CE1	2.47	0.49
1:B:68:ARG:HE	1:B:90:MET:HE3	1.77	0.49
1:B:267:GLU:HG2	7:B:562:HOH:O	2.13	0.49



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:95:GLU:HA	1:A:99:LEU:O	2.13	0.49
1:B:83:ILE:HD12	1:B:85:ALA:HB3	1.94	0.49
1:B:356:PRO:HD2	7:B:628:HOH:O	2.12	0.49
1:A:305:ARG:HD3	1:A:311:PRO:O	2.13	0.48
1:B:20:SER:CB	1:B:49:ALA:HB3	2.43	0.48
1:B:141:PHE:CD2	1:B:178:TRP:HB2	2.48	0.48
1:A:348:LEU:HD11	1:A:384:ALA:CB	2.43	0.48
1:B:171:ALA:CA	1:B:174:LEU:HD13	2.42	0.48
1:B:327:LEU:HD12	1:B:362:ARG:C	2.34	0.48
1:B:348:LEU:CB	1:B:380:ARG:HH11	2.16	0.48
1:A:328:PRO:HD2	1:A:362:ARG:O	2.14	0.47
1:B:127:LEU:O	1:B:129:THR:HG23	2.13	0.47
1:B:141:PHE:CE1	1:B:145:VAL:CG2	2.94	0.47
1:B:286:ASP:OD2	1:B:363:ARG:NH2	2.45	0.47
1:B:348:LEU:CD2	1:B:380:ARG:NH1	2.76	0.47
1:B:348:LEU:CB	1:B:380:ARG:NH1	2.74	0.47
1:B:113:ASN:ND2	1:B:158:MET:HE3	2.29	0.47
1:B:113:ASN:ND2	1:B:158:MET:CE	2.78	0.47
1:B:14:ARG:HG2	1:B:37:GLU:HB3	1.97	0.47
1:B:153:ILE:HD12	1:B:197:VAL:CG2	2.45	0.47
1:B:18:LEU:HB2	1:B:81:PRO:HA	1.96	0.47
1:B:113:ASN:HD22	1:B:158:MET:CE	2.28	0.47
1:B:113:ASN:HD22	1:B:158:MET:HE2	1.79	0.47
1:B:86:ILE:HG22	1:B:87:ALA:N	2.30	0.47
1:B:242:LEU:CD2	1:B:246:ARG:NH1	2.79	0.46
1:A:99:LEU:HG	1:A:100:ASN:N	2.30	0.46
1:B:137:SER:OG	1:B:140:LEU:HD12	2.14	0.46
1:A:282:PRO:O	1:A:283:ARG:HB3	2.15	0.46
5:A:1:AGS:H8	5:A:1:AGS:O5'	2.14	0.46
1:B:120:LEU:HD12	1:B:124:GLU:HB3	1.98	0.46
1:B:291:THR:HA	1:B:294:SER:OG	2.16	0.46
1:A:225:GLN:NE2	7:A:737:HOH:O	2.44	0.46
1:B:362:ARG:NH1	7:B:628:HOH:O	2.48	0.46
1:B:305:ARG:HD3	1:B:310:LEU:HB2	1.98	0.45
1:B:5:GLY:HA3	1:B:11:ALA:O	2.16	0.45
1:B:142:ARG:HG3	1:B:174:LEU:HD23	1.97	0.45
1:B:355:LYS:HD3	1:B:362:ARG:HE	1.82	0.45
1:B:60:ASN:O	1:B:63:ASP:HB3	2.16	0.45
1:B:81:PRO:HB3	1:B:86:ILE:HD13	1.96	0.45
1:A:93:GLN:NE2	1:A:96:GLU:OE1	2.49	0.45
1:B:151:PRO:HB2	1:B:167:PHE:CE1	2.51	0.45



		Interatomic	Clash	
Atom-1	Atom-2	distance $(Å)$	overlap (Å)	
1:A:81:PRO:HB3	1:A:86:ILE:HD12	1.99	0.45	
1:A:162:GLY:HA2	1:A:165:GLN:NE2	2.32	0.45	
1:B:251:ALA:O	1:B:255:VAL:HG13	2.16	0.45	
1:B:149:GLY:O	1:B:152:CYS:HB3	2.16	0.45	
1:A:79:ILE:CB	1:A:99:LEU:HD21	2.42	0.44	
1:A:42:ASP:OD2	1:A:43:ARG:N	2.44	0.44	
1:A:96:GLU:C	1:A:98:GLY:H	2.21	0.44	
1:B:150:TYR:CE2	1:B:168:ILE:CG2	3.01	0.44	
1:B:174:LEU:N	1:B:174:LEU:CD1	2.78	0.44	
1:A:43:ARG:O	1:A:43:ARG:HG3	2.18	0.44	
1:B:340:VAL:O	1:B:340:VAL:HG12	2.16	0.44	
1:A:340:VAL:O	1:A:340:VAL:HG12	2.17	0.44	
1:A:164:GLY:CA	1:A:180:TYR:CE1	3.01	0.44	
1:A:16:MET:CB	1:A:79:ILE:HD13	2.47	0.43	
1:A:161:SER:N	5:A:1:AGS:S1G	2.89	0.43	
1:B:155:LYS:HE2	1:B:165:GLN:OE1	2.18	0.43	
1:B:305:ARG:HD3	1:B:310:LEU:CB	2.48	0.43	
1:A:390:VAL:C	1:A:391:GLN:HG3	2.39	0.43	
1:B:119:ARG:O	1:B:123:GLU:HB2	2.17	0.43	
1:A:18:LEU:HD23	1:A:41:VAL:HB	2.01	0.43	
1:A:79:ILE:HD12	1:A:79:ILE:HA	1.55	0.43	
1:B:358:ILE:HD12	1:B:362:ARG:HB3	2.01	0.43	
5:B:395:AGS:H8	5:B:395:AGS:O5'	2.18	0.43	
1:A:141:PHE:CE2	1:A:178:TRP:HB2	2.54	0.42	
1:A:138:GLU:O	1:A:141:PHE:HB3	2.18	0.42	
1:A:391:GLN:NE2	7:A:431:HOH:O	2.51	0.42	
1:B:20:SER:HB2	1:B:47:ALA:HB3	2.01	0.42	
1:B:305:ARG:HD2	1:B:311:PRO:O	2.19	0.42	
1:B:328:PRO:HD2	1:B:362:ARG:O	2.20	0.42	
1:B:68:ARG:HE	1:B:90:MET:CE	2.33	0.42	
1:B:82:GLU:HB2	7:B:453:HOH:O	2.19	0.42	
1:B:140:LEU:O	1:B:144:ALA:N	2.41	0.42	
1:B:150:TYR:CD2	1:B:168:ILE:HG22	2.55	0.42	
1:A:62:LEU:HD23	1:A:62:LEU:HA	1.86	0.41	
1:A:18:LEU:HD23	1:A:18:LEU:HA	1.76	0.41	
1:B:200:PHE:CB	1:B:269:PHE:HB3	2.51	0.41	
1:A:79:ILE:CG2	1:A:99:LEU:CD2	2.98	0.41	
1:B:150:TYR:HA	1:B:151:PRO:C	2.41	0.41	
1:A:67:LEU:HA	1:A:67:LEU:HD12	1.81	0.41	
1:A:351:ARG:HB2	1:A:366:VAL:HG12	2.01	0.41	
1:B:351:ARG:NH2	7:B:665:HOH:O	2.53	0.41	



Atom-1	Atom-2	Interatomic	Clash
		distance (A)	overlap (A)
1:A:16:MET:HG2	1:A:79:ILE:HD11	2.01	0.41
1:B:201:ASP:N	1:B:270:VAL:O	2.49	0.41
1:A:68:ARG:HH12	1:A:97:GLU:CD	2.23	0.41
1:A:91:LEU:HD23	1:A:91:LEU:HA	1.95	0.41
1:B:68:ARG:NE	1:B:90:MET:HE3	2.36	0.41
1:B:125:LEU:O	1:B:126:GLN:HB2	2.21	0.41
1:A:81:PRO:HB3	1:A:86:ILE:CD1	2.52	0.40
1:B:141:PHE:CD1	1:B:141:PHE:C	2.95	0.40
1:A:201:ASP:OD1	1:A:272:GLY:N	2.53	0.40
1:A:308:LEU:HD23	1:A:308:LEU:HA	1.92	0.40
1:B:7:ALA:O	1:B:8:LEU:HB2	2.20	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:191:ARG:NH2	1:B:191:ARG:NH2[2_555]	1.72	0.48
7:B:639:HOH:O	7:B:639:HOH:O[2_655]	1.86	0.34

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	383/391~(98%)	372~(97%)	9(2%)	2 (0%)	29	12
1	В	382/391~(98%)	365~(96%)	15~(4%)	2~(0%)	29	12
All	All	765/782~(98%)	737 (96%)	24 (3%)	4 (0%)	29	12

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type				
1	А	87	ALA				
Carting 1 and and a set							



 $Continued \ from \ previous \ page...$

Mol	Chain	Res	Type
1	А	97	GLU
1	В	85	ALA
1	В	197	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric Outliers		Percentiles		
1	А	311/311 (100%)	301~(97%)	10 (3%)	39 16		
1	В	311/311 (100%)	290~(93%)	21 (7%)	16 3		
All	All	622/622~(100%)	591 (95%)	31 (5%)	24 6		

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	93	GLN
1	А	100	ASN
1	А	109	LYS
1	А	112	MET
1	А	113	ASN
1	А	140	LEU
1	А	199	LYS
1	А	230	TYR
1	А	361	SER
1	А	382	LYS
1	В	99	LEU
1	В	100	ASN
1	В	106	ARG
1	В	112	MET
1	В	136	ASP
1	В	139	SER
1	В	141	PHE
1	В	142	ARG
1	В	143	GLU
1	В	150	TYR



Mol	Chain	Res	Type
1	В	154	VAL
1	В	155	LYS
1	В	159	SER
1	В	160	SER
1	В	161	SER
1	В	169	ARG
1	В	179	LYS
1	В	182	GLN
1	В	229	ASP
1	В	230	TYR
1	В	307	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	93	GLN
1	А	100	ASN
1	А	176	GLN
1	А	225	GLN
1	А	248	GLN
1	А	391	GLN
1	В	100	ASN
1	В	126	GLN
1	В	176	GLN
1	В	225	GLN
1	В	238	GLN
1	В	333	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



5.6 Ligand geometry (i)

Of 9 ligands modelled in this entry, 6 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec Link		in Dec Link Bond lengths				Bond angles							
WIOI	туре	Unam	nes	nes	nes	nes	nes	nes	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
6	MPO	А	397	-	13,13,13	2.18	3 (23%)	17,17,17	2.21	4 (23%)						
5	AGS	В	395	2	26,33,33	2.21	2 (7%)	26,52,52	2.06	4 (15%)						
5	AGS	А	1	2	26,33,33	2.31	4 (15%)	26,52,52	2.33	5 (19%)						

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	MPO	А	397	-	-	0/7/15/15	0/1/1/1
5	AGS	В	395	2	-	2/17/38/38	0/3/3/3
5	AGS	А	1	2	-	3/17/38/38	0/3/3/3

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	А	1	AGS	PG-S1G	-10.67	1.67	1.90
5	В	395	AGS	PG-S1G	-10.33	1.68	1.90
6	А	397	MPO	C1-S1	5.21	1.84	1.77
6	А	397	MPO	C3-N1	4.47	1.57	1.47
5	В	395	AGS	C2-N1	2.55	1.38	1.33
5	А	1	AGS	C2-N1	2.54	1.38	1.33
5	А	1	AGS	C6-N6	-2.18	1.25	1.34
6	А	397	MPO	01-S1	2.14	1.51	1.45
5	А	1	AGS	PG-O3G	2.13	1.61	1.54

All (13) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
5	В	395	AGS	C5-C6-N6	7.00	130.99	120.35
6	А	397	MPO	O3-S1-O1	-6.25	95.99	111.27
5	А	1	AGS	C2-N1-C6	5.98	128.98	118.75
5	А	1	AGS	C5-C6-N6	5.92	129.34	120.35
5	А	1	AGS	N3-C2-N1	-4.74	121.27	128.68
5	А	1	AGS	C5-C6-N1	-4.64	109.84	120.35
5	В	395	AGS	C5-C6-N1	-4.21	110.80	120.35
6	А	397	MPO	O3-S1-C1	3.85	111.99	105.77
5	В	395	AGS	C2-N1-C6	3.84	125.33	118.75
6	А	397	MPO	O2-S1-C1	3.13	110.69	106.92
5	В	395	AGS	N3-C2-N1	-2.30	125.09	128.68
5	А	1	AGS	O3'-C3'-C2'	2.11	118.64	111.82
6	A	397	MPO	C5-C4-N1	2.10	113.29	110.10

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	А	1	AGS	PB-O3B-PG-O3G
5	А	1	AGS	PG-O3B-PB-O1B
5	А	1	AGS	PG-O3B-PB-O2B
5	В	395	AGS	PG-O3B-PB-O2B
5	В	395	AGS	PB-O3A-PA-O2A

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	В	395	AGS	1	0
5	А	1	AGS	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and sufficient the outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	386/391~(98%)	-0.55	4 (1%) 82 87	14, 21, 53, 93	0
1	В	385/391~(98%)	-0.09	27 (7%) 16 21	13, 27, 80, 95	0
All	All	771/782~(98%)	-0.32	31 (4%) 38 45	13, 23, 71, 95	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	175	ALA	5.3
1	В	141	PHE	5.1
1	В	134	PHE	4.9
1	А	161	SER	4.7
1	В	150	TYR	4.6
1	А	162	GLY	4.4
1	В	163	LYS	4.1
1	В	169	ARG	4.0
1	В	162	GLY	3.0
1	В	182	GLN	2.9
1	В	159	SER	2.9
1	В	183	GLN	2.8
1	В	145	VAL	2.7
1	В	160	SER	2.7
1	В	144	ALA	2.6
1	В	199	LYS	2.6
1	В	190	GLY	2.6
1	В	178	TRP	2.6
1	В	148	ILE	2.5
1	В	168	ILE	2.5
1	В	132	TYR	2.4
1	В	143	GLU	2.4
1	А	190	GLY	2.4
1	В	191	ARG	2.3



Mol	Chain	Res	Type	RSRZ
1	В	179	LYS	2.3
1	В	194	VAL	2.2
1	А	183	GLN	2.1
1	В	149	GLY	2.1
1	В	135	ALA	2.1
1	В	152	CYS	2.1
1	В	130	SER	2.1

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q < 0.9
2	MG	А	393	1/1	0.90	0.12	46,46,46,46	0
3	NA	А	395	1/1	0.91	0.09	35,35,35,35	0
5	AGS	В	395	31/31	0.92	0.10	$27,\!37,\!60,\!69$	0
2	MG	В	394	1/1	0.95	0.09	39,39,39,39	0
2	MG	В	393	1/1	0.96	0.08	40,40,40,40	0
5	AGS	А	1	31/31	0.97	0.08	$15,\!22,\!64,\!71$	0
2	MG	А	394	1/1	0.98	0.08	30,30,30,30	0
4	CL	А	396	1/1	0.98	0.06	28,28,28,28	0
6	MPO	A	397	13/13	0.98	0.06	18,23,26,33	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







6.5 Other polymers (i)

There are no such residues in this entry.

