

wwPDB X-ray Structure Validation Summary Report (i)

Oct 9, 2023 – 05:50 AM EDT

PDB ID : 7KM3

Title : Dodecameric Structure of the Chlamydia trachomatis Flavin Prenyltransferase

UbiX Ortholog CT220 with FMN and DMAP

Authors: Nguyen, T.; Nicely, N.I.; Belaia-Martiniouk, A.; Dunne, A.P.; McCafferty,

D.G.

Deposited on : 2020-11-02

Resolution : 2.26 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity: 4.02b-467

Mogul: 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.35.1

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.26 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \text{Entries})$	Similar resolution $(\#\text{Entries, resolution range}(\text{Å}))$
R_{free}	130704	1377 (2.26-2.26)
Clashscore	141614	1487 (2.26-2.26)
Ramachandran outliers	138981	1449 (2.26-2.26)
Sidechain outliers	138945	1450 (2.26-2.26)
RSRZ outliers	127900	1356 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	A	200	84%	8%	8%
1	В	200	83%	7% •	9%
1	С	200	84%	9%	6%
1	D	200	82%	12%	6%



Mol	Chain	Length	Quality of chain	
1	Е	200	78%	12% • 9%
1	F	200	82%	12% 5%
1	G	200	78%	13% 8%
1	Н	200	78%	12% • 9%
1	I	200	80%	9% 11%
1	J	200	81%	12% • 6%
1	K	200	80%	13% 6%
1	L	200	72%	15% 12%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	FMN	D	301	-	-	-	X
2	FMN	I	301	-	-	-	X
2	FMN	L	301	-	-	X	-
3	4LR	A	302	-	-	-	X
3	4LR	В	302	-	-	-	X
3	4LR	С	302	-	-	-	X
3	4LR	I	302	-	-	-	X



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 17839 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Flavin prenyltransferase UbiX.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace	
1	L	175	Total	С	N	О	S	0	0	0	
1	L	175	1337	868	227	239	3	0	0	U	
1	I	178	Total	С	N	О	S	0	0	0	
1	1	170	1369	888	234	243	4	0	0	U	
1	Λ	183	Total	С	N	О	S	0	0	0	
1	A	165	1392	899	235	254	4	U	U	0	
1	В	199	Total	С	N	О	S	0	0	0	
1	D	182	1386	896	234	252	4	U	U	0	
1	1 C	С	187	Total	С	N	О	S	0	0	0
1		187	1421	914	243	260	4	U	0		
1	D	188	Total	С	N	О	S	0	0	0	
1	D	100	1435	925	245	261	4	U	0	U	
1	E	E	100	Total	С	N	О	S	0	0	0
1	E.	182	1384	895	234	251	4	U	0	0	
1	F	190	Total	С	N	О	S	0	0	0	
1	Γ	190	1452	934	248	266	4	0	0	U	
1	G	183	Total	С	N	О	S	0	0	0	
1	G	100	1404	909	239	252	4	0	0	0	
1	Н	182	Total	С	N	О	S	0	0	0	
1	Π	102	1386	896	234	252	4	0	0	0	
1	J	197	Total	С	N	О	S	0	0	0	
1	J	187	1421	914	243	260	4	U	U		
1	K	188	Total	С	N	О	S	0	0	0	
1	IX	100	1435	925	245	261	4	U	0	0	

There are 96 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference	
L	193	LEU	-	expression tag	UNP O84222	
L	194	GLU	-	expression tag	UNP O84222	
L	195	HIS	-	expression tag	UNP O84222	
L	196	HIS	-	expression tag	UNP O84222	
L	197	HIS	-	expression tag	UNP O84222	



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
L	198	HIS	-	expression tag	UNP O84222
L	199	HIS	-	expression tag	UNP O84222
L	200	HIS	-	expression tag	UNP O84222
I	193	LEU	-	expression tag	UNP O84222
I	194	GLU	-	expression tag	UNP O84222
I	195	HIS	-	expression tag	UNP O84222
I	196	HIS	-	expression tag	UNP O84222
I	197	HIS	-	expression tag	UNP O84222
I	198	HIS	-	expression tag	UNP O84222
I	199	HIS	-	expression tag	UNP O84222
I	200	HIS	-	expression tag	UNP O84222
A	193	LEU	-	expression tag	UNP O84222
A	194	GLU	-	expression tag	UNP O84222
A	195	HIS	-	expression tag	UNP O84222
A	196	HIS	-	expression tag	UNP O84222
A	197	HIS	-	expression tag	UNP O84222
A	198	HIS	-	expression tag	UNP O84222
A	199	HIS	-	expression tag	UNP O84222
A	200	HIS	-	expression tag	UNP O84222
В	193	LEU	-	expression tag	UNP O84222
В	194	GLU	-	expression tag	UNP O84222
В	195	HIS	-	expression tag	UNP O84222
В	196	HIS	-	expression tag	UNP O84222
В	197	HIS	-	expression tag	UNP O84222
В	198	HIS	-	expression tag	UNP O84222
В	199	HIS	-	expression tag	UNP O84222
В	200	HIS	-	expression tag	UNP O84222
С	193	LEU	-	expression tag	UNP O84222
С	194	GLU	-	expression tag	UNP O84222
С	195	HIS	-	expression tag	UNP O84222
С	196	HIS	-	expression tag	UNP O84222
С	197	HIS	-	expression tag	UNP O84222
С	198	HIS	-	expression tag	UNP O84222
С	199	HIS	-	expression tag	UNP O84222
С	200	HIS	-	expression tag	UNP O84222
D	193	LEU		expression tag	UNP O84222
D	194	GLU		expression tag	UNP O84222
D	195	HIS	-	expression tag	UNP O84222
D	196	HIS	_	expression tag	UNP O84222
D	197	HIS	-	expression tag	UNP O84222
D	198	HIS	-	expression tag	UNP O84222
D	199	HIS	-	expression tag	UNP O84222



 $Continued\ from\ previous\ page...$


Chain	Residue	Modelled	Actual	Comment	Reference	
D	200	HIS	-	expression tag	UNP O84222	
Е	193	LEU	-	expression tag	UNP O84222	
Е	194	GLU	-	expression tag	UNP O84222	
Е	195	HIS	-	expression tag	UNP O84222	
Е	196	HIS	-	expression tag	UNP O84222	
Е	197	HIS	-	expression tag	UNP O84222	
Е	198	HIS	-	expression tag	UNP O84222	
Е	199	HIS	-	expression tag	UNP O84222	
Е	200	HIS	-	expression tag	UNP O84222	
F	193	LEU	-	expression tag	UNP O84222	
F	194	GLU	-	expression tag	UNP O84222	
F	195	HIS	-	expression tag	UNP O84222	
F	196	HIS	-	expression tag	UNP O84222	
F	197	HIS	-	expression tag	UNP O84222	
F	198	HIS	-	expression tag	UNP O84222	
F	199	HIS	-	expression tag	UNP O84222	
F	200	HIS	-	expression tag	UNP O84222	
G	193	LEU	_	expression tag	UNP O84222	
G	194	GLU	-	expression tag	UNP O84222	
G	195	HIS	-	expression tag	UNP O84222	
G	196	HIS	_	expression tag	UNP O84222	
G	197	HIS	-	expression tag	UNP O84222	
G	198	HIS	-	expression tag	UNP O84222	
G	199	HIS	-	expression tag	UNP O84222	
G	200	HIS	-	expression tag	UNP O84222	
Н	193	LEU	_	expression tag	UNP O84222	
Н	194	GLU	-	expression tag	UNP O84222	
Н	195	HIS	-	expression tag	UNP O84222	
Н	196	HIS	-	expression tag	UNP O84222	
Н	197	HIS	-	expression tag	UNP O84222	
Н	198	HIS	-	expression tag	UNP O84222	
Н	199	HIS	-	expression tag	UNP O84222	
Н	200	HIS	-	expression tag	UNP O84222	
J	193	LEU	-	expression tag	UNP O84222	
J	194	GLU	-	expression tag	UNP O84222	
J	195	HIS	-	expression tag	UNP O84222	
J	196	HIS	-	expression tag	UNP O84222	
J	197	HIS	-	expression tag	UNP O84222	
J	198	HIS	-	expression tag	UNP O84222	
J	199	HIS	-	expression tag	UNP O84222	
J	200	HIS	-	expression tag	UNP O84222	
K	193	LEU	-	expression tag	UNP O84222	



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
K	194	GLU	-	expression tag	UNP O84222
K	195	HIS	-	expression tag	UNP O84222
K	196	HIS	-	expression tag	UNP O84222
K	197	HIS	-	expression tag	UNP O84222
K	198	HIS	-	expression tag	UNP O84222
K	199	HIS	-	expression tag	UNP O84222
K	200	HIS	-	expression tag	UNP O84222

 \bullet Molecule 2 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: $C_{17}H_{21}N_4O_9P)$ (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues		Ato	ms		ZeroOcc	AltConf			
2	L	1	Total	С	N	О	Р	0	0		
2	ш	1	31	17	4	9	1	0			
2	Ţ	1	Total	С	N	О	Р	0	0		
	1	1	1	31	17	4	9	1	U	U	
2	A	1	Total	С	N	Ο	Р	0	0		
	Z A	1	31	17	4	9	1	U			
2	В	1	Total	С	N	Ο	Р	0	0		
	Ъ		31	17	4	9	1		0		
2	С	1	Total	С	N	Ο	Р	0	0		
		1	31	17	4	9	1	0			
2	D	D	D	1	Total	С	N	О	Р	0	0
	D	1	31	17	4	9	1	U			
2	e E	1	Total	С	N	О	Р	0	0		
	<u> 1</u> 2	1	31	17	4	9	1	0			



Mol	Chain	Residues		Ato	oms		ZeroOcc	AltConf		
2	F	1	Total	С	N	О	Р	0	0	
2	I'	1	31	17	4	9	1	0	0	
2	G	1	Total	С	N	О	Р	0	0	
2	G	1	31	17	4	9	1		U	
2	Н	1	Total	С	N	О	Р	0	0	
2	11	Π	31	17	4	9	1	0		
2	т	1	Total	С	N	О	Р	0	0	
2	J	1	31	17	4	9	1	0	0	
2	K	1	Total	С	N	О	Р	0	0	
2	17	1	31	17	4	9	1	U		

• Molecule 3 is Dimethylallyl monophosphate (three-letter code: 4LR) (formula: $C_5H_{11}O_4P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	
3	Ţ	1	Total C O P	0	n	
J	1	1	10 5 4 1	U		
3	A	1	Total C O P	0	0	
	11	1	10 5 4 1	U		
3	A	1	Total C O P	0	0	
	71	1	10 5 4 1	Ü		
3	В	1	Total C O P	0	0	
	D	1	10 5 4 1	Ü	0	
3	\mathbf{C}	1	Total C O P	0	0	
	<u> </u>	1	10 5 4 1	Ŭ .		
3	\mathbf{C}	1	Total C O P	0	0	
		1	10 5 4 1			



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	1	Total C O P 10 5 4 1	0	0
3	F	1	Total C O P 10 5 4 1	0	0
3	F	1	Total C O P 10 5 4 1	0	0
3	J	1	Total C O P 10 5 4 1	0	0
3	K	1	Total C O P 10 5 4 1	0	0
3	K	1	Total C O P 10 5 4 1	0	0

• Molecule 4 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	L	29	Total O 29 29	0	0
4	I	67	Total O 67 67	0	0
4	A	60	Total O 60 60	0	0
4	В	50	Total O 50 50	0	0
4	С	49	Total O 49 49	0	0
4	D	41	Total O 41 41	0	0
4	Е	31	Total O 31 31	0	0
4	F	39	Total O 39 39	0	0
4	G	27	Total O 27 27	0	0
4	Н	43	Total O 43 43	0	0
4	J	44	Total O 44 44	0	0
4	K	45	Total O 45 45	0	0




3 Residue-property plots (i)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Flavin prenyltransferase UbiX





PDB





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	90.27Å 151.22Å 167.28Å	Donasiton
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	43.58 - 2.26	Depositor
Resolution (A)	43.58 - 2.26	EDS
% Data completeness	99.4 (43.58-2.26)	Depositor
(in resolution range)	99.4 (43.58-2.26)	EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	3.61 (at 2.27Å)	Xtriage
Refinement program	PHENIX 1.18.2_3874	Depositor
D D.	0.200 , 0.240	Depositor
R, R_{free}	0.200 , 0.240	DCC
R_{free} test set	2000 reflections (1.86%)	wwPDB-VP
Wilson B-factor (Å ²)	35.2	Xtriage
Anisotropy	0.502	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.32, 45.2	EDS
L-test for twinning ²	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	17839	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.90% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: FMN, 4LR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond	angles
MIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	A	0.44	0/1416	0.59	0/1931
1	В	0.38	0/1410	0.56	0/1923
1	С	0.43	0/1446	0.59	0/1972
1	D	0.40	0/1462	0.58	0/1995
1	Е	0.42	0/1408	0.59	0/1920
1	F	0.38	0/1479	0.59	0/2018
1	G	0.37	0/1430	0.55	0/1950
1	Н	0.41	0/1410	0.60	0/1923
1	I	0.42	0/1395	0.59	0/1903
1	J	0.40	0/1446	0.59	0/1972
1	K	0.41	0/1462	0.57	0/1995
1	L	0.36	0/1361	0.56	0/1857
All	All	0.40	0/17125	0.58	0/23359

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1392	0	1476	13	0



 $Continued\ from\ previous\ page...$

Mol	Chain	Non-H		H(added)	Clashes	Symm-Clashes
1	В	1386	0	1471	13	0
1	С	1421	0	1504	16	0
1	D	1435	0	1514	26	0
1	Е	1384	0	1466	34	0
1	F	1452	0	1526	23	0
1	G	1404	0	1487	29	0
1	Н	1386	0	1471	21	0
1	I	1369	0	1453	16	0
1	J	1421	0	1504	18	0
1	K	1435	0	1514	22	0
1	L	1337	0	1422	18	0
2	A	31	0	19	3	0
2	В	31	0	19	1	0
2	С	31	0	19	4	0
2	D	31	0	19	4	0
2	Е	31	0	19	0	0
2	F	31	0	19	3	0
2	G	31	0	19	2	0
2	Н	31	0	19	4	0
2	I	31	0	19	6	0
2	J	31	0	19	0	0
2	K	31	0	19	1	0
2	L	31	0	19	12	0
3	A	20	0	22	1	0
3	В	10	0	11	1	0
3	С	20	0	22	2	0
3	D	10	0	11	0	0
3	F	20	0	22	1	0
3	I	10	0	11	0	0
3	J	10	0	8	2	0
3	K	20	0	22	2	0
4	A	60	0	0	3	0
4	В	50	0	0	1	0
4	С	49	0	0	1	0
4	D	41	0	0	0	0
4	Е	31	0	0	0	0
4	F	39	0	0	0	0
4	G	27	0	0	0	0
4	Н	43	0	0	2	0
4	I	67	0	0	1	0
4	J	44	0	0	2	0
4	K	45	0	0	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	L	29	0	0	2	0
All	All	17839	0	18165	231	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 231 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} \text{Interatomic} \\ \text{distance (Å)} \end{array}$	$\begin{array}{c} \text{Clash} \\ \text{overlap } (\text{\AA}) \end{array}$
2:L:301:FMN:H3'	1:D:72:ILE:CD1	1.51	1.38
1:E:72:ILE:HD11	1:E:110:ARG:CD	1.74	1.16
1:C:107:LEU:O	1:C:111:VAL:HG23	1.45	1.15
2:L:301:FMN:C3'	1:D:72:ILE:HD11	1.81	1.09
2:C:301:FMN:H3'	1:E:72:ILE:HG12	1.31	1.08

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	$179/200\ (90\%)$	177 (99%)	2 (1%)	0	100 100
1	В	178/200~(89%)	174 (98%)	4 (2%)	0	100 100
1	С	185/200~(92%)	182 (98%)	3 (2%)	0	100 100
1	D	186/200 (93%)	185 (100%)	1 (0%)	0	100 100
1	E	178/200 (89%)	174 (98%)	4 (2%)	0	100 100
1	F	188/200 (94%)	183 (97%)	5 (3%)	0	100 100
1	G	179/200 (90%)	175 (98%)	4 (2%)	0	100 100
1	Н	178/200 (89%)	175 (98%)	1 (1%)	2 (1%)	14 10



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	I	174/200 (87%)	171 (98%)	3 (2%)	0	100	100
1	J	185/200 (92%)	182 (98%)	3 (2%)	0	100	100
1	K	186/200 (93%)	183 (98%)	3 (2%)	0	100	100
1	L	171/200 (86%)	164 (96%)	6 (4%)	1 (1%)	25	25
All	All	2167/2400 (90%)	2125 (98%)	39 (2%)	3 (0%)	51	60

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	Н	74	SER
1	L	48	ASP
1	Н	48	ASP

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	A	158/174~(91%)	157 (99%)	1 (1%)	86	91
1	В	$157/174\ (90\%)$	154 (98%)	3 (2%)	57	66
1	С	161/174~(92%)	160 (99%)	1 (1%)	86	91
1	D	162/174~(93%)	160 (99%)	2 (1%)	71	80
1	E	156/174~(90%)	152 (97%)	4 (3%)	46	55
1	F	164/174 (94%)	162 (99%)	2 (1%)	71	80
1	G	158/174 (91%)	157 (99%)	1 (1%)	86	91
1	Н	157/174 (90%)	154 (98%)	3 (2%)	57	66
1	I	153/174 (88%)	152 (99%)	1 (1%)	84	90
1	J	161/174 (92%)	159 (99%)	2 (1%)	71	80
1	K	162/174~(93%)	160 (99%)	2 (1%)	71	80
1	L	150/174 (86%)	148 (99%)	2 (1%)	69	79
All	All	1899/2088 (91%)	1875 (99%)	24 (1%)	69	79



5 of 24 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	127	ARG
1	Н	110	ARG
1	G	127	ARG
1	Н	117	LYS
1	В	127	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bo	ond leng	ths	В	ond ang	gles
MIOI	туре	Chain	nes	Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FMN	G	301	-	33,33,33	1.09	2 (6%)	48,50,50	1.30	9 (18%)
2	FMN	D	301	-	33,33,33	1.11	2 (6%)	48,50,50	1.33	11 (22%)
3	4LR	J	302	-	9,9,9	1.27	0	11,12,12	1.30	3 (27%)
3	4LR	С	303	-	9,9,9	1.16	0	11,12,12	1.22	2 (18%)



Mal	Trino	Chain	Dag	Link	Bo	ond leng	ths	В	ond ang	gles
Mol	Type	Chain	Res	Link	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FMN	L	301	-	33,33,33	1.14	2 (6%)	48,50,50	1.34	6 (12%)
3	4LR	F	302	-	9,9,9	1.23	1 (11%)	11,12,12	2.06	2 (18%)
3	4LR	С	302	-	9,9,9	1.20	1 (11%)	11,12,12	1.20	2 (18%)
3	4LR	D	302	-	9,9,9	1.18	1 (11%)	11,12,12	1.12	2 (18%)
2	FMN	F	301	-	33,33,33	1.07	2 (6%)	48,50,50	1.25	8 (16%)
2	FMN	Н	301	-	33,33,33	1.09	2 (6%)	48,50,50	1.31	9 (18%)
2	FMN	A	301	-	33,33,33	1.08	2 (6%)	48,50,50	1.47	9 (18%)
3	4LR	A	302	-	9,9,9	1.23	0	11,12,12	1.03	0
2	FMN	В	301	-	33,33,33	1.15	2 (6%)	48,50,50	1.41	9 (18%)
2	FMN	Е	301	-	33,33,33	1.06	2 (6%)	48,50,50	1.40	7 (14%)
2	FMN	I	301	-	33,33,33	1.18	2 (6%)	48,50,50	1.48	9 (18%)
3	4LR	A	303	-	9,9,9	1.18	0	11,12,12	1.20	2 (18%)
2	FMN	J	301	-	33,33,33	1.13	2 (6%)	48,50,50	1.44	11 (22%)
3	4LR	K	303	-	9,9,9	1.21	1 (11%)	11,12,12	1.39	2 (18%)
3	4LR	I	302	-	9,9,9	1.22	1 (11%)	11,12,12	1.30	2 (18%)
2	FMN	С	301	-	33,33,33	1.10	2 (6%)	48,50,50	1.29	6 (12%)
2	FMN	K	301	-	33,33,33	1.14	2 (6%)	48,50,50	1.42	12 (25%)
3	4LR	F	303	-	9,9,9	1.19	0	11,12,12	1.19	1 (9%)
3	4LR	K	302	-	9,9,9	1.25	1 (11%)	11,12,12	1.62	2 (18%)
3	4LR	В	302	-	9,9,9	1.22	1 (11%)	11,12,12	1.41	2 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FMN	G	301	-	-	8/18/18/18	0/3/3/3
2	FMN	D	301	-	-	8/18/18/18	0/3/3/3
3	4LR	J	302	-	-	3/7/7/7	-
3	4LR	С	303	-	-	3/7/7/7	-
2	FMN	L	301	-	-	3/18/18/18	0/3/3/3
3	4LR	F	302	-	-	3/7/7/7	-
3	4LR	С	302	-	-	1/7/7/7	-
3	4LR	D	302	_	-	3/7/7/7	_
2	FMN	F	301	-	-	8/18/18/18	0/3/3/3



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FMN	Н	301	-	-	5/18/18/18	0/3/3/3
2	FMN	A	301	-	-	6/18/18/18	0/3/3/3
3	4LR	A	302	-	-	4/7/7/7	-
2	FMN	В	301	-	-	0/18/18/18	0/3/3/3
2	FMN	Е	301	_	-	1/18/18/18	0/3/3/3
2	FMN	I	301	-	-	10/18/18/18	0/3/3/3
3	4LR	A	303	-	-	3/7/7/7	-
2	FMN	J	301	-	-	2/18/18/18	0/3/3/3
3	4LR	K	303	-	-	1/7/7/7	-
3	4LR	I	302	-	-	0/7/7/7	-
2	FMN	С	301	-	-	3/18/18/18	0/3/3/3
2	FMN	K	301	-	-	0/18/18/18	0/3/3/3
3	4LR	F	303	-	-	3/7/7/7	-
3	4LR	K	302			2/7/7/7	
3	4LR	В	302	-	-	3/7/7/7	-

The worst 5 of 31 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\text{\AA})$	$Ideal(\AA)$
2	J	301	FMN	C4A-N5	4.47	1.39	1.30
2	I	301	FMN	C4A-N5	4.44	1.39	1.30
2	Е	301	FMN	C4A-N5	4.23	1.39	1.30
2	G	301	FMN	C4A-N5	4.17	1.38	1.30
2	В	301	FMN	C4A-N5	4.13	1.38	1.30

The worst 5 of 128 bond angle outliers are listed below:

Mol	Chain	Res	Type	${f Atoms}$	${f Z}$	$\operatorname{Observed}(^{o})$	$\operatorname{Ideal}({}^o)$
3	F	302	4LR	CAG-CAF-CAI	-5.55	117.77	126.75
3	K	302	4LR	CAG-CAF-CAI	-3.74	120.70	126.75
2	A	301	FMN	C4'-C3'-C2'	-3.44	106.21	113.36
3	В	302	4LR	CAG-CAF-CAI	-3.40	121.24	126.75
2	A	301	FMN	C4-N3-C2	-3.24	119.65	125.64

There are no chirality outliers.

5 of 83 torsion outliers are listed below:

Mo	l Chain	Res	Type	Atoms
2	L	301	FMN	C1'-C2'-C3'-O3'



Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	L	301	FMN	C1'-C2'-C3'-C4'
2	I	301	FMN	C2'-C1'-N10-C10
2	I	301	FMN	C1'-C2'-C3'-O3'
2	I	301	FMN	C1'-C2'-C3'-C4'


There are no ring outliers.

17 monomers are involved in 46 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	G	301	FMN	2	0
2	D	301	FMN	4	0
3	J	302	4LR	2	0
2	L	301	FMN	12	0
3	F	302	4LR	1	0
3	С	302	4LR	2	0
2	F	301	FMN	3	0
2	Н	301	FMN	4	0
2	A	301	FMN	3	0
3	A	302	4LR	1	0
2	В	301	FMN	1	0
2	I	301	FMN	6	0
3	K	303	4LR	1	0
2	С	301	FMN	4	0
2	K	301	FMN	1	0
3	K	302	4LR	1	0
3	В	302	4LR	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.















































































































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	$\#\mathrm{RSRZ}{>}2$	$OWAB(\AA^2)$	Q < 0.9
1	A	183/200 (91%)	-0.35	1 (0%) 91 91	23, 39, 65, 77	0
1	В	182/200 (91%)	-0.22	3 (1%) 72 74	22, 40, 75, 103	0
1	С	187/200 (93%)	-0.21	2 (1%) 80 82	27, 47, 73, 120	0
1	D	188/200 (94%)	-0.29	4 (2%) 63 66	24, 42, 77, 110	0
1	E	182/200 (91%)	0.09	7 (3%) 40 43	24, 50, 88, 116	0
1	F	190/200 (95%)	0.04	4 (2%) 63 66	27, 49, 80, 104	0
1	G	183/200 (91%)	0.22	11 (6%) 21 23	24, 50, 89, 111	0
1	Н	182/200 (91%)	-0.11	5 (2%) 54 57	23, 47, 83, 116	0
1	I	178/200 (89%)	-0.38	3 (1%) 70 73	23, 38, 69, 92	0
1	J	187/200 (93%)	0.00	3 (1%) 72 74	26, 50, 82, 100	0
1	K	188/200 (94%)	-0.14	4 (2%) 63 66	22, 45, 81, 103	0
1	L	175/200 (87%)	0.10	10 (5%) 23 25	24, 59, 97, 118	0
All	All	2205/2400 (91%)	-0.10	57 (2%) 56 59	22, 46, 84, 120	0

The worst 5 of 57 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	187	ARG	5.0
1	Н	75	SER	4.2
1	G	76	VAL	4.0
1	G	187	ARG	3.9
1	L	45	TYR	3.9

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

There are no monosaccharides in this entry.


6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q<0.9
3	4LR	В	302	10/10	0.40	0.78	83,92,97,98	10
3	4LR	I	302	10/10	0.51	0.60	73,85,101,101	10
3	4LR	С	302	10/10	0.59	0.41	141,146,148,150	0
3	4LR	A	302	10/10	0.61	0.48	133,147,157,157	0
2	FMN	I	301	31/31	0.71	0.60	41,60,78,81	31
3	4LR	K	303	10/10	0.76	0.32	134,145,148,149	0
2	FMN	D	301	31/31	0.78	0.43	43,65,76,77	31
3	4LR	J	302	10/10	0.81	0.27	90,106,114,115	0
2	FMN	L	301	31/31	0.85	0.33	40,59,70,71	31
3	4LR	F	302	10/10	0.85	0.24	109,119,127,130	0
2	FMN	С	301	31/31	0.88	0.21	55,99,105,106	0
2	FMN	F	301	31/31	0.90	0.16	51,68,89,93	0
2	FMN	J	301	31/31	0.90	0.20	44,62,71,74	0
2	FMN	A	301	31/31	0.90	0.20	54,82,100,101	0
3	4LR	A	303	10/10	0.91	0.21	84,101,107,108	0
3	4LR	F	303	10/10	0.91	0.21	67,91,104,105	0
2	FMN	В	301	31/31	0.92	0.19	48,64,84,86	0
2	FMN	G	301	31/31	0.92	0.17	52,72,93,96	0
2	FMN	Н	301	31/31	0.92	0.21	56,72,90,92	0
3	4LR	D	302	10/10	0.92	0.25	51,55,57,59	10
2	FMN	K	301	31/31	0.93	0.17	51,70,80,83	0
3	4LR	С	303	10/10	0.94	0.20	61,76,82,84	0
2	FMN	Е	301	31/31	0.94	0.17	44,65,90,92	0
3	4LR	K	302	10/10	0.95	0.14	50,68,74,82	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around 4LR I 302:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)











Electron density around 4LR A 302: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)


























Electron density around 4LR F 302:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around FMN C 301:


 $2 \text{mF}_o\text{-DF}_c$ (at 0.7 rmsd) in gray $\text{mF}_o\text{-DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)





















Electron density around FMN A 301:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 4LR A 303:

 $2 \mathrm{mF}_o\text{-DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)












Electron density around 4LR F 303:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around FMN B 301:


 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)
















Electron density around FMN H 301:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 4LR D 302:

 $2 \mathrm{mF}_o\text{-DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)












Electron density around FMN K 301:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 4LR C 303:

 $2 \mathrm{mF}_o\text{-DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around FMN E 301: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)





6.5 Other polymers (i)

There are no such residues in this entry.

