



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 27, 2023 – 10:57 PM EDT

PDB ID : 3KRK
Title : X-ray crystal structure of arachidonic acid bound in the cyclooxygenase channel of L531F murine COX-2
Authors : Vecchio, A.J.; Simmons, D.M.; Malkowski, M.G.
Deposited on : 2009-11-18
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	591	 84% 8% • 7%
1	B	591	 85% 7% • 7%
2	C	2	 100%
2	D	2	 100%
2	E	2	 50% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	3	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	C	2	-	-	-	X
2	NAG	E	1	X	-	-	-
3	MAN	F	3	-	-	-	X
4	ACD	B	700	-	-	X	-
5	AKR	A	622	-	-	X	-
5	AKR	A	623	-	X	X	-
5	AKR	B	623	-	-	X	-

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 9919 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Prostaglandin G/H synthase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	551	4451	2877	741	808	25	0	2	0
1	B	552	4477	2893	751	808	25	0	4	0

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	29	HIS	-	expression tag	UNP Q05769
A	30	HIS	-	expression tag	UNP Q05769
A	31	HIS	-	expression tag	UNP Q05769
A	32	HIS	-	expression tag	UNP Q05769
A	33	HIS	-	expression tag	UNP Q05769
A	34	HIS	-	expression tag	UNP Q05769
A	531	PHE	LEU	engineered mutation	UNP Q05769
A	594	ALA	ASN	engineered mutation	UNP Q05769
B	29	HIS	-	expression tag	UNP Q05769
B	30	HIS	-	expression tag	UNP Q05769
B	31	HIS	-	expression tag	UNP Q05769
B	32	HIS	-	expression tag	UNP Q05769
B	33	HIS	-	expression tag	UNP Q05769
B	34	HIS	-	expression tag	UNP Q05769
B	531	PHE	LEU	engineered mutation	UNP Q05769
B	594	ALA	ASN	engineered mutation	UNP Q05769

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	D	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	E	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	F	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 4 is ARACHIDONIC ACID (three-letter code: ACD) (formula: $C_{20}H_{32}O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			22	20	2		
4	B	1	Total	C	O	0	0
			22	20	2		

- Molecule 5 is ACRYLIC ACID (three-letter code: AKR) (formula: $C_3H_4O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			5	3	2		
5	A	1	Total	C	O	0	0
			5	3	2		
5	B	1	Total	C	O	0	0
			5	3	2		
5	B	1	Total	C	O	0	0
			5	3	2		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 6 3 3	0	0
6	A	1	Total C O 6 3 3	0	0
6	B	1	Total C O 6 3 3	0	0

- Molecule 7 is PROTOPORPHYRIN IX CONTAINING CO (three-letter code: COH) (formula: $C_{34}H_{32}CoN_4O_4$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C Co N O 43 34 1 4 4	0	0
7	B	1	Total C Co N O 43 34 1 4 4	0	0

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
			Total	C	N			O
8	A	1	14	8	1	5	0	0
8	B	1	14	8	1	5	0	0

- Molecule 9 is octyl beta-D-glucopyranoside (three-letter code: BOG) (formula: $C_{14}H_{28}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
9	A	1	20	14	6	0	0
9	B	1	20	14	6	0	0


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	327	Total 327	O 327	0	0
10	B	305	Total 305	O 305	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Prostaglandin G/H synthase 2



- Molecule 1: Prostaglandin G/H synthase 2



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  50% 50%MAG1
MAG2

- Molecule 3: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  67% 33%MAG1
MAG2
MAN3

4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	120.79Å 133.04Å 180.65Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.92 – 2.40 19.92 – 2.40	Depositor EDS
% Data completeness (in resolution range)	96.6 (19.92-2.40) 96.6 (19.92-2.40)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.11 (at 2.41Å)	Xtrriage
Refinement program	REFMAC 5.5.0088	Depositor
R, R_{free}	0.179 , 0.228 0.193 , 0.240	Depositor DCC
R_{free} test set	2794 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	30.0	Xtrriage
Anisotropy	0.119	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 43.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9919	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AKR, MAN, COH, ACD, GOL, BOG, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/4588	0.51	0/6231
1	B	0.40	0/4617	0.53	0/6264
All	All	0.41	0/9205	0.52	0/12495

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4451	0	4292	52	0
1	B	4477	0	4340	50	0
2	C	28	0	25	0	0
2	D	28	0	25	2	0
2	E	28	0	25	0	0
3	F	39	0	34	3	0
4	A	22	0	31	6	0
4	B	22	0	31	10	0
5	A	10	0	6	5	0
5	B	10	0	6	3	0
6	A	12	0	16	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	6	0	8	0	0
7	A	43	0	30	9	0
7	B	43	0	30	19	0
8	A	14	0	13	2	0
8	B	14	0	13	0	0
9	A	20	0	28	7	0
9	B	20	0	28	0	0
10	A	327	0	0	4	0
10	B	305	0	0	1	0
All	All	9919	0	8981	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:A:703:BOG:H3'1	9:A:703:BOG:O2	1.50	1.09
1:A:265:THR:HG22	1:A:268:ASP:H	1.33	0.90
1:A:161:THR:HG21	1:A:166:LYS:O	1.73	0.89
9:A:703:BOG:O2	9:A:703:BOG:C3'	2.29	0.81
1:A:385:TYR:OH	4:A:700:ACD:H14	1.83	0.78
1:B:123:LEU:O	1:B:469:ARG:NH2	2.18	0.75
1:A:386:HIS:NE2	7:A:625:COH:HAD2	2.02	0.74
1:A:478:PHE:HD2	5:A:622:AKR:HA1	1.52	0.73
1:B:216:ARG:NH1	3:F:2:NAG:H83	2.03	0.73
1:A:216:ARG:NH1	2:D:2:NAG:H83	2.06	0.71
1:A:181:VAL:HG13	1:A:509:VAL:HG11	1.72	0.70
1:A:391:LEU:HD11	7:A:625:COH:HHC	1.73	0.70
1:B:240:ARG:NH2	1:B:272:GLU:O	2.19	0.69
1:A:391:LEU:CD1	7:A:625:COH:HAB	2.25	0.66
1:B:386:HIS:NE2	7:B:626:COH:HAD2	2.12	0.64
1:B:386:HIS:CE1	7:B:626:COH:HAD1	2.32	0.64
1:B:216:ARG:HH11	3:F:2:NAG:H83	1.62	0.64
7:B:626:COH:HBA1	7:B:626:COH:HHA	1.80	0.62
1:B:205:PHE:HE2	4:B:700:ACD:H15	1.64	0.62
1:A:391:LEU:HD13	7:A:625:COH:HAB	1.82	0.60
1:A:386:HIS:NE2	7:A:625:COH:CAD	2.65	0.59
1:B:205:PHE:CE2	4:B:700:ACD:H15	2.37	0.59
1:B:216:ARG:HG2	3:F:2:NAG:H81	1.84	0.58
1:A:289:GLN:HG2	1:A:292:PHE:CE1	2.40	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:391:LEU:CD2	7:B:626:COH:HAB	2.35	0.56
1:B:203:GLN:HA	7:B:626:COH:HAC	1.87	0.56
1:B:380:GLU:HG2	1:B:466:TYR:CE2	2.41	0.56
1:A:413:ILE:HG12	8:A:681:NAG:H61	1.88	0.55
1:B:391:LEU:CD1	7:B:626:COH:HAB	2.37	0.55
1:A:492:LYS:HD3	5:A:622:AKR:CA	2.36	0.55
7:B:626:COH:HBA1	7:B:626:COH:CHA	2.37	0.54
1:B:492:LYS:HD3	5:B:622:AKR:HA1	1.88	0.54
7:B:626:COH:HHA	7:B:626:COH:CBA	2.37	0.54
1:A:249:ASP:HB3	10:A:750:HOH:O	2.06	0.54
1:B:391:LEU:HD11	7:B:626:COH:HHC	1.89	0.53
1:B:240:ARG:HH21	5:B:623:AKR:HA1	1.74	0.53
1:A:484:GLU:HG2	1:A:485:LYS:H	1.74	0.52
1:A:185:ARG:HH21	9:A:703:BOG:H3	1.74	0.52
1:B:352[A]:LEU:HD21	1:B:518:PHE:HE2	1.74	0.51
1:B:382:ASN:O	1:B:386:HIS:HD2	1.94	0.51
1:A:216:ARG:HG2	2:D:2:NAG:H81	1.91	0.51
1:B:274:ILE:HD12	1:B:291:VAL:HG12	1.91	0.51
1:A:414:LEU:HD11	1:A:419:LEU:HD12	1.93	0.51
1:B:178:LEU:HD21	1:B:445:GLN:HG2	1.92	0.51
1:B:382:ASN:O	1:B:386:HIS:CD2	2.64	0.50
1:B:386:HIS:CE1	7:B:626:COH:CAD	2.94	0.50
1:B:203:GLN:CA	7:B:626:COH:HAC	2.42	0.50
9:A:703:BOG:O2	9:A:703:BOG:H4'2	2.12	0.49
1:A:349:VAL:HG13	4:A:700:ACD:H42	1.94	0.49
1:A:391:LEU:HD11	7:A:625:COH:HAB	1.94	0.49
1:A:181:VAL:HG13	1:A:509:VAL:CG1	2.42	0.49
1:B:289:GLN:HG2	1:B:292:PHE:CE1	2.48	0.49
1:A:472:LEU:HD21	1:A:524:GLU:HG3	1.96	0.48
1:B:352[A]:LEU:HD21	1:B:518:PHE:CE2	2.48	0.48
1:B:280:PRO:HG2	1:B:283:LEU:HD12	1.95	0.48
1:A:161:THR:HG22	1:A:164:GLY:N	2.29	0.48
1:A:240:ARG:HH11	5:A:623:AKR:HA1	1.79	0.47
1:A:391:LEU:HD11	7:A:625:COH:CHC	2.41	0.47
1:A:340:THR:O	1:A:344:VAL:HG23	2.14	0.47
1:A:478:PHE:CD2	5:A:622:AKR:HA1	2.40	0.47
1:B:240:ARG:HE	5:B:623:AKR:CA	2.27	0.47
9:A:703:BOG:O2	9:A:703:BOG:C4'	2.62	0.47
1:B:386:HIS:NE2	7:B:626:COH:CAD	2.77	0.47
7:B:626:COH:HHA	7:B:626:COH:HBD1	1.97	0.47
1:B:352[A]:LEU:CD2	4:B:700:ACD:H71	2.44	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:533:GLY:HA3	4:A:700:ACD:H191	1.97	0.47
1:A:386:HIS:HB3	1:A:388[B]:HIS:CE1	2.51	0.46
1:B:391:LEU:HD22	7:B:626:COH:HAB	1.96	0.46
1:B:381:PHE:HE1	4:B:700:ACD:H191	1.81	0.46
1:A:161:THR:HG22	1:A:164:GLY:H	1.80	0.46
9:A:703:BOG:H3'1	9:A:703:BOG:C2	2.41	0.46
1:B:414:LEU:HD11	1:B:419:LEU:HD22	1.98	0.46
1:A:229:ASP:HB3	1:B:139:TRP:CZ2	2.51	0.46
1:A:274:ILE:HD12	1:A:291:VAL:HG12	1.97	0.46
9:A:703:BOG:H3'1	9:A:703:BOG:HO2	1.72	0.46
1:A:198:PHE:CZ	1:A:352:LEU:HD21	2.52	0.45
1:B:253:LYS:NZ	10:B:869:HOH:O	2.49	0.45
1:A:198:PHE:HZ	1:A:352:LEU:HD21	1.80	0.45
1:A:348:TYR:HE2	4:A:700:ACD:H12	1.81	0.45
1:B:391:LEU:HD13	7:B:626:COH:HAB	1.99	0.45
1:A:214:HIS:HD2	10:A:828:HOH:O	2.00	0.45
1:A:62:THR:HA	6:A:619:GOL:H12	1.98	0.44
1:A:484:GLU:HG2	1:A:485:LYS:N	2.33	0.44
1:B:442:ILE:O	1:B:445:GLN:HB2	2.18	0.44
1:B:294:LEU:HA	1:B:409:TYR:CE1	2.52	0.43
1:B:530[A]:SER:HA	4:B:700:ACD:H171	1.99	0.43
1:A:240:ARG:HH11	5:A:623:AKR:CA	2.30	0.43
1:A:391:LEU:HD11	7:A:625:COH:CAB	2.48	0.43
1:A:363:PRO:HG2	1:A:545:TRP:CD2	2.53	0.43
1:A:581:ASN:HB2	10:A:781:HOH:O	2.17	0.43
1:A:413:ILE:CG1	8:A:681:NAG:H61	2.49	0.43
1:B:530[B]:SER:HA	4:B:700:ACD:H171	2.00	0.43
1:A:348:TYR:CE2	4:A:700:ACD:H12	2.54	0.42
1:A:459:LYS:HD3	10:A:718:HOH:O	2.18	0.42
1:A:265:THR:HG23	1:A:267:LYS:H	1.83	0.42
1:B:348:TYR:CE2	4:B:700:ACD:H14	2.54	0.42
1:B:391:LEU:HD11	7:B:626:COH:CHC	2.50	0.42
1:A:386:HIS:CE1	7:A:625:COH:HAD2	2.55	0.42
1:B:391:LEU:CD2	7:B:626:COH:CAB	2.98	0.42
1:B:533:GLY:HA3	4:B:700:ACD:H192	2.01	0.41
1:B:206:THR:HG21	1:B:385:TYR:CE1	2.55	0.41
1:B:183:LEU:HD21	1:B:445:GLN:HG3	2.03	0.41
1:A:530[A]:SER:OG	4:A:700:ACD:H131	2.21	0.41
7:B:626:COH:HHA	7:B:626:COH:CGA	2.51	0.41
1:B:155:VAL:O	1:B:459:LYS:HE2	2.21	0.41
1:B:363:PRO:HG2	1:B:545:TRP:CD2	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:526:GLY:HA3	4:B:700:ACD:C9	2.51	0.41
1:B:389:PRO:HB2	1:B:434:VAL:HA	2.02	0.40
1:A:575:CYS:SG	1:A:575:CYS:O	2.79	0.40
7:B:626:COH:HBD1	7:B:626:COH:CGA	2.51	0.40
1:A:352:LEU:HD22	1:A:518:PHE:CE2	2.56	0.40
1:A:467:ARG:HG2	1:A:472:LEU:HD12	2.03	0.40
1:B:352[A]:LEU:HD22	4:B:700:ACD:H71	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	551/591 (93%)	537 (98%)	14 (2%)	0	100	100
1	B	554/591 (94%)	542 (98%)	12 (2%)	0	100	100
All	All	1105/1182 (94%)	1079 (98%)	26 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	483/529 (91%)	472 (98%)	11 (2%)	50	70

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	486/529 (92%)	480 (99%)	6 (1%)	71	85
All	All	969/1058 (92%)	952 (98%)	17 (2%)	59	76

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	161	THR
1	A	174	SER
1	A	181	VAL
1	A	232	HIS
1	A	265	THR
1	A	282	ASN
1	A	318	GLN
1	A	385	TYR
1	A	412	SER
1	A	484	GLU
1	A	556	PHE
1	B	88	THR
1	B	122	TYR
1	B	289	GLN
1	B	385	TYR
1	B	469	ARG
1	B	484	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	90	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates i

9 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	1	2,1	14,14,15	0.50	0	17,19,21	1.05	1 (5%)
2	NAG	C	2	2	14,14,15	0.52	0	17,19,21	1.53	3 (17%)
2	NAG	D	1	2,1	14,14,15	0.52	0	17,19,21	1.16	1 (5%)
2	NAG	D	2	2	14,14,15	0.48	0	17,19,21	0.86	0
2	NAG	E	1	2,1	14,14,15	0.54	0	17,19,21	0.90	0
2	NAG	E	2	2	14,14,15	0.58	0	17,19,21	1.18	1 (5%)
3	NAG	F	1	3,1	14,14,15	0.55	0	17,19,21	0.95	1 (5%)
3	NAG	F	2	3	14,14,15	0.62	0	17,19,21	1.52	3 (17%)
3	MAN	F	3	3	11,11,12	0.57	0	15,15,17	2.35	5 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	C	2	2	-	3/6/23/26	0/1/1/1
2	NAG	D	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	D	2	2	-	4/6/23/26	0/1/1/1
2	NAG	E	1	2,1	1/1/5/7	2/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
3	NAG	F	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	F	2	3	-	3/6/23/26	0/1/1/1
3	MAN	F	3	3	-	1/2/19/22	0/1/1/1

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	3	MAN	C1-O5-C5	5.93	120.23	112.19
3	F	3	MAN	C1-C2-C3	4.32	114.98	109.67
3	F	2	NAG	C4-C3-C2	3.87	116.69	111.02
2	D	1	NAG	C1-O5-C5	3.73	117.25	112.19
2	C	2	NAG	C2-N2-C7	3.15	127.39	122.90
2	C	2	NAG	C1-O5-C5	3.13	116.44	112.19
2	E	2	NAG	C4-C3-C2	3.03	115.47	111.02
3	F	3	MAN	O5-C5-C6	2.89	111.73	107.20
3	F	3	MAN	C3-C4-C5	2.81	115.25	110.24
3	F	2	NAG	C1-C2-N2	-2.70	105.88	110.49
3	F	1	NAG	C1-O5-C5	2.69	115.83	112.19
2	C	1	NAG	C1-O5-C5	2.64	115.77	112.19
2	C	2	NAG	C4-C3-C2	-2.38	107.53	111.02
3	F	2	NAG	O5-C5-C6	2.38	110.94	107.20
3	F	3	MAN	C2-C3-C4	2.12	114.56	110.89

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	E	1	NAG	C5

All (15) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	D	2	NAG	O5-C5-C6-O6
2	C	2	NAG	O5-C5-C6-O6
3	F	3	MAN	O5-C5-C6-O6
2	E	1	NAG	O5-C5-C6-O6
2	D	2	NAG	C4-C5-C6-O6
2	C	2	NAG	C4-C5-C6-O6
2	E	1	NAG	C4-C5-C6-O6
2	D	2	NAG	C8-C7-N2-C2
2	D	2	NAG	O7-C7-N2-C2
3	F	2	NAG	C8-C7-N2-C2
3	F	2	NAG	O7-C7-N2-C2
2	C	1	NAG	O5-C5-C6-O6
2	C	1	NAG	C4-C5-C6-O6
3	F	2	NAG	C4-C5-C6-O6
2	C	2	NAG	C3-C2-N2-C7


There are no ring outliers.


2 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	F	2	NAG	3	0
2	D	2	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	AKR	A	623	-	4,4,4	3.04	2 (50%)	4,4,4	2.41	2 (50%)
8	NAG	A	681	1	14,14,15	1.55	1 (7%)	17,19,21	1.37	2 (11%)
6	GOL	B	624	-	5,5,5	0.33	0	5,5,5	0.25	0
4	ACD	A	700	-	21,21,21	0.56	0	21,21,21	0.74	0
9	BOG	A	703	-	20,20,20	0.72	1 (5%)	25,25,25	0.81	1 (4%)
5	AKR	A	622	-	4,4,4	2.43	2 (50%)	4,4,4	1.33	1 (25%)
8	NAG	B	681	1	14,14,15	0.57	0	17,19,21	0.75	0
7	COH	A	625	-	40,50,50	3.74	16 (40%)	38,82,82	1.89	8 (21%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	ACD	B	700	-	21,21,21	0.63	0	21,21,21	0.66	0
9	BOG	B	703	-	20,20,20	0.82	2 (10%)	25,25,25	1.60	4 (16%)
6	GOL	A	624	-	5,5,5	0.36	0	5,5,5	0.29	0
7	COH	B	626	-	40,50,50	3.74	15 (37%)	38,82,82	1.74	8 (21%)
5	AKR	B	622	-	4,4,4	2.40	2 (50%)	4,4,4	1.23	1 (25%)
6	GOL	A	619	-	5,5,5	0.32	0	5,5,5	0.31	0
5	AKR	B	623	-	4,4,4	2.52	2 (50%)	4,4,4	1.12	1 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	AKR	A	623	-	-	0/2/2/2	-
8	NAG	A	681	1	-	2/6/23/26	0/1/1/1
6	GOL	B	624	-	-	0/4/4/4	-
4	ACD	A	700	-	-	8/19/19/19	-
9	BOG	A	703	-	-	8/11/31/31	0/1/1/1
5	AKR	A	622	-	-	0/2/2/2	-
8	NAG	B	681	1	-	2/6/23/26	0/1/1/1
7	COH	A	625	-	-	7/12/94/94	-
4	ACD	B	700	-	-	8/19/19/19	-
9	BOG	B	703	-	-	9/11/31/31	0/1/1/1
6	GOL	A	624	-	-	0/4/4/4	-
7	COH	B	626	-	-	9/12/94/94	-
5	AKR	B	622	-	-	0/2/2/2	-
6	GOL	A	619	-	-	2/4/4/4	-
5	AKR	B	623	-	-	0/2/2/2	-

All (43) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	625	COH	C1C-NC	9.79	1.48	1.36
7	B	626	COH	C1C-NC	9.78	1.48	1.36
7	B	626	COH	C4C-NC	9.50	1.48	1.36
7	A	625	COH	C4C-NC	9.47	1.48	1.36
7	B	626	COH	C4A-NA	9.27	1.47	1.36
7	A	625	COH	C4A-NA	9.12	1.47	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	625	COH	C1A-NA	8.40	1.46	1.36
7	B	626	COH	C1A-NA	8.37	1.46	1.36
7	B	626	COH	C2A-C3A	5.82	1.49	1.36
7	A	625	COH	C2A-C3A	5.78	1.49	1.36
8	A	681	NAG	O5-C1	-5.61	1.34	1.43
7	A	625	COH	C3C-C2C	4.94	1.47	1.37
7	B	626	COH	C3C-C2C	4.92	1.47	1.37
7	A	625	COH	CHC-C1C	4.86	1.45	1.37
7	B	626	COH	C3B-C2B	4.72	1.46	1.40
7	A	625	COH	C3B-C2B	4.67	1.46	1.40
5	A	623	AKR	CA-C	-4.64	1.34	1.46
7	A	625	COH	CHD-C4C	4.59	1.45	1.37
7	B	626	COH	CHD-C4C	4.56	1.45	1.37
7	B	626	COH	CHC-C1C	4.38	1.45	1.37
7	A	625	COH	CHA-C1A	4.24	1.44	1.37
7	B	626	COH	C3B-C4B	4.09	1.50	1.40
7	B	626	COH	CHB-C4A	4.04	1.44	1.37
7	B	626	COH	CHA-C1A	4.01	1.44	1.37
7	A	625	COH	CHB-C4A	3.93	1.44	1.37
7	B	626	COH	C3D-C2D	3.84	1.49	1.37
7	A	625	COH	C3B-C4B	3.79	1.50	1.40
5	A	623	AKR	OXT-C	-3.71	1.20	1.30
7	A	625	COH	C3D-C2D	3.51	1.48	1.37
5	B	623	AKR	CA-C	-3.48	1.37	1.46
5	A	622	AKR	CA-C	-3.23	1.38	1.46
5	B	622	AKR	CA-C	-3.23	1.38	1.46
5	B	623	AKR	OXT-C	-3.18	1.22	1.30
5	B	622	AKR	OXT-C	-3.10	1.22	1.30
5	A	622	AKR	OXT-C	-3.09	1.22	1.30
7	A	625	COH	CHC-C4B	2.55	1.45	1.40
9	A	703	BOG	O1-C1	2.55	1.44	1.40
7	A	625	COH	CHD-C1D	2.55	1.45	1.40
9	B	703	BOG	O1-C1	2.49	1.44	1.40
7	B	626	COH	CHD-C1D	2.45	1.45	1.40
7	A	625	COH	CHA-C4D	2.30	1.45	1.40
7	B	626	COH	CHC-C4B	2.29	1.45	1.40
9	B	703	BOG	O5-C1	2.02	1.47	1.41

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	625	COH	CHC-C4B-NB	-5.49	118.38	122.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	625	COH	C4A-C3A-C2A	-4.71	104.69	108.61
7	B	626	COH	CHC-C1C-NC	-4.58	118.70	121.29
9	B	703	BOG	C1-O5-C5	4.57	122.66	113.69
9	B	703	BOG	O5-C5-C4	4.37	117.63	109.69
7	A	625	COH	CHC-C1C-NC	-4.19	118.93	121.29
7	B	626	COH	C4A-C3A-C2A	-4.14	105.17	108.61
8	A	681	NAG	C1-O5-C5	-3.87	106.94	112.19
5	A	623	AKR	CB-CA-C	-3.66	115.27	121.50
7	B	626	COH	CHC-C4B-NB	-3.62	119.75	122.40
8	A	681	NAG	O5-C5-C6	3.32	112.41	107.20
9	B	703	BOG	O5-C1-C2	3.10	116.92	110.35
7	A	625	COH	CMC-C2C-C1C	2.69	129.81	124.73
9	B	703	BOG	C1'-O1-C1	-2.54	109.62	113.84
7	B	626	COH	CMC-C2C-C1C	2.51	129.47	124.73
5	B	622	AKR	CB-CA-C	2.43	125.63	121.50
7	B	626	COH	C1A-C2A-C3A	-2.42	104.22	113.64
7	B	626	COH	CMB-C2B-C3B	2.39	129.15	124.68
7	A	625	COH	CMB-C2B-C3B	2.35	129.07	124.68
9	A	703	BOG	C1'-O1-C1	-2.29	110.05	113.84
7	B	626	COH	CMD-C2D-C3D	2.27	129.22	124.94
7	A	625	COH	C1A-C2A-C3A	-2.26	104.84	113.64
7	A	625	COH	CBD-CAD-C3D	-2.19	108.92	112.60
7	A	625	COH	CHD-C1D-ND	-2.18	120.81	122.40
5	A	623	AKR	O-C-CA	-2.16	115.51	122.21
7	B	626	COH	CHD-C4C-C3C	-2.13	123.25	126.66
5	A	622	AKR	OXT-C-CA	2.03	119.73	114.19
5	B	623	AKR	CB-CA-C	2.02	124.94	121.50

There are no chirality outliers.

All (55) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	700	ACD	C6-C7-C8-C9
6	A	619	GOL	C1-C2-C3-O3
7	A	625	COH	C2C-C3C-CAC-CBC
7	A	625	COH	C4C-C3C-CAC-CBC
7	B	626	COH	C1A-C2A-CAA-CBA
7	B	626	COH	C3A-C2A-CAA-CBA
7	B	626	COH	C2C-C3C-CAC-CBC
7	B	626	COH	C4C-C3C-CAC-CBC
9	A	703	BOG	C2-C1-O1-C1'
9	A	703	BOG	O5-C1-O1-C1'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	A	703	BOG	C2'-C1'-O1-C1
9	B	703	BOG	C2-C1-O1-C1'
8	A	681	NAG	O5-C5-C6-O6
9	A	703	BOG	O5-C5-C6-O6
8	A	681	NAG	C4-C5-C6-O6
9	B	703	BOG	O5-C1-O1-C1'
9	B	703	BOG	O5-C5-C6-O6
4	B	700	ACD	C1-C2-C3-C4
7	A	625	COH	C3D-CAD-CBD-CGD
4	A	700	ACD	C1-C2-C3-C4
9	A	703	BOG	C4-C5-C6-O6
9	B	703	BOG	C4-C5-C6-O6
7	B	626	COH	C2A-CAA-CBA-CGA
9	A	703	BOG	C2'-C3'-C4'-C5'
9	B	703	BOG	C2'-C3'-C4'-C5'
9	B	703	BOG	C3'-C4'-C5'-C6'
6	A	619	GOL	O2-C2-C3-O3
4	B	700	ACD	C15-C16-C17-C18
4	A	700	ACD	C2-C3-C4-C5
4	A	700	ACD	C15-C16-C17-C18
8	B	681	NAG	C4-C5-C6-O6
9	A	703	BOG	C5'-C6'-C7'-C8'
9	B	703	BOG	C5'-C6'-C7'-C8'
4	A	700	ACD	C17-C18-C19-C20
9	B	703	BOG	O1-C1'-C2'-C3'
7	B	626	COH	C3D-CAD-CBD-CGD
9	B	703	BOG	C2'-C1'-O1-C1
7	A	625	COH	C2A-CAA-CBA-CGA
8	B	681	NAG	O5-C5-C6-O6
4	A	700	ACD	C5-C6-C7-C8
4	A	700	ACD	C9-C10-C11-C12
4	A	700	ACD	C12-C13-C14-C15
4	B	700	ACD	C5-C6-C7-C8
4	B	700	ACD	C9-C10-C11-C12
4	B	700	ACD	C11-C12-C13-C14
4	B	700	ACD	C12-C13-C14-C15
4	B	700	ACD	C16-C17-C18-C19
9	A	703	BOG	C3'-C4'-C5'-C6'
7	B	626	COH	C2D-C3D-CAD-CBD
7	A	625	COH	CAA-CBA-CGA-O1A
7	B	626	COH	CAA-CBA-CGA-O1A
7	A	625	COH	CAA-CBA-CGA-O2A

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
7	B	626	COH	CAA-CBA-CGA-O2A
4	A	700	ACD	C14-C15-C16-C17
7	A	625	COH	CAD-CBD-CGD-O1D


There are no ring outliers.


11 monomers are involved in 62 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	623	AKR	2	0
8	A	681	NAG	2	0
4	A	700	ACD	6	0
9	A	703	BOG	7	0
5	A	622	AKR	3	0
7	A	625	COH	9	0
4	B	700	ACD	10	0
7	B	626	COH	19	0
5	B	622	AKR	1	0
6	A	619	GOL	1	0
5	B	623	AKR	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	551/591 (93%)	-0.37	7 (1%) 77 75	12, 27, 42, 49	0
1	B	552/591 (93%)	-0.18	12 (2%) 62 60	15, 29, 43, 47	0
All	All	1103/1182 (93%)	-0.28	19 (1%) 70 68	12, 28, 42, 49	0

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	583	GLN	4.3
1	B	82	LEU	4.0
1	B	91	TYR	3.3
1	A	399	ASP	3.1
1	A	74	PHE	3.1
1	B	74	PHE	2.7
1	A	278	HIS	2.6
1	B	53	ASP	2.5
1	A	122	TYR	2.4
1	B	214	HIS	2.4
1	B	157	ASP	2.3
1	B	78	ILE	2.3
1	B	428	ARG	2.3
1	A	115	TYR	2.3
1	B	278	HIS	2.2
1	B	122	TYR	2.1
1	A	239	ASP	2.0
1	B	101	ASN	2.0
1	A	81	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MAN	F	3	11/12	0.60	0.51	58,60,60,61	0
3	NAG	F	2	14/15	0.76	0.30	44,48,51,55	0
2	NAG	C	2	14/15	0.78	0.48	54,56,57,58	0
2	NAG	E	2	14/15	0.81	0.48	61,63,64,64	0
2	NAG	E	1	14/15	0.84	0.32	44,51,53,58	0
2	NAG	C	1	14/15	0.87	0.25	41,44,47,51	0
2	NAG	D	1	14/15	0.93	0.13	22,26,29,33	0
2	NAG	D	2	14/15	0.93	0.19	36,38,40,40	0
3	NAG	F	1	14/15	0.97	0.10	27,31,34,40	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain D:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	COH	B	626	43/43	0.64	0.37	77,79,80,81	0
7	COH	A	625	43/43	0.65	0.38	83,86,86,87	0
6	GOL	A	619	6/6	0.71	0.30	77,78,78,78	0
5	AKR	B	623	5/5	0.82	0.26	52,52,52,52	0
4	ACD	B	700	22/22	0.83	0.26	42,52,57,58	0
5	AKR	A	622	5/5	0.86	0.25	52,52,52,52	0
5	AKR	B	622	5/5	0.86	0.27	61,61,61,61	0
4	ACD	A	700	22/22	0.87	0.23	47,48,50,51	0
9	BOG	B	703	20/20	0.88	0.20	18,20,21,21	20
9	BOG	A	703	20/20	0.90	0.21	71,72,73,73	20
8	NAG	B	681	14/15	0.90	0.24	39,42,44,45	0
8	NAG	A	681	14/15	0.91	0.28	40,43,46,47	0
6	GOL	A	624	6/6	0.93	0.20	38,39,40,40	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	AKR	A	623	5/5	0.94	0.25	45,45,45,45	0
6	GOL	B	624	6/6	0.96	0.14	40,41,41,41	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around COH A 625:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around BOG B 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around BOG A 703:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.