



Full wwPDB NMR Structure Validation Report ⓘ

Mar 6, 2022 – 09:08 PM EST

PDB ID : 2KWB
Title : Minimal Constraint Solution NMR Structure of Translationally-controlled tumor protein (TCTP) from C.elegans, Northeast Structural Genomics Consortium Target WR73
Authors : Aramini, J.M.; Rossi, P.; Cort, J.R.; Cooper, B.; Maglaqui, M.; Janjua, H.; Xiao, R.; Acton, T.B.; Everett, J.K.; Montelione, G.T.; Northeast Structural Genomics Consortium (NESG)
Deposited on : 2010-04-02

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : 2.27
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.27


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	189	

2 Ensemble composition and analysis i

This entry contains 20 models. Model 6 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:1-A:37, A:65-A:180 (153)	0.78	6

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters and 7 single-model clusters were found.

Cluster number	Models
1	5, 7, 8, 11, 16
2	3, 14, 17
3	6, 15, 18
4	2, 4
Single-model clusters	1; 9; 10; 12; 13; 19; 20

3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 2902 atoms, of which 1445 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Translationally-controlled tumor protein homolog.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	183	2902	922	1445	239	287	9	0

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	182	LEU	-	expression tag	UNP Q93573
A	183	GLU	-	expression tag	UNP Q93573
A	184	HIS	-	expression tag	UNP Q93573
A	185	HIS	-	expression tag	UNP Q93573
A	186	HIS	-	expression tag	UNP Q93573
A	187	HIS	-	expression tag	UNP Q93573
A	188	HIS	-	expression tag	UNP Q93573
A	189	HIS	-	expression tag	UNP Q93573

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Translationally-controlled tumor protein homolog




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1

- Molecule 1: Translationally-controlled tumor protein homolog



4.2.2 Score per residue for model 2


- Molecule 1: Translationally-controlled tumor protein homolog






4.2.3 Score per residue for model 3

- Molecule 1: Translationally-controlled tumor protein homolog




4.2.4 Score per residue for model 4

- Molecule 1: Translationally-controlled tumor protein homolog



4.2.5 Score per residue for model 5


- Molecule 1: Translationally-controlled tumor protein homolog



4.2.6 Score per residue for model 6 (medoid)

- Molecule 1: Translationally-controlled tumor protein homolog






4.2.7 Score per residue for model 7

- Molecule 1: Translationally-controlled tumor protein homolog


Chain A: 70% 10% 16%



4.2.8 Score per residue for model 8

- Molecule 1: Translationally-controlled tumor protein homolog


Chain A: 66% 14% 16%



4.2.9 Score per residue for model 9


- Molecule 1: Translationally-controlled tumor protein homolog

Chain A: 72% 8% 16%




4.2.10 Score per residue for model 10

- Molecule 1: Translationally-controlled tumor protein homolog




4.2.11 Score per residue for model 11

- Molecule 1: Translationally-controlled tumor protein homolog




4.2.12 Score per residue for model 12

- Molecule 1: Translationally-controlled tumor protein homolog




4.2.13 Score per residue for model 13

- Molecule 1: Translationally-controlled tumor protein homolog




4.2.14 Score per residue for model 14

- Molecule 1: Translationally-controlled tumor protein homolog




4.2.15 Score per residue for model 15

- Molecule 1: Translationally-controlled tumor protein homolog




4.2.16 Score per residue for model 16

- Molecule 1: Translationally-controlled tumor protein homolog




4.2.17 Score per residue for model 17

- Molecule 1: Translationally-controlled tumor protein homolog




4.2.18 Score per residue for model 18

- Molecule 1: Translationally-controlled tumor protein homolog




4.2.19 Score per residue for model 19

- Molecule 1: Translationally-controlled tumor protein homolog



4.2.20 Score per residue for model 20

- Molecule 1: Translationally-controlled tumor protein homolog



5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	refinement	1.2
CNS	structure solution	1.2
CNS	geometry optimization	1.2
CYANA	structure solution	3.0

No chemical shift data was provided.

6 Model quality

6.1 Standard geometry

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1243	1259	1256	13±4
All	All	24860	25180	25120	256

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:154:ALA:HB1	1:A:169:LEU:HD11	0.77	1.56	3	14
1:A:37:ARG:HB3	1:A:65:GLU:HB2	0.77	1.56	14	2
1:A:37:ARG:HB3	1:A:65:GLU:HB3	0.71	1.62	18	3
1:A:4:TYR:HB2	1:A:176:ILE:HD11	0.67	1.66	1	1
1:A:87:MET:SD	1:A:87:MET:N	0.67	2.68	9	1
1:A:173:LYS:HZ3	1:A:173:LYS:HB3	0.64	1.52	13	1
1:A:160:ASP:HA	1:A:165:GLU:HA	0.64	1.69	14	2
1:A:30:PHE:HB3	1:A:169:LEU:HB3	0.63	1.68	12	6
1:A:37:ARG:HB2	1:A:65:GLU:HB2	0.62	1.70	15	3
1:A:6:ASP:HB3	1:A:176:ILE:HG22	0.62	1.70	15	1
1:A:20:MET:SD	1:A:20:MET:N	0.61	2.73	7	4
1:A:7:ILE:HD11	1:A:175:ALA:HB1	0.59	1.73	5	1
1:A:76:LEU:HB3	1:A:139:PHE:HB3	0.59	1.75	12	3
1:A:6:ASP:HB3	1:A:9:THR:HB	0.58	1.75	11	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:27:VAL:HB	1:A:170:MET:SD	0.57	2.39	12	1
1:A:155:ILE:HB	1:A:170:MET:HB2	0.57	1.76	3	4
1:A:84:ASP:HA	1:A:87:MET:SD	0.56	2.40	9	1
1:A:3:ILE:HG13	1:A:179:GLU:HB3	0.56	1.76	5	1
1:A:31:LYS:HG3	1:A:166:VAL:HB	0.56	1.77	7	1
1:A:104:GLU:HA	1:A:113:VAL:HG11	0.55	1.78	10	2
1:A:3:ILE:HB	1:A:179:GLU:HB3	0.55	1.79	1	2
1:A:84:ASP:HA	1:A:87:MET:HB3	0.55	1.78	10	1
1:A:20:MET:SD	1:A:30:PHE:HB2	0.55	2.42	15	1
1:A:32:GLY:HA3	1:A:70:ILE:HG13	0.55	1.78	18	1
1:A:3:ILE:HB	1:A:13:LEU:HD21	0.54	1.80	13	1
1:A:12:GLU:HG3	1:A:144:ALA:HB2	0.54	1.77	20	1
1:A:5:LYS:HB2	1:A:10:ASP:HB2	0.54	1.80	13	1
1:A:155:ILE:HB	1:A:170:MET:HB3	0.54	1.79	15	2
1:A:28:TYR:O	1:A:170:MET:HA	0.53	2.03	13	5
1:A:159:ARG:NH2	1:A:168:THR:HG21	0.52	2.20	1	1
1:A:109:ASP:O	1:A:113:VAL:HG22	0.51	2.06	12	6
1:A:37:ARG:HB3	1:A:72:LEU:HD22	0.51	1.81	8	1
1:A:21:LYS:HB2	1:A:29:GLU:HB3	0.51	1.81	18	1
1:A:6:ASP:O	1:A:10:ASP:HB3	0.51	2.03	8	5
1:A:138:PHE:HB3	1:A:153:VAL:HG11	0.51	1.83	2	2
1:A:85:ALA:HA	1:A:88:PHE:CE2	0.51	2.40	12	7
1:A:29:GLU:HA	1:A:169:LEU:O	0.51	2.06	13	5
1:A:101:ASP:O	1:A:105:LYS:HG2	0.50	2.05	6	2
1:A:36:VAL:HG12	1:A:66:ARG:HG3	0.50	1.83	18	1
1:A:110:LYS:HD3	1:A:110:LYS:H	0.50	1.65	5	1
1:A:132:ARG:HD2	1:A:132:ARG:H	0.50	1.66	18	1
1:A:97:LYS:HA	1:A:97:LYS:HE2	0.50	1.83	11	1
1:A:79:MET:HB2	1:A:138:PHE:HB2	0.50	1.82	8	2
1:A:144:ALA:HB2	1:A:151:GLY:HA3	0.50	1.83	1	1
1:A:5:LYS:HG3	1:A:10:ASP:HB2	0.49	1.84	7	2
1:A:144:ALA:HA	1:A:148:ALA:HB3	0.49	1.84	6	3
1:A:107:ASN:O	1:A:108:ARG:HG2	0.49	2.07	13	2
1:A:130:LYS:H	1:A:130:LYS:HD2	0.49	1.68	9	1
1:A:99:VAL:O	1:A:103:MET:SD	0.49	2.71	2	1
1:A:135:ASN:N	1:A:135:ASN:HD22	0.49	2.06	8	1
1:A:114:ASP:O	1:A:118:LYS:HG2	0.49	2.08	13	1
1:A:109:ASP:O	1:A:111:ALA:N	0.48	2.46	4	2
1:A:107:ASN:HD21	1:A:111:ALA:HB3	0.48	1.68	3	1
1:A:95:PHE:CZ	1:A:172:VAL:HG11	0.48	2.44	8	5
1:A:68:ILE:HD12	1:A:70:ILE:HD12	0.48	1.84	17	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:144:ALA:HB1	1:A:151:GLY:HA2	0.48	1.84	18	1
1:A:105:LYS:HE3	1:A:105:LYS:HA	0.48	1.86	15	1
1:A:9:THR:HG22	1:A:9:THR:O	0.47	2.09	3	1
1:A:6:ASP:HA	1:A:176:ILE:HG22	0.47	1.86	6	1
1:A:5:LYS:HB3	1:A:13:LEU:HD13	0.47	1.86	11	1
1:A:5:LYS:HB2	1:A:13:LEU:HD13	0.47	1.85	10	2
1:A:103:MET:HA	1:A:106:ASN:ND2	0.47	2.24	13	1
1:A:75:LYS:NZ	1:A:75:LYS:HB2	0.47	2.24	11	1
1:A:4:TYR:HE1	1:A:16:ASP:HB2	0.47	1.68	15	1
1:A:27:VAL:HG12	1:A:172:VAL:HA	0.47	1.86	12	4
1:A:148:ALA:O	1:A:149:GLU:HG2	0.47	2.10	5	1
1:A:144:ALA:HB1	1:A:151:GLY:H	0.47	1.70	11	1
1:A:91:TYR:OH	1:A:150:ASN:HB3	0.46	2.09	15	1
1:A:6:ASP:HA	1:A:175:ALA:O	0.46	2.10	9	2
1:A:152:GLN:HE22	1:A:176:ILE:HG23	0.46	1.69	4	1
1:A:150:ASN:N	1:A:150:ASN:HD22	0.46	2.09	15	1
1:A:130:LYS:O	1:A:134:LYS:HB2	0.46	2.09	16	1
1:A:173:LYS:HZ2	1:A:173:LYS:HB3	0.46	1.70	17	1
1:A:130:LYS:H	1:A:130:LYS:HD3	0.46	1.69	18	1
1:A:2:LEU:O	1:A:15:SER:HA	0.46	2.10	14	1
1:A:80:ASN:N	1:A:80:ASN:HD22	0.46	2.08	5	1
1:A:137:ALA:HB3	1:A:156:ILE:HB	0.46	1.86	7	2
1:A:88:PHE:HA	1:A:91:TYR:HD2	0.46	1.71	15	1
1:A:6:ASP:HB2	1:A:9:THR:HG22	0.46	1.86	19	1
1:A:37:ARG:HB2	1:A:72:LEU:HD13	0.46	1.87	12	1
1:A:138:PHE:HB3	1:A:153:VAL:HG13	0.46	1.85	3	2
1:A:28:TYR:CE2	1:A:173:LYS:HA	0.46	2.46	17	2
1:A:130:LYS:HD2	1:A:131:ASP:N	0.46	2.25	17	1
1:A:5:LYS:HB3	1:A:177:ILE:HB	0.46	1.88	10	1
1:A:133:PHE:O	1:A:136:LEU:HG	0.46	2.11	16	3
1:A:30:PHE:CZ	1:A:169:LEU:HD23	0.45	2.47	7	2
1:A:5:LYS:HG2	1:A:13:LEU:HD12	0.45	1.86	17	1
1:A:2:LEU:HD11	1:A:178:GLU:HB2	0.45	1.88	15	2
1:A:157:GLU:O	1:A:167:PRO:HA	0.45	2.11	11	1
1:A:87:MET:SD	1:A:87:MET:C	0.45	2.95	19	1
1:A:103:MET:SD	1:A:103:MET:N	0.45	2.90	2	1
1:A:116:PHE:HE1	1:A:174:GLU:HG3	0.45	1.71	2	1
1:A:95:PHE:HZ	1:A:120:ILE:HD11	0.45	1.70	5	1
1:A:95:PHE:HZ	1:A:172:VAL:HG11	0.45	1.72	8	3
1:A:143:ARG:HD2	1:A:143:ARG:H	0.44	1.71	4	1
1:A:172:VAL:O	1:A:176:ILE:HG22	0.44	2.12	12	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:143:ARG:HD2	1:A:143:ARG:N	0.44	2.27	4	1
1:A:21:LYS:HB3	1:A:21:LYS:NZ	0.44	2.27	15	1
1:A:143:ARG:HA	1:A:143:ARG:NE	0.44	2.27	20	1
1:A:104:GLU:O	1:A:108:ARG:HB2	0.44	2.12	3	1
1:A:135:ASN:HB3	1:A:158:TYR:OH	0.44	2.12	4	1
1:A:110:LYS:HD3	1:A:110:LYS:N	0.44	2.28	5	1
1:A:117:LYS:HA	1:A:120:ILE:HG22	0.44	1.90	5	1
1:A:8:PHE:HB3	1:A:150:ASN:O	0.44	2.13	6	1
1:A:31:LYS:HG2	1:A:167:PRO:O	0.44	2.13	7	1
1:A:101:ASP:O	1:A:105:LYS:HB2	0.44	2.12	7	1
1:A:157:GLU:HG2	1:A:158:TYR:N	0.44	2.26	4	1
1:A:21:LYS:HB2	1:A:29:GLU:O	0.44	2.13	20	1
1:A:99:VAL:HA	1:A:102:HIS:HD2	0.43	1.73	1	1
1:A:66:ARG:O	1:A:66:ARG:HD2	0.43	2.13	4	2
1:A:20:MET:SD	1:A:20:MET:C	0.43	2.96	2	1
1:A:161:VAL:O	1:A:163:GLY:N	0.43	2.52	10	1
1:A:36:VAL:O	1:A:36:VAL:HG23	0.43	2.14	9	1
1:A:110:LYS:O	1:A:114:ASP:HB3	0.43	2.13	15	1
1:A:1:MET:SD	1:A:1:MET:N	0.43	2.76	1	1
1:A:131:ASP:O	1:A:134:LYS:NZ	0.43	2.49	2	1
1:A:5:LYS:HE2	1:A:13:LEU:HD13	0.43	1.90	10	1
1:A:103:MET:HA	1:A:103:MET:HE2	0.43	1.91	4	1
1:A:124:VAL:O	1:A:128:LEU:HG	0.42	2.15	12	3
1:A:65:GLU:HG2	1:A:72:LEU:HD22	0.42	1.91	10	2
1:A:121:GLN:HE21	1:A:121:GLN:HA	0.42	1.74	15	1
1:A:140:ILE:HD13	1:A:141:GLY:N	0.42	2.29	2	1
1:A:36:VAL:HA	1:A:66:ARG:HA	0.42	1.92	4	1
1:A:95:PHE:CZ	1:A:120:ILE:HD11	0.42	2.49	5	1
1:A:28:TYR:CE2	1:A:173:LYS:HB3	0.42	2.49	6	2
1:A:154:ALA:CB	1:A:169:LEU:HD11	0.42	2.44	10	1
1:A:123:TRP:NE1	1:A:170:MET:SD	0.42	2.89	2	1
1:A:80:ASN:HB2	1:A:82:TYR:CE1	0.42	2.50	2	1
1:A:95:PHE:CE1	1:A:175:ALA:HB2	0.42	2.49	10	1
1:A:100:ILE:O	1:A:104:GLU:HG3	0.42	2.15	15	1
1:A:172:VAL:HB	1:A:175:ALA:HB3	0.42	1.92	3	1
1:A:158:TYR:HB2	1:A:165:GLU:HB3	0.42	1.91	4	1
1:A:30:PHE:CE2	1:A:70:ILE:HD13	0.42	2.50	13	1
1:A:108:ARG:HD2	1:A:109:ASP:N	0.41	2.30	2	1
1:A:6:ASP:HB3	1:A:9:THR:HG22	0.41	1.91	10	1
1:A:177:ILE:HD12	1:A:177:ILE:N	0.41	2.29	10	1
1:A:22:LEU:HG	1:A:25:ASP:HA	0.41	1.92	11	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:117:LYS:O	1:A:121:GLN:HB3	0.41	2.14	13	1
1:A:107:ASN:O	1:A:113:VAL:HG13	0.41	2.14	15	1
1:A:130:LYS:O	1:A:134:LYS:N	0.41	2.53	1	1
1:A:6:ASP:HB2	1:A:9:THR:H	0.41	1.75	4	1
1:A:172:VAL:O	1:A:176:ILE:HG12	0.41	2.16	3	1
1:A:68:ILE:HG21	1:A:167:PRO:HB3	0.41	1.92	4	1
1:A:3:ILE:HG22	1:A:15:SER:HB3	0.41	1.92	6	1
1:A:176:ILE:HG13	1:A:176:ILE:O	0.41	2.16	15	1
1:A:173:LYS:NZ	1:A:173:LYS:HB2	0.41	2.31	16	1
1:A:95:PHE:CE1	1:A:172:VAL:HG11	0.41	2.51	17	1
1:A:6:ASP:O	1:A:10:ASP:HB2	0.41	2.15	6	1
1:A:34:HIS:O	1:A:34:HIS:ND1	0.41	2.54	14	1
1:A:95:PHE:O	1:A:99:VAL:HG22	0.41	2.16	17	1
1:A:82:TYR:CG	1:A:83:GLU:N	0.41	2.88	19	1
1:A:94:LYS:HA	1:A:97:LYS:HD2	0.41	1.92	7	1
1:A:159:ARG:NH2	1:A:161:VAL:HG22	0.41	2.31	19	1
1:A:3:ILE:HB	1:A:13:LEU:HD11	0.41	1.93	3	1
1:A:110:LYS:HG3	1:A:111:ALA:N	0.41	2.31	4	1
1:A:144:ALA:HB1	1:A:151:GLY:HA3	0.41	1.92	6	1
1:A:86:SER:O	1:A:89:LYS:HG2	0.41	2.16	9	1
1:A:143:ARG:HA	1:A:146:GLU:HB3	0.40	1.92	14	1
1:A:91:TYR:HE2	1:A:152:GLN:HG3	0.40	1.76	2	1
1:A:121:GLN:O	1:A:125:VAL:HG23	0.40	2.16	13	1
1:A:2:LEU:HD13	1:A:180:LYS:HB3	0.40	1.93	19	1
1:A:36:VAL:HA	1:A:65:GLU:O	0.40	2.16	19	1
1:A:95:PHE:HE2	1:A:120:ILE:HG12	0.40	1.76	1	1
1:A:170:MET:N	1:A:170:MET:SD	0.40	2.95	9	1
1:A:66:ARG:O	1:A:66:ARG:HD3	0.40	2.16	15	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	152/189 (80%)	136±4 (90±2%)	14±4 (9±3%)	2±1 (1±1%)	18 66

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	3040/3780 (80%)	2730 (90%)	276 (9%)	34 (1%)	18 66

All 11 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	147	GLY	7
1	A	129	ALA	6
1	A	13	LEU	6
1	A	134	LYS	3
1	A	108	ARG	3
1	A	110	LYS	2
1	A	149	GLU	2
1	A	85	ALA	2
1	A	65	GLU	1
1	A	16	ASP	1
1	A	10	ASP	1

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	135/164 (82%)	129±2 (96±1%)	6±2 (4±1%)	32 81
All	All	2700/3280 (82%)	2581 (96%)	119 (4%)	32 81

All 53 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	165	GLU	7
1	A	173	LYS	7
1	A	178	GLU	6
1	A	130	LYS	6
1	A	20	MET	5
1	A	121	GLN	5
1	A	159	ARG	4
1	A	106	ASN	4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	13	LEU	3
1	A	66	ARG	3
1	A	174	GLU	3
1	A	80	ASN	3
1	A	75	LYS	3
1	A	108	ARG	3
1	A	31	LYS	3
1	A	157	GLU	3
1	A	103	MET	2
1	A	135	ASN	2
1	A	180	LYS	2
1	A	5	LYS	2
1	A	104	GLU	2
1	A	149	GLU	2
1	A	93	LYS	2
1	A	78	GLU	2
1	A	105	LYS	2
1	A	87	MET	2
1	A	132	ARG	2
1	A	97	LYS	2
1	A	142	GLU	2
1	A	152	GLN	2
1	A	102	HIS	1
1	A	140	ILE	1
1	A	4	TYR	1
1	A	33	LYS	1
1	A	37	ARG	1
1	A	158	TYR	1
1	A	177	ILE	1
1	A	79	MET	1
1	A	110	LYS	1
1	A	134	LYS	1
1	A	9	THR	1
1	A	94	LYS	1
1	A	89	LYS	1
1	A	34	HIS	1
1	A	16	ASP	1
1	A	84	ASP	1
1	A	21	LYS	1
1	A	24	ASP	1
1	A	150	ASN	1
1	A	8	PHE	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	12	GLU	1
1	A	98	ASN	1
1	A	109	ASP	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

No chemical shift data were provided