



Full wwPDB X-ray Structure Validation Report ⓘ

May 15, 2020 – 11:59 am BST

PDB ID : 1KYY
Title : Lumazine Synthase from *S.pombe* bound to nitropyrimidinedione
Authors : Gerhardt, S.; Haase, I.; Steinbacher, S.; Kaiser, J.T.; Cushman, M.; Bacher, A.; Huber, R.; Fischer, M.
Deposited on : 2002-02-06
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	159	
1	B	159	
1	C	159	
1	D	159	
1	E	159	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	INI	A	201	-	X	-	-
3	INI	B	202	-	X	-	-
3	INI	C	203	-	X	-	-
3	INI	D	204	-	X	-	-
3	INI	E	205	-	X	-	-

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 5966 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 6,7-Dimethyl-8-ribityllumazine Synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	149	Total 1142	C 726	N 201	O 211	S 4	22	1	0
1	B	147	Total 1129	C 718	N 199	O 208	S 4	20	1	0
1	C	149	Total 1148	C 730	N 201	O 213	S 4	15	1	0
1	D	147	Total 1129	C 718	N 199	O 208	S 4	32	1	0
1	E	152	Total 1161	C 737	N 205	O 215	S 4	30	1	0

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	P		
2	A	1	Total 5	O 4	P 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	O	P	0	0
			5	4	1		
2	C	1	Total	O	P	0	0
			5	4	1		
2	D	1	Total	O	P	0	0
			5	4	1		
2	E	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is 5-NITRO-6-RIBITYL-AMINO-2,4(1H,3H)-PYRIMIDINEDIONE (three-letter code: INI) (formula: C₉H₁₄N₄O₈).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			21	9	4	8		
3	B	1	Total	C	N	O	0	0
			21	9	4	8		
3	C	1	Total	C	N	O	0	0
			21	9	4	8		
3	D	1	Total	C	N	O	0	0
			21	9	4	8		
3	E	1	Total	C	N	O	0	0
			21	9	4	8		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	26	Total 26	O 26	0	0
4	B	32	Total 32	O 32	0	0
4	C	35	Total 35	O 35	0	0
4	D	16	Total 16	O 16	0	0
4	E	18	Total 18	O 18	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


Note EDS was not executed.

- Molecule 1: 6,7-Dimethyl-8-ribityllumazine Synthase

Chain A: 



- Molecule 1: 6,7-Dimethyl-8-ribityllumazine Synthase

Chain B: 





- Molecule 1: 6,7-Dimethyl-8-ribityllumazine Synthase

Chain C: 




- Molecule 1: 6,7-Dimethyl-8-ribityllumazine Synthase

Chain D: 



- Molecule 1: 6,7-Dimethyl-8-ribityllumazine Synthase

Chain E: 



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	111.26Å 145.04Å 127.86Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.58 – 2.40	Depositor
% Data completeness (in resolution range)	(Not available) (15.58-2.40)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.183 , 0.206	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	5966	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, INI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/1164	0.65	0/1579
1	B	0.46	0/1150	0.68	2/1560 (0.1%)
1	C	0.47	0/1170	0.64	0/1586
1	D	0.45	0/1150	0.62	0/1560
1	E	0.46	0/1184	0.64	0/1608
All	All	0.46	0/5818	0.65	2/7893 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	70	ARG	NE-CZ-NH2	-6.15	117.23	120.30
1	B	70	ARG	NE-CZ-NH1	5.52	123.06	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1142	0	1156	11	0
1	B	1129	0	1143	13	0
1	C	1148	0	1157	16	0
1	D	1129	0	1143	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	1161	0	1171	15	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
2	D	5	0	0	0	0
2	E	5	0	0	0	0
3	A	21	0	14	1	0
3	B	21	0	14	2	0
3	C	21	0	14	0	0
3	D	21	0	14	2	0
3	E	21	0	14	2	0
4	A	26	0	0	0	0
4	B	32	0	0	1	0
4	C	35	0	0	3	0
4	D	16	0	0	1	0
4	E	18	0	0	0	0
All	All	5966	0	5840	55	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (55) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:93:MET:HE2	4:C:1020:HOH:O	1.69	0.93
1:A:103:VAL:HG12	1:B:101:ALA:HB2	1.70	0.72
1:C:13:LEU:O	1:C:47:HIS:HD2	1.75	0.69
1:D:103:VAL:HG12	1:E:101:ALA:HB2	1.76	0.68
1:C:103:VAL:HG12	1:D:101:ALA:HB2	1.74	0.68
1:A:118:ILE:HG23	3:B:202:INI:H121	1.78	0.65
1:C:118:ILE:HG23	3:D:204:INI:H121	1.81	0.63
1:A:101:ALA:HB2	1:E:103:VAL:HG12	1.82	0.61
1:B:103:VAL:HG12	1:C:101:ALA:HB2	1.81	0.61
1:D:103:VAL:CG1	1:E:101:ALA:HB2	2.32	0.59
1:C:103:VAL:CG1	1:D:101:ALA:HB2	2.33	0.58
1:D:65:LEU:HB2	1:D:66:PRO:HD3	1.86	0.58
1:E:33:GLU:HB2	1:E:34:PRO:HD3	1.85	0.58
1:A:103:VAL:CG1	1:B:101:ALA:HB2	2.34	0.57
1:C:157:ALA:HB3	4:C:1023:HOH:O	2.03	0.57
1:A:94:HIS:CE1	1:A:98:ILE:HD11	2.40	0.56
1:C:65:LEU:HB2	1:C:66:PRO:HD3	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:33:GLU:HB2	1:D:34:PRO:HD3	1.89	0.55
1:C:94:HIS:CE1	1:C:98:ILE:HD11	2.42	0.54
1:B:31:ALA:O	1:B:34:PRO:HD2	2.07	0.54
1:A:65:LEU:HB2	1:A:66:PRO:HD3	1.90	0.53
1:C:33:GLU:HB2	1:C:34:PRO:HD3	1.91	0.53
1:C:17:GLU:HG3	1:C:159:TYR:OH	2.10	0.51
3:A:201:INI:H122	1:E:119:LEU:O	2.10	0.51
1:E:94:HIS:CE1	1:E:98:ILE:HD11	2.46	0.51
1:B:103:VAL:CG1	1:C:101:ALA:HB2	2.41	0.50
1:B:14:LYS:HD2	1:B:48:ASP:OD1	2.13	0.49
1:B:33:GLU:HB2	1:B:34:PRO:HD3	1.95	0.48
1:D:44:ILE:HG22	1:D:45:GLU:N	2.28	0.48
1:B:65:LEU:HB2	1:B:66:PRO:HD3	1.94	0.47
1:B:94:HIS:CE1	1:B:98:ILE:HD11	2.50	0.47
1:E:65:LEU:HB2	1:E:66:PRO:HD3	1.97	0.46
1:A:31:ALA:O	1:A:34:PRO:HD2	2.15	0.46
1:A:24:HIS:HA	1:A:84:ILE:O	2.15	0.46
1:E:64:GLU:OE2	3:E:205:INI:O12	2.34	0.46
1:C:13:LEU:O	1:C:47:HIS:CD2	2.64	0.46
1:D:152:GLU:CD	1:E:26:ARG:HH12	2.19	0.45
1:B:67:GLN:HB3	4:B:1017:HOH:O	2.17	0.45
1:B:87:LEU:HD23	3:B:202:INI:C4	2.46	0.44
1:B:24:HIS:HA	1:B:84:ILE:O	2.17	0.44
1:C:24:HIS:O	1:C:58:SER:HA	2.18	0.44
1:A:24:HIS:O	1:A:58:SER:HA	2.18	0.43
1:A:101:ALA:HB2	1:E:103:VAL:CG1	2.49	0.43
1:E:87:LEU:HD23	3:E:205:INI:C4	2.49	0.43
1:E:44:ILE:HG22	1:E:45:GLU:N	2.33	0.42
3:D:204:INI:H81	4:D:1015:HOH:O	2.19	0.42
1:D:94:HIS:CE1	1:D:98:ILE:HD11	2.55	0.42
1:E:53:ASN:HA	1:E:53:ASN:HD22	1.64	0.42
1:D:24:HIS:O	1:D:58:SER:HA	2.20	0.42
1:E:21:LEU:HB2	1:E:78:TYR:CE1	2.55	0.41
1:A:84:ILE:HA	1:A:120:GLY:O	2.21	0.41
1:B:44:ILE:HG22	1:B:45:GLU:N	2.35	0.41
1:E:154:GLY:O	1:E:158:LEU:HD13	2.21	0.41
1:C:94:HIS:HD2	4:C:1035:HOH:O	2.04	0.40
1:C:44:ILE:HG22	1:C:45:GLU:N	2.35	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	148/159 (93%)	144 (97%)	3 (2%)	1 (1%)	22	32
1	B	146/159 (92%)	141 (97%)	5 (3%)	0	100	100
1	C	148/159 (93%)	144 (97%)	4 (3%)	0	100	100
1	D	146/159 (92%)	142 (97%)	3 (2%)	1 (1%)	22	32
1	E	151/159 (95%)	145 (96%)	5 (3%)	1 (1%)	22	32
All	All	739/795 (93%)	716 (97%)	20 (3%)	3 (0%)	34	48

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	11	SER
1	E	13	LEU
1	D	44	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	121/128 (94%)	117 (97%)	4 (3%)	38	57
1	B	119/128 (93%)	116 (98%)	3 (2%)	47	67
1	C	121/128 (94%)	117 (97%)	4 (3%)	38	57
1	D	119/128 (93%)	118 (99%)	1 (1%)	81	91
1	E	123/128 (96%)	121 (98%)	2 (2%)	62	79

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	603/640 (94%)	589 (98%)	14 (2%)	50 70

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	GLU
1	A	51	LEU
1	A	70	ARG
1	A	126	ASN
1	B	17	GLU
1	B	51	LEU
1	B	158	LEU
1	C	12	ASP
1	C	17	GLU
1	C	70	ARG
1	C	158	LEU
1	D	70	ARG
1	E	30	GLN
1	E	70	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	ASN
1	A	94	HIS
1	A	126	ASN
1	A	144	ASN
1	B	53	ASN
1	B	94	HIS
1	C	47	HIS
1	C	53	ASN
1	C	94	HIS
1	C	144	ASN
1	D	53	ASN
1	D	144	ASN
1	E	53	ASN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PO4	E	1003	-	4,4,4	1.44	0	6,6,6	0.46	0
3	INI	B	202	-	17,21,21	2.97	8 (47%)	21,29,29	4.39	15 (71%)
3	INI	A	201	-	17,21,21	3.21	8 (47%)	21,29,29	4.39	15 (71%)
3	INI	E	205	-	17,21,21	3.05	7 (41%)	21,29,29	4.26	15 (71%)
2	PO4	B	1002	-	4,4,4	1.68	1 (25%)	6,6,6	0.47	0
2	PO4	C	1005	-	4,4,4	1.50	0	6,6,6	0.45	0
3	INI	D	204	-	17,21,21	3.32	9 (52%)	21,29,29	4.23	14 (66%)
2	PO4	A	1001	-	4,4,4	1.56	0	6,6,6	0.46	0
3	INI	C	203	-	17,21,21	3.08	8 (47%)	21,29,29	4.45	14 (66%)
2	PO4	D	1004	-	4,4,4	1.51	0	6,6,6	0.46	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	INI	E	205	-	-	9/15/19/19	0/1/1/1
3	INI	C	203	-	-	9/15/19/19	0/1/1/1
3	INI	A	201	-	-	9/15/19/19	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	INI	B	202	-	-	9/15/19/19	0/1/1/1
3	INI	D	204	-	-	9/15/19/19	0/1/1/1

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	201	INI	C11-C10	8.61	1.69	1.53
3	E	205	INI	C11-C10	8.32	1.69	1.53
3	D	204	INI	C11-C10	8.25	1.69	1.53
3	C	203	INI	C11-C10	7.86	1.68	1.53
3	B	202	INI	C11-C10	7.54	1.67	1.53
3	D	204	INI	C6-N7	5.20	1.42	1.34
3	D	204	INI	C8-C9	5.06	1.59	1.52
3	B	202	INI	C6-N7	5.04	1.42	1.34
3	C	203	INI	C9-C10	4.87	1.62	1.53
3	A	201	INI	C6-N7	4.84	1.42	1.34
3	B	202	INI	C9-C10	4.65	1.62	1.53
3	D	204	INI	C9-C10	4.63	1.62	1.53
3	A	201	INI	C8-C9	4.47	1.58	1.52
3	E	205	INI	C8-C9	4.40	1.58	1.52
3	C	203	INI	C8-C9	4.31	1.58	1.52
3	E	205	INI	C9-C10	4.22	1.61	1.53
3	A	201	INI	C9-C10	4.16	1.61	1.53
3	C	203	INI	C6-N7	4.09	1.41	1.34
3	E	205	INI	C6-N7	3.97	1.40	1.34
3	D	204	INI	C6-N1	3.83	1.41	1.34
3	B	202	INI	C8-C9	3.62	1.57	1.52
3	C	203	INI	C12-C11	3.53	1.61	1.52
3	A	201	INI	C4-N3	3.49	1.39	1.33
3	E	205	INI	C4-N3	3.43	1.39	1.33
3	E	205	INI	C6-N1	3.12	1.40	1.34
3	A	201	INI	C6-N1	3.02	1.40	1.34
3	C	203	INI	C4-N3	2.85	1.38	1.33
3	B	202	INI	C12-C11	2.80	1.59	1.52
3	A	201	INI	C12-C11	2.77	1.59	1.52
3	C	203	INI	C6-N1	2.74	1.39	1.34
3	D	204	INI	C4-N3	2.73	1.37	1.33
3	D	204	INI	C12-C11	2.68	1.59	1.52
3	B	202	INI	C6-N1	2.64	1.39	1.34
3	C	203	INI	C8-N7	2.62	1.50	1.45
3	E	205	INI	C12-C11	2.58	1.59	1.52
3	B	202	INI	C4-N3	2.54	1.37	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	204	INI	C8-N7	2.54	1.50	1.45
3	B	202	INI	C8-N7	2.30	1.50	1.45
3	A	201	INI	C8-N7	2.13	1.49	1.45
2	B	1002	PO4	P-O2	-2.03	1.48	1.54
3	D	204	INI	O11-C11	2.01	1.47	1.43

All (73) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	202	INI	C4-N3-C2	12.27	125.50	115.14
3	D	204	INI	C4-N3-C2	12.19	125.44	115.14
3	C	203	INI	C4-N3-C2	12.04	125.30	115.14
3	A	201	INI	C4-N3-C2	11.76	125.07	115.14
3	E	205	INI	C4-N3-C2	11.49	124.84	115.14
3	C	203	INI	C12-C11-C10	8.02	129.80	112.41
3	E	205	INI	C12-C11-C10	7.50	128.66	112.41
3	A	201	INI	C12-C11-C10	7.49	128.65	112.41
3	D	204	INI	C12-C11-C10	7.26	128.15	112.41
3	B	202	INI	C12-C11-C10	6.96	127.50	112.41
3	C	203	INI	C8-N7-C6	-6.02	112.54	123.25
3	B	202	INI	C2-N1-C6	5.70	126.85	113.80
3	C	203	INI	C2-N1-C6	5.62	126.66	113.80
3	A	201	INI	C2-N1-C6	5.61	126.64	113.80
3	E	205	INI	C2-N1-C6	5.51	126.42	113.80
3	D	204	INI	C2-N1-C6	5.51	126.41	113.80
3	E	205	INI	C8-N7-C6	-5.49	113.48	123.25
3	B	202	INI	C8-N7-C6	-5.41	113.62	123.25
3	A	201	INI	C8-N7-C6	-5.35	113.74	123.25
3	A	201	INI	C5-C4-N3	-4.68	117.03	123.43
3	D	204	INI	C8-N7-C6	-4.65	114.98	123.25
3	C	203	INI	C5-C4-N3	-4.61	117.13	123.43
3	C	203	INI	O11-C11-C10	-4.61	97.90	109.10
3	B	202	INI	O11-C11-C10	-4.49	98.17	109.10
3	E	205	INI	O11-C11-C12	-4.46	98.68	109.14
3	C	203	INI	C4-C5-C6	4.43	117.43	114.53
3	E	205	INI	O11-C11-C10	-4.43	98.33	109.10
3	B	202	INI	C5-C4-N3	-4.41	117.39	123.43
3	A	201	INI	O11-C11-C10	-4.34	98.56	109.10
3	A	201	INI	O11-C11-C12	-4.31	99.02	109.14
3	D	204	INI	O11-C11-C10	-4.26	98.74	109.10
3	A	201	INI	C8-C9-C10	4.00	123.60	110.93
3	D	204	INI	C5-C4-N3	-3.96	118.02	123.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	204	INI	C4-C5-C6	3.92	117.09	114.53
3	B	202	INI	C5-C6-N7	3.87	127.97	123.37
3	B	202	INI	O11-C11-C12	-3.84	100.14	109.14
3	E	205	INI	C5-C4-N3	-3.83	118.20	123.43
3	A	201	INI	C11-C10-C9	3.78	121.23	113.36
3	B	202	INI	C8-C9-C10	3.78	122.92	110.93
3	A	201	INI	C5-C6-N7	3.78	127.87	123.37
3	A	201	INI	C4-C5-C6	3.77	116.99	114.53
3	B	202	INI	C11-C10-C9	3.74	121.15	113.36
3	C	203	INI	O11-C11-C12	-3.60	100.71	109.14
3	D	204	INI	C8-C9-C10	3.56	122.22	110.93
3	C	203	INI	C11-C10-C9	3.49	120.61	113.36
3	E	205	INI	C5-C6-N7	3.48	127.51	123.37
3	C	203	INI	C8-C9-C10	3.47	121.93	110.93
3	D	204	INI	O11-C11-C12	-3.41	101.14	109.14
3	E	205	INI	C8-C9-C10	3.40	121.71	110.93
3	D	204	INI	C11-C10-C9	3.36	120.36	113.36
3	E	205	INI	C4-C5-C6	3.36	116.73	114.53
3	D	204	INI	O12-C12-C11	-3.32	103.85	111.07
3	E	205	INI	C4-C5-N5	-3.23	116.07	121.64
3	E	205	INI	C11-C10-C9	3.16	119.94	113.36
3	B	202	INI	C4-C5-C6	3.16	116.60	114.53
3	C	203	INI	C5-C6-N7	3.16	127.13	123.37
3	E	205	INI	O12-C12-C11	-3.05	104.43	111.07
3	C	203	INI	O9-C9-C8	-2.93	103.78	109.69
3	B	202	INI	O12-C12-C11	-2.93	104.69	111.07
3	C	203	INI	C4-C5-N5	-2.87	116.69	121.64
3	B	202	INI	C4-C5-N5	-2.79	116.83	121.64
3	B	202	INI	O9-C9-C8	-2.73	104.18	109.69
3	D	204	INI	C5-C6-N7	2.71	126.59	123.37
3	A	201	INI	C4-C5-N5	-2.66	117.05	121.64
3	A	201	INI	O12-C12-C11	-2.60	105.40	111.07
3	D	204	INI	C4-C5-N5	-2.51	117.31	121.64
3	A	201	INI	O9-C9-C8	-2.49	104.66	109.69
3	A	201	INI	N7-C6-N1	-2.30	115.56	118.50
3	C	203	INI	O12-C12-C11	-2.25	106.17	111.07
3	B	202	INI	N7-C6-N1	-2.24	115.63	118.50
3	D	204	INI	O9-C9-C8	-2.24	105.17	109.69
3	E	205	INI	N7-C6-N1	-2.04	115.89	118.50
3	E	205	INI	O9-C9-C8	-2.02	105.61	109.69

There are no chirality outliers.

All (45) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	202	INI	N1-C6-N7-C8
3	B	202	INI	C5-C6-N7-C8
3	B	202	INI	C9-C10-C11-O11
3	B	202	INI	C9-C10-C11-C12
3	B	202	INI	O10-C10-C11-O11
3	B	202	INI	C10-C11-C12-O12
3	E	205	INI	N1-C6-N7-C8
3	E	205	INI	C5-C6-N7-C8
3	E	205	INI	C9-C10-C11-O11
3	E	205	INI	C9-C10-C11-C12
3	E	205	INI	O10-C10-C11-O11
3	E	205	INI	O11-C11-C12-O12
3	A	201	INI	N1-C6-N7-C8
3	A	201	INI	C5-C6-N7-C8
3	A	201	INI	C9-C10-C11-O11
3	A	201	INI	C9-C10-C11-C12
3	A	201	INI	O10-C10-C11-O11
3	D	204	INI	N1-C6-N7-C8
3	D	204	INI	C5-C6-N7-C8
3	D	204	INI	C9-C10-C11-O11
3	D	204	INI	O10-C10-C11-O11
3	D	204	INI	C10-C11-C12-O12
3	D	204	INI	O11-C11-C12-O12
3	C	203	INI	N1-C6-N7-C8
3	C	203	INI	C5-C6-N7-C8
3	C	203	INI	C9-C10-C11-O11
3	C	203	INI	O10-C10-C11-O11
3	C	203	INI	C10-C11-C12-O12
3	A	201	INI	O11-C11-C12-O12
3	C	203	INI	O11-C11-C12-O12
3	E	205	INI	C10-C11-C12-O12
3	A	201	INI	C10-C11-C12-O12
3	B	202	INI	O10-C10-C11-C12
3	E	205	INI	O10-C10-C11-C12
3	A	201	INI	O10-C10-C11-C12
3	D	204	INI	O10-C10-C11-C12
3	C	203	INI	O10-C10-C11-C12
3	D	204	INI	C9-C10-C11-C12
3	C	203	INI	C9-C10-C11-C12
3	B	202	INI	O11-C11-C12-O12
3	A	201	INI	N7-C8-C9-C10
3	D	204	INI	N7-C8-C9-C10

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	B	202	INI	N7-C8-C9-C10
3	E	205	INI	N7-C8-C9-C10
3	C	203	INI	N7-C8-C9-C10


There are no ring outliers.


4 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	202	INI	2	0
3	A	201	INI	1	0
3	E	205	INI	2	0
3	D	204	INI	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.