



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 3, 2024 – 02:14 pm GMT

PDB ID : 5L5F  
Title : Yeast 20S proteasome with human beta5i (1-138) and human beta6 (97-111; 118-133) in complex with bortezomib  
Authors : Groll, M.; Huber, E.M.  
Deposited on : 2016-05-28  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*






The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	 4% 98%
1	O	250	 4% 98%
2	B	258	 6% 88% 6% 5%
2	P	258	 5% 88% 7% 5%
3	C	254	 12% 87% 6% 6%

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	11% 87% 6% • 6%
4	D	260	3% 86% • 10%
4	R	260	5% 86% • 10%
5	E	234	5% 96% • •
5	S	234	6% 94% • •
6	F	288	4% 81% • 16%
6	T	288	4% 81% • 16%
7	G	252	3% 90% 5% •
7	U	252	4% 90% 5% •
8	H	232	3% 92% 5% •
8	V	232	3% 92% 5% •
9	I	205	% 92% 7%
9	W	205	% 92% 7%
10	J	198	4% 91% 6% • •
10	X	198	3% 90% 7% • • •
11	K	211	2% 90% 10%
11	Y	211	3% 89% 11%
12	L	222	4% 96% • •
12	Z	222	4% 95% • •
13	M	246	2% 90% 5% 5%
13	a	246	% 92% • 5%
14	N	196	2% 93% 6% •
14	b	196	% 96% •

## 2 Entry composition

There are 18 unique types of molecules in this entry. The entry contains 50436 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			
5	S	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			
6	T	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			
7	U	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	226	Total	C	N	O	S	0	0	0
			1719	1082	298	332	7			
8	V	226	Total	C	N	O	S	0	0	0
			1719	1082	298	332	7			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-8, Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	211	Total	C	N	O	S	0	0	0
			1640	1035	282	311	12			
11	Y	211	Total	C	N	O	S	0	0	0
			1640	1035	282	311	12			

- Molecule 12 is a protein called Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1764	1119	305	336	4			
12	Z	222	Total	C	N	O	S	0	0	0
			1764	1119	305	336	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			
13	a	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			


- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	G	1	Total Mg 1 1	0	0
15	I	1	Total Mg 1 1	0	0
15	J	1	Total Mg 1 1	0	0
15	K	1	Total Mg 1 1	0	0
15	L	1	Total Mg 1 1	0	0
15	N	1	Total Mg 1 1	0	0
15	Z	1	Total Mg 1 1	0	0
15	b	1	Total Mg 1 1	0	0

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	G	1	Total Cl 1 1	0	0
16	N	1	Total Cl 1 1	0	0
16	U	1	Total Cl 1 1	0	0
16	b	1	Total Cl 1 1	0	0

- Molecule 17 is N-[(1R)-1-(DIHYDROXYBORYL)-3-METHYLBUTYL]-N-(PYRAZI  
N-2-YLCARBONYL)-L-PHENYLALANINAMIDE (three-letter code: BO2) (formula:  
C<sub>19</sub>H<sub>25</sub>BN<sub>4</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	B	C	N	O		
17	H	1	28	1	19	4	4	0	0
17	K	1	28	1	19	4	4	0	0
17	N	1	28	1	19	4	4	0	0
17	V	1	28	1	19	4	4	0	0
17	Y	1	28	1	19	4	4	0	0
17	b	1	28	1	19	4	4	0	0

- Molecule 18 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	A	39	Total	O	0	0
			39	39		
18	B	26	Total	O	0	0
			26	26		
18	C	19	Total	O	0	0
			19	19		
18	D	13	Total	O	0	0
			13	13		
18	E	14	Total	O	0	0
			14	14		
18	F	34	Total	O	0	0
			34	34		

*Continued on next page...*



*Continued from previous page...*


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
18	G	42	Total O 42 42	0	0
18	H	63	Total O 63 63	0	0
18	I	38	Total O 38 38	0	0
18	J	30	Total O 30 30	0	0
18	K	26	Total O 26 26	0	0
18	L	42	Total O 42 42	0	0
18	M	55	Total O 55 55	0	0
18	N	30	Total O 30 30	0	0
18	O	33	Total O 33 33	0	0
18	P	20	Total O 20 20	0	0
18	Q	13	Total O 13 13	0	0
18	R	14	Total O 14 14	0	0
18	S	17	Total O 17 17	0	0
18	T	27	Total O 27 27	0	0
18	U	43	Total O 43 43	0	0
18	V	46	Total O 46 46	0	0
18	W	36	Total O 36 36	0	0
18	X	29	Total O 29 29	0	0
18	Y	24	Total O 24 24	0	0
18	Z	30	Total O 30 30	0	0
18	a	41	Total O 41 41	0	0

*Continued on next page...*




*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
18	b	40	Total	O	0	0
			40	40		









- Molecule 3: Proteasome subunit alpha type-4




- Molecule 4: Proteasome subunit alpha type-5





- Molecule 4: Proteasome subunit alpha type-5




- Molecule 5: Proteasome subunit alpha type-6




- Molecule 5: Proteasome subunit alpha type-6




- Molecule 6: Probable proteasome subunit alpha type-7










- Molecule 9: Proteasome subunit beta type-3




- Molecule 10: Proteasome subunit beta type-4





- Molecule 10: Proteasome subunit beta type-4




- Molecule 11: Proteasome subunit beta type-8, Proteasome subunit beta type-5




- Molecule 11: Proteasome subunit beta type-8, Proteasome subunit beta type-5




- Molecule 12: Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6




- Molecule 12: Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6




- Molecule 13: Proteasome subunit beta type-7




- Molecule 13: Proteasome subunit beta type-7



- Molecule 14: Proteasome subunit beta type-1



- Molecule 14: Proteasome subunit beta type-1



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	135.51Å 300.91Å 144.92Å 90.00° 112.59° 90.00°	Depositor
Resolution (Å)	15.00 – 2.50 15.00 – 2.50	Depositor EDS
% Data completeness (in resolution range)	98.3 (15.00-2.50) 98.3 (15.00-2.50)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.43 (at 2.51Å)	Xtrriage
Refinement program	REFMAC 5.7.0032	Depositor
R, $R_{free}$	0.205 , 0.228 0.207 , 0.228	Depositor DCC
$R_{free}$ test set	17997 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	50.9	Xtrriage
Anisotropy	0.168	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 34.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	50436	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	58.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.12% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, MG, BO2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.27	0/1952	0.46	0/2642
1	O	0.27	0/1952	0.46	0/2642
2	B	0.27	0/1934	0.49	0/2618
2	P	0.27	0/1934	0.49	0/2618
3	C	0.27	0/1910	0.50	0/2586
3	Q	0.28	0/1910	0.50	0/2586
4	D	0.27	0/1837	0.47	0/2475
4	R	0.27	0/1837	0.47	0/2475
5	E	0.27	0/1800	0.46	0/2433
5	S	0.27	0/1800	0.46	0/2433
6	F	0.27	0/1932	0.45	0/2609
6	T	0.27	0/1932	0.45	0/2609
7	G	0.27	0/1945	0.74	4/2634 (0.2%)
7	U	0.28	0/1945	0.78	4/2634 (0.2%)
8	H	0.25	0/1750	0.47	0/2373
8	V	0.25	0/1750	0.47	0/2373
9	I	0.26	0/1611	0.56	2/2174 (0.1%)
9	W	0.27	0/1611	0.55	2/2174 (0.1%)
10	J	0.27	0/1589	0.97	6/2142 (0.3%)
10	X	0.27	0/1589	0.94	6/2142 (0.3%)
11	K	0.26	0/1677	0.50	0/2263
11	Y	0.27	0/1677	0.50	0/2263
12	L	0.28	0/1802	0.73	3/2430 (0.1%)
12	Z	0.27	0/1802	0.73	3/2430 (0.1%)
13	M	0.27	0/1855	0.51	0/2514
13	a	0.27	0/1855	0.51	0/2514
14	N	0.25	0/1541	0.47	0/2087
14	b	0.26	0/1541	0.47	0/2087
All	All	0.27	0/50270	0.57	30/67960 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
7	G	0	1
10	J	0	2
10	X	0	2
12	L	0	1
12	Z	0	1
All	All	0	7

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	U	68	ARG	NE-CZ-NH2	-22.78	108.91	120.30
10	J	95	ARG	NE-CZ-NH2	-20.69	109.95	120.30
7	G	68	ARG	NE-CZ-NH1	-20.68	109.96	120.30
10	J	149	ARG	NE-CZ-NH1	-20.55	110.03	120.30
12	Z	100	ARG	NE-CZ-NH2	-20.30	110.15	120.30
10	X	149	ARG	NE-CZ-NH2	-19.98	110.31	120.30
12	L	100	ARG	NE-CZ-NH1	-19.75	110.42	120.30
10	X	95	ARG	NE-CZ-NH1	-18.80	110.90	120.30
7	U	68	ARG	NE-CZ-NH1	17.92	129.26	120.30
7	G	68	ARG	NE-CZ-NH2	17.61	129.11	120.30
12	Z	100	ARG	NE-CZ-NH1	16.48	128.54	120.30
12	L	100	ARG	NE-CZ-NH2	16.34	128.47	120.30
10	J	149	ARG	NE-CZ-NH2	16.17	128.39	120.30
10	X	95	ARG	NE-CZ-NH2	15.86	128.23	120.30
10	X	149	ARG	NE-CZ-NH1	15.00	127.80	120.30
10	J	95	ARG	NE-CZ-NH1	13.80	127.20	120.30
7	U	68	ARG	CD-NE-CZ	10.81	138.74	123.60
9	I	126	ILE	CG1-CB-CG2	-10.73	87.78	111.40
10	J	95	ARG	CD-NE-CZ	10.55	138.37	123.60
10	J	149	ARG	CD-NE-CZ	10.28	137.99	123.60
9	W	126	ILE	CG1-CB-CG2	-10.24	88.88	111.40
7	G	68	ARG	CD-NE-CZ	10.11	137.75	123.60
10	X	149	ARG	CD-NE-CZ	9.55	136.97	123.60
12	Z	100	ARG	CD-NE-CZ	9.09	136.32	123.60
10	X	95	ARG	CD-NE-CZ	8.96	136.15	123.60
12	L	100	ARG	CD-NE-CZ	8.83	135.96	123.60
7	U	68	ARG	CG-CD-NE	-7.41	96.23	111.80
7	G	68	ARG	CG-CD-NE	5.35	123.03	111.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	W	126	ILE	CA-CB-CG1	5.20	120.87	111.00
9	I	126	ILE	CA-CB-CG1	5.08	120.64	111.00

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
7	G	68	ARG	Sidechain
10	J	149	ARG	Sidechain
10	J	95	ARG	Sidechain
12	L	100	ARG	Sidechain
10	X	149	ARG	Sidechain
10	X	95	ARG	Sidechain
12	Z	100	ARG	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	1	0
1	O	1915	0	1929	2	0
2	B	1904	0	1904	7	0
2	P	1904	0	1904	8	0
3	C	1881	0	1895	6	0
3	Q	1881	0	1895	6	0
4	D	1813	0	1797	3	0
4	R	1813	0	1797	3	0
5	E	1773	0	1775	0	0
5	S	1773	0	1775	2	0
6	F	1892	0	1883	3	0
6	T	1892	0	1883	3	0
7	G	1907	0	1901	3	0
7	U	1907	0	1901	3	0
8	H	1719	0	1718	6	0
8	V	1719	0	1718	5	0
9	I	1581	0	1574	11	0
9	W	1581	0	1574	13	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	J	1561	0	1569	9	0
10	X	1561	0	1569	10	0
11	K	1640	0	1580	9	0
11	Y	1640	0	1580	11	0
12	L	1764	0	1716	4	0
12	Z	1764	0	1716	5	0
13	M	1824	0	1832	3	0
13	a	1824	0	1832	0	0
14	N	1512	0	1480	4	0
14	b	1512	0	1480	0	0
15	G	1	0	0	0	0
15	I	1	0	0	0	0
15	J	1	0	0	0	0
15	K	1	0	0	0	0
15	L	1	0	0	0	0
15	N	1	0	0	0	0
15	Z	1	0	0	0	0
15	b	1	0	0	0	0
16	G	1	0	0	0	0
16	N	1	0	0	0	0
16	U	1	0	0	0	0
16	b	1	0	0	0	0
17	H	28	0	25	0	0
17	K	28	0	25	0	0
17	N	28	0	25	1	0
17	V	28	0	25	0	0
17	Y	28	0	25	0	0
17	b	28	0	25	0	0
18	A	39	0	0	0	0
18	B	26	0	0	2	0
18	C	19	0	0	0	0
18	D	13	0	0	0	0
18	E	14	0	0	0	0
18	F	34	0	0	1	0
18	G	42	0	0	0	0
18	H	63	0	0	0	0
18	I	38	0	0	0	0
18	J	30	0	0	0	0
18	K	26	0	0	0	0
18	L	42	0	0	0	0
18	M	55	0	0	0	0
18	N	30	0	0	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
18	O	33	0	0	0	0
18	P	20	0	0	1	0
18	Q	13	0	0	0	0
18	R	14	0	0	0	0
18	S	17	0	0	0	0
18	T	27	0	0	0	0
18	U	43	0	0	0	0
18	V	46	0	0	0	0
18	W	36	0	0	0	0
18	X	29	0	0	0	0
18	Y	24	0	0	0	0
18	Z	30	0	0	0	0
18	a	41	0	0	0	0
18	b	40	0	0	0	0
All	All	50436	0	49256	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:W:98:ARG:HD2	9:W:126:ILE:HD12	1.68	0.75
9:I:98:ARG:HD2	9:I:126:ILE:HD12	1.69	0.74
10:X:3:ILE:HD11	10:X:168:LEU:HD13	1.71	0.72
10:J:3:ILE:HD11	10:J:168:LEU:HD13	1.71	0.71
9:W:125:LEU:HD23	9:W:126:ILE:HG22	1.72	0.70
11:K:72:GLU:OE1	11:K:106:LYS:NZ	2.21	0.68
8:V:35:HIS:HB3	8:V:56:THR:HG21	1.75	0.68
11:Y:72:GLU:OE1	11:Y:106:LYS:NZ	2.21	0.67
8:H:35:HIS:HB3	8:H:56:THR:HG21	1.75	0.67
10:X:23:ARG:NH2	11:Y:119:THR:OG1	2.28	0.66
10:J:23:ARG:NH2	11:K:119:THR:OG1	2.25	0.65
11:Y:31:VAL:HA	12:Z:132:GLN:HE22	1.62	0.64
9:W:125:LEU:CD2	9:W:126:ILE:HG22	2.30	0.62
11:K:31:VAL:HA	12:L:132:GLN:HE22	1.65	0.61
10:J:3:ILE:CD1	10:J:168:LEU:HD13	2.31	0.61
10:X:3:ILE:CD1	10:X:168:LEU:HD13	2.31	0.60
9:I:125:LEU:HD23	9:I:126:ILE:HG22	1.84	0.59
14:N:152:VAL:HA	14:N:175:MET:HE1	1.85	0.58
9:I:125:LEU:CD2	9:I:126:ILE:HG22	2.35	0.57

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:113:ARG:NE	18:B:301:HOH:O	2.35	0.56
11:K:104:TRP:CE2	11:K:181:GLU:HB3	2.41	0.56
9:W:98:ARG:HD2	9:W:126:ILE:CD1	2.35	0.56
11:Y:104:TRP:CE2	11:Y:181:GLU:HB3	2.41	0.55
4:R:89:VAL:HG12	11:Y:61:LYS:HG3	1.88	0.54
2:P:93:HIS:HB3	18:P:301:HOH:O	2.10	0.53
7:G:23:PHE:O	7:G:26:THR:HB	2.09	0.52
4:D:89:VAL:HG12	11:K:61:LYS:HG3	1.91	0.52
7:U:23:PHE:O	7:U:26:THR:HB	2.10	0.52
8:H:196:ARG:NH2	9:I:150:GLU:O	2.42	0.52
11:Y:9:GLN:HB2	11:Y:145:TRP:O	2.11	0.51
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.94	0.51
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.59	0.50
3:C:201:VAL:O	3:C:202:GLN:CB	2.59	0.50
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.94	0.50
8:V:84:LYS:HA	8:V:113:ILE:HD11	1.94	0.49
11:K:9:GLN:HB2	11:K:145:TRP:O	2.11	0.49
10:X:3:ILE:HG22	10:X:18:SER:HB3	1.93	0.49
10:X:1:MET:HG2	10:X:34:LYS:HE3	1.93	0.49
10:J:1:MET:HG2	10:J:34:LYS:HE3	1.93	0.49
10:X:3:ILE:HG22	10:X:18:SER:CB	2.43	0.49
10:J:3:ILE:HG22	10:J:18:SER:CB	2.43	0.49
8:H:84:LYS:HA	8:H:113:ILE:HD11	1.95	0.49
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.78	0.48
10:J:3:ILE:HG22	10:J:18:SER:HB3	1.93	0.48
11:Y:20:ALA:HB3	11:Y:28:ALA:HB3	1.95	0.48
3:C:51:LYS:O	3:C:52:LEU:HB2	2.12	0.48
9:I:38:LYS:NZ	11:Y:208:ASN:O	2.46	0.48
11:K:20:ALA:HB3	11:K:28:ALA:HB3	1.94	0.48
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.43	0.48
12:Z:100:ARG:HD3	12:Z:105:TYR:CE2	2.49	0.48
3:Q:51:LYS:O	3:Q:52:LEU:HB2	2.13	0.48
11:Y:20:ALA:HB2	11:Y:31:VAL:HG21	1.96	0.48
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.78	0.47
8:V:196:ARG:NH2	9:W:150:GLU:O	2.47	0.47
6:F:19:GLN:NE2	18:F:301:HOH:O	2.47	0.47
12:L:100:ARG:HD2	12:L:105:TYR:CZ	2.50	0.46
5:S:12:PHE:H	6:T:19:GLN:HE22	1.64	0.46
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.97	0.46
12:Z:13:LEU:HD11	12:Z:150:LEU:HD21	1.99	0.45
8:H:53:GLU:O	8:H:57:GLN:HG2	2.16	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:K:208:ASN:O	9:W:38:LYS:NZ	2.49	0.45
9:I:98:ARG:HD2	9:I:126:ILE:CD1	2.44	0.45
9:W:98:ARG:CD	9:W:126:ILE:CD1	2.94	0.45
2:B:217:LYS:C	2:B:219:ALA:H	2.20	0.45
10:J:177:LYS:NZ	10:X:169:GLU:O	2.50	0.45
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.97	0.45
2:P:50:LYS:O	2:P:51:VAL:C	2.55	0.45
10:X:148:TYR:O	10:X:149:ARG:HD3	2.16	0.44
12:L:13:LEU:HD11	12:L:150:LEU:HD21	1.98	0.44
2:B:50:LYS:O	2:B:51:VAL:C	2.56	0.44
1:O:1:MET:HG3	6:T:122:TYR:CZ	2.53	0.44
14:N:176:VAL:HG12	14:N:178:LEU:HD13	2.00	0.44
2:P:217:LYS:C	2:P:219:ALA:H	2.20	0.44
9:I:10:ILE:HG21	9:I:141:ALA:HB3	2.00	0.44
8:V:53:GLU:O	8:V:57:GLN:HG2	2.18	0.44
9:W:126:ILE:HG21	9:W:126:ILE:HD13	1.42	0.44
9:W:9:GLY:HA3	9:W:41:LYS:HE2	1.99	0.43
11:K:144:LYS:HB2	11:K:147:LEU:HD13	2.01	0.43
9:W:20:VAL:HG13	9:W:118:PRO:HB3	2.00	0.43
9:I:20:VAL:HG13	9:I:118:PRO:HB3	2.01	0.43
3:C:35:LYS:HG2	3:C:158:SER:O	2.19	0.43
4:D:91:HIS:HB3	4:D:99:ILE:CG2	2.49	0.43
9:W:10:ILE:HG21	9:W:141:ALA:HB3	2.00	0.43
2:B:221:ASP:O	2:B:223:GLU:N	2.52	0.43
2:P:221:ASP:O	2:P:223:GLU:N	2.52	0.43
2:B:95:GLN:NE2	18:B:302:HOH:O	2.52	0.43
13:M:127:LEU:HG	13:M:142:LEU:HD12	2.01	0.43
3:Q:201:VAL:O	3:Q:202:GLN:HB3	2.19	0.42
11:Y:144:LYS:HB2	11:Y:147:LEU:HD13	2.01	0.42
3:C:149:GLU:HB2	3:C:150:PRO:HD2	2.02	0.42
14:N:21:THR:O	17:N:201:BO2:H3	2.19	0.42
6:F:202:ASP:OD1	6:F:202:ASP:N	2.53	0.42
7:G:78:ILE:N	7:G:79:PRO:CD	2.83	0.42
3:Q:35:LYS:HG2	3:Q:158:SER:O	2.19	0.42
9:I:9:GLY:HA3	9:I:41:LYS:HE2	2.00	0.42
10:J:169:GLU:O	10:X:177:LYS:NZ	2.52	0.42
3:Q:149:GLU:HB2	3:Q:150:PRO:HD2	2.02	0.42
9:I:26:LEU:HD21	9:I:185:VAL:HG23	2.02	0.42
2:P:47:ALA:HB1	2:P:64:LYS:HD2	2.02	0.42
3:C:201:VAL:O	3:C:202:GLN:HB3	2.19	0.42
7:U:78:ILE:N	7:U:79:PRO:CD	2.83	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:47:ALA:HB1	2:B:64:LYS:HD2	2.02	0.41
4:R:91:HIS:HB3	4:R:99:ILE:CG2	2.50	0.41
12:L:8:ASN:HA	12:L:30:ILE:O	2.20	0.41
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.50	0.41
9:W:26:LEU:HD21	9:W:185:VAL:HG23	2.02	0.41
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.50	0.41
6:T:202:ASP:N	6:T:202:ASP:OD1	2.53	0.41
2:P:151:ASN:HB2	2:P:152:PRO:HD2	2.03	0.41
1:A:1:MET:HG3	6:F:122:TYR:CZ	2.56	0.41
1:O:122:THR:HG22	2:P:128:ARG:HH21	1.85	0.41
8:H:196:ARG:NH2	9:I:150:GLU:HG3	2.36	0.41
13:M:96:LEU:O	13:M:100:MET:HG2	2.21	0.41
11:Y:125:MET:SD	11:Y:139:LEU:HB3	2.61	0.41
5:S:77:ALA:N	5:S:78:PRO:CD	2.84	0.41
7:U:149:ASP:HB2	7:U:150:PRO:CD	2.51	0.41
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.21	0.41
9:W:98:ARG:NE	9:W:126:ILE:HD11	2.36	0.40
12:Z:31:THR:HG23	12:Z:36:ASN:HD21	1.86	0.40
4:D:91:HIS:CD2	4:D:99:ILE:HG22	2.56	0.40
7:G:149:ASP:HB2	7:G:150:PRO:CD	2.52	0.40
13:M:165:ILE:HB	13:M:166:PRO:HD3	2.04	0.40
4:R:88:ALA:HA	4:R:99:ILE:HG21	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	34 54
1	O	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	34 54
2	B	242/258 (94%)	235 (97%)	3 (1%)	4 (2%)	9 16

Continued on next page...



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	P	242/258 (94%)	235 (97%)	3 (1%)	4 (2%)	9	16
3	C	238/254 (94%)	233 (98%)	3 (1%)	2 (1%)	19	35
3	Q	238/254 (94%)	233 (98%)	3 (1%)	2 (1%)	19	35
4	D	231/260 (89%)	228 (99%)	3 (1%)	0	100	100
4	R	231/260 (89%)	228 (99%)	3 (1%)	0	100	100
5	E	229/234 (98%)	223 (97%)	6 (3%)	0	100	100
5	S	229/234 (98%)	223 (97%)	6 (3%)	0	100	100
6	F	241/288 (84%)	238 (99%)	3 (1%)	0	100	100
6	T	241/288 (84%)	238 (99%)	3 (1%)	0	100	100
7	G	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
7	U	239/252 (95%)	238 (100%)	1 (0%)	0	100	100
8	H	224/232 (97%)	219 (98%)	5 (2%)	0	100	100
8	V	224/232 (97%)	219 (98%)	5 (2%)	0	100	100
9	I	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
10	J	193/198 (98%)	190 (98%)	3 (2%)	0	100	100
10	X	193/198 (98%)	190 (98%)	3 (2%)	0	100	100
11	K	209/211 (99%)	203 (97%)	6 (3%)	0	100	100
11	Y	209/211 (99%)	202 (97%)	7 (3%)	0	100	100
12	L	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
12	Z	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
13	M	231/246 (94%)	224 (97%)	7 (3%)	0	100	100
13	a	231/246 (94%)	224 (97%)	7 (3%)	0	100	100
14	N	194/196 (99%)	188 (97%)	6 (3%)	0	100	100
14	b	194/196 (99%)	188 (97%)	6 (3%)	0	100	100
All	All	6282/6612 (95%)	6134 (98%)	134 (2%)	14 (0%)	47	68

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
2	B	222	GLY
3	C	202	GLN

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
2	P	51	VAL
2	P	222	GLY
3	Q	202	GLN
1	A	2	THR
2	B	218	GLY
1	O	2	THR
2	P	218	GLY
2	B	220	ASN
3	C	205	ALA
2	P	220	ASN
3	Q	205	ALA

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	206 (99%)	3 (1%)	67	86
1	O	209/209 (100%)	206 (99%)	3 (1%)	67	86
2	B	203/216 (94%)	200 (98%)	3 (2%)	65	85
2	P	203/216 (94%)	200 (98%)	3 (2%)	65	85
3	C	212/226 (94%)	201 (95%)	11 (5%)	23	44
3	Q	212/226 (94%)	201 (95%)	11 (5%)	23	44
4	D	194/215 (90%)	185 (95%)	9 (5%)	27	50
4	R	194/215 (90%)	185 (95%)	9 (5%)	27	50
5	E	190/193 (98%)	183 (96%)	7 (4%)	34	60
5	S	190/193 (98%)	183 (96%)	7 (4%)	34	60
6	F	201/239 (84%)	192 (96%)	9 (4%)	27	51
6	T	201/239 (84%)	192 (96%)	9 (4%)	27	51
7	G	206/210 (98%)	199 (97%)	7 (3%)	37	63
7	U	206/210 (98%)	200 (97%)	6 (3%)	42	69
8	H	185/190 (97%)	181 (98%)	4 (2%)	52	77

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
8	V	185/190 (97%)	181 (98%)	4 (2%)	52	77
9	I	172/173 (99%)	168 (98%)	4 (2%)	50	76
9	W	172/173 (99%)	168 (98%)	4 (2%)	50	76
10	J	173/175 (99%)	169 (98%)	4 (2%)	50	76
10	X	173/175 (99%)	169 (98%)	4 (2%)	50	76
11	K	170/170 (100%)	161 (95%)	9 (5%)	22	43
11	Y	170/170 (100%)	162 (95%)	8 (5%)	26	49
12	L	186/186 (100%)	182 (98%)	4 (2%)	52	77
12	Z	186/186 (100%)	182 (98%)	4 (2%)	52	77
13	M	199/208 (96%)	193 (97%)	6 (3%)	41	68
13	a	199/208 (96%)	193 (97%)	6 (3%)	41	68
14	N	162/162 (100%)	155 (96%)	7 (4%)	29	53
14	b	162/162 (100%)	155 (96%)	7 (4%)	29	53
All	All	5324/5544 (96%)	5152 (97%)	172 (3%)	39	65

All (172) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	113	ARG
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	51	LYS
3	C	77	ASN
3	C	98	LEU
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	206	LYS
3	C	240	GLU
4	D	99	ILE
4	D	125	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	D	143	ASP
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	71	LEU
5	E	184	ASN
5	E	188	LEU
5	E	202	ASP
5	E	231	LYS
6	F	117	GLN
6	F	123	ASN
6	F	139	LYS
6	F	172	LEU
6	F	181	GLU
6	F	201	GLU
6	F	202	ASP
6	F	214	TRP
6	F	240	GLN
7	G	83	ASN
7	G	115	LEU
7	G	122	ARG
7	G	125	MET
7	G	208	GLU
7	G	235	ARG
7	G	236	LEU
8	H	30	ASN
8	H	31	CYS
8	H	68	LEU
8	H	196	ARG
9	I	37	ASN
9	I	126	ILE
9	I	171	LEU
9	I	182	TRP
10	J	3	ILE
10	J	35	THR
10	J	90	LYS
10	J	99	GLN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
11	K	4	LEU
11	K	12	VAL
11	K	18	SER
11	K	21	SER
11	K	30	ARG
11	K	31	VAL
11	K	32	ASN
11	K	35	ILE
11	K	210	ILE
12	L	23	LEU
12	L	128	VAL
12	L	132	GLN
12	L	150	LEU
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG
14	N	9	LYS
14	N	35	THR
14	N	36	ARG
14	N	39	ASP
14	N	83	LYS
14	N	104	ASP
14	N	107	LYS
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	113	ARG
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	51	LYS
3	Q	77	ASN
3	Q	98	LEU
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	206	LYS

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
3	Q	240	GLU
4	R	99	ILE
4	R	125	LEU
4	R	143	ASP
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	71	LEU
5	S	184	ASN
5	S	188	LEU
5	S	202	ASP
5	S	231	LYS
6	T	117	GLN
6	T	123	ASN
6	T	139	LYS
6	T	172	LEU
6	T	181	GLU
6	T	201	GLU
6	T	202	ASP
6	T	214	TRP
6	T	240	GLN
7	U	115	LEU
7	U	122	ARG
7	U	125	MET
7	U	208	GLU
7	U	235	ARG
7	U	236	LEU
8	V	30	ASN
8	V	31	CYS
8	V	68	LEU
8	V	196	ARG
9	W	37	ASN
9	W	126	ILE
9	W	171	LEU
9	W	182	TRP
10	X	3	ILE
10	X	35	THR

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
10	X	90	LYS
10	X	99	GLN
11	Y	4	LEU
11	Y	12	VAL
11	Y	18	SER
11	Y	21	SER
11	Y	30	ARG
11	Y	32	ASN
11	Y	35	ILE
11	Y	210	ILE
12	Z	23	LEU
12	Z	128	VAL
12	Z	132	GLN
12	Z	150	LEU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG
14	b	9	LYS
14	b	35	THR
14	b	36	ARG
14	b	39	ASP
14	b	83	LYS
14	b	104	ASP
14	b	107	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (100) such sidechains are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	94	HIS
2	B	20	GLN
2	B	58	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
3	C	17	GLN
3	C	77	ASN
3	C	116	GLN
3	C	120	GLN
3	C	147	GLN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
3	C	160	GLN
4	D	15	GLN
4	D	91	HIS
4	D	146	GLN
4	D	210	GLN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	151	ASN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	166	GLN
8	H	66	HIS
8	H	86	HIS
9	I	37	ASN
11	K	9	GLN
11	K	32	ASN
11	K	175	ASN
12	L	3	ASN
12	L	70	ASN
12	L	79	HIS
12	L	95	HIS
12	L	132	GLN
13	M	48	ASN
13	M	102	GLN
13	M	179	ASN
13	M	194	ASN
13	M	213	GLN
14	N	161	GLN
1	O	94	HIS

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	P	20	GLN
2	P	58	GLN
2	P	119	GLN
2	P	123	GLN
3	Q	77	ASN
3	Q	116	GLN
3	Q	120	GLN
3	Q	147	GLN
3	Q	160	GLN
4	R	15	GLN
4	R	91	HIS
4	R	146	GLN
4	R	225	ASN
5	S	68	HIS
5	S	92	ASN
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	151	ASN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN
8	V	86	HIS
9	W	37	ASN
11	Y	9	GLN
11	Y	32	ASN
11	Y	175	ASN
12	Z	3	ASN
12	Z	49	ASN
12	Z	70	ASN
12	Z	132	GLN
13	a	48	ASN
13	a	102	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
13	a	179	ASN
13	a	194	ASN
13	a	213	GLN
14	b	38	HIS
14	b	161	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 12 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
17	BO2	H	301	8	25,29,29	1.62	5 (20%)	32,38,38	1.38	4 (12%)
17	BO2	b	201	14	25,29,29	1.58	5 (20%)	32,38,38	1.33	4 (12%)
17	BO2	N	201	14	25,29,29	1.57	5 (20%)	32,38,38	1.30	4 (12%)
17	BO2	Y	301	11	25,29,29	1.61	5 (20%)	32,38,38	1.28	3 (9%)
17	BO2	K	301	11	25,29,29	1.60	5 (20%)	32,38,38	1.28	3 (9%)
17	BO2	V	301	8	25,29,29	1.62	5 (20%)	32,38,38	1.39	4 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	BO2	H	301	8	-	4/22/28/28	0/2/2/2
17	BO2	b	201	14	-	4/22/28/28	0/2/2/2
17	BO2	N	201	14	-	4/22/28/28	0/2/2/2
17	BO2	Y	301	11	-	0/22/28/28	0/2/2/2
17	BO2	K	301	11	-	0/22/28/28	0/2/2/2
17	BO2	V	301	8	-	4/22/28/28	0/2/2/2

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	Y	301	BO2	C2-C7	-4.40	1.39	1.50
17	K	301	BO2	C2-C7	-4.37	1.40	1.50
17	N	201	BO2	C2-C7	-4.30	1.40	1.50
17	b	201	BO2	C2-C7	-4.29	1.40	1.50
17	H	301	BO2	C2-C7	-4.28	1.40	1.50
17	V	301	BO2	C2-C7	-4.26	1.40	1.50
17	b	201	BO2	C11-C12	-4.18	1.41	1.51
17	H	301	BO2	C11-C12	-4.13	1.41	1.51
17	V	301	BO2	C11-C12	-4.11	1.41	1.51
17	N	201	BO2	C11-C12	-4.05	1.41	1.51
17	K	301	BO2	C11-C12	-3.87	1.42	1.51
17	Y	301	BO2	C11-C12	-3.86	1.42	1.51
17	Y	301	BO2	C3-N4	3.20	1.41	1.34
17	K	301	BO2	C3-N4	3.10	1.41	1.34
17	H	301	BO2	C6-N1	3.06	1.41	1.34
17	V	301	BO2	C6-N1	3.05	1.41	1.34
17	V	301	BO2	C3-N4	3.02	1.40	1.34
17	H	301	BO2	C3-N4	3.02	1.40	1.34
17	Y	301	BO2	C6-N1	2.97	1.40	1.34
17	b	201	BO2	C6-N1	2.97	1.40	1.34
17	K	301	BO2	C6-N1	2.94	1.40	1.34
17	N	201	BO2	C6-N1	2.91	1.40	1.34
17	N	201	BO2	C3-N4	2.74	1.40	1.34
17	b	201	BO2	C3-N4	2.73	1.40	1.34
17	Y	301	BO2	C5-N4	2.42	1.40	1.33
17	V	301	BO2	C5-N4	2.39	1.40	1.33
17	K	301	BO2	C5-N4	2.38	1.40	1.33
17	H	301	BO2	C5-N4	2.34	1.40	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	b	201	BO2	C5-N4	2.05	1.39	1.33
17	N	201	BO2	C5-N4	2.01	1.39	1.33

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	V	301	BO2	C21-C22-C23	-4.20	110.12	115.39
17	H	301	BO2	C21-C22-C23	-4.12	110.22	115.39
17	b	201	BO2	C21-C22-C23	-3.92	110.47	115.39
17	N	201	BO2	C21-C22-C23	-3.88	110.52	115.39
17	V	301	BO2	C6-N1-C2	3.62	121.62	116.93
17	H	301	BO2	C6-N1-C2	3.61	121.61	116.93
17	Y	301	BO2	C6-N1-C2	3.52	121.50	116.93
17	K	301	BO2	C21-C22-C23	-3.48	111.02	115.39
17	K	301	BO2	C6-N1-C2	3.45	121.41	116.93
17	Y	301	BO2	C21-C22-C23	-3.42	111.09	115.39
17	b	201	BO2	C6-N1-C2	3.11	120.96	116.93
17	N	201	BO2	C6-N1-C2	3.05	120.89	116.93
17	b	201	BO2	C11-C10-N9	-2.29	105.96	110.79
17	K	301	BO2	C6-C5-N4	-2.22	119.17	121.95
17	Y	301	BO2	C6-C5-N4	-2.22	119.18	121.95
17	H	301	BO2	C6-C5-N4	-2.20	119.20	121.95
17	N	201	BO2	C11-C10-N9	-2.18	106.19	110.79
17	V	301	BO2	C6-C5-N4	-2.16	119.25	121.95
17	V	301	BO2	C12-C11-C10	-2.13	107.50	113.39
17	b	201	BO2	C6-C5-N4	-2.11	119.31	121.95
17	H	301	BO2	C12-C11-C10	-2.06	107.69	113.39
17	N	201	BO2	C6-C5-N4	-2.05	119.39	121.95

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
17	H	301	BO2	N1-C2-C7-O8
17	H	301	BO2	N1-C2-C7-N9
17	H	301	BO2	C3-C2-C7-O8
17	H	301	BO2	C3-C2-C7-N9
17	V	301	BO2	N1-C2-C7-O8
17	V	301	BO2	N1-C2-C7-N9
17	V	301	BO2	C3-C2-C7-O8
17	V	301	BO2	C3-C2-C7-N9
17	N	201	BO2	N1-C2-C7-N9

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
17	b	201	BO2	N1-C2-C7-N9
17	N	201	BO2	N1-C2-C7-O8
17	b	201	BO2	N1-C2-C7-O8
17	N	201	BO2	C3-C2-C7-O8
17	b	201	BO2	C3-C2-C7-O8
17	N	201	BO2	C3-C2-C7-N9
17	b	201	BO2	C3-C2-C7-N9


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	N	201	BO2	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	250/250 (100%)	-0.11	10 (4%) 38 41	33, 48, 85, 125	0
1	O	250/250 (100%)	-0.07	11 (4%) 34 37	36, 53, 100, 134	0
2	B	244/258 (94%)	0.05	15 (6%) 21 22	34, 55, 103, 153	0
2	P	244/258 (94%)	0.07	12 (4%) 29 31	37, 57, 101, 153	0
3	C	240/254 (94%)	0.36	31 (12%) 3 3	33, 61, 130, 171	0
3	Q	240/254 (94%)	0.48	29 (12%) 4 4	26, 70, 149, 191	0
4	D	235/260 (90%)	-0.04	9 (3%) 40 43	39, 58, 89, 130	0
4	R	235/260 (90%)	0.12	12 (5%) 28 29	47, 66, 108, 146	0
5	E	231/234 (98%)	0.06	12 (5%) 27 29	39, 61, 100, 147	0
5	S	231/234 (98%)	0.10	15 (6%) 18 19	42, 64, 105, 139	0
6	F	243/288 (84%)	-0.12	11 (4%) 33 36	33, 53, 103, 128	0
6	T	243/288 (84%)	-0.06	12 (4%) 29 31	34, 59, 114, 144	0
7	G	241/252 (95%)	-0.20	8 (3%) 46 50	31, 49, 87, 144	0
7	U	241/252 (95%)	-0.13	9 (3%) 41 45	34, 50, 84, 128	0
8	H	226/232 (97%)	-0.24	6 (2%) 54 58	27, 44, 82, 150	0
8	V	226/232 (97%)	-0.20	7 (3%) 49 52	30, 46, 80, 157	0
9	I	204/205 (99%)	-0.42	2 (0%) 82 84	30, 44, 74, 98	0
9	W	204/205 (99%)	-0.38	3 (1%) 73 75	31, 46, 76, 98	0
10	J	195/198 (98%)	-0.17	8 (4%) 37 40	32, 49, 73, 121	0
10	X	195/198 (98%)	-0.22	5 (2%) 56 59	33, 50, 75, 130	0
11	K	211/211 (100%)	-0.00	4 (1%) 66 69	36, 54, 89, 105	0
11	Y	211/211 (100%)	0.01	6 (2%) 53 56	38, 57, 91, 113	0
12	L	222/222 (100%)	0.07	8 (3%) 42 46	38, 52, 98, 131	0
12	Z	222/222 (100%)	0.02	9 (4%) 37 40	32, 54, 99, 133	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
13	M	233/246 (94%)	-0.36	5 (2%) 63 66	30, 48, 71, 88	0
13	a	233/246 (94%)	-0.32	2 (0%) 84 86	30, 48, 71, 87	0
14	N	196/196 (100%)	-0.38	3 (1%) 73 75	28, 41, 70, 99	0
14	b	196/196 (100%)	-0.37	2 (1%) 82 84	30, 42, 72, 103	0
All	All	6342/6612 (95%)	-0.08	266 (4%) 36 39	26, 52, 99, 191	0

All (266) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	P	218	GLY	9.9
10	J	1	MET	9.4
12	L	174	TYR	8.9
12	Z	174	TYR	7.6
2	P	221	ASP	7.3
10	X	1	MET	7.3
12	L	165	ASN	7.3
2	B	218	GLY	7.1
2	P	51	VAL	7.0
2	B	221	ASP	6.8
3	C	202	GLN	6.7
3	Q	206	LYS	6.6
9	W	1	SER	6.5
1	O	249	ALA	6.3
9	I	1	SER	6.2
3	C	238	LYS	6.2
1	O	2	THR	5.8
3	Q	240	GLU	5.8
3	Q	239	GLN	5.7
1	A	1	MET	5.7
2	P	219	ALA	5.5
3	Q	50	LEU	5.2
3	C	235	GLU	5.2
2	B	219	ALA	5.2
1	O	1	MET	5.1
2	B	51	VAL	5.0
6	F	215	CYS	5.0
3	C	239	GLN	5.0
5	S	202	ASP	4.9
1	A	249	ALA	4.9
14	N	195	GLN	4.8
3	Q	202	GLN	4.7

Continued on next page...

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
12	Z	173	LYS	4.7
12	Z	168	VAL	4.7
3	C	49	THR	4.6
3	Q	225	GLU	4.6
3	C	206	LYS	4.6
1	A	2	THR	4.5
12	L	173	LYS	4.4
10	J	194	ASP	4.4
3	C	50	LEU	4.4
3	Q	238	LYS	4.4
7	U	2	GLY	4.4
3	Q	236	GLN	4.4
12	Z	165	ASN	4.3
3	Q	49	THR	4.3
3	Q	141	ASP	4.3
10	X	194	ASP	4.2
10	X	195	PHE	4.2
3	C	225	GLU	4.2
4	R	217	GLN	4.2
8	V	226	GLU	4.2
1	O	250	LEU	4.1
5	S	173	ARG	4.1
2	P	59	ASP	4.1
7	G	2	GLY	4.0
6	F	244	ASN	4.0
1	O	52	SER	3.9
7	U	242	GLN	3.9
2	P	52	THR	3.8
12	L	163	GLY	3.8
4	R	241	ALA	3.8
8	V	224	GLN	3.8
4	R	1	ASP	3.8
6	F	181	GLU	3.8
8	H	226	GLU	3.7
3	C	236	GLN	3.7
3	C	234	ILE	3.6
6	T	244	ASN	3.6
1	A	250	LEU	3.6
4	D	242	GLU	3.6
3	Q	232	THR	3.5
3	C	59	PRO	3.5
5	E	202	ASP	3.5

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
14	b	195	GLN	3.5
6	F	202	ASP	3.5
10	X	193	ASP	3.5
3	Q	204	GLY	3.5
8	H	224	GLN	3.5
2	B	220	ASN	3.4
12	Z	167	LYS	3.4
2	B	60	THR	3.4
5	E	217	LYS	3.3
3	Q	234	ILE	3.3
3	C	180	LYS	3.3
6	T	181	GLU	3.3
5	E	122	TYR	3.3
2	B	217	LYS	3.3
2	P	220	ASN	3.2
13	a	1	THR	3.2
5	S	3	ASN	3.2
1	O	231	LYS	3.2
4	R	117	GLU	3.2
8	H	221	CYS	3.2
7	U	222	ASP	3.2
8	V	222	ASP	3.2
6	F	203	ASN	3.1
5	E	233	ILE	3.1
3	C	171	GLU	3.1
4	R	54	ASP	3.1
3	Q	205	ALA	3.1
10	J	95	ARG	3.1
8	V	221	CYS	3.1
5	S	233	ILE	3.1
6	F	205	GLU	3.1
3	C	205	ALA	3.0
11	K	146	ASP	3.0
12	L	1	GLN	3.0
3	Q	181	GLU	3.0
3	Q	203	THR	3.0
3	Q	235	GLU	2.9
3	Q	51	LYS	2.9
12	Z	163	GLY	2.9
2	B	59	ASP	2.9
5	E	201	ARG	2.9
10	J	193	ASP	2.9

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
4	R	125	LEU	2.9
6	F	2	THR	2.9
11	Y	68	LEU	2.9
2	B	52	THR	2.8
3	Q	48	SER	2.8
7	G	242	GLN	2.8
5	S	203	GLU	2.8
3	C	60	SER	2.8
7	U	181	LYS	2.8
5	E	173	ARG	2.8
7	G	3	TYR	2.8
6	T	2	THR	2.8
3	Q	47	ARG	2.8
2	B	182	ASP	2.8
14	b	105	LYS	2.7
3	C	203	THR	2.7
3	Q	180	LYS	2.7
3	Q	175	LYS	2.7
11	Y	146	ASP	2.7
1	O	53	SER	2.7
7	G	179	LYS	2.7
1	O	4	ARG	2.7
10	J	174	MET	2.7
2	P	222	GLY	2.6
6	T	180	PRO	2.6
3	Q	139	ARG	2.6
6	T	243	ILE	2.6
8	H	222	ASP	2.6
5	E	54	GLU	2.6
3	Q	187	GLU	2.6
5	E	203	GLU	2.6
12	L	169	LYS	2.6
11	Y	67	TYR	2.6
6	T	205	GLU	2.6
2	B	240	LYS	2.6
2	P	230	LYS	2.6
3	C	139	ARG	2.6
11	K	211	GLY	2.6
5	S	207	VAL	2.5
10	J	195	PHE	2.5
11	Y	211	GLY	2.5
1	O	248	GLU	2.5

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
6	F	51	THR	2.5
12	L	171	PRO	2.5
7	U	241	GLU	2.5
2	P	203	SER	2.5
5	S	180	LYS	2.5
5	E	123	GLY	2.5
2	B	203	SER	2.5
7	G	181	LYS	2.5
5	S	225	ASP	2.5
1	A	248	GLU	2.5
7	U	230	GLU	2.5
7	U	51	PRO	2.4
6	T	241	LYS	2.4
14	N	105	LYS	2.4
4	R	230	GLU	2.4
1	A	201	GLU	2.4
7	U	188	GLU	2.4
8	V	223	ILE	2.4
10	X	95	ARG	2.4
5	S	217	LYS	2.4
9	I	192	ASP	2.4
12	Z	1	GLN	2.4
3	C	181	GLU	2.4
3	C	51	LYS	2.4
6	T	230	ASP	2.4
13	M	82	ASP	2.4
3	Q	59	PRO	2.4
7	U	3	TYR	2.4
10	J	135	TYR	2.4
13	M	1	THR	2.4
3	C	48	SER	2.4
3	C	46	ARG	2.3
6	T	215	CYS	2.3
12	Z	210	ASP	2.3
5	S	54	GLU	2.3
3	C	175	LYS	2.3
2	B	244	THR	2.3
5	S	171	LEU	2.3
2	B	93	HIS	2.3
6	F	242	GLU	2.3
2	P	241	THR	2.3
3	C	1	GLY	2.3

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	B	201	ASP	2.3
11	K	107	LYS	2.3
3	Q	55	THR	2.3
8	H	145	ASP	2.3
6	T	178	HIS	2.3
1	O	201	GLU	2.3
3	C	228	ASN	2.2
3	Q	229	GLN	2.2
9	W	192	ASP	2.2
3	C	240	GLU	2.2
6	F	228	LYS	2.2
3	C	232	THR	2.2
4	R	177	ASN	2.2
11	K	40	TYR	2.2
3	C	188	GLU	2.2
4	R	242	GLU	2.2
3	Q	37	LYS	2.2
12	L	168	VAL	2.2
3	C	3	ASP	2.2
4	D	54	ASP	2.2
13	M	47	ASP	2.2
1	A	54	PRO	2.2
9	W	160	GLU	2.2
5	S	122	TYR	2.1
3	Q	3	ASP	2.1
5	E	218	ASP	2.1
4	R	2	ARG	2.1
8	H	219	ASN	2.1
3	C	187	GLU	2.1
11	Y	181	GLU	2.1
5	S	210	LEU	2.1
14	N	181	ALA	2.1
7	G	222	ASP	2.1
13	M	216	ASN	2.1
4	R	203	LYS	2.1
4	D	47	THR	2.1
4	R	47	THR	2.1
4	D	217	GLN	2.1
4	D	1	ASP	2.1
6	T	201	GLU	2.1
5	S	123	GLY	2.1
8	V	91	GLN	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
4	D	224	ASP	2.1
2	P	61	SER	2.1
6	T	166	GLN	2.1
12	Z	106	TYR	2.1
13	M	121	SER	2.1
3	C	229	GLN	2.1
10	J	49	GLU	2.1
3	C	37	LYS	2.1
4	D	201	GLU	2.0
4	D	233	LYS	2.0
5	E	180	LYS	2.0
1	A	59	GLU	2.0
7	G	188	GLU	2.0
6	F	207	ASP	2.0
8	V	145	ASP	2.0
13	a	47	ASP	2.0
1	A	231	LYS	2.0
11	Y	208	ASN	2.0
4	D	214	ILE	2.0
1	A	203	GLU	2.0
5	E	194	GLU	2.0
5	S	218	ASP	2.0
7	G	241	GLU	2.0
1	O	50	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
17	BO2	N	201	28/28	0.86	0.20	24,37,47,47	0
17	BO2	b	201	28/28	0.88	0.19	29,39,48,49	0
15	MG	J	201	1/1	0.89	0.36	62,62,62,62	0
17	BO2	H	301	28/28	0.91	0.17	33,38,56,58	0
17	BO2	Y	301	28/28	0.91	0.23	30,40,49,52	0
17	BO2	K	301	28/28	0.91	0.20	26,36,46,47	0
15	MG	G	301	1/1	0.92	0.14	46,46,46,46	0
17	BO2	V	301	28/28	0.92	0.19	37,39,57,59	0
15	MG	Z	301	1/1	0.97	0.10	51,51,51,51	0
15	MG	K	302	1/1	0.98	0.06	46,46,46,46	0
15	MG	L	301	1/1	0.99	0.05	49,49,49,49	0
15	MG	N	202	1/1	0.99	0.10	31,31,31,31	0
15	MG	I	301	1/1	0.99	0.04	46,46,46,46	0
15	MG	b	203	1/1	0.99	0.12	30,30,30,30	0
16	CL	U	301	1/1	0.99	0.15	41,41,41,41	0
16	CL	b	202	1/1	0.99	0.05	41,41,41,41	0
16	CL	G	302	1/1	1.00	0.07	38,38,38,38	0
16	CL	N	203	1/1	1.00	0.09	39,39,39,39	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around BO2 N 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around BO2 b 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around BO2 H 301:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around BO2 Y 301:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around BO2 K 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







## 6.5 Other polymers ⓘ

There are no such residues in this entry.