



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 16, 2023 – 08:53 AM JST

PDB ID : 6LEM
Title : Structure of E. coli beta-glucuronidase complex with C6-nonyl uronic isofagomine
Authors : Lin, H.-Y.; Kuo, Y.-H.; Lin, C.-H.
Deposited on : 2019-11-25
Resolution : 3.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1467 (3.20-3.16)
Clashscore	141614	1599 (3.20-3.16)
Ramachandran outliers	138981	1574 (3.20-3.16)
Sidechain outliers	138945	1573 (3.20-3.16)
RSRZ outliers	127900	1423 (3.20-3.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	605	 2% (Poor fit) 72% (Green) 24% (Yellow) .. (Grey)
2	B	601	 5% (Poor fit) 70% (Green) 24% (Yellow) .. (Grey)

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 9486 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-D-glucuronidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	595	4770	3026	825	897	22	0	0	0


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	SER	-	expression tag	UNP W8SYR0
A	0	HIS	-	expression tag	UNP W8SYR0

- Molecule 2 is a protein called Beta-D-glucuronidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	583	4676	2974	804	878	20	0	0	0

- Molecule 3 is (2 {S},3 {S},4 {R},5 {R})-2-nonyl-4,5-bis(oxidanyl)piperidine-3-carboxylic acid (three-letter code: E9O) (formula: C₁₅H₂₉NO₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	20	15	1	4	0	0
3	B	1	20	15	1	4	0	0


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Beta-D-glucuronidase



- Molecule 2: Beta-D-glucuronidase





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	168.36Å 76.40Å 126.40Å 90.00° 124.97° 90.00°	Depositor
Resolution (Å)	28.25 – 3.19 29.88 – 3.19	Depositor EDS
% Data completeness (in resolution range)	85.5 (28.25-3.19) 85.0 (29.88-3.19)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.36 (at 3.18Å)	Xtrriage
Refinement program	PHENIX 1.11.1_2575	Depositor
R, R_{free}	0.211 , 0.270 0.211 , 0.270	Depositor DCC
R_{free} test set	2000 reflections (9.83%)	wwPDB-VP
Wilson B-factor (Å ²)	66.2	Xtrriage
Anisotropy	0.072	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 34.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	9486	wwPDB-VP
Average B, all atoms (Å ²)	77.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: E9O

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/4895	0.48	0/6657
2	B	0.26	0/4797	0.47	0/6520
All	All	0.26	0/9692	0.47	0/13177

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
2	B	0	1
All	All	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	549	TRP	Peptide
2	B	235	GLN	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4770	0	4561	101	0
2	B	4676	0	4469	114	0
3	A	20	0	0	1	0
3	B	20	0	0	1	0
All	All	9486	0	9030	210	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (210) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:40:GLN:HB3	1:A:41:GLU:OE1	1.69	0.93
1:A:93:HIS:H	1:A:110:GLY:HA2	1.34	0.92
1:A:20:ALA:HB3	1:A:70:GLN:HB3	1.55	0.89
1:A:302:ARG:NH2	2:B:307:ASP:OD2	2.06	0.87
1:A:212:VAL:HA	1:A:255:THR:O	1.76	0.85
1:A:211:ASP:O	1:A:256:ALA:HA	1.78	0.83
2:B:186:ASP:HB2	2:B:206:VAL:HB	1.65	0.79
2:B:296:HIS:HD1	2:B:331:TYR:HH	1.32	0.78
1:A:66:ASN:ND2	1:A:133:CYS:SG	2.60	0.75
1:A:94:TYR:HB3	1:A:135:ASN:HB3	1.68	0.74
1:A:39:LEU:HB2	1:A:42:SER:HB3	1.70	0.74
1:A:540:VAL:O	1:A:596:LYS:NZ	2.21	0.73
1:A:112:THR:HG21	1:A:394:GLU:HB3	1.71	0.73
2:B:14:LYS:HZ2	2:B:130:ILE:HG21	1.53	0.72
1:A:85:VAL:HG12	1:A:117:ASP:HA	1.71	0.72
2:B:211:ASP:O	2:B:256:ALA:HA	1.89	0.72
2:B:217:ARG:HG2	2:B:221:GLN:HA	1.71	0.71
2:B:97:VAL:HB	2:B:105:MET:HG2	1.72	0.71
2:B:460:PHE:O	2:B:498:GLN:NE2	2.24	0.70
2:B:216:LEU:HD21	2:B:225:ALA:HB3	1.75	0.69
2:B:137:GLU:OE2	2:B:156:LYS:NZ	2.25	0.69
2:B:224:VAL:HG12	2:B:236:VAL:HG11	1.75	0.68
2:B:15:LEU:HB3	2:B:174:VAL:H	1.58	0.67
2:B:290:PHE:HB2	2:B:545:GLY:HA3	1.76	0.67
2:B:205:GLN:HB3	2:B:230:THR:HG23	1.75	0.66
1:A:191:THR:HG21	1:A:271:ILE:HA	1.77	0.66
2:B:217:ARG:HG3	2:B:223:VAL:HG12	1.79	0.65
2:B:15:LEU:HD23	2:B:48:PRO:HD3	1.78	0.65
2:B:585:GLN:O	2:B:589:THR:OG1	2.14	0.65
2:B:210:GLY:HA2	2:B:257:LYS:O	1.96	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:352:THR:HG21	2:B:392:ILE:HD13	1.80	0.63
2:B:141:GLN:HB3	2:B:383:GLU:HG2	1.80	0.63
1:A:241:LEU:H	1:A:241:LEU:HD13	1.64	0.62
1:A:150:THR:HG22	1:A:156:LYS:HG2	1.82	0.62
1:A:218:ASP:OD1	1:A:248:TYR:OH	2.15	0.62
1:A:186:ASP:HB3	1:A:206:VAL:HB	1.82	0.60
1:A:472:TYR:OH	1:A:568:LYS:NZ	2.35	0.60
2:B:3:ARG:O	2:B:265:TYR:OH	2.15	0.60
1:A:89:ASP:HA	1:A:113:PRO:HB3	1.83	0.60
1:A:546:GLU:OE1	1:A:587:ARG:NH1	2.35	0.59
2:B:253:CYS:HB3	2:B:264:ILE:HD11	1.85	0.59
1:A:295:ARG:HH12	1:A:314:ASP:HB3	1.66	0.59
1:A:295:ARG:O	1:A:329:SER:HB2	2.03	0.58
1:A:410:ILE:HD11	1:A:432:THR:HG21	1.86	0.58
2:B:91:VAL:HG22	2:B:170:ILE:HG12	1.86	0.58
1:A:75:ILE:HD11	1:A:128:VAL:HG11	1.86	0.58
2:B:293:PHE:HZ	2:B:321:ILE:HD13	1.68	0.58
1:A:514:HIS:NE2	1:A:523:GLU:OE1	2.37	0.58
2:B:95:GLY:HA2	2:B:133:CYS:O	2.03	0.57
2:B:57:ASP:HB3	2:B:60:ILE:HB	1.85	0.57
1:A:299:ALA:HB2	1:A:310:LEU:HD11	1.87	0.57
2:B:193:VAL:HA	2:B:199:HIS:HB2	1.87	0.56
2:B:94:TYR:HB3	2:B:135:ASN:HB3	1.88	0.56
1:A:568:LYS:NZ	3:A:701:E9O:O61	2.33	0.56
2:B:92:THR:OG1	2:B:171:HIS:ND1	2.37	0.56
1:A:7:THR:C	1:A:9:THR:H	2.09	0.56
1:A:485:LEU:HG	1:A:536:VAL:HG11	1.87	0.56
1:A:10:ARG:HH12	2:B:78:GLY:H	1.54	0.55
2:B:200:ALA:HB1	2:B:234:LEU:HA	1.88	0.55
2:B:75:ILE:HB	2:B:124:ALA:HA	1.88	0.55
2:B:101:ASN:OD1	2:B:129:ARG:NH2	2.35	0.55
2:B:392:ILE:O	2:B:396:ILE:HG23	2.06	0.55
1:A:99:VAL:HG23	1:A:104:VAL:HG21	1.88	0.55
2:B:205:GLN:HG2	2:B:212:VAL:HB	1.89	0.54
1:A:460:PHE:O	1:A:498:GLN:NE2	2.41	0.54
2:B:451:ALA:HB1	2:B:495:LYS:HD2	1.88	0.54
2:B:218:ASP:OD2	2:B:222:GLN:HB3	2.08	0.54
1:A:295:ARG:HA	1:A:550:ASN:ND2	2.23	0.54
1:A:377:GLU:HA	1:A:381:ASN:HB3	1.90	0.53
1:A:377:GLU:O	1:A:381:ASN:ND2	2.40	0.53
2:B:352:THR:OG1	2:B:410:ILE:O	2.25	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:93:HIS:H	2:B:110:GLY:HA2	1.74	0.53
2:B:218:ASP:OD2	2:B:218:ASP:N	2.40	0.53
1:A:192:HIS:O	1:A:199:HIS:HB3	2.10	0.52
1:A:2:LEU:HD12	1:A:265:TYR:CZ	2.44	0.52
2:B:5:VAL:HG12	2:B:6:GLU:H	1.74	0.52
2:B:377:GLU:HA	2:B:381:ASN:HD22	1.74	0.52
1:A:77:LYS:HD2	1:A:77:LYS:H	1.75	0.52
1:A:77:LYS:HE2	1:A:80:ALA:HB2	1.92	0.51
1:A:416:THR:HG21	1:A:456:ILE:HG21	1.91	0.51
1:A:18:LEU:HA	1:A:45:ILE:O	2.11	0.51
2:B:11:GLU:HB2	2:B:177:TYR:HA	1.93	0.51
1:A:202:VAL:HA	1:A:233:THR:HA	1.91	0.51
1:A:242:TRP:HB3	1:A:272:ARG:HB3	1.93	0.51
2:B:214:VAL:HG22	2:B:254:VAL:HG22	1.93	0.51
2:B:523:GLU:HB3	2:B:579:SER:HB2	1.93	0.51
1:A:15:LEU:HD12	1:A:173:SER:HA	1.93	0.50
2:B:95:GLY:O	2:B:106:GLU:HA	2.12	0.50
2:B:408:TRP:O	2:B:442:THR:HG22	2.12	0.50
2:B:456:ILE:HG22	2:B:460:PHE:HE2	1.77	0.50
1:A:205:GLN:HG3	1:A:212:VAL:HG11	1.93	0.50
2:B:442:THR:HA	2:B:460:PHE:HB3	1.94	0.50
2:B:388:HIS:O	2:B:392:ILE:HG12	2.11	0.50
1:A:183:TRP:CD1	1:A:208:ALA:HB2	2.47	0.49
2:B:498:GLN:HG2	2:B:499:PRO:HD2	1.93	0.49
1:A:43:ARG:HD2	1:A:55:PHE:CE1	2.47	0.49
2:B:296:HIS:ND1	2:B:331:TYR:OH	2.29	0.49
1:A:582:PHE:HA	1:A:585:GLN:HB3	1.95	0.49
2:B:14:LYS:HB3	2:B:174:VAL:HG23	1.94	0.49
1:A:10:ARG:HH11	2:B:76:PRO:HB2	1.78	0.48
1:A:454:ASP:OD1	1:A:455:THR:N	2.46	0.48
2:B:93:HIS:H	2:B:110:GLY:CA	2.26	0.48
1:A:74:PHE:CE1	2:B:7:THR:HA	2.49	0.48
2:B:327:ARG:HH22	2:B:504:GLU:HG3	1.78	0.48
1:A:351:GLU:HG3	1:A:409:SER:HB3	1.96	0.48
2:B:140:TRP:O	2:B:384:THR:OG1	2.27	0.48
1:A:549:TRP:HA	1:A:549:TRP:CE3	2.49	0.48
2:B:76:PRO:HG2	2:B:79:TRP:CD2	2.49	0.47
1:A:190:VAL:HB	1:A:202:VAL:HG22	1.96	0.47
1:A:550:ASN:HD22	1:A:551:PHE:N	2.12	0.47
2:B:6:GLU:OE1	2:B:11:GLU:N	2.48	0.47
2:B:92:THR:HG1	2:B:171:HIS:CE1	2.33	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:96:LYS:HE3	2:B:98:TRP:CZ2	2.50	0.47
1:A:467:ARG:HH21	1:A:492:TRP:HE1	1.62	0.47
2:B:96:LYS:HG3	2:B:106:GLU:CB	2.45	0.47
2:B:380:VAL:HA	2:B:384:THR:HG21	1.95	0.47
1:A:63:TYR:OH	1:A:66:ASN:N	2.47	0.47
1:A:304:LYS:HE3	1:A:331:TYR:CE2	2.50	0.47
2:B:550:ASN:ND2	2:B:552:ALA:O	2.48	0.46
2:B:408:TRP:HB3	2:B:441:ILE:HG13	1.98	0.46
2:B:504:GLU:HG2	2:B:549:TRP:CE3	2.50	0.46
1:A:503:THR:HA	1:A:547:GLN:HB2	1.97	0.46
2:B:217:ARG:HA	2:B:223:VAL:HA	1.98	0.46
1:A:523:GLU:HB3	1:A:579:SER:HB2	1.98	0.46
2:B:272:ARG:HH21	2:B:439:ARG:HE	1.64	0.46
2:B:396:ILE:O	2:B:400:LYS:HB3	2.16	0.46
2:B:446:VAL:HG22	2:B:447:MET:H	1.81	0.46
2:B:471:TRP:CZ2	2:B:508:ASP:HB2	2.51	0.46
1:A:332:PRO:HG3	1:A:395:LEU:HD13	1.98	0.46
1:A:510:LEU:HD23	1:A:521:TRP:HE3	1.81	0.45
2:B:295:ARG:HH12	2:B:314:ASP:HB3	1.81	0.45
2:B:14:LYS:NZ	2:B:130:ILE:HG21	2.27	0.45
2:B:191:THR:OG1	2:B:272:ARG:O	2.32	0.45
1:A:36:GLU:HA	1:A:101:ASN:OD1	2.15	0.45
1:A:327:ARG:NH2	1:A:503:THR:HB	2.32	0.45
1:A:89:ASP:OD2	1:A:173:SER:OG	2.30	0.45
1:A:119:THR:HB	1:A:120:PRO:HD3	1.99	0.45
2:B:510:LEU:HD23	2:B:510:LEU:HA	1.87	0.45
1:A:585:GLN:O	1:A:589:THR:HG22	2.17	0.45
2:B:550:ASN:HD22	2:B:552:ALA:H	1.64	0.45
1:A:45:ILE:HG12	1:A:46:ALA:H	1.82	0.44
1:A:10:ARG:HH11	2:B:76:PRO:CB	2.30	0.44
2:B:339:ASP:O	2:B:343:GLU:HG2	2.18	0.44
2:B:596:LYS:H	2:B:596:LYS:HG3	1.69	0.44
2:B:70:GLN:HA	2:B:130:ILE:O	2.18	0.44
1:A:480:THR:HA	1:A:483:LYS:HE2	1.98	0.44
2:B:75:ILE:HG13	2:B:122:VAL:HG13	2.00	0.44
2:B:396:ILE:HD12	2:B:435:LEU:HB3	1.99	0.44
1:A:39:LEU:HB2	1:A:42:SER:CB	2.46	0.44
1:A:274:VAL:HG11	1:A:406:VAL:HB	2.00	0.44
2:B:249:LEU:HD12	2:B:268:ARG:HB3	1.98	0.43
2:B:422:ARG:NH2	2:B:458:ASP:OD2	2.51	0.43
1:A:91:VAL:HG22	1:A:170:ILE:HG12	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:108:GLN:HG3	2:B:108:GLN:O	2.18	0.43
2:B:292:GLY:HA3	2:B:325:SER:O	2.17	0.43
2:B:393:LYS:O	2:B:396:ILE:HG12	2.18	0.43
2:B:222:GLN:O	2:B:224:VAL:HG23	2.17	0.43
1:A:93:HIS:CE1	1:A:138:LEU:HD21	2.53	0.43
1:A:442:THR:HA	1:A:460:PHE:HB3	2.00	0.43
2:B:202:VAL:HA	2:B:232:GLY:O	2.18	0.43
2:B:107:HIS:CE1	2:B:109:GLY:HA3	2.54	0.43
2:B:274:VAL:HG11	2:B:406:VAL:HB	2.00	0.43
2:B:190:VAL:O	2:B:201:SER:HA	2.19	0.43
2:B:441:ILE:N	2:B:461:ASP:OD2	2.48	0.43
1:A:572:THR:OG1	1:A:574:ASP:OD1	2.23	0.43
2:B:75:ILE:HG21	2:B:84:ILE:HD13	2.01	0.43
1:A:471:TRP:CZ2	1:A:508:ASP:HB2	2.54	0.42
2:B:258:SER:OG	2:B:259:GLN:N	2.52	0.42
2:B:203:ASP:OD1	2:B:233:THR:OG1	2.24	0.42
1:A:97:VAL:HG23	1:A:104:VAL:HB	2.02	0.42
1:A:390:GLN:O	1:A:394:GLU:HG3	2.18	0.42
2:B:3:ARG:HA	2:B:4:PRO:HD3	1.80	0.42
2:B:568:LYS:HZ3	3:B:701:E9O:C6	2.32	0.42
2:B:139:ASN:OD1	2:B:142:THR:HG23	2.19	0.42
2:B:396:ILE:HG22	2:B:408:TRP:NE1	2.34	0.42
1:A:98:TRP:O	1:A:130:ILE:HA	2.19	0.42
2:B:92:THR:O	2:B:93:HIS:HB2	2.18	0.42
1:A:15:LEU:HG	1:A:48:PRO:HD3	2.01	0.42
1:A:95:GLY:HA2	1:A:133:CYS:O	2.20	0.42
1:A:292:GLY:HA3	1:A:325:SER:O	2.20	0.42
1:A:50:SER:OG	1:A:171:HIS:NE2	2.52	0.42
1:A:425:PHE:CG	1:A:456:ILE:HD11	2.55	0.41
1:A:464:CYS:HA	1:A:501:ILE:O	2.20	0.41
2:B:218:ASP:HB2	2:B:248:TYR:OH	2.20	0.41
1:A:3:ARG:O	1:A:265:TYR:OH	2.21	0.41
1:A:41:GLU:OE1	1:A:41:GLU:N	2.53	0.41
1:A:175:MET:HB3	1:A:175:MET:HE2	1.87	0.41
1:A:242:TRP:CZ2	1:A:345:GLY:HA2	2.55	0.41
2:B:43:ARG:HD2	2:B:55:PHE:CE1	2.56	0.41
2:B:199:HIS:HB3	2:B:200:ALA:H	1.69	0.41
1:A:77:LYS:H	1:A:77:LYS:CD	2.33	0.41
1:A:463:LEU:HD23	1:A:500:ILE:HG12	2.02	0.41
2:B:236:VAL:HG22	2:B:237:VAL:H	1.85	0.41
1:A:327:ARG:O	1:A:329:SER:N	2.54	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:352:THR:OG1	1:A:410:ILE:O	2.38	0.41
1:A:100:ASN:HD22	1:A:100:ASN:HA	1.77	0.41
1:A:426:ALA:HA	1:A:459:LEU:HD13	2.02	0.41
2:B:91:VAL:O	2:B:110:GLY:HA2	2.20	0.41
2:B:216:LEU:HA	2:B:251:GLU:O	2.21	0.41
1:A:351:GLU:HG3	1:A:409:SER:CB	2.50	0.41
1:A:7:THR:HB	1:A:8:PRO:HD2	2.02	0.40
1:A:183:TRP:NE1	1:A:208:ALA:HB2	2.36	0.40
2:B:50:SER:HB2	2:B:303:GLY:HA3	2.03	0.40
2:B:55:PHE:HD2	2:B:60:ILE:HG21	1.87	0.40
2:B:151:ASP:N	2:B:151:ASP:OD1	2.54	0.40
2:B:341:ALA:HA	2:B:346:ILE:HG12	2.04	0.40
1:A:295:ARG:O	1:A:333:TYR:OH	2.39	0.40
1:A:380:VAL:HG13	1:A:384:THR:HG21	2.04	0.40
2:B:94:TYR:O	2:B:134:VAL:HA	2.22	0.40
2:B:96:LYS:HG3	2:B:106:GLU:HB2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	589/605 (97%)	527 (90%)	54 (9%)	8 (1%)	11	44
2	B	573/601 (95%)	515 (90%)	53 (9%)	5 (1%)	17	54
All	All	1162/1206 (96%)	1042 (90%)	107 (9%)	13 (1%)	14	50

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	7	THR
1	A	550	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	93	HIS
1	A	328	THR
1	A	511	ALA
2	B	93	HIS
2	B	328	THR
2	B	549	TRP
2	B	235	GLN
1	A	357	PHE
1	A	380	VAL
2	B	380	VAL
1	A	8	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	507/513 (99%)	489 (96%)	18 (4%)	35	68
2	B	494/509 (97%)	479 (97%)	15 (3%)	41	72
All	All	1001/1022 (98%)	968 (97%)	33 (3%)	38	70

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	TRP
1	A	41	GLU
1	A	43	ARG
1	A	77	LYS
1	A	160	TYR
1	A	183	TRP
1	A	196	ASP
1	A	199	HIS
1	A	201	SER
1	A	211	ASP
1	A	234	LEU
1	A	241	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	272	ARG
1	A	350	ASP
1	A	390	GLN
1	A	419	GLN
1	A	550	ASN
1	A	592	ASN
2	B	15	LEU
2	B	203	ASP
2	B	204	TRP
2	B	211	ASP
2	B	217	ARG
2	B	222	GLN
2	B	272	ARG
2	B	295	ARG
2	B	331	TYR
2	B	350	ASP
2	B	408	TRP
2	B	448	PHE
2	B	524	GLU
2	B	585	GLN
2	B	596	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	62	ASN
1	A	66	ASN
1	A	102	GLN
1	A	385	GLN
1	A	412	ASN
1	A	550	ASN
2	B	381	ASN
2	B	385	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	E9O	B	701	-	20,20,20	0.48	0	20,25,25	0.91	1 (5%)
3	E9O	A	701	-	20,20,20	0.59	0	20,25,25	0.83	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	E9O	B	701	-	-	4/13/30/30	0/1/1/1
3	E9O	A	701	-	-	1/13/30/30	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	701	E9O	C4-C5-C6	-2.27	106.59	110.45
3	A	701	E9O	O61-C6-C5	-2.05	117.32	122.78

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	B	701	E9O	N-C7-C8-C9
3	B	701	E9O	C5-C7-C8-C9
3	B	701	E9O	C4-C5-C6-O62
3	A	701	E9O	C1-C11-C12-C13
3	B	701	E9O	C4-C5-C6-O61


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	701	E9O	1	0
3	A	701	E9O	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	595/605 (98%)	-0.11	13 (2%) 62 48	28, 61, 114, 155	0
2	B	583/601 (97%)	0.18	32 (5%) 25 13	38, 89, 140, 170	0
All	All	1178/1206 (97%)	0.03	45 (3%) 40 25	28, 76, 132, 170	0

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	261	GLU	8.1
2	B	209	ASN	5.4
2	B	547	GLN	4.8
2	B	423	GLU	4.4
2	B	503	THR	4.3
2	B	464	CYS	4.3
2	B	545	GLY	4.2
1	A	207	VAL	4.1
2	B	207	VAL	3.7
2	B	116	ALA	3.5
2	B	263	ASP	3.4
1	A	503	THR	3.2
2	B	208	ALA	3.2
1	A	209	ASN	3.0
1	A	601	GLY	2.9
1	A	116	ALA	2.9
2	B	421	ALA	2.8
2	B	117	ASP	2.8
1	A	262	CYS	2.8
2	B	259	GLN	2.7
1	A	464	CYS	2.7
2	B	262	CYS	2.6
2	B	271	ILE	2.6
1	A	257	LYS	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	550	ASN	2.6
2	B	235	GLN	2.5
2	B	412	ASN	2.5
1	A	199	HIS	2.4
2	B	501	ILE	2.4
2	B	153	ASN	2.4
2	B	549	TRP	2.3
2	B	182	THR	2.3
2	B	425	PHE	2.2
1	A	294	GLY	2.1
2	B	34	TRP	2.1
2	B	374	LEU	2.1
2	B	257	LYS	2.1
2	B	287	PRO	2.1
2	B	360	SER	2.1
1	A	328	THR	2.1
1	A	82	GLN	2.0
1	A	211	ASP	2.0
2	B	292	GLY	2.0
2	B	248	TYR	2.0
2	B	243	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	E9O	B	701	20/20	0.77	0.37	80,85,90,91	0
3	E9O	A	701	20/20	0.92	0.22	55,57,61,63	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.