



Full wwPDB X-ray Structure Validation Report ⓘ

May 26, 2020 – 05:05 am BST

PDB ID : 5LIQ
Title : The structure of C160S,C508S,C578S mutant of Nt.BspD6I nicking endonuclease at 0.185 nm resolution .
Authors : Kachalova, G.S.; Artyukh, R.I.; Perevyazova, T.A.; Yunusova, A.K.; Popov, A.N.; Bartunik, H.D.; Zheleznaya, L.A.
Deposited on : 2016-07-15
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2469 (1.86-1.86)
Clashscore	141614	2625 (1.86-1.86)
Ramachandran outliers	138981	2592 (1.86-1.86)
Sidechain outliers	138945	2592 (1.86-1.86)
RSRZ outliers	127900	2436 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	610	
1	B	610	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GOL	A	702	-	-	X	-
2	GOL	A	706	-	-	X	-
3	PO4	B	705	-	-	X	-

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 10168 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nicking endonuclease N.BspD6I.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	583	Total	C	N	O	S	0	13	0
			4920	3167	826	913	14			
1	B	583	Total	C	N	O	S	0	5	0
			4870	3133	822	902	13			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	HIS	-	expression tag	UNP Q8GCA3
A	-4	HIS	-	expression tag	UNP Q8GCA3
A	-3	HIS	-	expression tag	UNP Q8GCA3
A	-2	HIS	-	expression tag	UNP Q8GCA3
A	-1	HIS	-	expression tag	UNP Q8GCA3
A	0	HIS	-	expression tag	UNP Q8GCA3
A	160	SER	CYS	engineered mutation	UNP Q8GCA3
A	508	SER	CYS	engineered mutation	UNP Q8GCA3
A	578	SER	CYS	engineered mutation	UNP Q8GCA3
B	-5	HIS	-	expression tag	UNP Q8GCA3
B	-4	HIS	-	expression tag	UNP Q8GCA3
B	-3	HIS	-	expression tag	UNP Q8GCA3
B	-2	HIS	-	expression tag	UNP Q8GCA3
B	-1	HIS	-	expression tag	UNP Q8GCA3
B	0	HIS	-	expression tag	UNP Q8GCA3
B	160	SER	CYS	engineered mutation	UNP Q8GCA3
B	508	SER	CYS	engineered mutation	UNP Q8GCA3
B	578	SER	CYS	engineered mutation	UNP Q8GCA3

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O P 5 4 1	0	0
3	A	1	Total O P 5 4 1	0	0
3	A	1	Total O P 5 4 1	0	0
3	A	1	Total O P 5 4 1	0	0
3	B	1	Total O P 5 4 1	0	0
3	B	1	Total O P 5 4 1	0	0
3	B	1	Total O P 5 4 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	186	Total O 186 186	0	0
4	B	109	Total O 109 109	0	0


3 Residue-property plots i

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Nicking endonuclease N.BspD6I



- Molecule 1: Nicking endonuclease N.BspD6I



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	76.20Å 92.48Å 113.81Å 90.00° 105.67° 90.00°	Depositor
Resolution (Å)	19.58 – 1.85 19.56 – 1.85	Depositor EDS
% Data completeness (in resolution range)	99.5 (19.58-1.85) 99.6 (19.56-1.85)	Depositor EDS
R_{merge}	0.03	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.14 (at 1.85Å)	Xtrriage
Refinement program	REFMAC 5.8.0073	Depositor
R, R_{free}	0.209 , 0.251 0.209 , 0.251	Depositor DCC
R_{free} test set	6247 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å ²)	39.2	Xtrriage
Anisotropy	0.055	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 45.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	10168	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 75.75 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.1906e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.98	1/5041 (0.0%)	0.96	8/6782 (0.1%)
1	B	0.96	1/4973 (0.0%)	0.98	11/6692 (0.2%)
All	All	0.97	2/10014 (0.0%)	0.97	19/13474 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	461	TYR	CE1-CZ	6.94	1.47	1.38
1	B	8	TYR	CE1-CZ	-5.11	1.31	1.38

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	320	ARG	NE-CZ-NH2	-9.19	115.71	120.30
1	B	203[A]	ARG	NE-CZ-NH1	-8.55	116.02	120.30
1	B	203[B]	ARG	NE-CZ-NH1	-8.55	116.02	120.30
1	A	580	ARG	NE-CZ-NH1	8.35	124.47	120.30
1	A	203	ARG	NE-CZ-NH1	-6.92	116.84	120.30
1	B	99	LEU	CB-CG-CD1	6.06	121.31	111.00
1	A	258	LEU	CB-CG-CD1	-5.98	100.83	111.00
1	B	14	ARG	NE-CZ-NH1	5.92	123.26	120.30
1	B	537	LEU	CA-CB-CG	5.82	128.68	115.30
1	A	313	ARG	NE-CZ-NH2	-5.78	117.41	120.30
1	B	580	ARG	NE-CZ-NH1	5.74	123.17	120.30
1	A	580	ARG	NE-CZ-NH2	-5.73	117.43	120.30
1	B	320	ARG	NE-CZ-NH1	5.62	123.11	120.30
1	A	408	ARG	NE-CZ-NH2	-5.54	117.53	120.30
1	B	568	MET	CG-SD-CE	5.44	108.90	100.20
1	B	408	ARG	NE-CZ-NH1	5.33	122.96	120.30
1	A	537	LEU	CA-CB-CG	5.23	127.33	115.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	463	ASP	CB-CG-OD1	5.14	122.92	118.30
1	A	107	ASP	CB-CG-OD1	5.05	122.84	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4920	0	4986	101	0
1	B	4870	0	4921	84	0
2	A	36	0	48	18	0
2	B	12	0	16	3	0
3	A	20	0	0	0	0
3	B	15	0	0	2	0
4	A	186	0	0	16	0
4	B	109	0	0	10	0
All	All	10168	0	9971	188	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (188) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:175:GLU:OE2	1:A:203:ARG:NH1	1.64	1.28
1:B:175:GLU:OE2	1:B:203[A]:ARG:NH1	1.73	1.21
1:A:531:ASN:ND2	2:A:706:GOL:H11	1.56	1.19
1:B:581:LYS:HG2	1:B:584:GLN:NE2	1.58	1.19
1:A:310:LEU:CD1	1:A:313:ARG:HH21	1.54	1.19
1:A:285[B]:GLU:HG2	4:A:932:HOH:O	1.51	1.10
1:A:339:LEU:HD13	1:A:365:LEU:CD2	1.81	1.09
1:B:203[B]:ARG:HH11	1:B:203[B]:ARG:CG	1.67	1.05
1:A:310:LEU:HD13	1:A:313:ARG:HH21	1.20	1.05
1:B:581:LYS:CG	1:B:584:GLN:NE2	2.22	1.03

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:310:LEU:CD1	1:A:313:ARG:NH2	2.22	1.02
1:B:203[B]:ARG:HH11	1:B:203[B]:ARG:HG3	0.86	1.01
1:B:203[B]:ARG:NH1	1:B:203[B]:ARG:HG3	1.69	1.01
1:A:531:ASN:HD21	2:A:706:GOL:C1	1.73	1.00
1:B:363[A]:LYS:HE2	3:B:705:PO4:O3	1.62	1.00
1:B:117:GLN:HE22	1:B:278:VAL:H	1.09	0.99
1:A:531:ASN:HD21	2:A:706:GOL:H11	0.83	0.99
1:A:339:LEU:HD13	1:A:365:LEU:HD23	1.45	0.97
1:B:201:PHE:CD2	1:B:227:ILE:HD11	2.00	0.97
1:A:533:ARG:HH21	2:A:706:GOL:H31	1.31	0.95
2:A:706:GOL:H32	4:A:804:HOH:O	1.69	0.92
1:A:533:ARG:NH2	2:A:706:GOL:H31	1.86	0.90
1:A:117:GLN:HE22	1:A:278:VAL:H	1.15	0.89
1:A:339:LEU:HD13	1:A:365:LEU:HD22	1.52	0.89
1:A:331:ASN:HD21	1:A:375:GLN:HE22	1.16	0.89
1:A:175:GLU:CD	1:A:203:ARG:HH12	1.74	0.89
1:B:462[B]:GLU:HG3	4:B:903:HOH:O	1.74	0.87
1:B:175:GLU:CD	1:B:203[A]:ARG:HH12	1.80	0.85
1:B:581:LYS:H	1:B:584:GLN:HE22	1.26	0.83
1:B:462[B]:GLU:H	1:B:462[B]:GLU:CD	1.81	0.82
1:A:435:LYS:HA	2:A:702:GOL:H11	1.60	0.82
1:B:331:ASN:HD21	1:B:375:GLN:HE22	1.26	0.82
1:B:364:GLU:HG2	4:B:894:HOH:O	1.79	0.82
1:A:78:THR:OG1	1:A:122[B]:GLN:OE1	1.98	0.81
1:A:533:ARG:HH21	2:A:706:GOL:C3	1.92	0.81
1:A:310:LEU:HD11	1:A:313:ARG:NH2	1.96	0.80
1:A:205:GLU:HA	1:A:227:ILE:HD13	1.63	0.79
1:A:339:LEU:CD1	1:A:365:LEU:HD22	2.15	0.76
1:B:581:LYS:HG2	1:B:584:GLN:HE22	1.48	0.76
1:A:383:GLN:OE1	4:A:801:HOH:O	2.05	0.75
1:A:205:GLU:HA	1:A:227:ILE:CD1	2.17	0.74
1:B:201:PHE:CG	1:B:227:ILE:HD11	2.22	0.73
1:B:478:GLN:HE22	1:B:516:ASN:H	1.34	0.72
1:B:476:ALA:O	1:B:480:LYS:HG3	1.88	0.72
1:A:478:GLN:HE22	1:A:516:ASN:H	1.39	0.71
1:A:435:LYS:HG3	2:A:702:GOL:C1	2.19	0.71
1:A:2:ALA:HB1	4:A:939:HOH:O	1.89	0.71
1:A:3:LYS:HD2	1:A:132:GLU:OE1	1.90	0.70
1:A:177:MET:HA	1:A:177:MET:CE	2.21	0.70
1:B:321:LEU:HD11	1:B:373:LYS:HD2	1.74	0.69
1:A:435:LYS:HG3	2:A:702:GOL:H12	1.72	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:45:ALA:HA	1:A:48:LYS:HE2	1.75	0.69
1:A:177:MET:HE2	1:A:177:MET:HA	1.74	0.69
1:B:581:LYS:HG2	1:B:584:GLN:CD	2.13	0.68
1:B:581:LYS:H	1:B:584:GLN:NE2	1.91	0.68
2:A:703:GOL:H31	4:A:855:HOH:O	1.94	0.67
1:B:526:TYR:CD2	1:B:530:GLN:HG3	2.30	0.66
1:A:253:ALA:HB2	1:A:410:ILE:HD12	1.77	0.66
1:B:87:GLU:HG3	1:B:89:TYR:CD2	2.32	0.64
1:B:203[B]:ARG:NH1	1:B:203[B]:ARG:CG	2.35	0.63
1:A:478:GLN:NE2	1:A:516:ASN:H	1.95	0.62
1:B:115:LYS:NZ	1:B:293:ASN:O	2.33	0.62
1:B:183:ARG:O	1:B:192:LYS:HE3	1.98	0.62
1:A:319:THR:O	1:A:323[B]:GLU:HG2	2.00	0.62
1:B:203[B]:ARG:N	1:B:203[B]:ARG:HD2	2.14	0.62
1:B:203[B]:ARG:CD	1:B:203[B]:ARG:N	2.63	0.61
1:B:581:LYS:N	1:B:584:GLN:NE2	2.48	0.61
1:B:288:HIS:HE1	4:B:842:HOH:O	1.84	0.61
1:B:123:HIS:HD2	4:B:874:HOH:O	1.85	0.59
1:A:288:HIS:HE1	4:A:845:HOH:O	1.85	0.59
1:A:357:ASP:HB3	2:A:701:GOL:H2	1.85	0.58
1:B:280:ASN:ND2	1:B:280:ASN:H	2.02	0.58
1:B:515:ILE:HD13	1:B:536:PRO:HB2	1.86	0.58
1:B:581:LYS:HG3	1:B:584:GLN:NE2	2.18	0.58
1:B:259[B]:VAL:HG13	4:B:853:HOH:O	2.04	0.57
1:B:87:GLU:HG3	1:B:89:TYR:HD2	1.69	0.57
1:A:4:LYS:HG3	1:A:128:TYR:CZ	2.39	0.57
1:B:227:ILE:O	1:B:231:MET:HG3	2.04	0.57
1:A:338:VAL:CG1	1:A:365:LEU:HD13	2.35	0.56
1:B:117:GLN:NE2	1:B:278:VAL:H	1.92	0.56
1:A:551:LYS:HE3	1:A:604:PHE:CE1	2.41	0.56
1:A:371:LYS:HZ2	2:A:702:GOL:H2	1.70	0.56
1:A:146:LYS:NZ	1:A:269:ASP:OD1	2.22	0.55
1:A:435:LYS:HG3	2:A:702:GOL:H11	1.88	0.55
1:B:579:GLU:HG2	1:B:584:GLN:OE1	2.07	0.55
1:A:284:VAL:O	1:A:288:HIS:HD2	1.88	0.55
1:A:223:HIS:HA	1:A:226:LYS:HG3	1.88	0.55
1:B:117:GLN:HE22	1:B:278:VAL:N	1.92	0.55
1:B:198:ASN:HD21	1:B:202:LYS:HE3	1.71	0.55
1:A:581:LYS:HB2	1:A:584:GLN:OE1	2.07	0.54
1:B:39:GLY:O	1:B:43:GLN:HG3	2.08	0.54
1:B:478:GLN:NE2	1:B:516:ASN:H	2.02	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:516:ASN:HD22	1:A:519:THR:H	1.56	0.54
1:B:245:PHE:HB3	1:B:251:PHE:CD1	2.42	0.53
1:A:110:LEU:C	1:A:110:LEU:HD23	2.29	0.53
1:B:189:GLN:O	1:B:193:LEU:HD23	2.08	0.53
1:A:223:HIS:HA	1:A:226:LYS:HE2	1.91	0.53
1:A:253:ALA:CB	1:A:410:ILE:HD12	2.38	0.53
1:A:338:VAL:HG11	1:A:365:LEU:HD13	1.90	0.52
1:A:34:TRP:O	1:A:43:GLN:NE2	2.39	0.52
1:A:205:GLU:CA	1:A:227:ILE:HD13	2.36	0.52
1:B:201:PHE:CE2	1:B:227:ILE:HD11	2.44	0.52
1:B:182:GLU:HG3	1:B:195:PHE:HZ	1.74	0.51
1:A:176:ILE:HG22	1:A:177:MET:HE3	1.93	0.51
1:A:551:LYS:HE3	1:A:604:PHE:CD1	2.46	0.50
1:A:58:GLY:HA3	4:A:963:HOH:O	2.12	0.50
1:A:367:LEU:HD11	1:A:444:LEU:HD12	1.94	0.50
1:A:123:HIS:HD2	4:A:881:HOH:O	1.94	0.49
1:A:222:SER:O	1:A:226:LYS:HG3	2.13	0.49
1:B:259[B]:VAL:CG1	4:B:838:HOH:O	2.59	0.49
1:A:526:TYR:CD2	1:A:530:GLN:HG3	2.48	0.49
1:B:363[A]:LYS:CE	3:B:705:PO4:O3	2.49	0.48
1:A:304:LYS:HD2	1:A:350:VAL:O	2.13	0.48
1:B:288:HIS:CE1	4:B:842:HOH:O	2.62	0.48
1:A:1:MET:HB3	1:A:3:LYS:H	1.78	0.48
1:A:348:LYS:HD2	1:A:348:LYS:N	2.27	0.48
1:B:391:LEU:HB3	1:B:539:LEU:HD11	1.96	0.48
1:A:187:LYS:HD3	1:A:187:LYS:HA	1.51	0.48
1:A:590:GLU:HG3	4:A:921:HOH:O	2.13	0.48
1:B:158:MET:HG2	1:B:200:PHE:CD1	2.49	0.48
1:B:280:ASN:HD22	1:B:280:ASN:H	1.61	0.48
1:B:462[B]:GLU:CD	1:B:462[B]:GLU:N	2.56	0.48
1:A:481:MET:CE	4:A:885:HOH:O	2.61	0.48
2:A:704:GOL:H31	4:A:801:HOH:O	2.13	0.48
1:A:35:LYS:HE2	1:A:35:LYS:HB3	1.41	0.47
1:A:263:GLU:HG2	4:A:977:HOH:O	2.14	0.47
1:B:199:TYR:C	1:B:199:TYR:CD1	2.87	0.47
1:B:490:TYR:CD1	1:B:490:TYR:C	2.87	0.47
1:A:296:LEU:HA	1:A:297:PRO:C	2.34	0.47
1:A:2:ALA:CB	4:A:939:HOH:O	2.57	0.46
1:A:443:GLU:O	1:A:444:LEU:HB2	2.16	0.46
1:B:363[A]:LYS:CE	4:B:802:HOH:O	2.63	0.46
1:B:413:LYS:HG3	1:B:414:ASN:N	2.31	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:515:ILE:HD13	1:A:536:PRO:HB2	1.99	0.45
1:B:525:LYS:HB2	1:B:525:LYS:HE3	1.63	0.45
1:A:264:LYS:NZ	2:A:703:GOL:H32	2.33	0.44
1:B:301:PHE:CE1	2:B:702:GOL:H12	2.52	0.44
1:A:158:MET:HG2	1:A:200:PHE:CD1	2.53	0.44
1:B:110:LEU:HD23	1:B:110:LEU:C	2.38	0.44
1:A:115:LYS:NZ	1:A:293:ASN:O	2.51	0.44
1:B:45:ALA:HA	1:B:48:LYS:HE2	1.99	0.44
1:B:301:PHE:CZ	2:B:702:GOL:H12	2.52	0.44
1:A:516:ASN:HD21	1:A:518:ASN:HB2	1.83	0.44
1:B:259[B]:VAL:HG12	4:B:838:HOH:O	2.17	0.44
1:B:260:LEU:HD22	1:B:268:ILE:HD13	2.00	0.44
1:A:198:ASN:HD21	1:A:202:LYS:HE3	1.83	0.44
1:A:464:PHE:CE1	1:A:565:LYS:HB2	2.53	0.43
1:B:537:LEU:HD22	1:B:541:GLN:HB3	2.00	0.43
1:A:490:TYR:C	1:A:490:TYR:CD1	2.92	0.43
1:A:177:MET:HE1	1:A:180:ARG:HH11	1.83	0.43
1:A:280:ASN:H	1:A:280:ASN:ND2	2.16	0.43
1:A:288:HIS:CE1	4:A:845:HOH:O	2.66	0.43
1:B:201:PHE:CE2	1:B:227:ILE:CG1	3.02	0.43
1:A:39:GLY:O	1:A:43:GLN:HG3	2.19	0.43
1:A:462:GLU:O	1:A:504:LYS:HE2	2.19	0.43
1:A:103:ARG:HD2	4:A:886:HOH:O	2.19	0.42
1:A:374:LEU:HD11	1:A:444:LEU:HD23	2.01	0.42
1:A:413:LYS:HG3	1:A:414:ASN:N	2.34	0.42
1:B:188:GLY:O	1:B:191:LYS:N	2.52	0.42
1:B:87:GLU:HG3	1:B:89:TYR:CE2	2.53	0.42
1:B:188:GLY:O	1:B:191:LYS:HB2	2.19	0.42
1:A:245:PHE:HB3	1:A:251:PHE:CD2	2.55	0.42
1:B:201:PHE:CE2	1:B:227:ILE:HG13	2.54	0.42
1:B:4:LYS:HD3	1:B:127:GLU:OE2	2.20	0.42
1:A:533:ARG:CZ	2:A:706:GOL:H31	2.47	0.42
1:B:348:LYS:O	1:B:349:LYS:HD3	2.18	0.42
1:A:172[B]:ILE:HD13	1:A:172[B]:ILE:HA	1.88	0.42
1:B:235:ARG:HD2	2:B:701:GOL:O3	2.20	0.42
1:B:184:GLU:O	1:B:184:GLU:HG2	2.20	0.41
1:B:473:SER:OG	1:B:478:GLN:HA	2.20	0.41
1:B:547:MET:HE3	4:B:805:HOH:O	2.19	0.41
1:A:202:LYS:O	1:A:206:LYS:HD2	2.20	0.41
1:A:175:GLU:CD	1:A:203:ARG:NH1	2.46	0.41
1:B:405:ILE:HA	1:B:405:ILE:HD13	1.83	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:493:LYS:HD2	1:A:493:LYS:HA	1.95	0.41
1:B:509:LEU:HD11	1:B:537:LEU:HD12	2.02	0.41
1:B:516:ASN:HD21	1:B:518:ASN:HB2	1.85	0.41
1:A:222:SER:O	1:A:226:LYS:CG	2.68	0.41
1:A:222:SER:O	1:A:225:SER:HB3	2.21	0.41
1:A:363:LYS:HE3	4:A:887:HOH:O	2.21	0.41
1:B:471:THR:OG1	1:B:473:SER:HB3	2.21	0.41
1:A:471:THR:OG1	1:A:473[A]:SER:HB2	2.21	0.41
1:B:259[B]:VAL:HG12	1:B:260:LEU:N	2.36	0.41
1:A:158:MET:HG2	1:A:200:PHE:CG	2.56	0.40
1:A:435:LYS:CG	2:A:702:GOL:H11	2.51	0.40
1:B:453:ASN:HA	1:B:488:ARG:HH12	1.86	0.40
1:A:191:LYS:HA	1:A:191:LYS:HD3	1.82	0.40
1:A:205:GLU:HA	1:A:227:ILE:HD11	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	590/610 (97%)	578 (98%)	12 (2%)	0	100	100
1	B	582/610 (95%)	565 (97%)	15 (3%)	2 (0%)	41	26
All	All	1172/1220 (96%)	1143 (98%)	27 (2%)	2 (0%)	47	33

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	186	ILE
1	B	225	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	545/554 (98%)	541 (99%)	4 (1%)	84	79
1	B	536/554 (97%)	534 (100%)	2 (0%)	91	89
All	All	1081/1108 (98%)	1075 (99%)	6 (1%)	86	83

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	68	SER
1	A	200	PHE
1	A	254	ARG
1	A	327	GLU
1	B	67	PHE
1	B	579	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	102	ASN
1	A	117	GLN
1	A	123	HIS
1	A	136	ASN
1	A	181	ASN
1	A	223	HIS
1	A	280	ASN
1	A	288	HIS
1	A	344	ASN
1	A	361	HIS
1	A	366	GLN
1	A	375	GLN
1	A	395	HIS
1	A	445	GLN
1	A	478	GLN
1	A	516	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	531	ASN
1	B	55	GLN
1	B	101	ASN
1	B	102	ASN
1	B	117	GLN
1	B	123	HIS
1	B	136	ASN
1	B	198	ASN
1	B	280	ASN
1	B	288	HIS
1	B	344	ASN
1	B	366	GLN
1	B	375	GLN
1	B	478	GLN
1	B	516	ASN
1	B	584	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PO4	A	710	-	4,4,4	0.99	0	6,6,6	0.36	0
2	GOL	B	702	-	5,5,5	0.48	0	5,5,5	0.92	0
2	GOL	A	705	-	5,5,5	0.50	0	5,5,5	0.24	0
2	GOL	B	701	-	5,5,5	0.45	0	5,5,5	1.38	1 (20%)
2	GOL	A	701	-	5,5,5	0.37	0	5,5,5	0.80	0
3	PO4	B	703	-	4,4,4	1.33	1 (25%)	6,6,6	1.37	1 (16%)
2	GOL	A	706	-	5,5,5	0.59	0	5,5,5	0.86	0
3	PO4	A	709	-	4,4,4	0.82	0	6,6,6	0.89	0
2	GOL	A	702	-	5,5,5	0.44	0	5,5,5	1.31	1 (20%)
3	PO4	A	707	-	4,4,4	1.27	1 (25%)	6,6,6	1.13	0
3	PO4	B	705	-	4,4,4	0.94	0	6,6,6	1.32	0
3	PO4	B	704	-	4,4,4	1.35	1 (25%)	6,6,6	0.93	0
3	PO4	A	708	-	4,4,4	0.98	0	6,6,6	1.01	0
2	GOL	A	704	-	5,5,5	0.42	0	5,5,5	0.76	0
2	GOL	A	703	-	5,5,5	0.64	0	5,5,5	0.62	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	B	702	-	-	3/4/4/4	-
2	GOL	A	705	-	-	4/4/4/4	-
2	GOL	B	701	-	-	2/4/4/4	-
2	GOL	A	701	-	-	2/4/4/4	-
2	GOL	A	706	-	-	1/4/4/4	-
2	GOL	A	702	-	-	4/4/4/4	-
2	GOL	A	704	-	-	3/4/4/4	-
2	GOL	A	703	-	-	0/4/4/4	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	704	PO4	P-O1	2.32	1.56	1.50
3	B	703	PO4	P-O1	2.27	1.56	1.50
3	A	707	PO4	P-O3	-2.13	1.48	1.54

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	703	PO4	O4-P-O1	-2.37	102.22	110.89
2	B	701	GOL	O3-C3-C2	-2.26	99.35	110.20
2	A	702	GOL	C3-C2-C1	-2.02	103.87	111.70

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	702	GOL	O1-C1-C2-C3
2	A	705	GOL	O1-C1-C2-C3
2	B	701	GOL	C1-C2-C3-O3
2	A	701	GOL	O1-C1-C2-C3
2	A	702	GOL	O1-C1-C2-C3
2	A	702	GOL	C1-C2-C3-O3
2	A	704	GOL	C1-C2-C3-O3
2	A	702	GOL	O2-C2-C3-O3
2	A	705	GOL	C1-C2-C3-O3
2	A	706	GOL	C1-C2-C3-O3
2	B	702	GOL	O1-C1-C2-O2
2	A	705	GOL	O1-C1-C2-O2
2	A	702	GOL	O1-C1-C2-O2
2	A	701	GOL	O1-C1-C2-O2
2	B	702	GOL	O2-C2-C3-O3
2	A	705	GOL	O2-C2-C3-O3
2	B	701	GOL	O2-C2-C3-O3
2	A	704	GOL	O1-C1-C2-O2
2	A	704	GOL	O2-C2-C3-O3

There are no ring outliers.

8 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	702	GOL	2	0
2	B	701	GOL	1	0
2	A	701	GOL	1	0
2	A	706	GOL	8	0
2	A	702	GOL	6	0
3	B	705	PO4	2	0
2	A	704	GOL	1	0
2	A	703	GOL	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	583/610 (95%)	0.30	41 (7%) 16 15	25, 41, 78, 130	7 (1%)
1	B	583/610 (95%)	0.48	56 (9%) 8 7	26, 46, 81, 151	6 (1%)
All	All	1166/1220 (95%)	0.39	97 (8%) 11 11	25, 44, 81, 151	13 (1%)

All (97) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	67	PHE	15.5
1	B	66	ALA	14.3
1	A	67	PHE	13.1
1	B	58	GLY	10.8
1	B	57	LEU	10.7
1	B	603	ARG	10.6
1	B	56	PHE	9.1
1	A	57	LEU	9.1
1	A	58	GLY	8.1
1	A	56	PHE	7.8
1	A	1	MET	7.2
1	A	2	ALA	6.6
1	B	604	PHE	6.6
1	B	226	LYS	6.5
1	B	2	ALA	6.5
1	B	193	LEU	5.3
1	B	225	SER	5.2
1	A	604	PHE	5.1
1	A	68	SER	4.9
1	A	603	ARG	4.7
1	A	223	HIS	4.5
1	A	188	GLY	4.5
1	A	222	SER	4.2
1	B	190	ASN	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	70	ARG	4.1
1	A	187	LYS	4.0
1	B	222	SER	3.9
1	B	185	LYS	3.9
1	B	8	TYR	3.8
1	A	185	LYS	3.6
1	B	189	GLN	3.6
1	B	194	GLU	3.6
1	B	178	GLN	3.6
1	B	186	ILE	3.6
1	A	53	LEU	3.5
1	B	126	LYS	3.3
1	A	224	LYS	3.3
1	A	70	ARG	3.2
1	A	186	ILE	3.2
1	B	480	LYS	3.2
1	A	51	ALA	3.2
1	B	68	SER	3.2
1	B	131	GLU	3.1
1	B	198	ASN	3.1
1	A	174	GLU	3.1
1	B	232	ARG	3.0
1	B	602	VAL	3.0
1	A	48	LYS	2.9
1	A	178	GLN	2.8
1	A	227	ILE	2.8
1	B	125	GLY	2.8
1	A	8	TYR	2.7
1	A	71	ASP	2.7
1	A	206	LYS	2.7
1	B	26	LEU	2.7
1	B	87	GLU	2.7
1	B	382	ARG	2.7
1	A	87	GLU	2.6
1	A	181	ASN	2.6
1	A	132	GLU	2.5
1	B	206	LYS	2.5
1	B	48	LYS	2.5
1	B	183	ARG	2.5
1	B	428	LEU	2.5
1	B	55	GLN	2.4
1	B	127	GLU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	53	LEU	2.4
1	A	226	LYS	2.4
1	B	205	GLU	2.3
1	A	202	LYS	2.3
1	B	479	PHE	2.3
1	A	602	VAL	2.3
1	B	223	HIS	2.3
1	A	36	GLY	2.3
1	B	481	MET	2.3
1	B	501	GLY	2.2
1	A	194	GLU	2.2
1	B	328	HIS	2.2
1	A	207	ILE	2.2
1	A	33	TYR	2.2
1	A	184	GLU	2.1
1	B	23	LEU	2.1
1	A	167	ASN	2.1
1	B	208	TYR	2.1
1	A	427	ILE	2.1
1	B	224	LYS	2.1
1	A	283	ARG	2.1
1	B	399	ASN	2.1
1	B	54	PRO	2.1
1	A	382	ARG	2.0
1	B	71	ASP	2.0
1	B	466	VAL	2.0
1	B	3	LYS	2.0
1	B	184	GLU	2.0
1	B	398	LYS	2.0
1	B	195	PHE	2.0
1	B	555	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GOL	A	706	6/6	0.57	0.27	41,61,65,70	6
3	PO4	B	705	5/5	0.73	0.33	40,40,56,59	5
2	GOL	A	705	6/6	0.75	0.26	66,69,81,84	0
3	PO4	B	704	5/5	0.78	0.35	47,50,54,56	5
2	GOL	A	704	6/6	0.79	0.15	42,54,56,63	6
2	GOL	A	703	6/6	0.83	0.46	47,57,64,72	6
3	PO4	A	708	5/5	0.85	0.45	56,57,59,62	5
2	GOL	A	702	6/6	0.87	0.33	39,60,62,65	0
2	GOL	B	701	6/6	0.89	0.14	45,52,54,60	6
2	GOL	A	701	6/6	0.89	0.13	50,56,58,63	6
2	GOL	B	702	6/6	0.89	0.28	50,67,71,76	0
3	PO4	A	709	5/5	0.90	0.30	73,73,75,83	5
3	PO4	A	710	5/5	0.91	0.24	77,81,84,88	5
3	PO4	A	707	5/5	0.93	0.14	39,52,64,71	0
3	PO4	B	703	5/5	0.95	0.16	40,51,59,61	0

6.5 Other polymers [i](#)

There are no such residues in this entry.