



Full wwPDB NMR Structure Validation Report i

Jun 4, 2023 – 05:00 AM EDT

PDB ID : 2LN0
BMRB ID : 18142
Title : Structure of MOZ
Authors : Qiu, Y.
Deposited on : 2011-12-15

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:


MolProbitiy	:	4.02b-467
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
wwPDB-RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
wwPDB-ShiftChecker	:	v1.2
BMRB Restraints Analysis	:	v1.2
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.33

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
SOLUTION NMR

The overall completeness of chemical shifts assignment is 83%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	112	 71%  24%  

2 Ensemble composition and analysis i

This entry contains 20 models. Model 10 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:207-A:313 (107)	0.91	10

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters. No single-model clusters were found.

Cluster number	Models
1	2, 4, 7, 8, 10, 14, 15
2	1, 3, 9, 13, 17, 18
3	5, 6, 12, 16
4	11, 19, 20

3 Entry composition [\(i\)](#)

There are 2 unique types of molecules in this entry. The entry contains 1691 atoms, of which 828 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Histone acetyltransferase KAT6A.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	110	1687	525	828	156	159	19	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	202	HIS	-	expression tag	UNP Q92794
A	203	MET	-	expression tag	UNP Q92794

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		
			Total	Zn	
2	A	4	4	4	

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Histone acetyltransferase KAT6A



4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1

- Molecule 1: Histone acetyltransferase KAT6A




4.2.2 Score per residue for model 2

- Molecule 1: Histone acetyltransferase KAT6A




4.2.3 Score per residue for model 3

- Molecule 1: Histone acetyltransferase KAT6A




4.2.4 Score per residue for model 4

- Molecule 1: Histone acetyltransferase KAT6A



4.2.5 Score per residue for model 5

- Molecule 1: Histone acetyltransferase KAT6A



4.2.6 Score per residue for model 6

- Molecule 1: Histone acetyltransferase KAT6A



4.2.7 Score per residue for model 7

- Molecule 1: Histone acetyltransferase KAT6A




4.2.8 Score per residue for model 8

- Molecule 1: Histone acetyltransferase KAT6A




4.2.9 Score per residue for model 9

- Molecule 1: Histone acetyltransferase KAT6A




4.2.10 Score per residue for model 10 (medoid)

- Molecule 1: Histone acetyltransferase KAT6A



4.2.11 Score per residue for model 11

- Molecule 1: Histone acetyltransferase KAT6A




4.2.12 Score per residue for model 12

- Molecule 1: Histone acetyltransferase KAT6A




4.2.13 Score per residue for model 13

- Molecule 1: Histone acetyltransferase KAT6A




4.2.14 Score per residue for model 14

- Molecule 1: Histone acetyltransferase KAT6A




4.2.15 Score per residue for model 15

- Molecule 1: Histone acetyltransferase KAT6A




4.2.16 Score per residue for model 16

- Molecule 1: Histone acetyltransferase KAT6A




4.2.17 Score per residue for model 17

- Molecule 1: Histone acetyltransferase KAT6A




4.2.18 Score per residue for model 18

- Molecule 1: Histone acetyltransferase KAT6A




4.2.19 Score per residue for model 19

- Molecule 1: Histone acetyltransferase KAT6A



4.2.20 Score per residue for model 20

- Molecule 1: Histone acetyltransferase KAT6A



5 Refinement protocol and experimental data overview i

The models were refined using the following method: *simulated annealing*.

Of the 500 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	refinement	
CNS	structure solution	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section [7](#) of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	1181
Number of shifts mapped to atoms	1175
Number of unparsed shifts	0
Number of shifts with mapping errors	6
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	83%

6 Model quality i

6.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:
ZN

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	835	804	804	14±3
All	All	16780	16080	16080	286

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1		Atom-2	Clash(Å)	Distance(Å)	Models	
					Worst	Total
1:A:275:ALA:HB1		1:A:289:HIS:NE2	0.78	1.93	9	1
1:A:252:VAL:HA		1:A:255:LEU:HD23	0.71	1.62	7	6
1:A:227:LEU:HD23		1:A:236:SER:HB2	0.69	1.63	18	3
1:A:264:THR:HG21		1:A:271:GLN:CG	0.69	2.17	5	1
1:A:227:LEU:HD23		1:A:238:HIS:CD2	0.65	2.27	4	2
1:A:279:LEU:HD22		1:A:297:LEU:HD11	0.64	1.68	10	2
1:A:227:LEU:HD13		1:A:236:SER:OG	0.64	1.93	1	1
1:A:264:THR:HG22		1:A:271:GLN:NE2	0.62	2.09	14	3
1:A:252:VAL:HG13		1:A:257:TRP:HB2	0.62	1.70	3	6
1:A:264:THR:HG22		1:A:271:GLN:HG2	0.60	1.72	10	2
1:A:275:ALA:HB1		1:A:289:HIS:HE2	0.59	1.53	9	1
1:A:248:LEU:HD21		1:A:282:ASP:C	0.59	2.16	15	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:264:THR:HG22	1:A:271:GLN:CG	0.59	2.27	10	3
1:A:297:LEU:HD11	1:A:305:TRP:CD1	0.59	2.31	8	3
1:A:271:GLN:O	1:A:275:ALA:HB3	0.58	1.98	9	1
1:A:227:LEU:HD12	1:A:236:SER:HB2	0.58	1.75	14	1
1:A:271:GLN:O	1:A:275:ALA:HB2	0.58	1.98	19	1
1:A:248:LEU:HD21	1:A:285:ASP:OD2	0.57	1.98	7	4
1:A:246:PRO:O	1:A:250:VAL:HG23	0.57	1.99	14	9
1:A:275:ALA:HB1	1:A:289:HIS:CD2	0.57	2.34	9	1
1:A:262:CYS:O	1:A:264:THR:HG23	0.57	1.99	8	8
1:A:248:LEU:HD21	1:A:285:ASP:OD1	0.56	2.00	10	2
1:A:227:LEU:HD22	1:A:238:HIS:CD2	0.56	2.35	14	1
1:A:248:LEU:HD21	1:A:282:ASP:O	0.56	2.00	3	2
1:A:279:LEU:HD11	1:A:297:LEU:HD12	0.55	1.77	17	3
1:A:255:LEU:HD12	1:A:256:ARG:N	0.55	2.17	7	6
1:A:279:LEU:CD2	1:A:297:LEU:HD12	0.55	2.31	19	1
1:A:227:LEU:HD23	1:A:227:LEU:N	0.55	2.17	14	1
1:A:278:MET:CG	1:A:289:HIS:CD2	0.55	2.90	4	5
1:A:279:LEU:CD1	1:A:297:LEU:HD11	0.54	2.32	4	3
1:A:275:ALA:HB1	1:A:278:MET:CE	0.53	2.33	6	4
1:A:290:MET:HA	1:A:297:LEU:HD12	0.53	1.79	4	1
1:A:227:LEU:HD23	1:A:236:SER:CB	0.53	2.34	12	3
1:A:254:ALA:O	1:A:255:LEU:HD23	0.53	2.03	14	12
1:A:248:LEU:O	1:A:252:VAL:HG23	0.52	2.03	14	17
1:A:265:CYS:HA	1:A:287:GLY:O	0.52	2.04	2	18
1:A:279:LEU:HD13	1:A:297:LEU:HD12	0.52	1.82	7	3
1:A:208:ILE:HG22	1:A:215:THR:HG22	0.52	1.82	14	1
1:A:248:LEU:HD13	1:A:285:ASP:OD2	0.52	2.05	15	1
1:A:228:ILE:HG22	1:A:257:TRP:CE3	0.52	2.40	12	6
1:A:264:THR:HG22	1:A:271:GLN:HG3	0.52	1.81	17	2
1:A:242:LEU:HB3	1:A:244:PHE:CE1	0.51	2.40	20	8
1:A:221:GLU:O	1:A:222:LYS:HG2	0.51	2.06	17	20
1:A:279:LEU:HD11	1:A:297:LEU:HD11	0.51	1.80	3	1
1:A:271:GLN:HA	1:A:275:ALA:HB2	0.51	1.82	16	2
1:A:227:LEU:CD2	1:A:238:HIS:CD2	0.50	2.94	2	4
1:A:264:THR:HG21	1:A:271:GLN:HG2	0.50	1.83	5	1
1:A:279:LEU:HD12	1:A:293:CYS:SG	0.50	2.47	17	1
1:A:264:THR:HG21	1:A:271:GLN:HG3	0.49	1.84	5	2
1:A:265:CYS:HB2	1:A:289:HIS:CE1	0.49	2.42	9	1
1:A:279:LEU:CD1	1:A:297:LEU:HD12	0.48	2.38	7	7
1:A:227:LEU:HD21	1:A:238:HIS:CD2	0.48	2.42	1	1
1:A:216:LYS:HA	1:A:227:LEU:HD21	0.48	1.85	7	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:283:SER:HB2	1:A:306:ILE:HD12	0.47	1.86	14	1
1:A:252:VAL:CG1	1:A:257:TRP:CD1	0.47	2.98	12	14
1:A:219:ASN:CG	1:A:238:HIS:CD2	0.47	2.88	9	2
1:A:245:SER:H	1:A:248:LEU:HD12	0.47	1.69	15	1
1:A:248:LEU:HD13	1:A:282:ASP:C	0.47	2.29	12	1
1:A:275:ALA:HB1	1:A:278:MET:HE3	0.47	1.87	5	1
1:A:227:LEU:CD1	1:A:238:HIS:CD2	0.47	2.98	12	4
1:A:219:ASN:HB3	1:A:223:LYS:HG3	0.47	1.86	18	3
1:A:242:LEU:HB3	1:A:244:PHE:CZ	0.46	2.45	20	2
1:A:252:VAL:HA	1:A:255:LEU:CD2	0.46	2.39	5	6
1:A:227:LEU:HD23	1:A:236:SER:OG	0.46	2.11	12	1
1:A:266:SER:HB3	1:A:288:PHE:CZ	0.46	2.46	15	1
1:A:269:ARG:HD3	1:A:269:ARG:N	0.45	2.26	6	1
1:A:275:ALA:HB1	1:A:278:MET:HE1	0.45	1.87	6	1
1:A:227:LEU:HD13	1:A:236:SER:HB3	0.45	1.87	10	2
1:A:297:LEU:HD11	1:A:305:TRP:NE1	0.45	2.25	2	1
1:A:251:ARG:O	1:A:255:LEU:HG	0.45	2.11	14	4
1:A:219:ASN:CB	1:A:223:LYS:HG3	0.45	2.42	16	1
1:A:252:VAL:HG13	1:A:257:TRP:CD1	0.44	2.47	12	3
1:A:288:PHE:HZ	1:A:309:ILE:HD11	0.44	1.73	5	1
1:A:248:LEU:HD11	1:A:285:ASP:HB2	0.43	1.90	9	1
1:A:260:ILE:HD12	1:A:280:PHE:CE2	0.43	2.49	11	1
1:A:281:CYS:O	1:A:285:ASP:HA	0.43	2.13	17	6
1:A:264:THR:HG22	1:A:271:GLN:HB3	0.43	1.91	16	1
1:A:297:LEU:HD13	1:A:301:PRO:CG	0.42	2.44	8	1
1:A:219:ASN:HA	1:A:238:HIS:CE1	0.42	2.49	12	1
1:A:271:GLN:NE2	1:A:275:ALA:HB1	0.42	2.29	17	1
1:A:227:LEU:HD22	1:A:237:GLY:N	0.42	2.29	10	1
1:A:227:LEU:HD12	1:A:238:HIS:CD2	0.42	2.49	18	1
1:A:229:SER:OG	1:A:236:SER:HB3	0.42	2.14	1	1
1:A:270:ASP:O	1:A:271:GLN:HB2	0.42	2.14	18	2
1:A:297:LEU:HD13	1:A:301:PRO:HG3	0.41	1.92	2	2
1:A:288:PHE:CZ	1:A:309:ILE:HD11	0.41	2.50	5	1
1:A:278:MET:HG3	1:A:289:HIS:CD2	0.41	2.51	4	1
1:A:229:SER:HA	1:A:236:SER:HA	0.41	1.92	2	1
1:A:265:CYS:O	1:A:269:ARG:HD3	0.41	2.14	9	1
1:A:209:CYS:O	1:A:213:LEU:HA	0.41	2.16	15	1
1:A:227:LEU:HD23	1:A:238:HIS:NE2	0.41	2.31	4	1
1:A:263:LYS:HD2	1:A:280:PHE:CE1	0.41	2.51	14	1
1:A:207:PRO:O	1:A:227:LEU:HD22	0.41	2.16	18	1
1:A:264:THR:CG2	1:A:271:GLN:HG3	0.40	2.45	5	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:227:LEU:HD13	1:A:236:SER:CB	0.40	2.46	10	1
1:A:219:ASN:HB2	1:A:223:LYS:O	0.40	2.16	12	1
1:A:264:THR:HG22	1:A:271:GLN:CD	0.40	2.37	18	1
1:A:264:THR:CG2	1:A:271:GLN:HA	0.40	2.47	6	1
1:A:252:VAL:HG13	1:A:257:TRP:CB	0.40	2.42	3	1

6.3 Torsion angles [\(i\)](#)

6.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	106/112 (95%)	97±2 (92±2%)	9±2 (8±2%)	0±0 (0±0%)	50 82
All	All	2120/2240 (95%)	1941 (92%)	174 (8%)	5 (0%)	50 82

All 3 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	207	PRO	3
1	A	273	LYS	1
1	A	301	PRO	1

6.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	98/103 (95%)	81±3 (83±3%)	17±3 (17±3%)	5 40
All	All	1960/2060 (95%)	1628 (83%)	332 (17%)	5 40

All 50 unique residues with a non-rotameric sidechain are listed below. They are sorted by the

frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	266	SER	20
1	A	285	ASP	18
1	A	222	LYS	17
1	A	308	GLN	14
1	A	216	LYS	13
1	A	304	MET	13
1	A	313	ARG	12
1	A	218	GLN	12
1	A	273	LYS	11
1	A	282	ASP	11
1	A	245	SER	10
1	A	223	LYS	10
1	A	256	ARG	10
1	A	232	ASP	9
1	A	302	LYS	9
1	A	270	ASP	8
1	A	299	ARG	8
1	A	267	SER	8
1	A	236	SER	8
1	A	311	ARG	7
1	A	240	SER	6
1	A	294	ASP	6
1	A	247	GLU	6
1	A	255	LEU	6
1	A	274	ASN	6
1	A	283	SER	6
1	A	226	GLU	5
1	A	227	LEU	5
1	A	269	ARG	5
1	A	290	MET	5
1	A	229	SER	4
1	A	258	GLN	4
1	A	297	LEU	4
1	A	213	LEU	4
1	A	300	MET	4
1	A	251	ARG	3
1	A	243	LYS	3
1	A	298	THR	3
1	A	210	SER	3
1	A	277	ASN	2
1	A	208	ILE	2
1	A	263	LYS	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	291	GLU	2
1	A	271	GLN	2
1	A	286	ARG	1
1	A	217	GLU	1
1	A	264	THR	1
1	A	279	LEU	1
1	A	220	ARG	1
1	A	276	ASP	1

6.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.6 Ligand geometry [\(i\)](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

6.7 Other polymers [\(i\)](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

7 Chemical shift validation i

The completeness of assignment taking into account all chemical shift lists is 83% for the well-defined parts and 81% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping i

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1181
Number of shifts mapped to atoms	1175
Number of unparsed shifts	0
Number of shifts with mapping errors	6
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- No matching atom found in the structure. All 6 occurrences are reported below.

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	202	HIS	CA	56.238	.	1
1	A	202	HIS	CB	31.142	.	1
1	A	203	MET	CA	54.557	.	1
1	A	203	MET	CB	32.624	.	1
1	A	203	MET	H	8.147	.	1
1	A	203	MET	N	122.382	.	1

7.1.2 Chemical shift referencing i

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	109	-0.65 \pm 0.28	Should be checked
$^{13}\text{C}_\beta$	102	0.24 \pm 0.27	None needed (< 0.5 ppm)

Continued on next page...

Continued from previous page...

Nucleus	# values	Correction ± precision, ppm	Suggested action
¹³ C'	100	-2.20 ± 0.31	Should be applied
¹⁵ N	97	-0.07 ± 0.67	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments [\(i\)](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 83%, i.e. 1175 atoms were assigned a chemical shift out of a possible 1409. 0 out of 9 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	512/525 (98%)	209/212 (99%)	207/214 (97%)	96/99 (97%)
Sidechain	633/806 (79%)	440/517 (85%)	186/249 (75%)	7/40 (18%)
Aromatic	30/78 (38%)	28/40 (70%)	0/34 (0%)	2/4 (50%)
Overall	1175/1409 (83%)	677/769 (88%)	393/497 (79%)	105/143 (73%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 81%, i.e. 1175 atoms were assigned a chemical shift out of a possible 1451. 0 out of 9 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	512/538 (95%)	209/217 (96%)	207/220 (94%)	96/101 (95%)
Sidechain	633/835 (76%)	440/536 (82%)	186/259 (72%)	7/40 (18%)
Aromatic	30/78 (38%)	28/40 (70%)	0/34 (0%)	2/4 (50%)
Overall	1175/1451 (81%)	677/793 (85%)	393/513 (77%)	105/145 (72%)


7.1.4 Statistically unusual chemical shifts [\(i\)](#)

There are no statistically unusual chemical shifts.

7.1.5 Random Coil Index (RCI) plots [\(i\)](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:



8 NMR restraints analysis i

8.1 Conformationally restricting restraints i

The following table provides the summary of experimentally observed NMR restraints in different categories. Restraints are classified into different categories based on the sequence separation of the atoms involved.

Description	Value
Total distance restraints	1916
Intra-residue ($ i-j =0$)	561
Sequential ($ i-j =1$)	516
Medium range ($ i-j >1$ and $ i-j <5$)	337
Long range ($ i-j \geq 5$)	482
Inter-chain	0
Hydrogen bond restraints	20
Disulfide bond restraints	0
Total dihedral-angle restraints	111
Number of unmapped restraints	0
Number of restraints per residue	18.1
Number of long range restraints per residue ¹	4.4

¹Long range hydrogen bonds and disulfide bonds are counted as long range restraints while calculating the number of long range restraints per residue

8.2 Residual restraint violations i

This section provides the overview of the restraint violations analysis. The violations are binned as small, medium and large violations based on its absolute value. Average number of violations per model is calculated by dividing the total number of violations in each bin by the size of the ensemble.

8.2.1 Average number of distance violations per model i

Distance violations less than 0.1 Å are not included in the calculation.

Bins (Å)	Average number of violations per model	Max (Å)
0.1-0.2 (Small)	1.1	0.14
0.2-0.5 (Medium)	None	None
>0.5 (Large)	None	None

8.2.2 Average number of dihedral-angle violations per model [\(i\)](#)

Dihedral-angle violations less than 1° are not included in the calculation.

Bins (°)	Average number of violations per model	Max (°)
1.0-10.0 (Small)	0.1	1.1
10.0-20.0 (Medium)	None	None
>20.0 (Large)	None	None

9 Distance violation analysis (i)


9.1 Summary of distance violations (i)

The following table shows the summary of distance violations in different restraint categories based on the sequence separation of the atoms involved. Each category is further sub-divided into three sub-categories based on the atoms involved. Violations less than 0.1 Å are not included in the statistics.

Restraints type	Count	% ¹	Violated ³			Consistently Violated ⁴		
			Count	% ²	% ¹	Count	% ²	% ¹
Intra-residue ($ i-j =0$)	561	29.3	2	0.4	0.1	0	0.0	0.0
Backbone-Backbone	85	4.4	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	342	17.8	2	0.6	0.1	0	0.0	0.0
Sidechain-Sidechain	134	7.0	0	0.0	0.0	0	0.0	0.0
Sequential ($ i-j =1$)	516	26.9	2	0.4	0.1	0	0.0	0.0
Backbone-Backbone	207	10.8	1	0.5	0.1	0	0.0	0.0
Backbone-Sidechain	265	13.8	1	0.4	0.1	0	0.0	0.0
Sidechain-Sidechain	44	2.3	0	0.0	0.0	0	0.0	0.0
Medium range ($ i-j >1 \text{ & } i-j <5$)	337	17.6	0	0.0	0.0	0	0.0	0.0
Backbone-Backbone	121	6.3	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	154	8.0	0	0.0	0.0	0	0.0	0.0
Sidechain-Sidechain	62	3.2	0	0.0	0.0	0	0.0	0.0
Long range ($ i-j \geq 5$)	482	25.2	0	0.0	0.0	0	0.0	0.0
Backbone-Backbone	105	5.5	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	247	12.9	0	0.0	0.0	0	0.0	0.0
Sidechain-Sidechain	130	6.8	0	0.0	0.0	0	0.0	0.0
Inter-chain	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Backbone	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Sidechain-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Hydrogen bond	20	1.0	0	0.0	0.0	0	0.0	0.0
Disulfide bond	0	0.0	0	0.0	0.0	0	0.0	0.0
Total	1916	100.0	4	0.2	0.2	0	0.0	0.0
Backbone-Backbone	538	28.1	1	0.2	0.1	0	0.0	0.0
Backbone-Sidechain	1008	52.6	3	0.3	0.2	0	0.0	0.0
Sidechain-Sidechain	370	19.3	0	0.0	0.0	0	0.0	0.0

¹ percentage calculated with respect to the total number of distance restraints, ² percentage calculated with respect to the number of restraints in a particular restraint category, ³ violated in at least one model, ⁴ violated in all the models

9.1.1 Bar chart : Distribution of distance restraints and violations [\(i\)](#)



Violated and consistently violated restraints are shown using different hatch patterns in their respective categories. The hydrogen bonds and disulfied bonds are counted in their appropriate category on the x-axis

9.2 Distance violation statistics for each model [\(i\)](#)

The following table provides the distance violation statistics for each model in the ensemble. Violations less than 0.1 Å are not included in the statistics.

Model ID	Number of violations						Mean (Å)	Max (Å)	SD ⁶ (Å)	Median (Å)
	IR ¹	SQ ²	MR ³	LR ⁴	IC ⁵	Total				
1	0	1	0	0	0	1	0.12	0.12	0.0	0.12
2	0	1	0	0	0	1	0.13	0.13	0.0	0.13
3	0	1	0	0	0	1	0.11	0.11	0.0	0.11
4	0	1	0	0	0	1	0.11	0.11	0.0	0.11
5	0	2	0	0	0	2	0.11	0.11	0.0	0.11
6	1	1	0	0	0	2	0.12	0.14	0.02	0.12
7	0	1	0	0	0	1	0.12	0.12	0.0	0.12
8	0	1	0	0	0	1	0.12	0.12	0.0	0.12
9	0	2	0	0	0	2	0.12	0.14	0.02	0.12
10	0	1	0	0	0	1	0.12	0.12	0.0	0.12
11	0	1	0	0	0	1	0.11	0.11	0.0	0.11


Continued on next page...

Continued from previous page...

Model ID	Number of violations						Mean (Å)	Max (Å)	SD ⁶ (Å)	Median (Å)
	IR ¹	SQ ²	MR ³	LR ⁴	IC ⁵	Total				
12	0	1	0	0	0	1	0.11	0.11	0.0	0.11
13	0	1	0	0	0	1	0.13	0.13	0.0	0.13
14	1	1	0	0	0	2	0.13	0.14	0.01	0.13
15	0	1	0	0	0	1	0.12	0.12	0.0	0.12
16	0	1	0	0	0	1	0.12	0.12	0.0	0.12
17	0	1	0	0	0	1	0.14	0.14	0.0	0.14
18	0	1	0	0	0	1	0.12	0.12	0.0	0.12
19	0	0	0	0	0	0	0.0	0.0	0.0	0.0
20	0	1	0	0	0	1	0.12	0.12	0.0	0.12

¹Intra-residue restraints, ²Sequential restraints, ³Medium range restraints, ⁴Long range restraints,
⁵Inter-chain restraints, ⁶Standard deviation

9.2.1 Bar graph : Distance Violation statistics for each model [\(i\)](#)



The mean(dot),median(x) and the standard deviation are shown in blue with respect to the y axis on the right

9.3 Distance violation statistics for the ensemble [\(i\)](#)


Violation analysis may find that some restraints are violated in few models and some are violated in most of models. The following table provides this information as number of violated restraints for a given fraction of the ensemble. In total, 1892(IR:559, SQ:514, MR:337, LR:482, IC:0) restraints are not violated in the ensemble.

IR ¹	SQ ²	MR ³	LR ⁴	IC ⁵	Total	Fraction of the ensemble	
						Count ⁶	%
2	0	0	0	0	2	1	5.0
0	1	0	0	0	1	2	10.0
0	0	0	0	0	0	3	15.0
0	0	0	0	0	0	4	20.0
0	0	0	0	0	0	5	25.0
0	0	0	0	0	0	6	30.0
0	0	0	0	0	0	7	35.0
0	0	0	0	0	0	8	40.0
0	0	0	0	0	0	9	45.0
0	0	0	0	0	0	10	50.0
0	0	0	0	0	0	11	55.0
0	0	0	0	0	0	12	60.0
0	0	0	0	0	0	13	65.0
0	0	0	0	0	0	14	70.0
0	0	0	0	0	0	15	75.0
0	0	0	0	0	0	16	80.0
0	0	0	0	0	0	17	85.0
0	0	0	0	0	0	18	90.0
0	1	0	0	0	1	19	95.0
0	0	0	0	0	0	20	100.0

¹Intra-residue restraints, ²Sequential restraints, ³Medium range restraints, ⁴Long range restraints,

⁵Inter-chain restraints, ⁶ Number of models with violations


9.3.1 Bar graph : Distance violation statistics for the ensemble [\(i\)](#)



9.4 Most violated distance restraints in the ensemble [\(i\)](#)

9.4.1 Histogram : Distribution of mean distance violations [\(i\)](#)

The following histogram shows the distribution of the average value of the violation. The average is calculated for each restraint that is violated in more than one model over all the violated models in the ensemble



9.4.2 Table: Most violated distance restraints [\(i\)](#)

The following table provides the mean and the standard deviation of the violation for each restraint sorted by number of violated models and the mean value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint. Rows with same key represent combinatorial or ambiguous restraints and are counted as a single restraint.


Key	Atom-1	Atom-2	Models ¹	Mean (Å)	SD ¹ (Å)	Median (Å)
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB2	19	0.12	0.01	0.12
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB3	19	0.12	0.01	0.12
(1,1642)	1:A:277:ASN:HA	1:A:276:ASP:HA	2	0.12	0.02	0.12

¹Number of violated models, ²Standard deviation

9.5 All violated distance restraints [\(i\)](#)

9.5.1 Histogram : Distribution of distance violations [\(i\)](#)

The following histogram shows the distribution of the absolute value of the violation for all violated restraints in the ensemble.



9.5.2 Table : All distance violations [\(i\)](#)

The following table lists the absolute value of the violation for each restraint in the ensemble sorted by its value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint. Rows with same key represent combinatorial or ambiguous restraints and are counted as a single restraint.

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB2	17	0.14
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB3	17	0.14
(1,1642)	1:A:277:ASN:HA	1:A:276:ASP:HA	9	0.14
(1,1611)	1:A:269:ARG:HA	1:A:269:ARG:HD2	6	0.14
(1,1611)	1:A:269:ARG:HA	1:A:269:ARG:HD3	6	0.14
(1,1343)	1:A:243:LYS:HA	1:A:243:LYS:HD2	14	0.14
(1,1343)	1:A:243:LYS:HA	1:A:243:LYS:HD3	14	0.14
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB2	2	0.13
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB3	2	0.13
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB2	13	0.13
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB3	13	0.13
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB2	1	0.12
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB3	1	0.12
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB2	7	0.12
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB3	7	0.12
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB2	8	0.12

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB3	8	0.12
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB2	10	0.12
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB3	10	0.12
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB2	14	0.12
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB3	14	0.12
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB2	15	0.12
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB3	15	0.12
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB2	16	0.12
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB3	16	0.12
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB2	18	0.12
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB3	18	0.12
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB2	20	0.12
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB3	20	0.12
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB2	3	0.11
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB3	3	0.11
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB2	4	0.11
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB3	4	0.11
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB2	5	0.11
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB3	5	0.11
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB2	6	0.11
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB3	6	0.11
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB2	9	0.11
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB3	9	0.11
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB2	11	0.11
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB3	11	0.11
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB2	12	0.11
(1,733)	1:A:278:MET:H	1:A:277:ASN:HB3	12	0.11
(1,1642)	1:A:277:ASN:HA	1:A:276:ASP:HA	5	0.11

10 Dihedral-angle violation analysis [\(i\)](#)


10.1 Summary of dihedral-angle violations [\(i\)](#)

The following table provides the summary of dihedral-angle violations in different dihedral-angle types. Violations less than 1° are not included in the calculation.

Angle type	Count	% ¹	Violated ³			Consistently Violated ⁴		
			Count	% ²	% ¹	Count	% ²	% ¹
PSI	55	49.5	1	1.8	0.9	0	0.0	0.0
PHI	56	50.5	1	1.8	0.9	0	0.0	0.0
Total	111	100.0	2	1.8	1.8	0	0.0	0.0

¹ percentage calculated with respect to total number of dihedral-angle restraints, ² percentage calculated with respect to number of restraints in a particular dihedral-angle type, ³ violated in at least one model, ⁴ violated in all the models

10.1.1 Bar chart : Distribution of dihedral-angles and violations [\(i\)](#)




Violated and consistently violated restraints are shown using different hatch patterns in their respective categories

10.2 Dihedral-angle violation statistics for each model [\(i\)](#)

The following table provides the dihedral-angle violation statistics for each model in the ensemble. Violations less than 1° are not included in the statistics.

Model ID	Number of violations			Mean (°)	Max (°)	SD (°)	Median (°)
	PSI	PHI	Total				
1	0	0	0	0.0	0.0	0.0	0.0
2	0	0	0	0.0	0.0	0.0	0.0
3	0	0	0	0.0	0.0	0.0	0.0
4	0	0	0	0.0	0.0	0.0	0.0
5	1	0	1	1.1	1.1	0.0	1.1
6	0	0	0	0.0	0.0	0.0	0.0
7	0	0	0	0.0	0.0	0.0	0.0
8	0	1	1	1.1	1.1	0.0	1.1
9	0	0	0	0.0	0.0	0.0	0.0
10	0	0	0	0.0	0.0	0.0	0.0
11	0	0	0	0.0	0.0	0.0	0.0
12	0	0	0	0.0	0.0	0.0	0.0
13	0	0	0	0.0	0.0	0.0	0.0
14	0	0	0	0.0	0.0	0.0	0.0
15	0	0	0	0.0	0.0	0.0	0.0
16	0	0	0	0.0	0.0	0.0	0.0
17	0	0	0	0.0	0.0	0.0	0.0
18	0	0	0	0.0	0.0	0.0	0.0
19	0	0	0	0.0	0.0	0.0	0.0
20	0	0	0	0.0	0.0	0.0	0.0

10.2.1 Bar graph : Dihedral violation statistics for each model [\(i\)](#)



The mean(dot),median(x) and the standard deviation are shown in blue with respect to the y axis on the right

10.3 Dihedral-angle violation statistics for the ensemble [\(i\)](#)

Violation analysis may find that some restraints are violated in very few models and some are violated in most of models. The following table provides this information as number of violated restraints for a given fraction of ensemble.

PSI	PHI	Total	Fraction of the ensemble	
			Count ¹	%
1	1	2	1	5.0
0	0	0	2	10.0
0	0	0	3	15.0
0	0	0	4	20.0
0	0	0	5	25.0
0	0	0	6	30.0
0	0	0	7	35.0
0	0	0	8	40.0
0	0	0	9	45.0
0	0	0	10	50.0
0	0	0	11	55.0


Continued on next page...

Continued from previous page...

Number of violated restraints			Fraction of the ensemble	
PSI	PHI	Total	Count ¹	%
0	0	0	12	60.0
0	0	0	13	65.0
0	0	0	14	70.0
0	0	0	15	75.0
0	0	0	16	80.0
0	0	0	17	85.0
0	0	0	18	90.0
0	0	0	19	95.0
0	0	0	20	100.0

¹ Number of models with violations

10.3.1 Bar graph : Dihedral-angle Violation statistics for the ensemble [\(i\)](#)



10.4 Most violated dihedral-angle restraints in the ensemble [\(i\)](#)

No violations found

10.5 All violated dihedral-angle restraints [\(i\)](#)

10.5.1 Histogram : Distribution of violations [\(i\)](#)

The following histogram shows the distribution of the absolute value of the violation for all violated restraints in the ensemble.

Data insufficient to plot histogram

10.5.2 Table: All violated dihedral-angle restraints [\(i\)](#)

The following table lists the absolute value of the violation for each restraint in the ensemble sorted by its value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint.

Key	Atom-1	Atom-2	Atom-3	Atom-4	Model ID	Violation (°)
(1,54)	1:A:258:GLN:C	1:A:259:CYS:N	1:A:259:CYS:CA	1:A:259:CYS:C	8	1.1
(1,13)	1:A:219:ASN:N	1:A:219:ASN:CA	1:A:219:ASN:C	1:A:220:ARG:N	5	1.1