



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 15, 2020 – 11:16 pm BST

PDB ID : 4M2C
Title : Crystal structure of non-heme iron oxygenase OrfP in complex with Fe and D-Arg
Authors : Chang, C.Y.; Liu, Y.C.; Lyu, S.Y.; Wu, C.C.; Li, T.L.
Deposited on : 2013-08-05
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1164 (2.36-2.36)
Clashscore	141614	1232 (2.36-2.36)
Ramachandran outliers	138981	1211 (2.36-2.36)
Sidechain outliers	138945	1212 (2.36-2.36)
RSRZ outliers	127900	1150 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	364	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 82%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 9%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: grey;"></div> </div> <p style="font-size: small; margin-top: 5px;">5% 82% 9% • 8%</p>
1	B	364	<div style="display: flex; align-items: center;"> <div style="width: 16%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 76%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: grey;"></div> </div> <p style="font-size: small; margin-top: 5px;">16% 76% 10% • 12%</p>
1	C	364	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 80%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: grey;"></div> </div> <p style="font-size: small; margin-top: 5px;">5% 80% 11% • 8%</p>
1	D	364	<div style="display: flex; align-items: center;"> <div style="width: 10%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 81%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: grey;"></div> </div> <p style="font-size: small; margin-top: 5px;">10% 81% 10% • 8%</p>

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 11289 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-arginine beta-hydroxylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	336	Total 2690	C 1693	N 487	O 503	S 7	0	0	0
1	B	319	Total 2565	C 1621	N 465	O 473	S 6	0	0	0
1	C	336	Total 2690	C 1693	N 487	O 503	S 7	0	0	0
1	D	336	Total 2690	C 1693	N 487	O 503	S 7	0	0	0

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	EXPRESSION TAG	UNP G9MBV2
A	-18	GLY	-	EXPRESSION TAG	UNP G9MBV2
A	-17	SER	-	EXPRESSION TAG	UNP G9MBV2
A	-16	SER	-	EXPRESSION TAG	UNP G9MBV2
A	-15	HIS	-	EXPRESSION TAG	UNP G9MBV2
A	-14	HIS	-	EXPRESSION TAG	UNP G9MBV2
A	-13	HIS	-	EXPRESSION TAG	UNP G9MBV2
A	-12	HIS	-	EXPRESSION TAG	UNP G9MBV2
A	-11	HIS	-	EXPRESSION TAG	UNP G9MBV2
A	-10	HIS	-	EXPRESSION TAG	UNP G9MBV2
A	-9	SER	-	EXPRESSION TAG	UNP G9MBV2
A	-8	SER	-	EXPRESSION TAG	UNP G9MBV2
A	-7	GLY	-	EXPRESSION TAG	UNP G9MBV2
A	-6	LEU	-	EXPRESSION TAG	UNP G9MBV2
A	-5	VAL	-	EXPRESSION TAG	UNP G9MBV2
A	-4	PRO	-	EXPRESSION TAG	UNP G9MBV2
A	-3	ARG	-	EXPRESSION TAG	UNP G9MBV2
A	-2	GLY	-	EXPRESSION TAG	UNP G9MBV2
A	-1	SER	-	EXPRESSION TAG	UNP G9MBV2
A	0	HIS	-	EXPRESSION TAG	UNP G9MBV2
B	-19	MET	-	EXPRESSION TAG	UNP G9MBV2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-18	GLY	-	EXPRESSION TAG	UNP G9MBV2
B	-17	SER	-	EXPRESSION TAG	UNP G9MBV2
B	-16	SER	-	EXPRESSION TAG	UNP G9MBV2
B	-15	HIS	-	EXPRESSION TAG	UNP G9MBV2
B	-14	HIS	-	EXPRESSION TAG	UNP G9MBV2
B	-13	HIS	-	EXPRESSION TAG	UNP G9MBV2
B	-12	HIS	-	EXPRESSION TAG	UNP G9MBV2
B	-11	HIS	-	EXPRESSION TAG	UNP G9MBV2
B	-10	HIS	-	EXPRESSION TAG	UNP G9MBV2
B	-9	SER	-	EXPRESSION TAG	UNP G9MBV2
B	-8	SER	-	EXPRESSION TAG	UNP G9MBV2
B	-7	GLY	-	EXPRESSION TAG	UNP G9MBV2
B	-6	LEU	-	EXPRESSION TAG	UNP G9MBV2
B	-5	VAL	-	EXPRESSION TAG	UNP G9MBV2
B	-4	PRO	-	EXPRESSION TAG	UNP G9MBV2
B	-3	ARG	-	EXPRESSION TAG	UNP G9MBV2
B	-2	GLY	-	EXPRESSION TAG	UNP G9MBV2
B	-1	SER	-	EXPRESSION TAG	UNP G9MBV2
B	0	HIS	-	EXPRESSION TAG	UNP G9MBV2
C	-19	MET	-	EXPRESSION TAG	UNP G9MBV2
C	-18	GLY	-	EXPRESSION TAG	UNP G9MBV2
C	-17	SER	-	EXPRESSION TAG	UNP G9MBV2
C	-16	SER	-	EXPRESSION TAG	UNP G9MBV2
C	-15	HIS	-	EXPRESSION TAG	UNP G9MBV2
C	-14	HIS	-	EXPRESSION TAG	UNP G9MBV2
C	-13	HIS	-	EXPRESSION TAG	UNP G9MBV2
C	-12	HIS	-	EXPRESSION TAG	UNP G9MBV2
C	-11	HIS	-	EXPRESSION TAG	UNP G9MBV2
C	-10	HIS	-	EXPRESSION TAG	UNP G9MBV2
C	-9	SER	-	EXPRESSION TAG	UNP G9MBV2
C	-8	SER	-	EXPRESSION TAG	UNP G9MBV2
C	-7	GLY	-	EXPRESSION TAG	UNP G9MBV2
C	-6	LEU	-	EXPRESSION TAG	UNP G9MBV2
C	-5	VAL	-	EXPRESSION TAG	UNP G9MBV2
C	-4	PRO	-	EXPRESSION TAG	UNP G9MBV2
C	-3	ARG	-	EXPRESSION TAG	UNP G9MBV2
C	-2	GLY	-	EXPRESSION TAG	UNP G9MBV2
C	-1	SER	-	EXPRESSION TAG	UNP G9MBV2
C	0	HIS	-	EXPRESSION TAG	UNP G9MBV2
D	-19	MET	-	EXPRESSION TAG	UNP G9MBV2
D	-18	GLY	-	EXPRESSION TAG	UNP G9MBV2
D	-17	SER	-	EXPRESSION TAG	UNP G9MBV2

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-16	SER	-	EXPRESSION TAG	UNP G9MBV2
D	-15	HIS	-	EXPRESSION TAG	UNP G9MBV2
D	-14	HIS	-	EXPRESSION TAG	UNP G9MBV2
D	-13	HIS	-	EXPRESSION TAG	UNP G9MBV2
D	-12	HIS	-	EXPRESSION TAG	UNP G9MBV2
D	-11	HIS	-	EXPRESSION TAG	UNP G9MBV2
D	-10	HIS	-	EXPRESSION TAG	UNP G9MBV2
D	-9	SER	-	EXPRESSION TAG	UNP G9MBV2
D	-8	SER	-	EXPRESSION TAG	UNP G9MBV2
D	-7	GLY	-	EXPRESSION TAG	UNP G9MBV2
D	-6	LEU	-	EXPRESSION TAG	UNP G9MBV2
D	-5	VAL	-	EXPRESSION TAG	UNP G9MBV2
D	-4	PRO	-	EXPRESSION TAG	UNP G9MBV2
D	-3	ARG	-	EXPRESSION TAG	UNP G9MBV2
D	-2	GLY	-	EXPRESSION TAG	UNP G9MBV2
D	-1	SER	-	EXPRESSION TAG	UNP G9MBV2
D	0	HIS	-	EXPRESSION TAG	UNP G9MBV2

- Molecule 2 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total Fe 1 1	0	0
2	D	1	Total Fe 1 1	0	0
2	C	1	Total Fe 1 1	0	0

- Molecule 3 is D-ARGININE (three-letter code: DAR) (formula: C₆H₁₅N₄O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	C	1	Total	C	N	O	0	0
			12	6	4	2		
3	D	1	Total	C	N	O	0	0
			12	6	4	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	184	Total	O	0	0
			184	184		
4	B	131	Total	O	0	0
			131	131		
4	C	163	Total	O	0	0
			163	163		
4	D	149	Total	O	0	0
			149	149		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: L-arginine beta-hydroxylase




- Molecule 1: L-arginine beta-hydroxylase



- Molecule 1: L-arginine beta-hydroxylase



- Molecule 1: L-arginine beta-hydroxylase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	68.03Å 116.37Å 95.80Å 90.00° 91.44° 90.00°	Depositor
Resolution (Å)	30.00 – 2.35 28.31 – 2.35	Depositor EDS
% Data completeness (in resolution range)	98.3 (30.00-2.35) 98.4 (28.31-2.35)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.51 (at 2.36Å)	Xtrriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.223 , 0.276 0.222 , 0.273	Depositor DCC
R_{free} test set	3086 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	39.1	Xtrriage
Anisotropy	0.028	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 36.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.027 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	11289	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.90% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FE, DAR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.46	2/2760 (0.1%)	0.55	0/3754
1	B	0.47	0/2633	0.54	0/3580
1	C	0.46	3/2760 (0.1%)	0.56	0/3754
1	D	0.45	0/2760	0.55	0/3754
All	All	0.46	5/10913 (0.0%)	0.55	0/14842

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	120	TRP	CD2-CE2	5.33	1.47	1.41
1	C	318	TRP	CD2-CE2	5.20	1.47	1.41
1	C	153	TRP	CD2-CE2	5.02	1.47	1.41
1	A	153	TRP	CD2-CE2	5.01	1.47	1.41
1	C	91	TRP	CD2-CE2	5.01	1.47	1.41

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2690	0	2606	22	0
1	B	2565	0	2488	22	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	2690	0	2606	26	0
1	D	2690	0	2606	24	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	C	12	0	14	0	0
3	D	12	0	14	1	0
4	A	184	0	0	1	0
4	B	131	0	0	0	0
4	C	163	0	0	2	0
4	D	149	0	0	3	0
All	All	11289	0	10334	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:212:LEU:HB3	1:B:213:PRO:HD3	1.27	1.11
1:A:217:THR:HA	1:A:218:ILE:HG13	1.09	1.08
1:D:219:ALA:O	1:D:220:THR:OG1	1.75	1.04
1:A:217:THR:HA	1:A:218:ILE:CG1	1.99	0.92
1:B:209:GLU:HG2	1:B:210:SER:H	1.34	0.90
1:B:212:LEU:HB3	1:B:213:PRO:CD	2.03	0.88
1:C:90:HIS:HD2	1:C:92:ARG:H	1.21	0.88
1:B:26:THR:HG23	1:B:102:PRO:HB3	1.57	0.85
1:A:217:THR:CA	1:A:218:ILE:HG13	2.03	0.83
1:C:36:PHE:HZ	1:C:96:ARG:HH11	1.28	0.82
1:D:26:THR:HG23	1:D:102:PRO:HB3	1.63	0.81
1:A:132:ILE:HD11	1:A:321:ARG:HD2	1.64	0.80
1:C:36:PHE:HZ	1:C:96:ARG:NH1	1.80	0.78
1:C:142:GLN:NE2	1:C:152:THR:H	1.83	0.76
1:C:221:GLU:HA	1:C:222:GLU:HG3	1.69	0.73
1:A:90:HIS:HD2	1:A:92:ARG:H	1.39	0.71
1:C:142:GLN:HE22	1:C:152:THR:H	1.37	0.70
1:A:230:ILE:HD11	1:A:334:MET:HE1	1.75	0.69
1:C:36:PHE:CZ	1:C:96:ARG:NH1	2.63	0.67
1:A:96:ARG:NH1	4:A:536:HOH:O	2.28	0.67
1:C:90:HIS:CD2	1:C:92:ARG:H	2.10	0.66
1:A:171:ALA:HA	1:A:319:LEU:HD22	1.79	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:169:LEU:HD23	1:D:321:ARG:HG3	1.79	0.64
1:D:219:ALA:O	1:D:220:THR:CB	2.47	0.62
1:A:58:ASP:OD1	1:B:47:ARG:NH2	2.32	0.62
1:C:26:THR:HG23	1:C:102:PRO:HB3	1.82	0.60
1:C:26:THR:HG21	4:C:528:HOH:O	2.02	0.59
1:A:36:PHE:CE1	1:A:108:MET:HG3	2.37	0.59
1:A:90:HIS:CD2	1:A:92:ARG:H	2.20	0.59
1:A:217:THR:HB	1:A:218:ILE:O	2.03	0.58
1:C:26:THR:CG2	1:C:102:PRO:HB3	2.33	0.57
1:B:87:THR:CG2	1:B:318:TRP:HB2	2.34	0.57
1:D:130:HIS:CD2	1:D:321:ARG:NH1	2.74	0.56
1:B:26:THR:CG2	1:B:102:PRO:HB3	2.32	0.55
1:B:209:GLU:HG2	1:B:210:SER:N	2.13	0.55
1:D:169:LEU:CD2	1:D:321:ARG:HG3	2.38	0.53
1:B:209:GLU:CG	1:B:210:SER:H	2.15	0.53
1:B:120:TRP:HB2	1:B:123:GLN:HB2	1.91	0.53
1:D:36:PHE:CE1	1:D:108:MET:HG3	2.44	0.53
1:B:26:THR:HG23	1:B:102:PRO:CB	2.32	0.52
1:C:130:HIS:HB2	1:C:321:ARG:HB3	1.93	0.51
1:D:123:GLN:NE2	1:D:321:ARG:HH12	2.08	0.51
1:C:130:HIS:CD2	1:C:321:ARG:HH11	2.28	0.51
1:D:171:ALA:HA	1:D:319:LEU:HD22	1.92	0.50
1:D:51:ARG:HD2	4:D:526:HOH:O	2.12	0.50
1:A:209:GLU:HA	1:A:212:LEU:HD13	1.92	0.49
1:C:311:ARG:NH1	1:C:315:THR:OG1	2.45	0.49
1:C:198:LEU:HD22	1:C:275:LEU:HD12	1.94	0.49
1:B:101:PHE:HB3	1:B:102:PRO:HD3	1.95	0.49
1:D:81:GLN:NE2	1:D:173:ARG:HE	2.11	0.49
1:B:233:MET:HA	1:B:238:PRO:HD3	1.94	0.48
1:C:81:GLN:NE2	1:C:173:ARG:HE	2.12	0.48
1:D:123:GLN:HE22	1:D:321:ARG:HH12	1.61	0.48
1:A:187:LEU:HD22	1:A:250:PRO:HD3	1.95	0.47
1:A:132:ILE:HB	1:A:319:LEU:HB2	1.95	0.47
1:C:22:VAL:O	1:C:26:THR:HB	2.15	0.47
1:B:156:GLU:OE2	1:B:321:ARG:NH2	2.48	0.47
1:C:83:ARG:O	1:C:99:PRO:HB2	2.14	0.46
1:D:156:GLU:HB3	1:D:167:LEU:HD21	1.97	0.46
1:C:221:GLU:HA	1:C:222:GLU:CG	2.41	0.46
1:D:90:HIS:HD2	1:D:92:ARG:H	1.63	0.45
1:D:194:ASP:O	1:D:198:LEU:HD22	2.17	0.45
1:C:18:GLU:O	1:C:22:VAL:HG23	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:120:TRP:HB2	1:D:123:GLN:HB3	1.99	0.45
1:C:35:SER:HB2	4:C:530:HOH:O	2.17	0.44
1:D:179:PRO:HG2	1:D:306:LEU:HD12	2.00	0.44
1:B:178:VAL:HA	1:B:179:PRO:HD3	1.85	0.44
1:D:159:PHE:CE2	1:D:207:PRO:HB3	2.53	0.44
1:C:211:HIS:HB3	1:C:230:ILE:HD13	2.00	0.44
1:D:130:HIS:CE1	4:D:533:HOH:O	2.71	0.44
1:C:143:LEU:HD21	1:C:209:GLU:HG2	1.98	0.44
1:D:144:GLY:N	3:D:402:DAR:OXT	2.35	0.44
1:A:111:SER:HB2	1:A:324:VAL:HG22	2.00	0.43
1:B:100:GLU:HG3	1:B:320:LYS:HE3	2.00	0.43
1:C:179:PRO:HG2	1:C:306:LEU:HD12	1.99	0.43
1:A:162:TYR:CD2	1:A:334:MET:HE3	2.53	0.43
1:A:212:LEU:HA	1:A:213:PRO:HD2	1.92	0.43
1:B:230:ILE:HD13	1:B:230:ILE:H	1.84	0.42
1:B:87:THR:HG23	1:B:318:TRP:HB2	2.01	0.42
1:A:35:SER:HB3	1:A:97:PRO:HD3	2.00	0.42
1:C:230:ILE:HG13	1:C:231:GLN:N	2.33	0.42
1:A:166:TYR:HB2	1:A:324:VAL:HB	2.01	0.42
1:B:155:THR:HB	1:B:158:ALA:HB2	2.01	0.42
1:A:226:ARG:HG3	1:A:333:GLU:O	2.19	0.42
1:B:71:HIS:HA	1:B:295:PHE:O	2.20	0.42
1:D:130:HIS:HE1	4:D:533:HOH:O	2.03	0.41
1:D:136:ARG:HB3	1:D:136:ARG:HE	1.68	0.41
1:D:224:ALA:C	1:D:226:ARG:H	2.23	0.41
1:D:217:THR:O	1:D:218:ILE:HG12	2.20	0.41
1:B:166:TYR:HB2	1:B:324:VAL:HB	2.02	0.41
1:B:44:ASP:HB3	1:B:48:LEU:HD13	2.02	0.41
1:A:90:HIS:CD2	1:A:92:ARG:HG3	2.56	0.41
1:C:9:THR:HG21	1:C:71:HIS:CE1	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	334/364 (92%)	324 (97%)	7 (2%)	3 (1%)	17	17
1	B	313/364 (86%)	301 (96%)	10 (3%)	2 (1%)	25	27
1	C	334/364 (92%)	315 (94%)	16 (5%)	3 (1%)	17	17
1	D	334/364 (92%)	324 (97%)	7 (2%)	3 (1%)	17	17
All	All	1315/1456 (90%)	1264 (96%)	40 (3%)	11 (1%)	19	20

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	218	ILE
1	B	212	LEU
1	C	220	THR
1	D	218	ILE
1	B	209	GLU
1	C	218	ILE
1	D	94	ARG
1	D	220	THR
1	A	147	SER
1	A	219	ALA
1	C	147	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	286/311 (92%)	278 (97%)	8 (3%)	43	53
1	B	272/311 (88%)	254 (93%)	18 (7%)	16	17
1	C	286/311 (92%)	273 (96%)	13 (4%)	27	33
1	D	286/311 (92%)	274 (96%)	12 (4%)	30	36
All	All	1130/1244 (91%)	1079 (96%)	51 (4%)	27	33

All (51) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45	LEU
1	A	48	LEU
1	A	96	ARG
1	A	159	PHE
1	A	185	LEU
1	A	216	ASN
1	A	284	ARG
1	A	319	LEU
1	B	26	THR
1	B	45	LEU
1	B	87	THR
1	B	90	HIS
1	B	130	HIS
1	B	167	LEU
1	B	182	VAL
1	B	185	LEU
1	B	187	LEU
1	B	211	HIS
1	B	212	LEU
1	B	227	PHE
1	B	230	ILE
1	B	231	GLN
1	B	264	ASP
1	B	305	ARG
1	B	311	ARG
1	B	321	ARG
1	C	26	THR
1	C	42	LEU
1	C	68	ARG
1	C	182	VAL
1	C	185	LEU
1	C	220	THR
1	C	221	GLU
1	C	223	GLU
1	C	231	GLN
1	C	232	ARG
1	C	275	LEU
1	C	284	ARG
1	C	311	ARG
1	D	9	THR
1	D	26	THR
1	D	29	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	45	LEU
1	D	48	LEU
1	D	68	ARG
1	D	136	ARG
1	D	167	LEU
1	D	182	VAL
1	D	185	LEU
1	D	198	LEU
1	D	311	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	57	GLN
1	A	81	GLN
1	A	90	HIS
1	A	142	GLN
1	A	149	GLN
1	A	177	HIS
1	A	216	ASN
1	B	57	GLN
1	B	149	GLN
1	B	177	HIS
1	B	231	GLN
1	C	57	GLN
1	C	81	GLN
1	C	90	HIS
1	C	130	HIS
1	C	142	GLN
1	D	57	GLN
1	D	81	GLN
1	D	90	HIS
1	D	123	GLN
1	D	130	HIS
1	D	177	HIS

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 3 are monoatomic - leaving 2 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	336/364 (92%)	0.29	19 (5%) 23 34	23, 37, 63, 98	4 (1%)
1	B	319/364 (87%)	1.04	58 (18%) 1 2	31, 46, 110, 129	3 (0%)
1	C	336/364 (92%)	0.35	20 (5%) 21 32	23, 35, 63, 96	4 (1%)
1	D	336/364 (92%)	0.70	38 (11%) 5 8	26, 45, 65, 123	3 (0%)
All	All	1327/1456 (91%)	0.59	135 (10%) 6 11	23, 41, 73, 129	14 (1%)

All (135) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	212	LEU	10.9
1	B	213	PRO	9.1
1	D	221	GLU	9.0
1	D	220	THR	8.6
1	C	224	ALA	8.0
1	B	234	ILE	7.9
1	B	210	SER	6.2
1	B	233	MET	5.8
1	B	82	ARG	5.8
1	B	211	HIS	5.7
1	D	219	ALA	5.6
1	D	224	ALA	5.5
1	C	219	ALA	5.4
1	A	217	THR	5.4
1	B	37	GLY	5.4
1	B	149	GLN	5.3
1	A	140	ASN	5.3
1	B	224	ALA	5.0
1	B	150	LEU	4.9
1	D	82	ARG	4.9
1	B	90	HIS	4.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	92	ARG	4.8
1	B	151	LEU	4.7
1	C	221	GLU	4.7
1	B	230	ILE	4.5
1	B	192	ALA	4.5
1	D	9	THR	4.4
1	C	223	GLU	4.3
1	D	218	ILE	4.2
1	B	235	ASP	4.2
1	A	218	ILE	4.2
1	B	209	GLU	4.2
1	D	168	ILE	4.2
1	D	222	GLU	4.2
1	B	312	TYR	4.1
1	B	237	ARG	3.9
1	B	314	GLY	3.9
1	B	138	HIS	3.9
1	D	223	GLU	3.8
1	A	220	THR	3.8
1	B	137	SER	3.8
1	B	257	TYR	3.8
1	D	225	ALA	3.7
1	B	89	ASP	3.6
1	B	316	ASP	3.6
1	B	227	PHE	3.6
1	B	27	LEU	3.5
1	C	82	ARG	3.5
1	B	238	PRO	3.4
1	B	225	ALA	3.4
1	A	248	LEU	3.3
1	D	37	GLY	3.3
1	A	219	ALA	3.3
1	C	225	ALA	3.3
1	D	226	ARG	3.3
1	B	232	ARG	3.2
1	B	193	GLU	3.2
1	D	309	GLN	3.1
1	B	92	ARG	3.1
1	A	141	ASP	3.1
1	B	34	GLY	3.0
1	B	226	ARG	3.0
1	C	226	ARG	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	135	ILE	3.0
1	D	324	VAL	3.0
1	D	319	LEU	2.9
1	D	10	PRO	2.9
1	D	167	LEU	2.9
1	B	148	LYS	2.9
1	D	169	LEU	2.9
1	B	33	TYR	2.9
1	A	9	THR	2.9
1	A	148	LYS	2.9
1	C	222	GLU	2.9
1	B	343	LEU	2.8
1	D	310	ALA	2.8
1	B	136	ARG	2.8
1	B	248	LEU	2.8
1	C	284	ARG	2.8
1	C	220	THR	2.7
1	C	218	ILE	2.7
1	A	150	LEU	2.7
1	C	344	GLY	2.7
1	D	188	SER	2.6
1	A	257	TYR	2.6
1	C	169	LEU	2.6
1	D	228	ALA	2.6
1	B	247	ARG	2.6
1	D	148	LYS	2.6
1	D	176	ASP	2.6
1	C	93	GLY	2.6
1	B	84	ILE	2.6
1	A	309	GLN	2.5
1	B	309	GLN	2.5
1	B	228	ALA	2.5
1	D	308	PHE	2.4
1	C	232	ARG	2.4
1	B	236	GLU	2.4
1	A	142	GLN	2.4
1	D	311	ARG	2.3
1	D	312	TYR	2.3
1	B	95	VAL	2.3
1	B	94	ARG	2.3
1	A	193	GLU	2.3
1	A	149	GLN	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	35	SER	2.3
1	C	322	VAL	2.3
1	B	229	THR	2.3
1	A	82	ARG	2.3
1	D	323	CYS	2.3
1	B	293	VAL	2.3
1	B	139	GLU	2.2
1	B	223	GLU	2.2
1	D	140	ASN	2.2
1	B	10	PRO	2.2
1	D	322	VAL	2.2
1	D	130	HIS	2.2
1	A	68	ARG	2.2
1	D	136	ARG	2.2
1	C	168	ILE	2.1
1	D	264	ASP	2.1
1	C	231	GLN	2.1
1	A	95	VAL	2.1
1	B	284	ARG	2.1
1	B	305	ARG	2.1
1	C	167	LEU	2.1
1	D	321	ARG	2.1
1	D	170	GLY	2.1
1	B	29	LEU	2.0
1	D	202	ARG	2.0
1	B	231	GLN	2.0
1	B	313	ASP	2.0
1	D	247	ARG	2.0
1	A	190	LEU	2.0
1	D	294	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	FE	B	401	1/1	0.84	0.10	94,94,94,94	0
2	FE	C	401	1/1	0.93	0.10	70,70,70,70	0
3	DAR	D	402	12/12	0.93	0.22	42,45,50,53	0
3	DAR	C	402	12/12	0.94	0.20	38,45,53,54	0
2	FE	D	401	1/1	0.95	0.12	67,67,67,67	0

6.5 Other polymers [i](#)

There are no such residues in this entry.