



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 9, 2020 – 05:02 AM BST

PDB ID : 4M7Z
Title : Unliganded 1 crystal structure of S25-26 Fab
Authors : Haji-Ghassemi, O.; Evans, S.V.; Muller-Loennies, S.; Saldova, R.; Muniyappa, M.; Brade, L.; Rudd, P.M.; Harvey, D.J.; Kosma, P.; Brade, H.
Deposited on : 2013-08-12
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1235 (2.78-2.74)
Clashscore	141614	1277 (2.78-2.74)
Ramachandran outliers	138981	1257 (2.78-2.74)
Sidechain outliers	138945	1257 (2.78-2.74)
RSRZ outliers	127900	1207 (2.78-2.74)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	219	
1	H	219	
2	C	219	
2	L	219	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NAG	H	401	-	-	-	X

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 6973 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called S25-26 Fab (Igg1k) Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	B	216	Total 1631	C 1039	N 270	O 315	S 7	0	0	0
1	H	215	Total 1623	C 1035	N 269	O 312	S 7	0	0	0

- Molecule 2 is a protein called S25-26 Fab (Igg1k) Light Chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	219	Total 1712	C 1072	N 291	O 342	S 7	0	0	0
2	L	218	Total 1706	C 1069	N 290	O 341	S 6	0	0	0

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	H	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C₈H₁₈O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			13	8	5		
4	B	1	Total	C	O	0	0
			13	8	5		
4	B	1	Total	C	O	0	0
			13	8	5		
4	B	1	Total	C	O	0	0
			13	8	5		
4	H	1	Total	C	O	0	0
			13	8	5		
4	C	1	Total	C	O	0	0
			13	8	5		
4	L	1	Total	C	O	0	0
			13	8	5		
4	L	1	Total	C	O	0	0
			13	8	5		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total C O 7 4 3	0	0
5	B	1	Total C O 7 4 3	0	0
5	B	1	Total C O 7 4 3	0	0
5	H	1	Total C O 7 4 3	0	0
5	C	1	Total C O 7 4 3	0	0
5	L	1	Total C O 7 4 3	0	0

- Molecule 6 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	H	1	Total Ca 1 1	0	0
6	B	1	Total Ca 1 1	0	0
6	L	1	Total Ca 1 1	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	44	Total 44	O 44	0	0
7	H	22	Total 22	O 22	0	0
7	C	38	Total 38	O 38	0	0
7	L	20	Total 20	O 20	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: S25-26 Fab (Igg1k) Heavy Chain




- Molecule 1: S25-26 Fab (Igg1k) Heavy Chain




- Molecule 2: S25-26 Fab (Igg1k) Light Chain



- Molecule 2: S25-26 Fab (Igg1k) Light Chain





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	85.30Å 111.99Å 156.93Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	24.76 – 2.75 24.75 – 2.75	Depositor EDS
% Data completeness (in resolution range)	99.8 (24.76-2.75) 100.0 (24.75-2.75)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.28 (at 2.76Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.216 , 0.238 0.215 , 0.237	Depositor DCC
R_{free} test set	1997 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	66.4	Xtrriage
Anisotropy	0.102	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 26.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6973	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PG4, PEG, CA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	B	0.54	0/1677	0.70	1/2297 (0.0%)
1	H	0.51	0/1669	0.71	0/2286
2	C	0.55	0/1752	0.72	0/2376
2	L	0.51	0/1746	0.72	0/2368
All	All	0.53	0/6844	0.71	1/9327 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	105	GLN	CB-CA-C	-5.22	99.96	110.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1631	0	1598	35	0
1	H	1623	0	1593	9	0
2	C	1712	0	1649	15	0
2	L	1706	0	1644	26	0
3	B	14	0	13	0	0
3	H	14	0	13	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	52	0	71	0	0
4	C	13	0	18	0	0
4	H	13	0	17	0	0
4	L	26	0	36	0	0
5	B	21	0	30	3	0
5	C	7	0	10	0	0
5	H	7	0	10	0	0
5	L	7	0	10	0	0
6	B	1	0	0	0	0
6	H	1	0	0	0	0
6	L	1	0	0	1	0
7	B	44	0	0	0	0
7	C	38	0	0	2	0
7	H	22	0	0	1	0
7	L	20	0	0	0	0
All	All	6973	0	6712	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:192:TYR:CE2	2:L:211:ARG:CZ	2.36	1.08
1:B:135:MET:HE3	1:B:184:PRO:HA	1.37	1.07
2:L:189:HIS:HB2	2:L:211:ARG:NH1	1.78	0.99
1:B:135:MET:CE	1:B:183:VAL:C	2.37	0.93
1:B:135:MET:HE1	1:B:184:PRO:N	1.82	0.93
2:L:189:HIS:HB2	2:L:211:ARG:HH11	1.40	0.87
1:B:135:MET:HE2	1:B:183:VAL:C	1.98	0.83
1:B:135:MET:CE	1:B:184:PRO:HA	2.08	0.83
2:L:192:TYR:CZ	2:L:211:ARG:NH1	2.46	0.82
1:B:135:MET:CE	1:B:184:PRO:N	2.41	0.82
2:L:192:TYR:CE2	2:L:211:ARG:NH1	2.48	0.82
1:B:135:MET:CE	1:B:184:PRO:CA	2.59	0.80
1:B:135:MET:HE2	1:B:183:VAL:O	1.82	0.80
1:B:135:MET:HA	1:B:135:MET:HE3	1.65	0.78
3:H:401:NAG:O7	3:H:401:NAG:O3	2.05	0.75
1:B:135:MET:HE3	1:B:184:PRO:CA	2.15	0.75
2:C:2:ILE:HD13	2:C:27:GLN:HB2	1.70	0.73
2:L:189:HIS:CB	2:L:211:ARG:NH1	2.52	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:7:SER:HA	5:B:406:PEG:H41	1.73	0.69
1:H:100:ASP:O	2:L:55:PHE:CE1	2.47	0.68
1:B:135:MET:CE	1:B:183:VAL:O	2.41	0.67
1:B:6:GLU:H	1:B:105:GLN:HE22	1.41	0.67
2:L:2:ILE:HD12	2:L:27:GLN:HB2	1.77	0.66
2:L:192:TYR:CD2	2:L:211:ARG:NH2	2.63	0.66
1:B:135:MET:HE1	1:B:184:PRO:CA	2.27	0.65
1:B:125:ALA:O	1:B:213:ARG:NH1	2.30	0.64
2:L:81:GLU:OE2	6:L:304:CA:CA	1.74	0.64
1:B:135:MET:HA	1:B:135:MET:CE	2.28	0.63
1:H:105:GLN:HE21	1:H:105:GLN:H	1.46	0.62
2:L:50:LYS:HB2	2:L:53:ASN:HD22	1.64	0.61
2:C:54:ARG:NH1	2:C:58:VAL:O	2.34	0.61
1:B:105:GLN:HE21	1:B:105:GLN:H	1.49	0.61
1:B:14:PRO:O	1:B:82(C):LEU:O	2.18	0.61
2:L:190:ASN:C	2:L:211:ARG:NH2	2.55	0.60
2:L:61:ARG:NH2	2:L:82:ASP:OD2	2.34	0.60
1:B:134:SER:O	1:B:185:SER:N	2.26	0.59
2:L:192:TYR:CD2	2:L:211:ARG:CZ	2.85	0.59
1:B:135:MET:HE1	1:B:183:VAL:C	2.18	0.57
2:C:54:ARG:HD3	7:C:404:HOH:O	2.05	0.56
3:H:401:NAG:C7	3:H:401:NAG:HO3	2.13	0.56
1:B:6:GLU:N	1:B:105:GLN:HE22	2.04	0.55
1:B:7:SER:HA	5:B:406:PEG:C4	2.38	0.54
1:B:105:GLN:NE2	1:B:105:GLN:H	2.08	0.52
1:H:5:LYS:HE3	7:H:522:HOH:O	2.10	0.52
2:C:27(D):HIS:CD2	2:C:29:GLY:H	2.29	0.50
1:H:120:SER:HB3	1:H:122:TYR:CZ	2.46	0.50
2:L:192:TYR:CE2	2:L:211:ARG:NE	2.79	0.50
1:B:67:LEU:HD11	1:B:80:PHE:CE2	2.47	0.50
2:L:189:HIS:O	2:L:211:ARG:NE	2.44	0.50
1:B:135:MET:HE1	1:B:184:PRO:CD	2.42	0.49
1:H:67:LEU:HD11	1:H:80:PHE:CE2	2.48	0.49
1:H:105:GLN:NE2	1:H:105:GLN:H	2.11	0.49
2:C:27(A):TYR:CE2	2:C:68:GLY:HA2	2.46	0.49
2:C:27(D):HIS:HD2	2:C:29:GLY:H	1.59	0.49
2:C:50:LYS:O	2:C:51:VAL:HB	2.12	0.48
2:L:106:LEU:H	2:L:166:GLN:HE22	1.59	0.48
2:C:161:ASN:ND2	2:C:177:SER:OG	2.46	0.48
2:L:50:LYS:O	2:L:51:VAL:HB	2.14	0.48
2:C:106:LEU:H	2:C:166:GLN:HE22	1.62	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:177:LEU:C	1:H:177:LEU:HD12	2.35	0.47
2:L:27(A):TYR:CE2	2:L:68:GLY:HA2	2.50	0.47
2:C:24:ARG:HA	2:C:69:THR:O	2.16	0.46
1:B:156:SER:HB2	1:H:184:PRO:HG2	1.96	0.46
2:L:142:LYS:HB3	2:L:142:LYS:HE2	1.67	0.46
1:B:12:VAL:O	1:B:111:VAL:HA	2.16	0.46
1:H:12:VAL:O	1:H:111:VAL:HA	2.16	0.46
2:L:190:ASN:HA	2:L:211:ARG:HD3	1.99	0.45
1:B:100:ASP:HB3	2:C:56:SER:HB2	1.98	0.44
2:L:190:ASN:O	2:L:210:ASN:HA	2.18	0.44
2:C:2:ILE:HD11	2:C:93:HIS:CD2	2.52	0.43
2:C:54:ARG:CD	7:C:404:HOH:O	2.65	0.43
1:B:177:LEU:C	1:B:177:LEU:HD12	2.39	0.43
2:L:192:TYR:HE2	2:L:211:ARG:NE	2.17	0.43
1:B:6:GLU:H	1:B:105:GLN:NE2	2.14	0.42
1:B:133:ASN:OD1	1:B:133:ASN:N	2.52	0.42
2:L:149:LYS:HB2	2:L:193:THR:HB	2.02	0.42
2:C:190:ASN:O	2:C:210:ASN:HA	2.20	0.42
2:L:186:TYR:CE1	2:L:192:TYR:CE2	3.08	0.41
2:C:161:ASN:HD22	2:C:177:SER:HA	1.85	0.41
1:B:188:TRP:CG	1:B:189:PRO:HA	2.56	0.41
1:B:19:SER:HA	1:B:80:PHE:O	2.21	0.41
1:B:134:SER:O	1:B:184:PRO:HA	2.21	0.40
1:B:10:GLY:N	5:B:406:PEG:H12	2.36	0.40
2:L:4:MET:HE2	2:L:90:GLN:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	214/219 (98%)	210 (98%)	4 (2%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	213/219 (97%)	208 (98%)	5 (2%)	0	100	100
2	C	217/219 (99%)	210 (97%)	6 (3%)	1 (0%)	29	47
2	L	216/219 (99%)	211 (98%)	5 (2%)	0	100	100
All	All	860/876 (98%)	839 (98%)	20 (2%)	1 (0%)	51	75

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	C	212	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	186/189 (98%)	174 (94%)	12 (6%)	17	30
1	H	185/189 (98%)	169 (91%)	16 (9%)	10	18
2	C	196/196 (100%)	185 (94%)	11 (6%)	21	36
2	L	195/196 (100%)	185 (95%)	10 (5%)	24	41
All	All	762/770 (99%)	713 (94%)	49 (6%)	17	31

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	5	LYS
1	B	12	VAL
1	B	105	GLN
1	B	132	THR
1	B	133	ASN
1	B	134	SER
1	B	135	MET
1	B	169	VAL
1	B	190	SER
1	B	192	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	196	ASN
1	B	213	ARG
1	H	12	VAL
1	H	100(B)	PHE
1	H	105	GLN
1	H	115	LYS
1	H	120	SER
1	H	133	ASN
1	H	169	VAL
1	H	170	LEU
1	H	171	GLN
1	H	177	LEU
1	H	185	SER
1	H	190	SER
1	H	192	THR
1	H	196	ASN
1	H	203	SER
1	H	213	ARG
2	C	1	ASP
2	C	2	ILE
2	C	9	LEU
2	C	45	LYS
2	C	56	SER
2	C	142	LYS
2	C	143	ASP
2	C	156	GLN
2	C	181	LEU
2	C	202	THR
2	C	212	ASN
2	L	18	GLN
2	L	56	SER
2	L	81	GLU
2	L	122	SER
2	L	153	SER
2	L	156	GLN
2	L	163	TRP
2	L	169	LYS
2	L	181	LEU
2	L	202	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	77	HIS
1	B	105	GLN
1	B	131	GLN
1	B	164	HIS
1	B	171	GLN
1	H	77	HIS
1	H	105	GLN
1	H	164	HIS
2	C	27(D)	HIS
2	C	53	ASN
2	C	138	ASN
2	C	161	ASN
2	C	166	GLN
2	C	210	ASN
2	C	212	ASN
2	L	18	GLN
2	L	30	ASN
2	L	53	ASN
2	L	138	ASN
2	L	156	GLN
2	L	166	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 19 ligands modelled in this entry, 3 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	PEG	B	407	-	6,6,6	0.51	0	5,5,5	0.20	0
4	PG4	C	301	-	12,12,12	0.68	0	11,11,11	0.39	0
4	PG4	L	302	-	12,12,12	0.61	0	11,11,11	0.35	0
5	PEG	B	406	-	6,6,6	0.60	0	5,5,5	0.52	0
4	PG4	B	402	-	12,12,12	0.68	0	11,11,11	0.50	0
5	PEG	C	302	-	6,6,6	0.47	0	5,5,5	0.24	0
4	PG4	L	301	-	12,12,12	0.55	0	11,11,11	0.20	0
4	PG4	H	402	6	12,12,12	0.74	0	11,11,11	0.48	0
4	PG4	B	403	-	12,12,12	0.49	0	11,11,11	0.54	0
3	NAG	B	401	1	14,14,15	0.44	0	17,19,21	1.21	2 (11%)
5	PEG	B	408	-	6,6,6	0.56	0	5,5,5	0.40	0
5	PEG	H	403	-	6,6,6	0.46	0	5,5,5	0.30	0
5	PEG	L	303	-	6,6,6	0.57	0	5,5,5	0.57	0
4	PG4	B	404	6	12,12,12	0.59	0	11,11,11	0.39	0
3	NAG	H	401	1	14,14,15	0.29	0	17,19,21	0.61	0
4	PG4	B	405	-	12,12,12	0.63	0	11,11,11	0.45	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PEG	B	407	-	-	3/4/4/4	-
4	PG4	C	301	-	-	5/10/10/10	-
4	PG4	L	302	-	-	2/10/10/10	-
5	PEG	B	406	-	-	2/4/4/4	-
4	PG4	B	402	-	-	5/10/10/10	-
5	PEG	C	302	-	-	1/4/4/4	-
4	PG4	L	301	-	-	6/10/10/10	-
4	PG4	H	402	6	-	4/10/10/10	-
4	PG4	B	403	-	-	9/10/10/10	-
3	NAG	B	401	1	-	0/6/23/26	0/1/1/1
5	PEG	B	408	-	-	3/4/4/4	-
5	PEG	H	403	-	-	1/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PEG	L	303	-	-	3/4/4/4	-
4	PG4	B	404	6	-	5/10/10/10	-
3	NAG	H	401	1	-	4/6/23/26	0/1/1/1
4	PG4	B	405	-	-	6/10/10/10	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	401	NAG	O5-C5-C6	2.54	111.19	107.20
3	B	401	NAG	O5-C1-C2	-2.10	107.98	111.29

There are no chirality outliers.

All (59) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	C	301	PG4	O1-C1-C2-O2
5	B	408	PEG	O1-C1-C2-O2
4	B	403	PG4	O3-C5-C6-O4
4	B	405	PG4	O2-C3-C4-O3
4	C	301	PG4	O2-C3-C4-O3
5	B	406	PEG	O1-C1-C2-O2
4	B	403	PG4	O1-C1-C2-O2
4	B	403	PG4	O4-C7-C8-O5
3	H	401	NAG	C1-C2-N2-C7
4	B	402	PG4	O1-C1-C2-O2
5	C	302	PEG	O2-C3-C4-O4
5	B	408	PEG	O2-C3-C4-O4
4	B	404	PG4	O3-C5-C6-O4
4	L	301	PG4	O2-C3-C4-O3
4	B	402	PG4	O4-C7-C8-O5
3	H	401	NAG	C4-C5-C6-O6
4	L	301	PG4	C1-C2-O2-C3
3	H	401	NAG	C3-C2-N2-C7
5	L	303	PEG	C1-C2-O2-C3
4	H	402	PG4	O3-C5-C6-O4
4	B	403	PG4	O2-C3-C4-O3
4	B	403	PG4	C4-C3-O2-C2
4	H	402	PG4	O4-C7-C8-O5
4	B	404	PG4	O4-C7-C8-O5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	B	405	PG4	C8-C7-O4-C6
4	B	402	PG4	C8-C7-O4-C6
4	B	403	PG4	C3-C4-O3-C5
4	B	403	PG4	C6-C5-O3-C4
4	B	404	PG4	C8-C7-O4-C6
4	B	405	PG4	C6-C5-O3-C4
4	L	301	PG4	C5-C6-O4-C7
4	B	405	PG4	C5-C6-O4-C7
4	B	402	PG4	C4-C3-O2-C2
4	B	403	PG4	C8-C7-O4-C6
4	B	403	PG4	C1-C2-O2-C3
4	L	302	PG4	C5-C6-O4-C7
5	L	303	PEG	C4-C3-O2-C2
4	B	402	PG4	C3-C4-O3-C5
4	H	402	PG4	C4-C3-O2-C2
5	B	407	PEG	O1-C1-C2-O2
4	B	404	PG4	C4-C3-O2-C2
3	H	401	NAG	O5-C5-C6-O6
5	B	407	PEG	O2-C3-C4-O4
4	L	301	PG4	O1-C1-C2-O2
5	L	303	PEG	O1-C1-C2-O2
5	B	406	PEG	C4-C3-O2-C2
4	C	301	PG4	C4-C3-O2-C2
5	H	403	PEG	C4-C3-O2-C2
4	C	301	PG4	C8-C7-O4-C6
4	B	405	PG4	O3-C5-C6-O4
4	B	405	PG4	O4-C7-C8-O5
4	L	301	PG4	C3-C4-O3-C5
4	C	301	PG4	O3-C5-C6-O4
4	B	404	PG4	C1-C2-O2-C3
5	B	407	PEG	C1-C2-O2-C3
5	B	408	PEG	C1-C2-O2-C3
4	L	302	PG4	O1-C1-C2-O2
4	H	402	PG4	C6-C5-O3-C4
4	L	301	PG4	C6-C5-O3-C4

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	406	PEG	3	0
3	H	401	NAG	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	216/219 (98%)	0.22	13 (6%) 21 26	29, 41, 61, 70	0
1	H	215/219 (98%)	0.48	15 (6%) 16 19	27, 60, 96, 120	0
2	C	219/219 (100%)	0.07	5 (2%) 60 69	26, 40, 55, 71	0
2	L	218/219 (99%)	0.52	29 (13%) 3 4	27, 62, 128, 149	0
All	All	868/876 (99%)	0.32	62 (7%) 16 19	26, 45, 104, 149	0

All (62) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	129	ALA	6.4
1	B	100(A)	TRP	5.6
2	C	168	SER	5.3
1	H	132	THR	5.1
1	H	130	ALA	5.0
1	H	100(A)	TRP	4.5
1	B	100(B)	PHE	4.5
2	L	157	ASN	4.3
1	H	131	GLN	4.3
2	L	158	GLY	4.1
1	H	133	ASN	3.8
2	L	190	ASN	3.8
2	L	212	ASN	3.8
2	L	202	THR	3.8
1	B	9	PRO	3.6
2	C	169	LYS	3.6
2	L	126	THR	3.5
1	B	131	GLN	3.5
1	H	128	SER	3.4
2	L	132	VAL	3.3
2	L	188	ARG	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	93	ALA	3.2
1	B	132	THR	3.1
2	L	128	GLY	3.1
1	H	100(B)	PHE	3.1
2	L	205	ILE	3.0
2	L	183	LYS	3.0
1	H	213	ARG	3.0
1	B	10	GLY	2.9
2	L	127	SER	2.9
2	L	213	GLU	2.8
2	L	184	ASP	2.8
2	L	201	SER	2.7
1	B	35	HIS	2.7
2	L	189	HIS	2.7
2	L	177	SER	2.7
2	L	195	GLU	2.7
2	L	211	ARG	2.6
2	L	151	ASP	2.6
2	L	123	GLU	2.5
1	H	173	ASP	2.5
2	L	169	LYS	2.4
1	B	133	ASN	2.4
1	B	130	ALA	2.3
1	H	134	SER	2.3
1	H	212	PRO	2.3
2	L	129	GLY	2.3
1	B	36	TRP	2.3
1	B	78	VAL	2.3
2	L	133	VAL	2.3
2	L	152	GLY	2.2
1	B	129	ALA	2.2
2	L	135	PHE	2.2
2	C	1	ASP	2.2
2	L	204	PRO	2.2
1	H	37	VAL	2.1
2	C	60	ASP	2.1
1	H	42	GLY	2.1
1	H	95	MET	2.1
2	L	200	THR	2.1
2	C	77	ARG	2.0
2	L	118	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	NAG	H	401	14/15	0.79	0.40	37,37,37,37	0
4	PG4	B	403	13/13	0.81	0.23	37,37,37,37	0
5	PEG	B	408	7/7	0.81	0.32	37,37,37,37	0
5	PEG	B	406	7/7	0.81	0.34	37,37,37,37	0
4	PG4	L	301	13/13	0.83	0.34	37,37,37,37	0
5	PEG	B	407	7/7	0.84	0.40	37,37,37,37	0
4	PG4	B	402	13/13	0.85	0.28	37,37,37,37	0
5	PEG	H	403	7/7	0.86	0.38	37,37,37,37	0
5	PEG	L	303	7/7	0.87	0.22	37,37,37,37	0
4	PG4	C	301	13/13	0.87	0.35	37,37,37,37	0
4	PG4	B	404	13/13	0.88	0.28	37,37,37,37	0
4	PG4	B	405	13/13	0.88	0.31	37,37,37,37	0
4	PG4	H	402	13/13	0.89	0.23	37,37,37,37	0
4	PG4	L	302	13/13	0.89	0.40	37,37,37,37	0
3	NAG	B	401	14/15	0.90	0.31	37,37,37,37	0
6	CA	L	304	1/1	0.91	0.10	37,37,37,37	1
5	PEG	C	302	7/7	0.94	0.14	37,37,37,37	0
6	CA	H	404	1/1	0.96	0.05	37,37,37,37	0
6	CA	B	409	1/1	0.98	0.06	37,37,37,37	0

6.5 Other polymers [i](#)

There are no such residues in this entry.