

# Full wwPDB X-ray Structure Validation Report (i)

#### Jan 7, 2024 – 02:28 pm GMT

PDB ID	:	5MAV
Title	:	Crystal structure of human PCNA in complex with PARG (poly(ADP-ribose)
		glycohydrolase) peptide.
Authors	:	Grishkovskaya, I.; Djinovic-Carugo, K.; Slade, D.
Deposited on	:	2016-11-06
Resolution	:	2.58  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.58 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution $(\#\text{Entries}, \text{resolution}, \text{range}(\texttt{Å}))$		
	(#Entries)	(#Entries, resolution range(A))		
$R_{free}$	130704	3676 (2.60-2.56)		
Clashscore	141614	4049 (2.60-2.56)		
Ramachandran outliers	138981	3979 (2.60-2.56)		
Sidechain outliers	138945	3979 (2.60-2.56)		
RSRZ outliers	127900	3614 (2.60-2.56)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	264	.% <b>•</b> 79%	16% • •
1	В	264	3% <b>7</b> 5%	19% • •
1	С	264	80%	13% • 5%
1	D	264	14% 51% 38%	• 8%
1	Е	264	2% <b>7</b> 6%	17% •• 5%



Mol	Chain	Length	Quality of chain				
1	F	264	7%	6	22% 5%		
2	G	19	58%	169	6 26%		
2	Н	19	47%	21%	32%		
2	Κ	19	47%	16%	37%		
2	L	19	42%	11% 5%	42%		
2	М	19	47%	16%	37%		
2	Ν	19	37%	16%	47%		



## 2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 12192 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	254	Total	С	Ν	0	$\mathbf{S}$	0	0	0
	A	204	1947	1224	319	388	16	0	0	0
1	C	251	Total	С	Ν	0	S	0	2	0
		201	1942	1221	317	388	16	0	2	0
1	F	251	Total	С	Ν	0	S	0	0	0
		201	1931	1214	316	385	16	0	0	0
1	р	252	Total	С	Ν	0	S	0	0	0
	D	200	1941	1221	318	386	16	0	0	
1	П	242	Total	С	Ν	0	S	0	0	0
1	D	240	1869	1177	307	370	15	0	0	0
1	Б	250	Total	С	Ν	0	S	0	0	0
	Г	200	1922	1209	315	382	16	U	U	

• Molecule 1 is a protein called Proliferating cell nuclear antigen.

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-2	GLY	-	expression tag	UNP P12004
А	-1	PRO	-	expression tag	UNP P12004
А	0	ALA	-	expression tag	UNP P12004
С	-2	GLY	-	expression tag	UNP P12004
С	-1	PRO	-	expression tag	UNP P12004
С	0	ALA	-	expression tag	UNP P12004
E	-2	GLY	-	expression tag	UNP P12004
Е	-1	PRO	-	expression tag	UNP P12004
E	0	ALA	-	expression tag	UNP P12004
В	-2	GLY	-	expression tag	UNP P12004
В	-1	PRO	-	expression tag	UNP P12004
В	0	ALA	-	expression tag	UNP P12004
D	-2	GLY	-	expression tag	UNP P12004
D	-1	PRO	-	expression tag	UNP P12004
D	0	ALA	-	expression tag	UNP P12004
F	-2	GLY	-	expression tag	UNP P12004
F	-1	PRO	-	expression tag	UNP P12004



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	0	ALA	-	expression tag	UNP P12004

• Molecule 2 is a protein called Poly (ADP-ribose) glycohydrolase.

Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf	Trace						
0	С	14	Total	С	Ν	Ο	S	Б	0	0						
	G	14	119	76	22	20	1	5	0	0						
0	Ц	12	Total	С	Ν	Ο	S	0	0	0						
	11	15	110	70	20	19	1	0	0	0						
0	K	19	Total	С	Ν	Ο	S	4	0	0						
	Γ	12	103	65	19	18	1	4								
0	т	11	Total	С	Ν	Ο	S	0	0 0	0						
		11	89	56	15	17	1	0								
0	2 N	N	N	N	N	N	N	10	Total	С	Ν	Ο	S	0	0	0
		10	84	53	14	16	1	0	0	0						
2	М	19	Total	С	Ν	Ο	S	0	0	0						
	2 M	12	103	65	19	18	1		0	U						

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	13	Total O   13 13	0	0
3	С	7	Total O 7 7	0	0
3	Ε	7	Total O 7 7	0	0
3	В	2	Total O 2 2	0	0
3	F	2	Total O 2 2	0	0
3	Н	1	Total O 1 1	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Proliferating cell nuclear antigen



• Molecule 2: Poly (ADP-ribose) glycohydrolase 5% Chain K: 47% 16% 37% GLN GLY LYS • Molecule 2: Poly (ADP-ribose) glycohydrolase Chain L: 42% 11% 5% 42% GLN GLY LYS LEU PRO LYS ALA • Molecule 2: Poly (ADP-ribose) glycohydrolase 11% Chain N: 37% 16% 47% ARG LEU PRO LYS ALA GLN GLY LYS • Molecule 2: Poly (ADP-ribose) glycohydrolase Chain M: 47% 16% 37% GLN GLN



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	77.60Å 153.60Å 85.51Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $96.90^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution (Å)	47.67 - 2.58	Depositor
	47.67 - 2.57	EDS
% Data completeness	98.8 (47.67 - 2.58)	Depositor
(in resolution range)	81.8(47.67-2.57)	EDS
$R_{merge}$	0.26	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	$0.38 (at 2.58 \text{\AA})$	Xtriage
Refinement program	PHENIX (1.10_2155: ???)	Depositor
R R.	0.239 , $0.291$	Depositor
$n, n_{free}$	0.240 , $0.292$	DCC
$R_{free}$ test set	3059 reflections $(4.90%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	40.9	Xtriage
Anisotropy	0.649	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.30 , $58.7$	EDS
L-test for twinning <sup>2</sup>	$ < L >=0.47, < L^2>=0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	12192	wwPDB-VP
Average B, all atoms $(Å^2)$	76.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.35% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond	lengths	Bond angles		
	Ullalli	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.28	0/1973	0.53	0/2665	
1	В	0.31	0/1967	0.56	0/2657	
1	С	0.29	0/1973	0.57	3/2664~(0.1%)	
1	D	0.49	0/1892	0.79	6/2553~(0.2%)	
1	Е	0.39	0/1956	0.71	4/2641~(0.2%)	
1	F	0.31	0/1947	0.61	0/2629	
2	G	0.25	0/121	0.49	0/159	
2	Н	0.32	0/112	0.54	0/148	
2	K	0.23	0/104	0.50	0/136	
2	L	0.37	0/90	0.91	1/118~(0.8%)	
2	М	0.41	0/104	0.74	0/136	
2	N	0.45	0/85	0.74	0/111	
All	All	0.35	0/12324	0.64	14/16617~(0.1%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	В	0	3

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
1	Е	254	LYS	CD-CE-NZ	-13.02	81.75	111.70
1	Е	199	MET	CA-CB-CG	8.31	127.43	113.30
1	Е	199	MET	CG-SD-CE	8.20	113.32	100.20
1	Е	164	LYS	CA-CB-CG	7.19	129.21	113.40
1	D	121	LEU	CA-CB-CG	6.55	130.36	115.30
1	С	64	ARG	CG-CD-NE	-6.53	98.09	111.80



Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
2	L	407	ASP	CB-CG-OD1	-6.34	112.59	118.30
1	С	64	ARG	NE-CZ-NH2	-6.31	117.14	120.30
1	D	12	LEU	CA-CB-CG	6.12	129.39	115.30
1	С	64	ARG	NE-CZ-NH1	6.02	123.31	120.30
1	D	5	ARG	NE-CZ-NH1	-5.93	117.33	120.30
1	D	12	LEU	CB-CG-CD2	-5.75	101.22	111.00
1	D	75	MET	CB-CG-SD	5.60	129.20	112.40
1	D	75	MET	CG-SD-CE	5.23	108.56	100.20

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	В	63	ASP	Peptide
1	В	64	ARG	Peptide
1	В	93	GLU	Peptide

#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1947	0	1955	28	0
1	В	1941	0	1948	32	2
1	С	1942	0	1952	28	0
1	D	1869	0	1888	142	0
1	Е	1931	0	1940	50	1
1	F	1922	0	1934	51	0
2	G	119	0	125	1	0
2	Н	110	0	112	3	0
2	K	103	0	105	1	0
2	L	89	0	83	6	0
2	М	103	0	105	4	1
2	Ν	84	0	81	13	0
3	А	13	0	0	0	0
3	В	2	0	0	0	0
3	С	7	0	0	0	0
3	Е	7	0	0	1	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes	
3	F	2	0	0	0	0	
3	Н	1	0	0	0	0	
All	All	12192	0	12228	332	2	

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (332) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(Å)$	overlap (Å)
1:D:5:ARG:NH2	1:D:6:LEU:O	1.75	1.17
1:C:107:ASN:HD21	1:C:109:GLU:CD	1.50	1.14
1:C:107:ASN:ND2	1:C:109:GLU:OE1	1.85	1.09
1:E:207:PHE:HA	1:E:254:LYS:HZ1	0.98	1.09
1:D:118:LEU:HD23	1:D:119:MET:H	1.16	1.08
1:C:107:ASN:OD1	1:C:109:GLU:OE1	1.73	1.05
1:C:107:ASN:CG	1:C:109:GLU:OE1	1.95	1.05
1:D:5:ARG:CZ	1:D:87:ILE:HG13	1.87	1.05
2:N:410:ILE:CD1	2:N:414:PHE:CZ	2.41	1.04
1:E:163:ALA:HA	1:E:199:MET:HE3	1.04	1.04
1:D:74:SER:HB3	1:F:175:LEU:HD11	1.44	0.95
2:N:410:ILE:HD13	2:N:414:PHE:CE1	2.02	0.94
1:D:71:ASN:H	1:D:119:MET:HE1	1.28	0.94
1:E:207:PHE:HA	1:E:254:LYS:NZ	1.84	0.93
1:E:163:ALA:HA	1:E:199:MET:CE	1.98	0.93
2:N:410:ILE:HD12	2:N:414:PHE:CZ	2.03	0.93
1:E:125:GLN:HB3	2:M:417:LEU:HD21	1.52	0.89
1:E:163:ALA:CA	1:E:199:MET:HE3	2.00	0.88
1:E:184:GLN:HE21	1:E:197:ILE:HG22	1.39	0.88
1:D:138:LYS:HG2	1:D:226:THR:OG1	1.74	0.86
1:F:17:GLU:OE2	1:F:80:LYS:NZ	2.07	0.86
1:F:180:ILE:O	1:F:180:ILE:HD12	1.76	0.85
1:D:118:LEU:HD23	1:D:119:MET:N	1.92	0.84
1:D:30:ILE:HD13	1:D:35:VAL:HB	1.58	0.83
1:E:207:PHE:CA	1:E:254:LYS:HZ1	1.88	0.83
1:D:30:ILE:HD11	1:D:60:TYR:OH	1.78	0.82
1:D:5:ARG:NH2	1:D:87:ILE:HG13	1.93	0.82
1:F:44:HIS:HB2	2:L:409:LYS:HD3	1.62	0.81
1:D:136:VAL:HG12	1:D:228:SER:HB3	1.62	0.81
1:D:5:ARG:HH12	1:D:87:ILE:C	1.85	0.81
1:E:162:CYS:SG	1:E:197:ILE:HD11	2.21	0.80



	lo uo pugom	Interatomic	Clash overlap (Å)	
Atom-1	Atom-2	distance $(Å)$		
2:N:410:ILE:CD1	2:N:414:PHE:CE1	2.63	0.79	
1:C:107:ASN:ND2	1:C:109:GLU:CD	2.29	0.79	
1:E:135:CYS:SG	1:E:199:MET:HG2	2.24	0.78	
1.E.206.THB:O	1.E.254.LYS.NZ	2.16	0.77	
1:D:5:ARG:HH22	1:D:88:ILE:N	1.84	0.76	
1:E:184:GLN:NE2	1:E:197:ILE:HG22	2.00	0.76	
1:D:170:SER:OG	1:D:179:ASN:ND2	2.15	0.76	
1:D:52:LEU:HD21	1:D:57:PHE:CE1	2.21	0.76	
1:B:183:SER:OG	1:F:109:GLU:OE2	2.02	0.75	
1:D:137:VAL:HG22	1:D:197:ILE:HG22	1.68	0.75	
2:H:417:LEU:HB3	2:H:418:PRO:HD2	1.69	0.74	
1:D:74:SER:HB3	1:F:175:LEU:CD1	2.18	0.74	
1:D:5:ARG:HH22	1:D:88:ILE:H	1.37	0.72	
1:D:87:ILE:O	1:D:103:PHE:HA	1.90	0.72	
1:C:191:GLU:HG2	1:C:192:GLU:H	1.54	0.72	
1:D:27:CYS:HB2	1:D:123:VAL:HG11	1.73	0.70	
1:D:71:ASN:H	1:D:119:MET:CE	2.02	0.70	
1:F:159:VAL:HG12	1:F:206:THR:CG2	2.23	0.69	
1:D:134:SER:N	1:D:230:SER:OG	2.23	0.68	
1:C:238:GLU:HB2	1:C:248:LYS:HG2	1.74	0.68	
1:D:71:ASN:N	1:D:119:MET:HE1	2.05	0.68	
1:A:126:LEU:HD23	2:H:414:PHE:HB2	1.75	0.68	
1:D:87:ILE:HG22	1:D:104:GLU:HB2	1.76	0.68	
1:F:8:GLN:HG2	1:F:11:ILE:HG13	1.76	0.67	
2:N:410:ILE:HD13	2:N:414:PHE:CZ	2.18	0.67	
1:D:27:CYS:CB	1:D:123:VAL:HG11	2.24	0.67	
1:D:138:LYS:HB2	1:D:196:THR:OG1	1.94	0.67	
1:F:169:PHE:HB2	1:F:180:ILE:HD11	1.76	0.66	
1:E:159:VAL:HG22	1:E:206:THR:HG22	1.77	0.66	
1:D:118:LEU:CD2	1:D:119:MET:H	2.01	0.66	
1:F:209:LEU:HD23	1:F:212:LEU:HD12	1.78	0.65	
1:E:125:GLN:HB3	2:M:417:LEU:CD2	2.25	0.65	
1:D:7:VAL:HA	1:D:87:ILE:HD11	1.78	0.65	
1:D:27:CYS:SG	1:D:123:VAL:HG11	2.36	0.65	
1:D:75:MET:HG3	1:D:116:MET:SD	2.37	0.65	
1:D:55:GLU:OE2	1:D:55:GLU:N	2.31	0.64	
1:B:164:LYS:HD2	1:B:164:LYS:O	1.98	0.64	
1:F:159:VAL:HA	1:F:206:THR:HG22	1.79	0.64	
1:C:91:ARG:HB2	1:C:100:ALA:HB3	1.79	0.64	
1:B:1:MET:HE1	1:B:66:LEU:HD22	1.79	0.64	
1:B:165:ASP:OD1	1:B:166:GLY:N	2.31	0.64	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:69:GLY:H	1:D:118:LEU:HD21	1.62	0.63
2:N:410:ILE:CD1	2:N:414:PHE:HZ	2.09	0.63
1:D:7:VAL:HG12	1:D:87:ILE:HD11	1.79	0.63
1:D:7:VAL:CB	1:D:87:ILE:HD11	2.29	0.63
1:D:87:ILE:CG2	1:D:104:GLU:HB2	2.28	0.62
1:A:107:ASN:OD1	1:A:109:GLU:HG2	2.00	0.61
1:D:137:VAL:C	1:D:226:THR:HG23	2.20	0.61
1:D:185:THR:HG23	1:D:195:VAL:HG12	1.80	0.61
1:D:7:VAL:HA	1:D:87:ILE:CD1	2.29	0.61
1:C:9:GLY:HA3	1:C:88:ILE:HD12	1.83	0.61
1:E:254:LYS:HD2	1:E:254:LYS:N	2.15	0.61
1:F:5:ARG:HB3	1:F:59:THR:HB	1.83	0.61
1:D:77:LYS:NZ	1:F:153:HIS:O	2.34	0.60
1:C:9:GLY:HA3	1:C:88:ILE:CD1	2.32	0.60
1:A:1:MET:HG3	1:A:94:ASP:HB2	1.82	0.60
1:D:162:CYS:SG	1:D:163:ALA:N	2.74	0.59
1:E:184:GLN:NE2	1:E:197:ILE:H	1.99	0.59
1:B:1:MET:CE	1:B:66:LEU:HD22	2.32	0.59
1:D:89:THR:HB	1:D:102:VAL:CG2	2.31	0.59
1:D:52:LEU:HD21	1:D:57:PHE:CZ	2.37	0.59
1:D:69:GLY:HA2	1:D:121:LEU:HD21	1.85	0.59
1:D:237:VAL:HG22	1:D:249:TYR:HB2	1.85	0.58
1:E:53:ARG:HB3	1:E:55:GLU:OE1	2.03	0.58
1:D:68:MET:HB3	1:D:118:LEU:HD11	1.86	0.58
1:D:103:PHE:HD2	1:D:112:SER:HB2	1.69	0.58
1:E:134:SER:HB3	1:E:201:GLU:HG2	1.86	0.58
1:D:90:LEU:HD12	1:D:101:LEU:HG	1.83	0.58
1:B:181:LYS:NZ	1:B:183:SER:HB3	2.19	0.58
1:D:5:ARG:NH2	1:D:88:ILE:N	2.51	0.58
1:D:134:SER:OG	1:D:201:GLU:O	2.22	0.58
1:E:206:THR:C	1:E:254:LYS:HZ3	2.07	0.57
1:D:125:GLN:OE1	1:D:126:LEU:N	2.37	0.57
1:C:138:LYS:HE2	1:C:224:THR:HG21	1.86	0.57
1:B:161:SER:HB3	1:B:204:GLN:HG3	1.85	0.57
1:D:225:VAL:HG22	1:D:226:THR:H	1.68	0.57
1:D:5:ARG:HD2	1:D:89:THR:OG1	2.04	0.57
1:D:27:CYS:H	1:D:37:LEU:HD13	1.69	0.57
1:E:159:VAL:HG22	1:E:206:THR:CG2	2.35	0.57
1:F:254:LYS:HG2	2:L:407:ASP:OD1	2.04	0.57
1:D:5:ARG:NH1	1:D:87:ILE:HG13	2.20	0.57
1:D:138:LYS:CG	1:D:226:THR:OG1	2.49	0.57



	to do pagom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:108:GLN:O	1:D:108:GLN:HG3	2.04	0.56
1:D:114:TYR:CD1	1:F:178:GLY:HA3	2.40	0.56
1:C:64:ARG:HG3	1:C:65:ASN:N	2.21	0.56
1:D:37:LEU:HD12	1:D:38:GLN:N	2.21	0.56
1:A:191:GLU:N	1:A:191:GLU:OE1	2.39	0.56
1:B:11:ILE:HD12	1:B:11:ILE:H	1.71	0.55
1:A:75:MET:O	1:A:79:LEU:HD12	2.07	0.55
1:F:44:HIS:CB	2:L:409:LYS:HD3	2.35	0.55
1:A:5:ARG:HB3	1:A:59:THR:HB	1.89	0.55
1:E:143:GLU:O	1:E:147:ILE:HG12	2.06	0.55
1:D:7:VAL:HG23	1:D:8:GLN:NE2	2.22	0.55
1:F:254:LYS:HE3	2:L:407:ASP:OD1	2.07	0.55
1:E:192:GLU:HB3	1:E:193:GLU:OE1	2.07	0.54
1:E:109:GLU:N	1:E:109:GLU:OE2	2.41	0.54
1:D:35:VAL:HG13	1:D:52:LEU:HB3	1.89	0.54
1:B:61:ARG:NH1	1:B:63:ASP:OD1	2.40	0.54
1:E:193:GLU:OE1	1:E:193:GLU:N	2.41	0.53
1:D:7:VAL:CA	1:D:87:ILE:HD11	2.38	0.53
1:D:90:LEU:HB3	1:D:99:LEU:HD21	1.89	0.53
1:D:4:ALA:HB1	1:D:57:PHE:CD2	2.44	0.53
1:D:7:VAL:CG1	1:D:87:ILE:HD11	2.38	0.53
1:D:121:LEU:HD13	1:D:123:VAL:HG13	1.89	0.53
1:F:125:GLN:CD	1:F:125:GLN:H	2.11	0.53
1:D:183:SER:O	1:D:195:VAL:HG11	2.08	0.53
1:F:12:LEU:O	1:F:16:LEU:HD12	2.07	0.53
2:N:410:ILE:HD13	2:N:414:PHE:HE1	1.64	0.53
1:B:19:LEU:HD21	1:B:48:VAL:HG21	1.90	0.53
1:D:69:GLY:O	1:D:118:LEU:HG	2.07	0.53
1:C:64:ARG:CG	1:C:65:ASN:N	2.72	0.53
1:F:212:LEU:HD21	1:F:251:LEU:HD12	1.91	0.53
1:B:181:LYS:HZ1	1:B:183:SER:HB3	1.72	0.53
1:D:209:LEU:HA	1:D:212:LEU:HD13	1.91	0.52
1:D:212:LEU:H	1:D:212:LEU:HD12	1.74	0.52
1:A:192:GLU:N	1:A:192:GLU:OE2	2.42	0.52
1:C:90:LEU:HD12	1:C:99:LEU:HD11	1.91	0.52
1:A:109:GLU:HG3	1:A:110:LYS:CB	2.40	0.52
1:E:199:MET:HE1	1:E:202:PRO:HA	1.91	0.52
1:B:7:VAL:HG23	1:B:58:ASP:HB2	1.91	0.52
1:C:106:PRO:O	1:C:108:GLN:NE2	2.41	0.52
1:B:122:ASP:OD1	1:B:122:ASP:N	2.43	0.51
1:B:7:VAL:CG2	1:B:58:ASP:HB2	2.39	0.51



	i a pageini	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:35:VAL:HG12	1:D:52:LEU:HD22	1.91	0.51
1:F:138:LYS:HB2	1:F:226:THR:HG22	1.92	0.51
1:C:110:LYS:NZ	1:E:143:GLU:OE1	2.38	0.51
1:D:49:GLN:NE2	1:D:51:THR:HG22	2.25	0.51
1:D:109:GLU:OE1	1:F:183:SER:N	2.44	0.51
1:E:168:LYS:HD3	1:E:170:SER:OG	2.11	0.51
1:B:137:VAL:HG13	1:B:197:ILE:HG12	1.92	0.51
1:A:109:GLU:HG3	1:A:110:LYS:HB2	1.91	0.51
1:D:64:ARG:HD3	1:D:64:ARG:N	2.26	0.51
1:D:116:MET:HG2	1:D:117:LYS:N	2.26	0.51
2:M:417:LEU:HD23	2:M:417:LEU:O	2.11	0.51
1:D:191:GLU:HB3	1:D:192:GLU:OE1	2.11	0.50
1:C:1:MET:HB3	1:C:93:GLU:HA	1.93	0.50
1:F:169:PHE:H	1:F:180:ILE:CD1	2.24	0.50
1:E:5:ARG:HB3	1:E:59:THR:HB	1.92	0.50
1:D:126:LEU:CB	2:N:414:PHE:CE2	2.94	0.50
1:D:225:VAL:HG22	1:D:226:THR:N	2.26	0.50
1:E:164:LYS:NZ	1:E:199:MET:SD	2.81	0.50
1:D:224:THR:HG23	1:D:240:LYS:HE2	1.94	0.50
1:D:126:LEU:HB2	2:N:414:PHE:CE2	2.46	0.49
1:D:103:PHE:HE2	1:D:114:TYR:CE2	2.30	0.49
1:F:8:GLN:O	1:F:11:ILE:HG13	2.12	0.49
1:E:125:GLN:O	1:E:126:LEU:HD23	2.12	0.49
1:E:164:LYS:HD2	1:E:199:MET:SD	2.52	0.49
1:E:164:LYS:HE3	1:E:199:MET:HB3	1.94	0.49
1:F:169:PHE:H	1:F:180:ILE:HD12	1.77	0.49
1:D:4:ALA:HB1	1:D:57:PHE:CE2	2.47	0.49
1:D:226:THR:HB	1:D:238:GLU:OE2	2.13	0.49
1:A:26:ALA:HB1	1:A:37:LEU:HD11	1.94	0.49
1:A:165:ASP:N	1:A:165:ASP:OD1	2.43	0.49
1:D:47:LEU:HB3	1:D:250:TYR:HB2	1.93	0.49
1:B:89:THR:HB	1:B:102:VAL:CG1	2.43	0.49
1:D:9:GLY:CA	1:D:88:ILE:HG22	2.42	0.49
1:D:137:VAL:HG22	1:D:197:ILE:CG2	2.39	0.49
1:C:165:ASP:OD1	1:C:166:GLY:N	2.46	0.48
1:E:63:ASP:O	1:E:64:ARG:HG2	2.13	0.48
1:D:87:ILE:HG22	1:D:104:GLU:CB	2.42	0.48
1:A:201:GLU:HG3	1:A:202:PRO:HD2	1.94	0.48
1:D:124:GLU:O	1:D:126:LEU:HD12	2.13	0.48
1:D:228:SER:OG	1:D:236:VAL:HG12	2.14	0.48
1:D:27:CYS:H	1:D:37:LEU:CD1	2.26	0.48



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:69:GLY:HA3	1:D:121:LEU:HG	1.93	0.48
1:D:62:CYS:HA	1:D:64:ARG:NH1	2.28	0.48
1:E:254:LYS:HB3	2:M:406:LYS:O	2.14	0.48
1:E:52:LEU:HD12	1:E:244:MET:SD	2.54	0.48
1:D:30:ILE:HD13	1:D:35:VAL:CB	2.39	0.48
1:C:136:VAL:HG22	1:C:198:GLU:HB2	1.95	0.47
1:B:64:ARG:HD3	1:B:64:ARG:HA	1.64	0.47
1:D:226:THR:HB	1:D:238:GLU:CD	2.34	0.47
1:F:160:ILE:O	1:F:204:GLN:HA	2.14	0.47
1:E:50:LEU:HD13	1:E:247:LEU:HD13	1.95	0.47
1:B:89:THR:HB	1:B:102:VAL:HG13	1.96	0.47
1:D:69:GLY:N	1:D:118:LEU:HD21	2.29	0.47
1:E:214:PHE:O	1:E:217:LYS:HG3	2.15	0.47
1:D:71:ASN:CB	1:D:119:MET:HE1	2.45	0.47
1:A:163:ALA:HA	1:A:199:MET:HE3	1.96	0.47
1:D:136:VAL:HG23	1:D:198:GLU:HG2	1.97	0.47
1:D:252:ALA:HB2	2:N:410:ILE:CG2	2.45	0.47
1:F:205:LEU:HD21	1:F:231:ALA:HA	1.97	0.47
1:C:64:ARG:NH2	1:C:94:ASP:OD2	2.48	0.47
1:D:69:GLY:HA2	1:D:121:LEU:CD2	2.45	0.47
1:F:47:LEU:HD12	1:F:126:LEU:HD12	1.97	0.47
1:A:184:GLN:HG3	1:A:195:VAL:O	2.15	0.47
1:E:12:LEU:HD23	1:E:88:ILE:HG21	1.97	0.47
1:F:159:VAL:HG12	1:F:206:THR:HG21	1.96	0.47
1:B:146:ARG:HD3	1:B:150:ASP:OD2	2.14	0.47
1:D:137:VAL:O	1:D:226:THR:HG23	2.15	0.47
1:A:145:ALA:HA	1:A:216:THR:HG21	1.97	0.46
1:E:30:ILE:CG2	1:E:66:LEU:HB2	2.45	0.46
1:D:71:ASN:N	1:D:119:MET:CE	2.72	0.46
1:D:5:ARG:HE	1:D:6:LEU:N	2.13	0.46
1:A:255:ILE:N	2:H:406:LYS:O	2.48	0.46
1:C:191:GLU:CG	1:C:192:GLU:H	2.25	0.46
1:D:90:LEU:CD1	1:D:101:LEU:HG	2.46	0.46
1:A:170:SER:HB3	1:A:179:ASN:HD22	1.80	0.46
1:D:9:GLY:HA2	1:D:88:ILE:HG22	1.97	0.46
1:D:77:LYS:HZ3	1:F:153:HIS:HB3	1.81	0.46
1:F:44:HIS:O	2:L:409:LYS:HG2	2.16	0.46
1:F:159:VAL:HG22	1:F:170:SER:O	2.16	0.46
1:A:107:ASN:O	1:A:108:GLN:HB2	2.15	0.46
1:C:255:ILE:C	2:G:406:LYS:HD2	2.36	0.46
1:D:82:ALA:HB2	1:D:103:PHE:CE1	2.50	0.46



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:254:LYS:O	1:C:255:ILE:HD13	2.16	0.46
1:B:145:ALA:HA	1:B:216:THR:HG21	1.97	0.46
1:D:118:LEU:C	1:D:119:MET:HG3	2.36	0.46
1:E:184:GLN:HE21	1:E:197:ILE:H	1.63	0.45
1:D:233:VAL:HG23	1:D:234:PRO:HD2	1.99	0.45
1:D:168:LYS:HA	1:D:180:ILE:O	2.17	0.45
1:A:75:MET:HG2	1:A:79:LEU:HD11	1.98	0.45
1:D:87:ILE:HG22	1:D:104:GLU:O	2.16	0.45
1:F:85:GLU:OE1	1:F:85:GLU:N	2.49	0.45
1:F:235:LEU:O	1:F:250:TYR:HA	2.16	0.45
1:E:13:LYS:HE2	1:E:80:LYS:HA	1.99	0.45
1:F:159:VAL:O	1:F:169:PHE:HA	2.16	0.45
1:D:20:LYS:HA	1:D:23:ILE:O	2.17	0.45
1:D:240:LYS:HB2	1:D:240:LYS:HE3	1.72	0.45
1:F:13:LYS:NZ	1:F:82:ALA:O	2.40	0.45
1:A:138:LYS:HG3	1:A:226:THR:HG22	1.98	0.45
1:B:37:LEU:HB3	1:B:50:LEU:HB3	1.99	0.45
1:B:149:ARG:O	1:B:152:SER:OG	2.34	0.45
1:B:159:VAL:HG22	1:B:206:THR:HG22	1.97	0.45
1:D:11:ILE:HD13	1:D:11:ILE:HA	1.85	0.45
1:D:137:VAL:O	1:D:226:THR:HA	2.17	0.45
1:D:252:ALA:HB2	2:N:410:ILE:HG23	1.98	0.45
1:F:8:GLN:HG2	1:F:11:ILE:CG1	2.47	0.45
1:A:15:VAL:O	1:A:19:LEU:HG	2.17	0.44
1:A:174:GLU:O	1:E:117:LYS:HD2	2.16	0.44
1:D:27:CYS:HB2	1:D:123:VAL:CG1	2.44	0.44
1:D:82:ALA:HB2	1:D:103:PHE:CD1	2.52	0.44
1:E:199:MET:CE	1:E:202:PRO:HA	2.48	0.44
1:D:88:ILE:HD13	1:D:103:PHE:CE1	2.52	0.44
1:C:19:LEU:CD2	1:C:48:VAL:HG21	2.48	0.44
1:D:234:PRO:HD3	2:N:413:HIS:ND1	2.32	0.44
1:F:162:CYS:SG	1:F:167:VAL:HB	2.58	0.44
1:D:138:LYS:HG3	1:D:226:THR:CG2	2.48	0.44
1:F:201:GLU:N	1:F:201:GLU:OE1	2.51	0.44
1:D:136:VAL:CG1	1:D:228:SER:HB3	2.39	0.44
1:F:230:SER:HB2	1:F:233:VAL:HG12	2.00	0.44
1:E:11:ILE:O	1:E:15:VAL:HG23	2.18	0.44
1:B:7:VAL:HA	1:B:87:ILE:HG23	2.00	0.44
1:D:159:VAL:HG22	1:D:170:SER:HB2	2.00	0.44
1:A:18:ALA:HB1	1:A:249:TYR:OH	2.18	0.43
1:A:164:LYS:HE2	1:A:197:ILE:O	2.18	0.43



	i i i i i i i i i i i i i i i i i i i	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:F:159:VAL:HG12	1:F:206:THR:HG22	1.97	0.43
1:F:169:PHE:CB	1:F:180:ILE:HD11	2.45	0.43
1:D:28:TRP:CD1	1:D:70:VAL:HB	2.53	0.43
1:D:5:ARG:NH2	1:D:88:ILE:H	2.12	0.43
1:D:197:ILE:C	1:D:197:ILE:HD12	2.38	0.43
1:D:26:ALA:HB1	1:D:37:LEU:HD11	2.01	0.43
1:F:128:ILE:HD13	2:L:414:PHE:CE1	2.54	0.43
1:B:10:SER:HB2	1:B:14:LYS:HE3	2.01	0.43
1:D:26:ALA:HB1	1:D:37:LEU:HD21	2.01	0.43
1:B:2:PHE:O	1:B:91:ARG:HA	2.19	0.42
1:F:7:VAL:HA	1:F:87:ILE:HG23	2.00	0.42
1:D:102:VAL:HG12	1:D:113:ASP:HB2	2.00	0.42
1:D:172:SER:HB3	1:D:177:ASN:HB3	2.01	0.42
1:F:175:LEU:HA	1:F:175:LEU:HD12	1.56	0.42
1:D:145:ALA:HA	1:D:216:THR:HG21	2.00	0.42
1:E:199:MET:HE1	1:E:202:PRO:CA	2.49	0.42
1:D:9:GLY:HA2	1:D:88:ILE:CG2	2.49	0.42
1:A:164:LYS:HA	1:A:164:LYS:HD3	1.92	0.42
1:C:240:LYS:HD2	1:C:240:LYS:O	2.19	0.42
1:B:23:ILE:HD11	1:B:48:VAL:HG12	2.00	0.42
1:D:133:TYR:CG	1:D:228:SER:HB2	2.55	0.42
1:F:16:LEU:HD13	1:F:79:LEU:HG	2.02	0.42
1:C:147:ILE:HG23	1:C:180:ILE:HD12	2.01	0.42
1:A:51:THR:O	1:A:245:GLY:HA3	2.18	0.42
1:D:35:VAL:CG1	1:D:52:LEU:HB3	2.49	0.42
1:D:79:LEU:HA	1:D:79:LEU:HD22	1.84	0.41
1:B:78:ILE:HD13	1:B:116:MET:HB2	2.02	0.41
1:D:68:MET:CB	1:D:118:LEU:HD11	2.50	0.41
1:D:73:THR:OG1	1:D:74:SER:N	2.54	0.41
1:E:18:ALA:HB1	1:E:249:TYR:OH	2.21	0.41
1:A:164:LYS:O	1:A:164:LYS:HG3	2.21	0.41
1:E:109:GLU:H	1:E:109:GLU:CD	2.22	0.41
1:D:35:VAL:CG1	1:D:52:LEU:HD22	2.49	0.41
1:D:90:LEU:HD22	1:D:90:LEU:N	2.35	0.41
1:F:204:GLN:O	1:F:205:LEU:HD13	2.21	0.41
1:C:136:VAL:HA	1:C:227:LEU:O	2.21	0.41
1:B:5:ARG:HB3	1:B:59:THR:CG2	2.50	0.41
1:D:71:ASN:HB3	1:D:119:MET:HE1	2.02	0.41
1:F:18:ALA:HB1	1:F:249:TYR:OH	2.21	0.41
2:K:409:LYS:HB3	2:K:411:THR:HG22	2.02	0.41
2:N:414:PHE:CD2	2:N:414:PHE:C	2.94	0.41



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:74:SER:HB3	1:C:175:LEU:HB2	2.03	0.41
1:E:13:LYS:NZ	3:E:302:HOH:O	2.55	0.41
1:B:99:LEU:HD12	1:B:100:ALA:N	2.35	0.41
1:D:21:ASP:HB2	1:D:217:LYS:HE2	2.03	0.41
1:B:18:ALA:HB1	1:B:249:TYR:OH	2.21	0.40
1:D:7:VAL:HB	1:D:87:ILE:HD11	2.01	0.40
1:E:30:ILE:HG22	1:E:66:LEU:HB2	2.03	0.40
1:D:29:ASP:HB2	1:D:36:ASN:OD1	2.21	0.40
1:F:9:GLY:HA3	1:F:88:ILE:HG13	2.03	0.40
1:F:207:PHE:HB3	1:F:251:LEU:HD13	2.02	0.40
1:B:56:GLY:HA3	1:B:244:MET:HG3	2.04	0.40
1:D:103:PHE:HE2	1:D:114:TYR:CD2	2.40	0.40
1:F:185:THR:CG2	1:F:195:VAL:H	2.34	0.40
1:E:143:GLU:CD	1:E:146:ARG:NH1	2.75	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:55:GLU:O	2:M:409:LYS:NZ[1_655]	2.04	0.16
1:E:122:ASP:OD2	1:B:108:GLN:NE2[1_455]	2.13	0.07

## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	250/264~(95%)	239~(96%)	8 (3%)	3~(1%)	13 26
1	В	249/264~(94%)	238 (96%)	10 (4%)	1 (0%)	34 55
1	С	249/264~(94%)	236 (95%)	11 (4%)	2 (1%)	19 37
1	D	237/264~(90%)	226 (95%)	9 (4%)	2(1%)	19 37



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	Е	247/264~(94%)	238~(96%)	9~(4%)	0	100	100
1	F	246/264~(93%)	233~(95%)	11 (4%)	2(1%)	19	37
2	G	12/19~(63%)	11 (92%)	1 (8%)	0	100	100
2	Н	11/19~(58%)	11 (100%)	0	0	100	100
2	Κ	10/19~(53%)	8 (80%)	2(20%)	0	100	100
2	L	9/19~(47%)	9 (100%)	0	0	100	100
2	М	10/19~(53%)	10 (100%)	0	0	100	100
2	N	8/19 (42%)	8 (100%)	0	0	100	100
All	All	1538/1698~(91%)	1467 (95%)	61 (4%)	10 (1%)	22	41

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	С	94	ASP
1	С	165	ASP
1	В	64	ARG
1	D	165	ASP
1	А	244	MET
1	D	244	MET
1	F	165	ASP
1	А	242	ALA
1	F	243	ASP
1	А	94	ASP

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentil	es
1	А	220/229~(96%)	212~(96%)	8 (4%)	35 59	
1	В	219/229~(96%)	213~(97%)	6 (3%)	44 68	
1	С	221/229~(96%)	215~(97%)	6 (3%)	44 68	
1	D	213/229~(93%)	206~(97%)	7 (3%)	38 61	



Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	Ε	219/229~(96%)	211 (96%)	8 (4%)	34	57
1	F	218/229~(95%)	214~(98%)	4 (2%)	59	78
2	G	14/17~(82%)	12~(86%)	2(14%)	3	5
2	Η	13/17~(76%)	13 (100%)	0	100	100
2	Κ	12/17~(71%)	11 (92%)	1 (8%)	11	21
2	L	10/17~(59%)	10 (100%)	0	100	100
2	М	12/17~(71%)	12~(100%)	0	100	100
2	Ν	10/17~(59%)	10 (100%)	0	100	100
All	All	1381/1476~(94%)	1339 (97%)	42 (3%)	41	65

All (42) residues with a non-rotameric side chain are listed below:

Mol	Chain	Res	Type
1	А	41	ASP
1	А	97	ASP
1	А	99	LEU
1	А	122	ASP
1	А	164	LYS
1	А	179	ASN
1	А	199	MET
1	А	240	LYS
1	С	3	GLU
1	С	97	ASP
1	С	135	CYS
1	С	146	ARG
1	С	238	GLU
1	С	240	LYS
1	Е	31	SER
1	Е	36	ASN
1	Е	112	SER
1	Е	135	CYS
1	Е	162	CYS
1	Е	168	LYS
1	Е	199	MET
1	Е	254	LYS
1	В	124	GLU
1	В	146	ARG
1	В	164	LYS
1	В	199	MET



Mol	Chain	Res	Type
1	В	205	LEU
1	В	206	THR
1	D	20	LYS
1	D	49	GLN
1	D	64	ARG
1	D	76	SER
1	D	108	GLN
1	D	183	SER
1	D	232	ASP
1	F	113	ASP
1	F	149	ARG
1	F	199	MET
1	F	210	ARG
2	G	409	LYS
2	G	419	LYS
2	К	406	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	179	ASN
1	А	184	GLN
1	С	107	ASN
1	С	179	ASN
1	С	246	HIS
1	Е	36	ASN
1	Е	49	GLN
1	Е	108	GLN
1	Е	184	GLN
1	D	49	GLN
1	D	179	ASN
1	D	184	GLN
1	D	246	HIS
1	F	24	ASN
1	F	200	ASN
1	F	204	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.



### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 5.6 Ligand geometry (i)

There are no ligands in this entry.

#### 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	#RSRZ>2	$\mathbf{OWAB}(\mathbf{\AA}^2)$	Q<0.9
1	А	254/264~(96%)	0.18	3 (1%) 79 77	33, 51, 93, 122	0
1	В	253/264~(95%)	0.40	8 (3%) 47 43	46, 75, 115, 137	0
1	С	251/264~(95%)	0.19	1 (0%) 92 92	35,61,97,130	0
1	D	243/264~(92%)	0.96	37 (15%) 2 1	64, 101, 137, 149	0
1	E	251/264~(95%)	0.24	4 (1%) 72 69	42, 66, 109, 142	0
1	F	250/264~(94%)	0.50	18 (7%) 15 13	48, 80, 115, 149	0
2	G	14/19~(73%)	0.04	0 100 100	51,65,79,86	1 (7%)
2	Н	13/19~(68%)	0.07	0 100 100	46, 55, 73, 82	0
2	K	12/19~(63%)	0.59	1 (8%) 11 9	77, 88, 100, 103	1 (8%)
2	L	11/19~(57%)	0.19	0 100 100	82, 95, 120, 123	0
2	М	12/19~(63%)	0.23	1 (8%) 11 9	65, 83, 100, 100	0
2	N	10/19~(52%)	0.97	2(20%) 1 0	89, 95, 101, 103	0
All	All	1574/1698~(92%)	0.40	75 (4%) 30 26	33, 72, 121, 149	2 (0%)

All (75) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	164	LYS	6.3
1	D	56	GLY	5.2
1	D	12	LEU	4.9
1	А	123	VAL	4.6
1	D	67	ALA	4.5
1	D	186	SER	4.4
1	D	28	TRP	4.2
1	D	88	ILE	4.1
1	D	78	ILE	4.0
1	D	164	LYS	3.9
1	F	163	ALA	3.9



Mol	Chain	Res	Type	RSRZ
1	А	165	ASP	3.8
1	D	123	VAL	3.7
2	Ν	414	PHE	3.7
1	F	158	VAL	3.6
1	Е	164	LYS	3.5
1	D	52	LEU	3.5
1	D	6	LEU	3.5
1	D	63	ASP	3.5
1	В	94	ASP	3.3
1	F	160	ILE	3.2
2	N	415	MET	3.2
1	D	66	LEU	3.0
1	F	182	LEU	3.0
1	D	229	MET	3.0
1	D	5	ARG	3.0
1	D	232	ASP	3.0
1	D	182	LEU	2.9
1	В	96	ALA	2.9
1	D	58	ASP	2.8
1	F	151	LEU	2.8
1	D	162	CYS	2.7
1	D	103	PHE	2.7
1	F	169	PHE	2.6
1	D	121	LEU	2.6
1	F	123	VAL	2.6
1	D	99	LEU	2.5
1	D	57	PHE	2.5
1	D	101	LEU	2.5
1	D	114	TYR	2.5
1	D	137	VAL	2.5
1	D	135	CYS	2.4
1	F	202	PRO	2.4
1	D	116	MET	2.4
2	М	415	MET	2.4
1	F	162	CYS	2.3
1	F	203	VAL	2.3
1	F	175	LEU	2.3
1	В	199	MET	2.3
1	Е	255	ILE	2.3
1	F	229	MET	2.2
1	D	191	GLU	2.2
1	F	124	GLU	2.2



Mol	Chain	Res	Type	RSRZ
1	D	90	LEU	2.2
1	F	168	LYS	2.2
1	С	137	VAL	2.1
1	F	255	ILE	2.1
2	Κ	406	LYS	2.1
1	А	12	LEU	2.1
1	D	4	ALA	2.1
1	Ε	108	GLN	2.1
1	D	126	LEU	2.1
1	F	205	LEU	2.1
1	D	73	THR	2.1
1	В	205	LEU	2.1
1	В	207	PHE	2.1
1	В	137	VAL	2.1
1	D	165	ASP	2.1
1	В	197	ILE	2.0
1	D	11	ILE	2.0
1	D	235	LEU	2.0
1	F	251	LEU	2.0
1	В	57	PHE	2.0
1	Е	199	MET	2.0
1	D	68	MET	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

There are no ligands in this entry.

#### 6.5 Other polymers (i)

There are no such residues in this entry.

