

wwPDB EM Validation Summary Report (i)

Nov 20, 2022 – 01:57 PM EST

PDB ID : 7MIJ

EMDB ID : EMD-23853

Title: Mouse TRPV3 in MSP2N2 nanodiscs, closed state at 4 degrees Celsius

Authors: Neuberger, A.; Nadezhdin, K.D.; Sobolevsky, A.I.

Deposited on : 2021-04-17

Resolution : 1.98 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*A user guide is available at

https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43

Mogul : 1.8.5 (274361), CSD as541be (2020)

MolProbity : 4.02b-467 buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

MapQ: 1.9.9

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 1.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# ext{Entries})$	${ m EM~structures} \ (\#{ m Entries})$
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion <40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	A	808	75%	•	21%
1	В	808	75%	•	21%
1	С	808	74%	•	21%
1	D	808	74%	•	21%



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 23010 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Transient receptor potential cation channel subfamily V member 3.

Mol	Chain	Residues	${f Atoms}$				AltConf	Trace	
1	A	639	Total	С	N	О	S	0	0
1	A	059	5202	3382	856	933	31	0	U
1	В	639	Total	С	N	О	S	0	0
1	Ъ	039	5202	3382	856	933	31	0	
1	С	639	Total	С	N	О	S	0	0
1		059	5202	3382	856	933	31	0	U
1	D	639	Total	С	N	О	S	0	0
1	ש	009	5202	3382	856	933	31		U

There are 68 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	792	LEU	-	expression tag	UNP Q8K424
A	793	VAL	-	expression tag	UNP Q8K424
A	794	PRO	-	expression tag	UNP Q8K424
A	795	ARG	-	expression tag	UNP Q8K424
A	796	GLY	-	expression tag	UNP Q8K424
A	797	SER	-	expression tag	UNP Q8K424
A	798	ALA	-	expression tag	UNP Q8K424
A	799	ALA	-	expression tag	UNP Q8K424
A	800	ALA	-	expression tag	UNP Q8K424
A	801	TRP	-	expression tag	UNP Q8K424
A	802	SER	_	expression tag	UNP Q8K424
A	803	HIS	-	expression tag	UNP Q8K424
A	804	PRO	-	expression tag	UNP Q8K424
A	805	GLN	-	expression tag	UNP Q8K424
A	806	PHE	_	expression tag	UNP Q8K424
A	807	GLU	-	expression tag	UNP Q8K424
A	808	LYS	_	expression tag	UNP Q8K424
В	792	LEU	-	expression tag	UNP Q8K424
В	793	VAL	-	expression tag	UNP Q8K424
В	794	PRO	-	expression tag	UNP Q8K424
В	795	ARG	-	expression tag	UNP Q8K424



 $Continued\ from\ previous\ page...$


Chain	Residue	Modelled Modelled	Actual	Comment	Reference
В	796	GLY	-	expression tag	UNP Q8K424
В	797	SER	-	expression tag	UNP Q8K424
В	798	ALA	-	expression tag	UNP Q8K424
В	799	ALA	-	expression tag	UNP Q8K424
В	800	ALA	-	expression tag	UNP Q8K424
В	801	TRP	-	expression tag	UNP Q8K424
В	802	SER	-	expression tag	UNP Q8K424
В	803	HIS	-	expression tag	UNP Q8K424
В	804	PRO	-	expression tag	UNP Q8K424
В	805	GLN	-	expression tag	UNP Q8K424
В	806	PHE	-	expression tag	UNP Q8K424
В	807	GLU	-	expression tag	UNP Q8K424
В	808	LYS	-	expression tag	UNP Q8K424
С	792	LEU	-	expression tag	UNP Q8K424
С	793	VAL	-	expression tag	UNP Q8K424
С	794	PRO	-	expression tag	UNP Q8K424
С	795	ARG	-	expression tag	UNP Q8K424
С	796	GLY	-	expression tag	UNP Q8K424
С	797	SER	-	expression tag	UNP Q8K424
С	798	ALA	-	expression tag	UNP Q8K424
С	799	ALA	-	expression tag	UNP Q8K424
С	800	ALA	-	expression tag	UNP Q8K424
С	801	TRP	-	expression tag	UNP Q8K424
С	802	SER	-	expression tag	UNP Q8K424
С	803	HIS	-	expression tag	UNP Q8K424
С	804	PRO	-	expression tag	UNP Q8K424
С	805	GLN	-	expression tag	UNP Q8K424
С	806	PHE	-	expression tag	UNP Q8K424
С	807	GLU	-	expression tag	UNP Q8K424
С	808	LYS	-	expression tag	UNP Q8K424
D	792	LEU	-	expression tag	UNP Q8K424
D	793	VAL	-	expression tag	UNP Q8K424
D	794	PRO	-	expression tag	UNP Q8K424
D	795	ARG	-	expression tag	UNP Q8K424
D	796	GLY	-	expression tag	UNP Q8K424
D	797	SER	-	expression tag	UNP Q8K424
D	798	ALA		expression tag	UNP Q8K424
D	799	ALA		expression tag	UNP Q8K424
D	800	ALA		expression tag	UNP Q8K424
D	801	TRP	-	expression tag	UNP Q8K424
D	802	SER	-	expression tag	UNP Q8K424
D	803	HIS	-	expression tag	UNP Q8K424



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	804	PRO	-	expression tag	UNP Q8K424
D	805	GLN	-	expression tag	UNP Q8K424
D	806	PHE	-	expression tag	UNP Q8K424
D	807	GLU	-	expression tag	UNP Q8K424
D	808	LYS	-	expression tag	UNP Q8K424

• Molecule 2 is (2S)-3-(hexadecanoyloxy)-2-[(9Z)-octadec-9-enoyloxy]propyl 2-(trimethylamm onio)ethyl phosphate (three-letter code: POV) (formula: $C_{42}H_{82}NO_8P$).



Mol	Chain	Residues		Ato	oms			AltConf
2	A	1	Total	С	N	О	Р	0
2	Z A	1	624	504	12	96	12	U
2	A	1	Total	С	N	О	Р	0
	A	1	624	504	12	96	12	U
2	A	1	Total	С	N	О	Р	0
2	Λ	1	624	504	12	96	12	U
2	A	1	Total	С	N	Ο	Р	0
	Λ	1	624	504	12	96	12	
2	A	1	Total	\mathbf{C}	N	Ο	Р	0
	11	1	624	504	12	96	12	0
2	A	1	Total	\mathbf{C}	N	Ο	Р	0
	11	1	624	504	12	96	12	
2	A	1	Total	\mathbf{C}	N	Ο	Р	0
	11	1	624	504	12	96	12	U
2	A	1	Total	С	N	Ο	Р	0
	11	1	624	504	12	96	12	



Continued from previous page...

Mol	Chain	$oxed{ \mathbf{Residues} }$		Ato	ms			AltConf
			Total	С	N	О	P	
2	A	1	624	504	12	96	12	0
_		_	Total	С	N	O	P	
2	A	1	624	504	12	96	12	0
_		_	Total	С	N	O	P	
2	A	1	624	504	12	96	12	0
			Total	С	N	О	Р	
2	A	1	624	504	12	96	12	0
	D	1	Total	С	N	О	Р	0
2	В	1	468	378	9	72	9	0
0	D	1	Total	С	N	О	Р	0
2	В	1	468	378	9	72	9	0
	D	1	Total	С	N	О	Р	0
2	В	1	468	378	9	72	9	0
0	D	1	Total	С	N	О	Р	0
2	В	1	468	378	9	72	9	0
0	D	1	Total	С	N	О	Р	0
2	В	1	468	378	9	72	9	0
0	D	1	Total	С	N	О	Р	0
2	В	1	468	378	9	72	9	0
0	D	1	Total	С	N	О	Р	0
2	В	1	468	378	9	72	9	0
2	В	1	Total	С	N	О	Р	0
2	D	1	468	378	9	72	9	0
2	В	1	Total	С	N	О	Р	0
	Б	1	468	378	9	72	9	0
2	С	1	Total	С	N	О	Р	0
		1	468	378	9	72	9	0
2	С	1	Total	С	N	О	Р	0
		1	468	378	9	72	9	U
2	С	1	Total	С	Ν	Ο	Р	0
		1	468	378	9	72	9	U
2	С	1	Total	С	N	Ο	Р	0
		1	468	378	9	72	9	O
2	$^{\rm C}$	1	Total	\mathbf{C}	Ν	Ο	Р	0
		1	468	378	9	72	9	U
2	С	1	Total	С	N	Ο	Р	0
		1	468	378	9	72	9	U
2	С	1	Total	\mathbf{C}	N	Ο	Р	0
		1	468	378	9	72	9	U
2	$^{\rm C}$	1	Total	С	N	Ο	Р	0
		1	468	378	9	72	9	



 $Continued\ from\ previous\ page...$

Mol	Chain	Residues		Ato	ms			AltConf
2	С	1	Total	С	N	О	Р	0
2		1	468	378	9	72	9	0
2	D	1	Total	С	N	О	Р	0
	ט	1	312	252	6	48	6	U
2	D	1	Total	С	N	О	Р	0
	ט	1	312	252	6	48	6	U
2	D	1	Total	С	N	О	Р	0
2	D	1	312	252	6	48	6	U
2	D	1	Total	С	N	О	Р	0
	D	1	312	252	6	48	6	U
2	D	1	Total	С	Ν	Ο	Р	0
	ט	1	312	252	6	48	6	U
2	D	1	Total	С	N	О	Р	0
	ט	1	312	252	6	48	6	

• Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	AltConf
3	A	2	Total Na 2 2	0

• Molecule 4 is water.


Mol	Chain	Residues	Atoms	AltConf
4	A	82	Total O 82 82	0
4	В	83	Total O 83 83	0
4	С	81	Total O 81 81	0
4	D	82	Total O 82 82	0




3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Transient receptor potential cation channel subfamily V member 3









4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	372121	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{Å}^2)$	58	Depositor
Minimum defocus (nm)	-800	Depositor
Maximum defocus (nm)	-2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.376	Depositor
Minimum map value	-0.122	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.0126	Depositor
Map size (Å)	275.2, 275.2, 275.2	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.86, 0.86, 0.86	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: POV, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
IVIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	A	0.27	0/5316	0.52	0/7197	
1	В	0.27	0/5316	0.52	0/7197	
1	С	0.27	0/5316	0.52	0/7197	
1	D	0.27	0/5316	0.52	0/7197	
All	All	0.27	0/21264	0.52	0/28788	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a maintain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	В	0	1
1	С	0	1
1	D	0	1
All	All	0	4

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	614	LYS	Peptide
1	В	614	LYS	Peptide
1	С	614	LYS	Peptide
1	D	614	LYS	Peptide



5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5202	0	5267	20	0
1	В	5202	0	5267	19	0
1	С	5202	0	5267	20	0
1	D	5202	0	5267	20	0
2	A	624	0	984	30	0
2	В	468	0	738	22	0
2	С	468	0	738	22	0
2	D	312	0	492	19	0
3	A	2	0	0	0	0
4	A	82	0	0	0	0
4	В	83	0	0	0	0
4	С	81	0	0	0	0
4	D	82	0	0	0	0
All	All	23010	0	24020	140	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 140 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	$\begin{array}{c} \text{Clash} \\ \text{overlap } (\text{\AA}) \end{array}$
1:A:508:LEU:HD22	1:A:698:ARG:HH22	1.66	0.61
1:D:508:LEU:HD22	1:D:698:ARG:HH22	1.66	0.61
1:C:508:LEU:HD22	1:C:698:ARG:HH22	1.66	0.61
1:B:508:LEU:HD22	1:B:698:ARG:HH22	1.66	0.60
2:C:905:POV:H216	2:C:905:POV:H31C	1.84	0.60

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM



entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentile	s
1	A	637/808 (79%)	619 (97%)	18 (3%)	0	100 100	
1	В	637/808 (79%)	619 (97%)	18 (3%)	0	100 100	
1	С	637/808 (79%)	619 (97%)	18 (3%)	0	100 100	
1	D	637/808 (79%)	619 (97%)	18 (3%)	0	100 100	
All	All	2548/3232 (79%)	2476 (97%)	72 (3%)	0	100 100	

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	A	570/721 (79%)	564 (99%)	6 (1%)	73	70
1	В	570/721 (79%)	563 (99%)	7 (1%)	71	67
1	С	570/721 (79%)	563 (99%)	7 (1%)	71	67
1	D	570/721 (79%)	563 (99%)	7 (1%)	71	67
All	All	2280/2884 (79%)	2253 (99%)	27 (1%)	72	67

5 of 27 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	С	314	ASN
1	С	643	ASN
1	D	643	ASN
1	С	616	LYS
1	С	647	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 29 such sidechains are listed below:



Mol	Chain	Res	Type
1	С	227	GLN
1	D	643	ASN
1	С	477	HIS
1	D	426	HIS
1	С	426	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 38 ligands modelled in this entry, 2 are monoatomic - leaving 36 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Type		Chain Res Link		Bo	ond leng	ths	Bond angles		
MIOI	туре	Chain	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	POV	A	901	-	51,51,51	1.06	3 (5%)	57,59,59	0.86	3 (5%)
2	POV	С	902	-	51,51,51	1.07	3 (5%)	57,59,59	0.81	3 (5%)
2	POV	С	905	-	51,51,51	1.07	3 (5%)	57,59,59	0.92	3 (5%)
2	POV	A	908	-	51,51,51	1.06	3 (5%)	57,59,59	0.86	3 (5%)
2	POV	D	906	-	51,51,51	1.05	3 (5%)	57,59,59	0.93	3 (5%)
2	POV	В	908	-	51,51,51	1.07	3 (5%)	57,59,59	0.93	3 (5%)
2	POV	С	904	-	51,51,51	1.08	3 (5%)	57,59,59	0.93	3 (5%)
2	POV	A	911	-	51,51,51	1.07	3 (5%)	57,59,59	0.97	3 (5%)



N T 1	TD.	GI .	ъ	т. 1	Во	ond leng	ths	В	ond ang	les
Mol	Type	Chain	Res	Link	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	POV	A	906	-	51,51,51	1.05	3 (5%)	57,59,59	0.94	3 (5%)
2	POV	A	905	-	51,51,51	1.07	3 (5%)	57,59,59	0.98	3 (5%)
2	POV	D	902	-	51,51,51	1.07	3 (5%)	57,59,59	0.90	3 (5%)
2	POV	В	906	-	51,51,51	1.07	3 (5%)	57,59,59	0.97	3 (5%)
2	POV	D	905	-	51,51,51	1.06	3 (5%)	57,59,59	0.92	3 (5%)
2	POV	В	902	-	51,51,51	1.07	3 (5%)	57,59,59	0.81	3 (5%)
2	POV	В	905	-	51,51,51	1.07	3 (5%)	57,59,59	0.92	3 (5%)
2	POV	D	904	-	51,51,51	1.08	3 (5%)	57,59,59	0.93	3 (5%)
2	POV	В	903	-	51,51,51	1.05	3 (5%)	57,59,59	0.98	4 (7%)
2	POV	A	902	-	51,51,51	1.06	3 (5%)	57,59,59	0.98	4 (7%)
2	POV	В	909	-	51,51,51	1.06	3 (5%)	57,59,59	0.87	3 (5%)
2	POV	С	901	-	51,51,51	1.06	3 (5%)	57,59,59	0.90	3 (5%)
2	POV	С	906	-	51,51,51	1.07	3 (5%)	57,59,59	0.97	3 (5%)
2	POV	С	903	-	51,51,51	1.05	3 (5%)	57,59,59	0.98	4 (7%)
2	POV	В	904	-	51,51,51	1.08	3 (5%)	57,59,59	0.93	3 (5%)
2	POV	A	912	-	51,51,51	1.06	3 (5%)	57,59,59	0.81	3 (5%)
2	POV	A	907	-	51,51,51	1.07	3 (5%)	57,59,59	0.94	3 (5%)
2	POV	В	907	-	51,51,51	1.05	3 (5%)	57,59,59	0.93	3 (5%)
2	POV	С	908	-	51,51,51	1.07	3 (5%)	57,59,59	0.93	3 (5%)
2	POV	D	903	-	51,51,51	1.07	3 (5%)	57,59,59	0.81	3 (5%)
2	POV	С	909	-	51,51,51	1.06	3 (5%)	57,59,59	0.86	3 (5%)
2	POV	A	904	-	51,51,51	1.07	3 (5%)	57,59,59	0.92	3 (5%)
2	POV	A	910	-	51,51,51	1.06	3 (5%)	57,59,59	0.90	3 (5%)
2	POV	В	901	-	51,51,51	1.06	3 (5%)	57,59,59	0.90	3 (5%)
2	POV	D	901	-	51,51,51	1.07	3 (5%)	57,59,59	0.93	3 (5%)
2	POV	A	909	-	51,51,51	1.05	3 (5%)	57,59,59	0.99	4 (7%)
2	POV	A	903	-	51,51,51	1.08	3 (5%)	57,59,59	0.93	3 (5%)
2	POV	С	907	-	51,51,51	1.06	3 (5%)	57,59,59	0.93	3 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	POV	A	901	-	-	25/55/55/55	-



 $Continued\ from\ previous\ page...$

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	POV	С	902	-	-	22/55/55/55	-
2	POV	С	905	-	-	33/55/55/55	-
2	POV	A	908	-	-	25/55/55/55	-
2	POV	D	906	-	-	33/55/55/55	-
2	POV	В	908	-	-	33/55/55/55	-
2	POV	С	904	-	-	30/55/55/55	-
2	POV	A	911	-	-	35/55/55/55	-
2	POV	A	906	-	-	33/55/55/55	-
2	POV	A	905	-	-	35/55/55/55	-
2	POV	D	902	-	-	29/55/55/55	-
2	POV	В	906	_	-	35/55/55/55	-
2	POV	D	905	-	-	33/55/55/55	-
2	POV	В	902	-	-	23/55/55/55	-
2	POV	В	905	_	-	33/55/55/55	-
2	POV	D	904	_	-	31/55/55/55	-
2	POV	В	903	-	-	23/55/55/55	-
2	POV	A	902	-	-	23/55/55/55	-
2	POV	В	909	-	-	26/55/55/55	-
2	POV	С	901	-	-	29/55/55/55	-
2	POV	С	906	-	-	35/55/55/55	-
2	POV	С	903	-	-	23/55/55/55	-
2	POV	В	904	-	-	31/55/55/55	-
2	POV	A	912	-	-	23/55/55/55	-
2	POV	A	907	-	-	33/55/55/55	-
2	POV	В	907	-	-	33/55/55/55	-
2	POV	С	908	-	-	33/55/55/55	-
2	POV	D	903	-	-	22/55/55/55	-
2	POV	С	909	_	_	25/55/55/55	_
2	POV	A	904	-	-	33/55/55/55	-
2	POV	A	910	-	-	30/55/55/55	-
2	POV	В	901	-	-	29/55/55/55	-
2	POV	D	901	-	-	33/55/55/55	-
2	POV	A	909	-	-	23/55/55/55	-
2	POV	A	903	-	-	29/55/55/55	-



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	POV	С	907	-	-	33/55/55/55	-

The worst 5 of 108 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(A)	$Ideal(\AA)$
2	В	909	POV	O21-C21	2.88	1.42	1.34
2	С	909	POV	O21-C21	2.88	1.42	1.34
2	A	911	POV	O21-C21	2.87	1.42	1.34
2	В	901	POV	O21-C21	2.87	1.42	1.34
2	A	905	POV	O21-C21	2.87	1.42	1.34

The worst 5 of 112 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\mathbf{Observed}(^o)$	$\operatorname{Ideal}({}^{o})$
2	A	909	POV	O21-C21-C22	4.28	120.72	111.50
2	С	903	POV	O21-C21-C22	4.25	120.67	111.50
2	A	902	POV	O21-C21-C22	4.25	120.66	111.50
2	В	903	POV	O21-C21-C22	4.25	120.66	111.50
2	С	905	POV	O21-C21-C22	4.15	120.45	111.50

There are no chirality outliers.

5 of 1057 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	901	POV	C11-O12-P-O13
2	A	901	POV	O11-C1-C2-O21
2	A	901	POV	O12-C11-C12-N
2	A	902	POV	C11-O12-P-O11
2	A	902	POV	O11-C1-C2-O21

There are no ring outliers.

31 monomers are involved in 86 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	901	POV	1	0
2	С	902	POV	2	0
2	С	905	POV	3	0
2	D	906	POV	6	0
2	В	908	POV	3	0
2	С	904	POV	1	0
2	A	911	POV	1	0





Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	906	POV	6	0
2	D	902	POV	3	0
2	D	905	POV	3	0
2	В	902	POV	2	0
2	В	905	POV	3	0
2	D	904	POV	1	0
2	В	903	POV	4	0
2	A	902	POV	2	0
2	С	901	POV	3	0
2	С	906	POV	1	0
2	С	903	POV	2	0
2	В	904	POV	1	0
2	A	912	POV	3	0
2	A	907	POV	4	0
2	В	907	POV	6	0
2	С	908	POV	4	0
2	D	903	POV	2	0
2	A	904	POV	3	0
2	A	910	POV	4	0
2	В	901	POV	3	0
2	D	901	POV	4	0
2	A	909	POV	4	0
2	A	903	POV	2	0
2	С	907	POV	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




























































































































5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-23853. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections (i)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)

6.2.1 Primary map






The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)


6.3.1 Primary map



The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views (i)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0126. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.



6.5 Mask visualisation (i)


This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.


7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)




The volume at the recommended contour level is $211~\mathrm{nm}^3$; this corresponds to an approximate mass of $191~\mathrm{kDa}$.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



^{*}Reported resolution corresponds to spatial frequency of 0.505 $\rm \AA^{-1}$



8 Fourier-Shell correlation (i)


This section was not generated. No FSC curve or half-maps provided.



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-23853 and PDB model 7MIJ. Per-residue inclusion information can be found in section 3 on page 8.


9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.0126 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0126).



9.4 Atom inclusion (i)



At the recommended contour level, 92% of all backbone atoms, 90% of all non-hydrogen atoms, are inside the map.



9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.0126) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9034	0.6610
A	0.9031	0.6580
В	0.9059	0.6600
С	0.9061	0.6600
D	0.9100	0.6640



