



# Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 01:12 pm BST

PDB ID : 5MUO  
Title : X-ray structure of the 2-22' locally-closed mutant of GLIC in complex with propofol  
Authors : Fourati, Z.; Ruza, R.R.; Delarue, M.  
Deposited on : 2017-01-13  
Resolution : 3.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)
RSRZ outliers	127900	1095 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	321	 2% 83% 14% •
1	B	321	 2% 84% 12% ••
1	C	321	 2% 83% 13% •
1	D	321	 2% 84% 12% •
1	E	321	 2% 85% 12% •

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

<b>Mol</b>	<b>Type</b>	<b>Chain</b>	<b>Res</b>	<b>Chirality</b>	<b>Geometry</b>	<b>Clashes</b>	<b>Electron density</b>
4	ACT	A	403	-	-	X	-
4	ACT	B	402	-	-	X	-
4	ACT	D	403	-	-	X	-
4	ACT	E	402	-	-	X	-
5	PFL	D	402	-	-	-	X

## 2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 12770 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proton-gated ion channel.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	311	Total 2524	C 1661	N 403	O 455	S 5	0	1	0
1	B	311	Total 2532	C 1667	N 404	O 456	S 5	0	1	0
1	C	311	Total 2526	C 1662	N 403	O 456	S 5	0	1	0
1	D	311	Total 2546	C 1676	N 405	O 460	S 5	0	4	0
1	E	311	Total 2520	C 1658	N 403	O 454	S 5	0	0	0

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	expression tag	UNP Q7NDN8
A	-2	SER	-	expression tag	UNP Q7NDN8
A	-1	ALA	-	expression tag	UNP Q7NDN8
A	0	ALA	-	expression tag	UNP Q7NDN8
A	1	ALA	-	expression tag	UNP Q7NDN8
A	27	SER	CYS	conflict	UNP Q7NDN8
A	33	CYS	LYS	conflict	UNP Q7NDN8
A	246	CYS	LEU	conflict	UNP Q7NDN8
B	-3	GLY	-	expression tag	UNP Q7NDN8
B	-2	SER	-	expression tag	UNP Q7NDN8
B	-1	ALA	-	expression tag	UNP Q7NDN8
B	0	ALA	-	expression tag	UNP Q7NDN8
B	1	ALA	-	expression tag	UNP Q7NDN8
B	27	SER	CYS	conflict	UNP Q7NDN8
B	33	CYS	LYS	conflict	UNP Q7NDN8
B	246	CYS	LEU	conflict	UNP Q7NDN8
C	-3	GLY	-	expression tag	UNP Q7NDN8
C	-2	SER	-	expression tag	UNP Q7NDN8
C	-1	ALA	-	expression tag	UNP Q7NDN8

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	0	ALA	-	expression tag	UNP Q7NDN8
C	1	ALA	-	expression tag	UNP Q7NDN8
C	27	SER	CYS	conflict	UNP Q7NDN8
C	33	CYS	LYS	conflict	UNP Q7NDN8
C	246	CYS	LEU	conflict	UNP Q7NDN8
D	-3	GLY	-	expression tag	UNP Q7NDN8
D	-2	SER	-	expression tag	UNP Q7NDN8
D	-1	ALA	-	expression tag	UNP Q7NDN8
D	0	ALA	-	expression tag	UNP Q7NDN8
D	1	ALA	-	expression tag	UNP Q7NDN8
D	27	SER	CYS	conflict	UNP Q7NDN8
D	33	CYS	LYS	conflict	UNP Q7NDN8
D	246	CYS	LEU	conflict	UNP Q7NDN8
E	-3	GLY	-	expression tag	UNP Q7NDN8
E	-2	SER	-	expression tag	UNP Q7NDN8
E	-1	ALA	-	expression tag	UNP Q7NDN8
E	0	ALA	-	expression tag	UNP Q7NDN8
E	1	ALA	-	expression tag	UNP Q7NDN8
E	27	SER	CYS	conflict	UNP Q7NDN8
E	33	CYS	LYS	conflict	UNP Q7NDN8
E	246	CYS	LEU	conflict	UNP Q7NDN8

- Molecule 2 is DODECYL-BETA-D-MALTOSE (three-letter code: LMT) (formula:  $C_{24}H_{46}O_{11}$ ).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C 12 12	0	0

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total Cl 1 1	0	0
3	A	1	Total Cl 1 1	0	0
3	D	1	Total Cl 1 1	0	0
3	C	1	Total Cl 1 1	0	0
3	E	1	Total Cl 1 1	0	0

- Molecule 4 is ACETATE ION (three-letter code: ACT) (formula: C<sub>2</sub>H<sub>3</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	E	1	Total C O 4 2 2	0	0

- Molecule 5 is 2,6-BIS(1-METHYLETHYL)PHENOL (three-letter code: PFL) (formula:  $C_{12}H_{18}O$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
5	D	1	13	12	1	0	0

- Molecule 6 is water.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	16	Total	O	0	0
			16	16		
6	B	21	Total	O	0	0
			21	21		
6	C	14	Total	O	0	0
			14	14		
6	D	11	Total	O	0	0
			11	11		
6	E	14	Total	O	0	0
			14	14		







- Molecule 1: Proton-gated ion channel



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	180.98Å 132.90Å 159.92Å 90.00° 101.84° 90.00°	Depositor
Resolution (Å)	20.00 – 3.19 20.00 – 3.19	Depositor EDS
% Data completeness (in resolution range)	97.9 (20.00-3.19) 98.0 (20.00-3.19)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	0.04	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.67 (at 3.22Å)	Xtrriage
Refinement program	BUSTER 2.10.2	Depositor
R, $R_{free}$	0.189 , 0.204 0.209 , 0.224	Depositor DCC
$R_{free}$ test set	3069 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	90.5	Xtrriage
Anisotropy	0.246	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 75.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.27$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	12770	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	102.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.32% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, LMT, PFL, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.49	0/2595	0.70	0/3549
1	B	0.52	0/2601	0.73	1/3557 (0.0%)
1	C	0.48	0/2597	0.69	0/3551
1	D	0.49	0/2624	0.71	0/3589
1	E	0.49	0/2588	0.70	0/3539
All	All	0.49	0/13005	0.70	1/17785 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	193	GLN	C-N-CA	6.29	137.41	121.70

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	193	GLN	Mainchain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2524	0	2536	41	0
1	B	2532	0	2537	55	0
1	C	2526	0	2535	28	0
1	D	2546	0	2554	45	0
1	E	2520	0	2529	33	0
2	A	12	0	23	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
4	A	4	0	3	4	0
4	B	4	0	3	6	0
4	D	4	0	3	7	0
4	E	4	0	3	5	0
5	D	13	0	18	5	0
6	A	16	0	0	0	0
6	B	21	0	0	0	0
6	C	14	0	0	1	0
6	D	11	0	0	0	0
6	E	14	0	0	0	0
All	All	12770	0	12744	175	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (175) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:103:LEU:HD22	1:B:133:ARG:NH2	1.42	1.34
1:A:103:LEU:CD2	1:B:133:ARG:NH2	1.91	1.32
1:D:74:PRO:O	4:D:403:ACT:H3	1.25	1.30
1:D:74:PRO:O	4:D:403:ACT:CH3	1.81	1.26
1:D:76:ILE:N	4:D:403:ACT:H1	1.69	1.06
1:D:76:ILE:H	4:D:403:ACT:H1	0.88	1.01

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:76:ILE:H	4:D:403:ACT:CH3	1.74	1.00
1:A:103:LEU:CD2	1:B:133:ARG:HH22	1.65	0.98
1:D:230:SER:OG	5:D:402:PFL:HC4	1.62	0.98
1:D:40[B]:ASN:HD21	1:D:105:ARG:HH21	1.12	0.96
1:A:103:LEU:HD21	1:B:133:ARG:NH2	1.77	0.96
1:A:76:ILE:H	4:A:403:ACT:H2	1.32	0.92
1:E:10:PRO:HB2	1:E:12:ALA:O	1.75	0.87
1:A:76:ILE:N	4:A:403:ACT:H2	1.90	0.86
1:A:103:LEU:HD22	1:B:133:ARG:HH22	1.08	0.86
1:B:194[B]:TYR:O	1:B:196:SER:N	2.08	0.86
1:B:197:TYR:HD1	1:B:202:ILE:CD1	1.89	0.85
1:B:197:TYR:HD1	1:B:202:ILE:HD11	1.39	0.84
1:C:10:PRO:HB2	1:C:12:ALA:O	1.78	0.83
1:D:10:PRO:HB2	1:D:12:ALA:O	1.78	0.82
1:B:10:PRO:HB2	1:B:12:ALA:O	1.78	0.82
1:D:230:SER:OG	5:D:402:PFL:C4	2.27	0.81
1:A:10:PRO:HB2	1:A:12:ALA:O	1.80	0.80
1:A:103:LEU:CD2	1:B:133:ARG:HH21	1.92	0.80
1:B:194[B]:TYR:CE2	1:B:197:TYR:HD2	1.99	0.79
1:A:103:LEU:HD21	1:B:133:ARG:HH21	1.48	0.79
1:B:197:TYR:CD1	1:B:202:ILE:HD11	2.19	0.76
1:D:40[B]:ASN:ND2	1:D:105:ARG:HH21	1.84	0.76
1:B:194[B]:TYR:CD2	1:B:197:TYR:HD2	2.05	0.75
1:D:74:PRO:O	4:D:403:ACT:H2	1.88	0.74
1:B:11:ILE:HG23	1:B:50:ARG:NH2	2.02	0.73
1:B:78:PHE:HE2	1:B:85:ARG:HD3	1.54	0.73
1:A:78:PHE:HE2	1:A:85:ARG:HD3	1.54	0.73
1:B:122:ASP:CG	1:B:192:ARG:HH11	1.94	0.71
1:E:78:PHE:HE2	1:E:85:ARG:HD3	1.55	0.70
1:C:78:PHE:HE2	1:C:85:ARG:HD3	1.56	0.70
1:C:46:SER:HB2	6:C:510:HOH:O	1.90	0.69
1:D:78:PHE:HE2	1:D:85:ARG:HD3	1.54	0.69
1:A:76:ILE:H	4:A:403:ACT:CH3	2.06	0.69
1:E:45:LEU:HD11	4:E:402:ACT:H3	1.75	0.67
1:D:194[B]:TYR:O	1:D:194[B]:TYR:CG	2.48	0.66
1:D:201:ILE:HD11	1:E:248:LYS:HD2	1.78	0.65
1:B:85:ARG:HH22	4:B:402:ACT:H3	1.62	0.65
1:A:75:GLU:HA	4:A:403:ACT:H3	1.79	0.64
1:A:78:PHE:CE2	1:A:85:ARG:HD3	2.33	0.63
1:B:11:ILE:HG23	1:B:50:ARG:CZ	2.29	0.62
1:B:194[B]:TYR:OH	1:C:248:LYS:HB2	1.99	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:78:PHE:CE2	1:D:85:ARG:HD3	2.33	0.62
1:A:103:LEU:HD22	1:B:133:ARG:CZ	2.27	0.62
1:E:78:PHE:CE2	1:E:85:ARG:HD3	2.35	0.62
1:D:194[B]:TYR:O	1:D:194[B]:TYR:CD2	2.53	0.62
1:D:230:SER:HG	5:D:402:PFL:HC4	1.64	0.61
1:B:78:PHE:CE2	1:B:85:ARG:HD3	2.33	0.61
1:E:76:ILE:N	4:E:402:ACT:O	2.31	0.60
1:C:78:PHE:CE2	1:C:85:ARG:HD3	2.37	0.60
1:B:85:ARG:NH2	4:B:402:ACT:H3	2.17	0.60
1:B:194[B]:TYR:O	1:B:195:PHE:C	2.39	0.60
1:D:40[B]:ASN:HD21	1:D:105:ARG:NH2	1.92	0.59
1:C:134:SER:HA	1:C:140:ILE:HD12	1.86	0.57
1:A:248:LYS:HD2	1:E:200:ASN:HD22	1.67	0.57
1:D:105:ARG:HH22	1:E:79:VAL:HA	1.69	0.57
1:B:194[B]:TYR:CE2	1:B:197:TYR:CD2	2.87	0.56
1:E:45:LEU:CD1	4:E:402:ACT:CH3	2.84	0.56
1:B:76:ILE:O	4:B:402:ACT:H1	2.07	0.55
1:B:85:ARG:HH22	4:B:402:ACT:CH3	2.21	0.54
1:C:278:TYR:HA	1:C:281:VAL:HG22	1.90	0.54
1:B:194[B]:TYR:OH	1:C:248:LYS:CB	2.55	0.53
1:B:119:TYR:HD2	1:B:192:ARG:NH1	2.06	0.52
1:D:134:SER:HA	1:D:140:ILE:HD12	1.92	0.52
1:E:45:LEU:CD1	4:E:402:ACT:H3	2.40	0.52
1:E:7:PRO:HG2	1:E:137:THR:OG1	2.10	0.51
1:A:7:PRO:HG2	1:A:137:THR:OG1	2.10	0.51
1:C:26:GLU:HB2	1:C:40:ASN:HD22	1.76	0.51
1:D:7:PRO:HG2	1:D:137:THR:OG1	2.11	0.51
1:A:134:SER:HB3	1:A:139:ASN:HA	1.92	0.51
1:D:230:SER:HG	5:D:402:PFL:C4	2.22	0.51
1:C:126:LEU:HB2	1:C:188:LEU:HB3	1.93	0.50
1:C:284:GLN:HE22	1:C:287:ARG:HH11	1.58	0.50
1:B:39:VAL:O	1:B:107:SER:HA	2.12	0.50
1:B:193:GLN:O	1:B:194[B]:TYR:CB	2.56	0.49
1:B:193:GLN:O	1:B:194[B]:TYR:HB2	2.10	0.49
5:D:402:PFL:H92	1:E:226:THR:HG23	1.94	0.49
1:D:134:SER:HB3	1:D:139:ASN:HA	1.95	0.49
1:D:26:GLU:HB2	1:D:40[A]:ASN:HD22	1.78	0.49
1:A:39:VAL:O	1:A:107:SER:HA	2.13	0.49
1:B:122:ASP:OD2	1:B:192:ARG:NH1	2.46	0.49
1:B:134:SER:HB3	1:B:139:ASN:HA	1.94	0.49
1:B:7:PRO:HG2	1:B:137:THR:OG1	2.13	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:194[B]:TYR:CD2	1:B:197:TYR:CD2	2.94	0.48
1:D:194[A]:TYR:OH	1:E:248:LYS:HB3	2.13	0.48
1:A:16:LEU:HD11	1:A:47:TRP:HB2	1.95	0.48
1:D:127:HIS:HE1	1:D:187:GLN:HE21	1.62	0.48
1:E:254:TYR:CZ	1:E:258:ILE:HD11	2.49	0.48
1:B:254:TYR:CZ	1:B:258:ILE:HD11	2.49	0.48
1:B:26:GLU:HB2	1:B:40:ASN:HD22	1.79	0.48
1:E:126:LEU:HB2	1:E:188:LEU:HB3	1.96	0.48
1:C:254:TYR:CZ	1:C:258:ILE:HD11	2.50	0.47
1:B:76:ILE:O	4:B:402:ACT:CH3	2.62	0.47
1:A:229:VAL:CG1	1:E:230:SER:HB3	2.44	0.47
1:A:133:ARG:HD2	1:A:181:GLU:OE2	2.15	0.47
1:C:208:ILE:HG12	1:D:232:LEU:HD21	1.97	0.47
1:C:39:VAL:O	1:C:107:SER:HA	2.14	0.47
1:D:39:VAL:O	1:D:107:SER:HA	2.15	0.47
1:A:126:LEU:HB2	1:A:188:LEU:HB3	1.96	0.47
1:D:230:SER:HB3	1:E:229:VAL:CG1	2.45	0.47
1:B:197:TYR:CD1	1:B:202:ILE:CD1	2.80	0.47
1:D:126:LEU:HB2	1:D:188:LEU:HB3	1.96	0.47
1:B:122:ASP:OD1	1:B:192:ARG:NH1	2.41	0.46
1:E:39:VAL:O	1:E:107:SER:HA	2.15	0.46
1:E:295:SER:HA	1:E:298:ALA:HB3	1.96	0.46
1:A:295:SER:HA	1:A:298:ALA:HB3	1.98	0.46
1:C:295:SER:HA	1:C:298:ALA:HB3	1.98	0.46
1:C:127:HIS:HE1	1:C:187:GLN:HE21	1.64	0.46
1:C:26:GLU:HB2	1:C:40:ASN:HB2	1.97	0.46
1:E:127:HIS:HE1	1:E:187:GLN:HE21	1.64	0.46
1:D:26:GLU:HB2	1:D:40[A]:ASN:HB2	1.98	0.46
1:D:284:GLN:N	1:D:285:PRO:HD3	2.31	0.46
1:B:126:LEU:HB2	1:B:188:LEU:HB3	1.97	0.46
1:A:230:SER:HB3	1:B:229:VAL:CG1	2.45	0.46
1:B:7:PRO:HG3	1:B:135:VAL:HG21	1.99	0.46
1:D:254:TYR:CZ	1:D:258:ILE:HD11	2.51	0.46
1:A:127:HIS:HE1	1:A:187:GLN:HE21	1.63	0.45
1:A:254:TYR:CZ	1:A:258:ILE:HD11	2.50	0.45
1:B:211:ILE:HG23	1:C:270:VAL:HG11	1.97	0.45
1:D:295:SER:HA	1:D:298:ALA:HB3	1.97	0.45
1:B:127:HIS:HE1	1:B:187:GLN:HE21	1.65	0.45
1:A:211:ILE:HG23	1:B:270:VAL:HG11	1.97	0.45
1:B:295:SER:HA	1:B:298:ALA:HB3	1.99	0.45
1:D:85:ARG:NH2	4:D:403:ACT:OXT	2.49	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:173:ASN:HB3	1:E:180:LEU:HD11	1.98	0.45
1:B:11:ILE:HG23	1:B:50:ARG:HH22	1.81	0.45
1:B:226:THR:O	1:B:230:SER:HB2	2.17	0.44
1:C:159:GLY:HA2	1:D:250:PRO:HB3	1.99	0.44
1:A:268:VAL:HG12	1:A:299:PHE:CZ	2.52	0.44
1:E:226:THR:O	1:E:230:SER:HB2	2.17	0.44
1:C:198:ILE:HA	1:C:202:ILE:HD12	2.00	0.44
1:E:268:VAL:HG12	1:E:299:PHE:CZ	2.53	0.44
1:A:49:ASP:HB3	1:A:52:LEU:HD12	2.00	0.44
1:A:95:SER:HB2	1:A:96:PRO:HD2	2.00	0.44
1:C:56:PRO:HD3	1:C:96:PRO:HB3	1.99	0.44
1:D:226:THR:O	1:D:230:SER:HB2	2.18	0.44
1:A:270:VAL:HG11	1:E:211:ILE:HG23	2.00	0.44
1:A:63:VAL:HG12	1:A:95:SER:HA	2.00	0.43
1:C:284:GLN:N	1:C:285:PRO:HD3	2.33	0.43
1:E:135:VAL:HG23	1:E:138:ARG:H	1.83	0.43
1:B:26:GLU:HB2	1:B:40:ASN:HB2	2.01	0.43
1:E:284:GLN:N	1:E:285:PRO:HD3	2.34	0.43
1:B:194[B]:TYR:CD1	1:B:196:SER:OG	2.71	0.43
1:D:194[A]:TYR:CE2	1:D:197:TYR:HD1	2.36	0.43
1:A:120:PRO:HG3	1:A:197:TYR:CD2	2.54	0.43
1:C:268:VAL:HG12	1:C:299:PHE:CZ	2.54	0.43
1:A:26:GLU:HB2	1:A:40:ASN:HD22	1.84	0.42
1:C:21:GLY:HA2	1:C:149:VAL:HG22	2.01	0.42
1:D:120:PRO:HG3	1:D:197:TYR:CD2	2.53	0.42
1:B:284:GLN:N	1:B:285:PRO:HD3	2.34	0.42
1:E:45:LEU:CD1	4:E:402:ACT:H2	2.49	0.42
1:A:26:GLU:HB2	1:A:40:ASN:HB2	2.01	0.42
1:C:176:LEU:HB3	1:C:181[A]:GLU:HG3	2.01	0.42
1:A:284:GLN:N	1:A:285:PRO:HD3	2.35	0.42
1:C:226:THR:O	1:C:230:SER:HB2	2.19	0.42
1:A:208:ILE:HG12	1:B:232:LEU:HD21	2.02	0.41
1:D:7:PRO:CG	1:D:137:THR:OG1	2.68	0.41
1:D:197:TYR:CD1	1:D:201:ILE:HD13	2.54	0.41
1:E:16:LEU:HD11	1:E:47:TRP:HB2	2.02	0.41
1:B:76:ILE:H	4:B:402:ACT:H1	1.85	0.41
1:D:268:VAL:HG12	1:D:299:PHE:CZ	2.55	0.41
1:C:211:ILE:HG23	1:D:270:VAL:HG11	2.01	0.41
1:A:229:VAL:HG11	1:E:230:SER:HB3	2.01	0.41
1:A:226:THR:O	1:A:230:SER:HB2	2.21	0.41
1:D:230:SER:HB3	1:E:229:VAL:HG11	2.03	0.41

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:198:ILE:HA	1:E:202:ILE:HD12	2.01	0.41
1:E:7:PRO:CG	1:E:137:THR:OG1	2.69	0.40
1:A:203:LEU:HA	1:A:203:LEU:HD23	1.92	0.40
1:D:211:ILE:HG23	1:E:270:VAL:HG11	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	310/321 (97%)	296 (96%)	14 (4%)	0	100	100
1	B	310/321 (97%)	292 (94%)	14 (4%)	4 (1%)	12	47
1	C	310/321 (97%)	296 (96%)	14 (4%)	0	100	100
1	D	313/321 (98%)	298 (95%)	15 (5%)	0	100	100
1	E	309/321 (96%)	296 (96%)	13 (4%)	0	100	100
All	All	1552/1605 (97%)	1478 (95%)	70 (4%)	4 (0%)	47	74

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	195	PHE
1	B	194[A]	TYR
1	B	194[B]	TYR
1	B	196	SER

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	281/285 (99%)	281 (100%)	0	100	100
1	B	281/285 (99%)	281 (100%)	0	100	100
1	C	281/285 (99%)	279 (99%)	2 (1%)	84	94
1	D	284/285 (100%)	279 (98%)	5 (2%)	59	82
1	E	280/285 (98%)	279 (100%)	1 (0%)	91	95
All	All	1407/1425 (99%)	1399 (99%)	8 (1%)	88	94

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	50	ARG
1	C	140	ILE
1	D	50	ARG
1	D	192	ARG
1	D	194[A]	TYR
1	D	194[B]	TYR
1	D	243	GLU
1	E	243	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	235	HIS
1	C	284	GLN
1	D	127	HIS
1	D	235	HIS
1	D	307	ASN
1	E	200	ASN
1	E	235	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 5 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	ACT	A	403	-	1,3,3	0.26	0	0,3,3	0.00	-
2	LMT	A	401	-	11,11,36	0.48	0	10,10,47	0.80	0
4	ACT	E	402	-	1,3,3	0.48	0	0,3,3	0.00	-
5	PFL	D	402	-	13,13,13	0.61	0	18,18,18	0.55	0
4	ACT	D	403	-	1,3,3	4.95	1 (100%)	0,3,3	0.00	-
4	ACT	B	402	-	1,3,3	1.17	0	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LMT	A	401	-	-	2/9/9/61	-
5	PFL	D	402	-	-	0/8/8/8	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	403	ACT	CH3-C	-4.95	1.42	1.48

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	401	LMT	C3-C4-C5-C6
2	A	401	LMT	C11-C10-C9-C8

There are no ring outliers.

5 monomers are involved in 27 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	403	ACT	4	0
4	E	402	ACT	5	0
5	D	402	PFL	5	0
4	D	403	ACT	7	0
4	B	402	ACT	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	193:GLN	C	194[B]:TYR	N	1.18

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	311/321 (96%)	-0.32	7 (2%) 60 47	70, 98, 146, 193	0
1	B	311/321 (96%)	-0.37	5 (1%) 72 59	62, 93, 133, 149	0
1	C	311/321 (96%)	-0.30	6 (1%) 66 53	70, 96, 141, 183	0
1	D	311/321 (96%)	-0.31	8 (2%) 56 40	64, 101, 149, 195	0
1	E	311/321 (96%)	-0.27	7 (2%) 60 47	69, 99, 146, 188	0
All	All	1555/1605 (96%)	-0.31	33 (2%) 63 49	62, 97, 143, 195	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	246	CYS	4.9
1	E	58	ARG	4.5
1	C	58	ARG	4.5
1	D	245	ASN	4.1
1	E	246	CYS	4.1
1	E	245	ASN	3.6
1	C	246	CYS	3.5
1	A	12	ALA	3.4
1	B	245	ASN	3.3
1	A	58	ARG	3.1
1	C	245	ASN	3.1
1	A	11	ILE	3.0
1	A	246	CYS	3.0
1	D	13	ASP	3.0
1	B	13	ASP	2.9
1	D	58	ARG	2.8
1	E	247	PRO	2.8
1	A	245	ASN	2.8
1	B	11	ILE	2.7
1	E	69	GLU	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	246	CYS	2.6
1	C	244	THR	2.4
1	A	14	GLU	2.4
1	D	195	PHE	2.4
1	B	14	GLU	2.3
1	D	12	ALA	2.3
1	D	62	ARG	2.2
1	D	14	GLU	2.2
1	E	62	ARG	2.2
1	A	147	GLU	2.1
1	C	247	PRO	2.1
1	E	287	ARG	2.1
1	C	60	GLY	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	ACT	D	403	4/4	0.51	0.38	122,127,129,130	0
5	PFL	D	402	13/13	0.75	0.47	153,157,165,166	0
4	ACT	E	402	4/4	0.76	0.38	132,136,136,140	0
2	LMT	A	401	12/35	0.84	0.28	62,68,71,72	2
3	CL	B	401	1/1	0.84	0.18	95,95,95,95	0
4	ACT	A	403	4/4	0.88	0.26	110,114,114,117	0
3	CL	D	401	1/1	0.89	0.19	108,108,108,108	0
3	CL	C	401	1/1	0.90	0.19	106,106,106,106	0
4	ACT	B	402	4/4	0.93	0.22	101,101,101,101	0
3	CL	A	402	1/1	0.94	0.14	99,99,99,99	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	CL	E	401	1/1	0.94	0.31	104,104,104,104	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.