



Full wwPDB NMR Structure Validation Report ⓘ

Feb 16, 2022 – 08:22 AM EST

PDB ID : 1MV3
Title : NMR STRUCTURE OF THE TUMOR SUPPRESSOR BIN1: ALTERNATIVE SPLICING IN MELANOMA AND INTERACTION WITH C-MYC
Authors : Pineda-Lucena, A.; Arrowsmith, C.H.
Deposited on : 2002-09-24

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : 2.26
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.26


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	213	

2 Ensemble composition and analysis i

This entry contains 20 models. Model 2 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:271-A:297 (27)	0.71	8
2	A:308-A:311, A:403-A:482 (84)	0.16	2

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters and 4 single-model clusters were found.

Cluster number	Models
1	1, 5, 11, 13, 18
2	9, 12, 16, 17
3	2, 8, 10, 20
4	6, 7, 14
Single-model clusters	3; 4; 15; 19

3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 3107 atoms, of which 1525 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Myc box dependent interacting protein 1.


Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	213	3107	990	1525	266	323	3	0

4 Residue-property plots i

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Myc box dependent interacting protein 1




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1


- Molecule 1: Myc box dependent interacting protein 1



M476
F477
T478
E479
R480
V481
P482


4.2.2 Score per residue for model 2 (medoid)

- Molecule 1: Myc box dependent interacting protein 1




4.2.3 Score per residue for model 3


- Molecule 1: Myc box dependent interacting protein 1



4.2.4 Score per residue for model 4


- Molecule 1: Myc box dependent interacting protein 1






4.2.5 Score per residue for model 5

- Molecule 1: Myc box dependent interacting protein 1




4.2.6 Score per residue for model 6

- Molecule 1: Myc box dependent interacting protein 1




4.2.7 Score per residue for model 7

- Molecule 1: Myc box dependent interacting protein 1




4.2.8 Score per residue for model 8


- Molecule 1: Myc box dependent interacting protein 1



4.2.9 Score per residue for model 9


- Molecule 1: Myc box dependent interacting protein 1






4.2.10 Score per residue for model 10

- Molecule 1: Myc box dependent interacting protein 1



4.2.11 Score per residue for model 11


- Molecule 1: Myc box dependent interacting protein 1



4.2.12 Score per residue for model 12


- Molecule 1: Myc box dependent interacting protein 1






4.2.13 Score per residue for model 13


- Molecule 1: Myc box dependent interacting protein 1



4.2.14 Score per residue for model 14


- Molecule 1: Myc box dependent interacting protein 1






4.2.18 Score per residue for model 18

- Molecule 1: Myc box dependent interacting protein 1



4.2.19 Score per residue for model 19


- Molecule 1: Myc box dependent interacting protein 1



4.2.20 Score per residue for model 20

- Molecule 1: Myc box dependent interacting protein 1





5 Refinement protocol and experimental data overview

The models were refined using the following method: *torsion angle dynamics*.

Of the 200 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
DYANA	structure solution	1.5
DYANA	refinement	1.5

No chemical shift data was provided.

6 Model quality

6.1 Standard geometry

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	864	829	829	56±6
All	All	17280	16580	16580	1119

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 33.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:430:LEU:HD11	1:A:436:VAL:HG21	0.98	1.34	12	16
1:A:430:LEU:HD11	1:A:436:VAL:CG2	0.94	1.91	7	16
1:A:420:TYR:CE2	1:A:422:ALA:HB2	0.91	2.00	1	20
1:A:416:ALA:HB2	1:A:430:LEU:HD12	0.87	1.45	5	6
1:A:451:TRP:C	1:A:452:LEU:HD23	0.86	1.91	20	11
1:A:414:VAL:HG22	1:A:436:VAL:O	0.85	1.71	12	10
1:A:477:PHE:CD1	1:A:478:THR:HG23	0.84	2.07	19	20
1:A:455:VAL:HG22	1:A:459:ASP:HB2	0.82	1.52	17	15
1:A:420:TYR:CZ	1:A:422:ALA:HB2	0.81	2.10	19	20
1:A:437:LEU:HD13	1:A:460:TRP:CE3	0.78	2.14	13	16
1:A:416:ALA:HB2	1:A:430:LEU:HD23	0.76	1.57	10	2
1:A:413:LYS:HE3	1:A:435:VAL:HG13	0.75	1.59	7	1
1:A:452:LEU:HD11	1:A:475:GLU:HB2	0.73	1.58	3	9
1:A:455:VAL:HG22	1:A:459:ASP:CB	0.72	2.13	17	12

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:437:LEU:HG	1:A:455:VAL:HG13	0.72	1.60	12	15
1:A:422:ALA:HB1	1:A:427:GLU:CG	0.71	2.14	6	5
1:A:413:LYS:CE	1:A:435:VAL:HG13	0.71	2.16	7	1
1:A:412:PHE:CE1	1:A:438:VAL:HG21	0.69	2.22	14	1
1:A:416:ALA:HA	1:A:478:THR:HG22	0.69	1.64	16	20
1:A:422:ALA:HB1	1:A:427:GLU:HG3	0.68	1.64	6	4
1:A:429:GLN:C	1:A:430:LEU:HD22	0.68	2.09	8	14
1:A:437:LEU:HD23	1:A:437:LEU:N	0.68	2.04	18	16
1:A:437:LEU:CD1	1:A:460:TRP:CE3	0.67	2.77	13	14
1:A:292:THR:O	1:A:292:THR:HG23	0.67	1.89	3	5
1:A:403:ARG:CZ	1:A:460:TRP:CE2	0.66	2.79	6	1
1:A:416:ALA:HB2	1:A:430:LEU:CD2	0.65	2.21	19	2
1:A:430:LEU:HD11	1:A:436:VAL:HG23	0.65	1.69	7	2
1:A:295:ALA:O	1:A:296:THR:HG22	0.65	1.91	15	1
1:A:451:TRP:O	1:A:452:LEU:HD23	0.64	1.92	2	5
1:A:437:LEU:HD11	1:A:460:TRP:CE3	0.64	2.28	4	7
1:A:403:ARG:CZ	1:A:463:HIS:CG	0.63	2.81	8	2
1:A:414:VAL:CG1	1:A:438:VAL:HG23	0.63	2.24	9	16
1:A:477:PHE:HD1	1:A:478:THR:HG23	0.63	1.53	4	19
1:A:429:GLN:O	1:A:430:LEU:HD22	0.63	1.94	3	11
1:A:413:LYS:NZ	1:A:435:VAL:HG12	0.62	2.09	14	6
1:A:439:ILE:HD13	1:A:454:GLY:HA2	0.62	1.69	14	20
1:A:477:PHE:CG	1:A:477:PHE:O	0.62	2.52	14	20
1:A:466:LEU:HD23	1:A:467:GLU:N	0.61	2.11	1	3
1:A:428:LEU:HD23	1:A:471:GLY:HA3	0.60	1.73	17	8
1:A:403:ARG:NH1	1:A:460:TRP:CD2	0.60	2.70	6	1
1:A:463:HIS:HA	1:A:466:LEU:HD22	0.59	1.73	12	1
1:A:279:ILE:HD13	1:A:280:ARG:N	0.59	2.12	15	1
1:A:310:VAL:HG13	1:A:476:ASN:HB2	0.58	1.74	8	15
1:A:452:LEU:HD23	1:A:452:LEU:N	0.58	2.14	11	4
1:A:294:GLY:O	1:A:295:ALA:HB2	0.58	1.98	10	1
1:A:403:ARG:NH1	1:A:460:TRP:CG	0.58	2.72	6	1
1:A:455:VAL:CG2	1:A:459:ASP:CB	0.57	2.82	19	19
1:A:414:VAL:HG11	1:A:438:VAL:HG23	0.57	1.76	9	9
1:A:431:LYS:O	1:A:432:ALA:C	0.57	2.43	7	19
1:A:477:PHE:CD1	1:A:477:PHE:O	0.57	2.57	14	20
1:A:441:PHE:CD1	1:A:441:PHE:N	0.56	2.73	6	20
1:A:435:VAL:HG23	1:A:457:GLU:CB	0.56	2.31	5	10
1:A:451:TRP:CD1	1:A:451:TRP:N	0.56	2.73	5	17
1:A:403:ARG:NH2	1:A:463:HIS:CE1	0.55	2.74	8	2
1:A:428:LEU:HD13	1:A:471:GLY:HA3	0.55	1.77	7	4

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:403:ARG:NE	1:A:463:HIS:CD2	0.55	2.74	8	2
1:A:428:LEU:HD23	1:A:471:GLY:CA	0.55	2.32	17	7
1:A:462:GLN:N	1:A:462:GLN:NE2	0.55	2.55	16	3
1:A:434:ASP:OD2	1:A:456:LYS:CD	0.55	2.55	5	3
1:A:423:THR:N	1:A:427:GLU:OE1	0.55	2.40	12	1
1:A:405:ASP:O	1:A:463:HIS:CD2	0.54	2.61	6	1
1:A:436:VAL:C	1:A:437:LEU:HD23	0.54	2.22	18	5
1:A:403:ARG:NE	1:A:403:ARG:H	0.54	2.01	15	6
1:A:430:LEU:HD13	1:A:434:ASP:OD2	0.54	2.03	12	10
1:A:451:TRP:CZ3	1:A:474:PRO:HG3	0.54	2.38	14	12
1:A:427:GLU:OE2	1:A:472:VAL:HG22	0.54	2.02	14	1
1:A:437:LEU:HD22	1:A:460:TRP:CE3	0.54	2.38	17	2
1:A:439:ILE:HD12	1:A:455:VAL:HG12	0.54	1.79	12	3
1:A:403:ARG:CZ	1:A:463:HIS:CD2	0.54	2.91	8	1
1:A:413:LYS:NZ	1:A:481:VAL:HG21	0.53	2.18	3	2
1:A:403:ARG:NH2	1:A:463:HIS:CD2	0.53	2.77	8	1
1:A:428:LEU:CD1	1:A:454:GLY:O	0.53	2.56	8	1
1:A:424:ASP:CB	1:A:427:GLU:OE1	0.53	2.56	6	2
1:A:413:LYS:HZ3	1:A:481:VAL:HG11	0.53	1.62	16	1
1:A:413:LYS:HE3	1:A:435:VAL:HG12	0.53	1.79	10	6
1:A:477:PHE:CD1	1:A:477:PHE:C	0.53	2.81	15	20
1:A:430:LEU:HD12	1:A:434:ASP:HB3	0.53	1.81	7	2
1:A:418:HIS:O	1:A:477:PHE:CZ	0.53	2.62	19	20
1:A:297:LEU:HD12	1:A:297:LEU:O	0.52	2.04	9	1
1:A:310:VAL:O	1:A:476:ASN:CB	0.52	2.57	7	17
1:A:403:ARG:HD2	1:A:460:TRP:CD1	0.52	2.39	1	10
1:A:276:THR:CG2	1:A:276:THR:O	0.52	2.57	14	1
1:A:296:THR:O	1:A:297:LEU:CB	0.52	2.56	20	1
1:A:403:ARG:NH2	1:A:463:HIS:NE2	0.52	2.58	8	1
1:A:403:ARG:CD	1:A:405:ASP:O	0.52	2.57	14	2
1:A:435:VAL:HG23	1:A:457:GLU:HB3	0.52	1.80	3	11
1:A:296:THR:O	1:A:297:LEU:HD12	0.52	2.03	17	1
1:A:451:TRP:CZ3	1:A:474:PRO:HD3	0.52	2.40	16	13
1:A:403:ARG:CZ	1:A:460:TRP:NE1	0.52	2.73	6	1
1:A:403:ARG:CD	1:A:460:TRP:CD1	0.51	2.94	5	5
1:A:310:VAL:HG13	1:A:310:VAL:O	0.51	2.06	6	12
1:A:461:ASN:N	1:A:461:ASN:ND2	0.51	2.59	15	2
1:A:452:LEU:CD1	1:A:473:PHE:CZ	0.51	2.94	12	4
1:A:403:ARG:NH2	1:A:460:TRP:CZ2	0.51	2.79	6	1
1:A:431:LYS:CD	1:A:434:ASP:OD1	0.50	2.59	20	2
1:A:276:THR:HG23	1:A:276:THR:O	0.50	2.06	19	3

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:452:LEU:HD12	1:A:452:LEU:N	0.50	2.20	6	1
1:A:276:THR:O	1:A:276:THR:HG23	0.50	2.06	14	1
1:A:477:PHE:CE1	1:A:478:THR:HG23	0.50	2.40	11	7
1:A:410:PHE:CZ	1:A:412:PHE:HA	0.50	2.42	11	17
1:A:403:ARG:NE	1:A:403:ARG:N	0.50	2.60	1	8
1:A:295:ALA:O	1:A:296:THR:CG2	0.50	2.59	15	1
1:A:403:ARG:O	1:A:403:ARG:CZ	0.50	2.60	9	2
1:A:430:LEU:CD1	1:A:434:ASP:OD2	0.50	2.60	9	6
1:A:441:PHE:CE2	1:A:447:GLN:HB2	0.50	2.41	4	15
1:A:429:GLN:O	1:A:456:LYS:CD	0.50	2.60	14	1
1:A:451:TRP:CE3	1:A:474:PRO:HD3	0.49	2.42	14	9
1:A:420:TYR:O	1:A:420:TYR:CD2	0.49	2.65	13	2
1:A:430:LEU:HD22	1:A:478:THR:CG2	0.49	2.37	10	1
1:A:290:GLY:O	1:A:291:ALA:HB2	0.49	2.06	15	1
1:A:403:ARG:CG	1:A:405:ASP:O	0.49	2.61	8	2
1:A:414:VAL:HG11	1:A:438:VAL:CG2	0.49	2.36	9	5
1:A:292:THR:O	1:A:292:THR:CG2	0.49	2.59	2	3
1:A:430:LEU:CD1	1:A:436:VAL:CG2	0.49	2.88	12	2
1:A:413:LYS:NZ	1:A:437:LEU:CD2	0.48	2.76	9	2
1:A:427:GLU:OE1	1:A:427:GLU:CA	0.48	2.61	16	3
1:A:412:PHE:CZ	1:A:480:ARG:HD3	0.48	2.43	4	7
1:A:428:LEU:HD22	1:A:454:GLY:O	0.48	2.08	1	1
1:A:441:PHE:CD2	1:A:447:GLN:HB2	0.48	2.44	5	5
1:A:448:ASP:N	1:A:448:ASP:OD1	0.48	2.47	5	1
1:A:412:PHE:CE1	1:A:480:ARG:HD3	0.48	2.44	15	3
1:A:424:ASP:CB	1:A:427:GLU:CD	0.48	2.82	16	1
1:A:414:VAL:N	1:A:436:VAL:O	0.48	2.43	12	4
1:A:415:GLN:N	1:A:481:VAL:HG23	0.48	2.24	17	1
1:A:455:VAL:CG2	1:A:459:ASP:HB3	0.47	2.39	16	16
1:A:472:VAL:CG2	1:A:473:PHE:N	0.47	2.77	16	4
1:A:407:PRO:HA	1:A:463:HIS:CE1	0.47	2.44	18	1
1:A:420:TYR:HB3	1:A:477:PHE:CE2	0.47	2.45	12	2
1:A:420:TYR:HB3	1:A:477:PHE:CZ	0.47	2.44	19	2
1:A:447:GLN:NE2	1:A:451:TRP:O	0.47	2.48	7	11
1:A:462:GLN:C	1:A:464:LYS:N	0.47	2.68	17	20
1:A:403:ARG:NE	1:A:463:HIS:CG	0.47	2.82	14	2
1:A:448:ASP:OD1	1:A:451:TRP:CD1	0.47	2.67	9	1
1:A:276:THR:O	1:A:276:THR:CG2	0.47	2.62	19	1
1:A:411:MET:CE	1:A:438:VAL:CG1	0.46	2.93	13	3
1:A:431:LYS:O	1:A:433:GLY:N	0.46	2.49	4	9
1:A:413:LYS:CE	1:A:414:VAL:O	0.46	2.64	3	5

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:451:TRP:CE3	1:A:474:PRO:CD	0.46	2.98	5	6
1:A:413:LYS:CE	1:A:435:VAL:HG12	0.46	2.39	10	4
1:A:455:VAL:CG2	1:A:459:ASP:HB2	0.46	2.39	12	6
1:A:418:HIS:HB2	1:A:477:PHE:CE2	0.46	2.45	16	5
1:A:466:LEU:O	1:A:470:ARG:CG	0.46	2.63	6	3
1:A:403:ARG:NH2	1:A:460:TRP:CE2	0.46	2.84	6	1
1:A:428:LEU:HD12	1:A:471:GLY:C	0.46	2.31	8	1
1:A:437:LEU:CG	1:A:455:VAL:HG13	0.46	2.40	10	3
1:A:437:LEU:N	1:A:437:LEU:CD2	0.46	2.75	1	5
1:A:415:GLN:NE2	1:A:434:ASP:O	0.46	2.49	7	2
1:A:412:PHE:CE1	1:A:414:VAL:HG12	0.46	2.46	17	1
1:A:452:LEU:HD12	1:A:452:LEU:H	0.46	1.71	6	2
1:A:407:PRO:N	1:A:463:HIS:NE2	0.46	2.64	6	1
1:A:413:LYS:HE3	1:A:437:LEU:HD23	0.46	1.88	17	2
1:A:278:GLU:O	1:A:279:ILE:HG23	0.45	2.12	20	1
1:A:435:VAL:CG2	1:A:457:GLU:CB	0.45	2.93	8	6
1:A:278:GLU:O	1:A:279:ILE:CG2	0.45	2.65	20	1
1:A:294:GLY:O	1:A:295:ALA:CB	0.45	2.65	10	1
1:A:431:LYS:CE	1:A:434:ASP:OD2	0.45	2.64	17	2
1:A:437:LEU:N	1:A:455:VAL:O	0.45	2.40	5	6
1:A:423:THR:C	1:A:427:GLU:OE1	0.45	2.55	12	1
1:A:452:LEU:CD1	1:A:473:PHE:CE1	0.45	3.00	10	2
1:A:407:PRO:HB3	1:A:466:LEU:HD13	0.45	1.87	1	1
1:A:403:ARG:O	1:A:403:ARG:NE	0.45	2.50	9	1
1:A:427:GLU:CD	1:A:427:GLU:C	0.45	2.75	15	3
1:A:459:ASP:O	1:A:462:GLN:N	0.44	2.49	9	8
1:A:414:VAL:HG13	1:A:438:VAL:HG23	0.44	1.89	2	4
1:A:462:GLN:O	1:A:465:LYS:N	0.44	2.50	17	2
1:A:462:GLN:O	1:A:466:LEU:N	0.44	2.50	17	2
1:A:462:GLN:NE2	1:A:462:GLN:CA	0.44	2.79	16	1
1:A:465:LYS:O	1:A:468:LYS:CG	0.44	2.66	11	1
1:A:431:LYS:CE	1:A:434:ASP:OD1	0.44	2.66	20	1
1:A:447:GLN:NE2	1:A:448:ASP:O	0.43	2.50	14	3
1:A:452:LEU:HD13	1:A:473:PHE:CZ	0.43	2.48	12	1
1:A:415:GLN:HB2	1:A:481:VAL:CG2	0.43	2.43	17	1
1:A:435:VAL:CG2	1:A:457:GLU:HB2	0.43	2.43	8	3
1:A:428:LEU:HD12	1:A:430:LEU:CD2	0.43	2.43	11	1
1:A:420:TYR:O	1:A:420:TYR:CG	0.43	2.69	19	1
1:A:448:ASP:OD1	1:A:449:GLU:N	0.43	2.50	2	1
1:A:460:TRP:O	1:A:463:HIS:N	0.43	2.50	20	1
1:A:452:LEU:N	1:A:452:LEU:CD2	0.43	2.80	11	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:431:LYS:CD	1:A:434:ASP:CG	0.43	2.87	13	2
1:A:415:GLN:CB	1:A:481:VAL:CG2	0.43	2.96	17	1
1:A:429:GLN:O	1:A:456:LYS:CE	0.43	2.67	3	2
1:A:411:MET:SD	1:A:438:VAL:HG12	0.43	2.54	17	2
1:A:281:VAL:CG1	1:A:282:ASN:N	0.43	2.81	12	2
1:A:412:PHE:CE2	1:A:480:ARG:HD3	0.43	2.48	8	1
1:A:409:GLY:O	1:A:410:PHE:C	0.43	2.57	12	19
1:A:294:GLY:O	1:A:295:ALA:HB3	0.43	2.13	5	1
1:A:405:ASP:HB2	1:A:463:HIS:CE1	0.43	2.48	12	1
1:A:411:MET:SD	1:A:438:VAL:CG1	0.43	3.07	17	1
1:A:410:PHE:CZ	1:A:412:PHE:CA	0.43	3.02	9	3
1:A:466:LEU:HD23	1:A:467:GLU:H	0.42	1.72	1	1
1:A:467:GLU:HA	1:A:470:ARG:CG	0.42	2.44	13	1
1:A:310:VAL:O	1:A:476:ASN:ND2	0.42	2.50	19	2
1:A:414:VAL:C	1:A:481:VAL:HG23	0.42	2.35	17	1
1:A:462:GLN:O	1:A:464:LYS:N	0.42	2.52	20	6
1:A:404:LEU:H	1:A:404:LEU:HD23	0.42	1.74	10	1
1:A:428:LEU:CD2	1:A:454:GLY:O	0.42	2.67	1	1
1:A:419:ASP:OD1	1:A:419:ASP:N	0.42	2.52	2	1
1:A:472:VAL:CG1	1:A:473:PHE:N	0.42	2.83	6	1
1:A:437:LEU:N	1:A:437:LEU:HD23	0.42	2.30	5	2
1:A:451:TRP:HA	1:A:473:PHE:O	0.42	2.15	14	2
1:A:447:GLN:CD	1:A:451:TRP:O	0.42	2.58	20	3
1:A:424:ASP:CB	1:A:427:GLU:HG2	0.42	2.45	20	2
1:A:428:LEU:CB	1:A:472:VAL:O	0.42	2.67	7	1
1:A:437:LEU:CD1	1:A:460:TRP:CD2	0.42	3.02	10	2
1:A:431:LYS:CD	1:A:434:ASP:OD2	0.42	2.68	14	1
1:A:466:LEU:HD21	1:A:470:ARG:HH21	0.42	1.74	4	1
1:A:437:LEU:HD13	1:A:460:TRP:CD2	0.42	2.50	9	2
1:A:428:LEU:HD13	1:A:471:GLY:CA	0.42	2.42	7	1
1:A:462:GLN:N	1:A:462:GLN:HE21	0.42	2.13	16	1
1:A:417:GLN:NE2	1:A:478:THR:O	0.41	2.53	10	2
1:A:412:PHE:CZ	1:A:438:VAL:HG21	0.41	2.50	14	1
1:A:416:ALA:CA	1:A:478:THR:HG22	0.41	2.41	16	1
1:A:426:ASP:O	1:A:426:ASP:CG	0.41	2.58	20	1
1:A:459:ASP:CG	1:A:469:CYS:SG	0.41	2.99	6	1
1:A:419:ASP:CG	1:A:419:ASP:O	0.41	2.58	20	2
1:A:435:VAL:HG23	1:A:457:GLU:HB2	0.41	1.91	5	1
1:A:453:MET:HE3	1:A:471:GLY:O	0.41	2.15	9	1
1:A:403:ARG:HD2	1:A:463:HIS:CB	0.41	2.46	14	1
1:A:413:LYS:HE3	1:A:437:LEU:CD2	0.41	2.45	17	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:466:LEU:HD23	1:A:467:GLU:HG3	0.41	1.92	7	1
1:A:434:ASP:CG	1:A:435:VAL:N	0.41	2.74	10	1
1:A:451:TRP:CZ3	1:A:474:PRO:CG	0.41	3.04	6	2
1:A:419:ASP:O	1:A:419:ASP:CG	0.41	2.59	17	1
1:A:476:ASN:OD1	1:A:476:ASN:N	0.40	2.54	16	1
1:A:287:PRO:O	1:A:288:ALA:HB2	0.40	2.16	19	1
1:A:469:CYS:O	1:A:469:CYS:SG	0.40	2.78	9	1
1:A:425:THR:HG23	1:A:426:ASP:OD2	0.40	2.17	16	1
1:A:431:LYS:HD3	1:A:434:ASP:CB	0.40	2.46	13	1
1:A:431:LYS:CD	1:A:434:ASP:HB2	0.40	2.47	11	1
1:A:281:VAL:HG12	1:A:282:ASN:N	0.40	2.31	12	1
1:A:437:LEU:HG	1:A:455:VAL:CG1	0.40	2.46	17	1
1:A:425:THR:O	1:A:426:ASP:OD1	0.40	2.40	4	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	110/213 (52%)	92±5 (84±4%)	14±4 (12±4%)	4±2 (4±1%)	5	31
All	All	2200/4260 (52%)	1839 (84%)	273 (12%)	88 (4%)	5	31

All 15 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	410	PHE	20
1	A	441	PHE	20
1	A	432	ALA	19
1	A	426	ASP	12
1	A	403	ARG	3
1	A	279	ILE	3
1	A	295	ALA	2
1	A	284	GLU	2
1	A	280	ARG	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	294	GLY	1
1	A	272	SER	1
1	A	281	VAL	1
1	A	282	ASN	1
1	A	296	THR	1
1	A	297	LEU	1

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	94/173 (54%)	65±3 (69±3%)	29±3 (31±3%)	1	15
All	All	1880/3460 (54%)	1305 (69%)	575 (31%)	1	15

All 59 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	403	ARG	20
1	A	406	LEU	20
1	A	413	LYS	20
1	A	431	LYS	20
1	A	437	LEU	20
1	A	439	ILE	20
1	A	441	PHE	20
1	A	452	LEU	20
1	A	458	SER	20
1	A	477	PHE	20
1	A	443	ASN	16
1	A	466	LEU	16
1	A	469	CYS	16
1	A	453	MET	15
1	A	462	GLN	15
1	A	297	LEU	14
1	A	476	ASN	14
1	A	447	GLN	13
1	A	404	LEU	13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	284	GLU	12
1	A	464	LYS	12
1	A	449	GLU	11
1	A	465	LYS	11
1	A	478	THR	11
1	A	475	GLU	10
1	A	272	SER	10
1	A	428	LEU	10
1	A	456	LYS	9
1	A	283	HIS	9
1	A	463	HIS	9
1	A	445	GLU	8
1	A	278	GLU	8
1	A	451	TRP	8
1	A	280	ARG	8
1	A	427	GLU	7
1	A	442	GLN	7
1	A	286	GLU	6
1	A	435	VAL	6
1	A	279	ILE	6
1	A	468	LYS	6
1	A	467	GLU	6
1	A	470	ARG	6
1	A	420	TYR	5
1	A	276	THR	5
1	A	472	VAL	5
1	A	426	ASP	4
1	A	419	ASP	4
1	A	480	ARG	4
1	A	282	ASN	3
1	A	446	GLU	3
1	A	430	LEU	3
1	A	424	ASP	2
1	A	292	THR	2
1	A	421	THR	2
1	A	423	THR	1
1	A	414	VAL	1
1	A	479	GLU	1
1	A	459	ASP	1
1	A	281	VAL	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

No chemical shift data were provided