



## Full wwPDB EM Validation Report ⓘ

Oct 1, 2023 – 10:07 PM EDT

PDB ID : 6N3J  
EMDB ID : EMD-0335  
Title : MicroED Structure of the CTD-SP1 fragment of HIV-1 Gag  
Authors : Purdy, M.D.; Shi, D.; Hattne, J.; Chrustowicz, J.  
Deposited on : 2018-11-15  
Resolution : 3.00 Å (reported)  
Based on initial model : 5I4T

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev50  
MolProbity : **FAILED**  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1

## 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON CRYSTALLOGRAPHY*

The reported resolution of this entry is 3.00 Å.

There are no overall percentile quality scores available for this entry.

MolProbity failed to run properly - the sequence quality summary graphics cannot be shown.

## 2 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 7410 atoms, of which 3594 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CTD-SP1 fragment of HIV-1 Gag.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
1	A	91	1251	407	608	117	114	5	0	0
1	B	91	1251	407	609	114	115	6	0	0
1	C	91	1255	407	612	116	114	6	0	0
1	D	90	1231	403	595	118	110	5	1	0
1	E	91	1200	396	577	112	110	5	0	0
1	F	91	1222	400	593	115	108	6	0	0

There are 66 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	268	HIS	-	expression tag	UNP A0A248SMC7
A	269	MET	-	expression tag	UNP A0A248SMC7
A	270	HIS	-	expression tag	UNP A0A248SMC7
A	271	HIS	-	expression tag	UNP A0A248SMC7
A	272	HIS	-	expression tag	UNP A0A248SMC7
A	273	HIS	-	expression tag	UNP A0A248SMC7
A	274	HIS	-	expression tag	UNP A0A248SMC7
A	275	HIS	-	expression tag	UNP A0A248SMC7
A	276	GLY	-	expression tag	UNP A0A248SMC7
A	277	GLY	-	expression tag	UNP A0A248SMC7
A	373	THR	PRO	engineered mutation	UNP A0A248SMC7
B	268	HIS	-	expression tag	UNP A0A248SMC7
B	269	MET	-	expression tag	UNP A0A248SMC7
B	270	HIS	-	expression tag	UNP A0A248SMC7
B	271	HIS	-	expression tag	UNP A0A248SMC7
B	272	HIS	-	expression tag	UNP A0A248SMC7
B	273	HIS	-	expression tag	UNP A0A248SMC7
B	274	HIS	-	expression tag	UNP A0A248SMC7

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	275	HIS	-	expression tag	UNP A0A248SMC7
B	276	GLY	-	expression tag	UNP A0A248SMC7
B	277	GLY	-	expression tag	UNP A0A248SMC7
B	373	THR	PRO	engineered mutation	UNP A0A248SMC7
C	268	HIS	-	expression tag	UNP A0A248SMC7
C	269	MET	-	expression tag	UNP A0A248SMC7
C	270	HIS	-	expression tag	UNP A0A248SMC7
C	271	HIS	-	expression tag	UNP A0A248SMC7
C	272	HIS	-	expression tag	UNP A0A248SMC7
C	273	HIS	-	expression tag	UNP A0A248SMC7
C	274	HIS	-	expression tag	UNP A0A248SMC7
C	275	HIS	-	expression tag	UNP A0A248SMC7
C	276	GLY	-	expression tag	UNP A0A248SMC7
C	277	GLY	-	expression tag	UNP A0A248SMC7
C	373	THR	PRO	engineered mutation	UNP A0A248SMC7
D	268	HIS	-	expression tag	UNP A0A248SMC7
D	269	MET	-	expression tag	UNP A0A248SMC7
D	270	HIS	-	expression tag	UNP A0A248SMC7
D	271	HIS	-	expression tag	UNP A0A248SMC7
D	272	HIS	-	expression tag	UNP A0A248SMC7
D	273	HIS	-	expression tag	UNP A0A248SMC7
D	274	HIS	-	expression tag	UNP A0A248SMC7
D	275	HIS	-	expression tag	UNP A0A248SMC7
D	276	GLY	-	expression tag	UNP A0A248SMC7
D	277	GLY	-	expression tag	UNP A0A248SMC7
D	373	THR	PRO	engineered mutation	UNP A0A248SMC7
E	268	HIS	-	expression tag	UNP A0A248SMC7
E	269	MET	-	expression tag	UNP A0A248SMC7
E	270	HIS	-	expression tag	UNP A0A248SMC7
E	271	HIS	-	expression tag	UNP A0A248SMC7
E	272	HIS	-	expression tag	UNP A0A248SMC7
E	273	HIS	-	expression tag	UNP A0A248SMC7
E	274	HIS	-	expression tag	UNP A0A248SMC7
E	275	HIS	-	expression tag	UNP A0A248SMC7
E	276	GLY	-	expression tag	UNP A0A248SMC7
E	277	GLY	-	expression tag	UNP A0A248SMC7
E	373	THR	PRO	engineered mutation	UNP A0A248SMC7
F	268	HIS	-	expression tag	UNP A0A248SMC7
F	269	MET	-	expression tag	UNP A0A248SMC7
F	270	HIS	-	expression tag	UNP A0A248SMC7
F	271	HIS	-	expression tag	UNP A0A248SMC7
F	272	HIS	-	expression tag	UNP A0A248SMC7

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	273	HIS	-	expression tag	UNP A0A248SMC7
F	274	HIS	-	expression tag	UNP A0A248SMC7
F	275	HIS	-	expression tag	UNP A0A248SMC7
F	276	GLY	-	expression tag	UNP A0A248SMC7
F	277	GLY	-	expression tag	UNP A0A248SMC7
F	373	THR	PRO	engineered mutation	UNP A0A248SMC7

MolProbity failed to run properly - this section is therefore empty.

### 3 Experimental information

Property	Value	Source
EM reconstruction method	CRYSTALLOGRAPHY	Depositor
Imposed symmetry	3D CRYSTAL, $a=70.61$ Å, $b=122.55$ Å, $c=78.70$ Å, $\alpha=90^\circ$ , $\beta=90^\circ$ , $\gamma=96.55^\circ$ , space group=C121	Depositor
Number of images used	Not provided	
Resolution determination method	DIFFRACTION PATTERN/LAYERLINES	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TECNAI F20	Depositor
Voltage (kV)	200	Depositor
Electron dose ( $e^-/\text{Å}^2$ )	0.05	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	TVIPS TEMCAM-F416 (4k x 4k)	Depositor
Maximum map value	3.665	Depositor
Minimum map value	-4.150	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.601	Depositor
Recommended contour level	1.1	Depositor
Map size (Å)	99.65216, 97.49376, 71.66913	wwPDB
Map dimensions	151, 217, 218	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.45712, 0.44928, 0.47463	Depositor

## 4 Model quality [i](#)

### 4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

### 4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

### 4.3 Torsion angles [i](#)

#### 4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

### 4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 4.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 4.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 4.7 Other polymers [i](#)

There are no such residues in this entry.

## 4.8 Polymer linkage issues

There are no chain breaks in this entry.


## 5 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-0335. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 5.1 Orthogonal projections [i](#)


#### 5.1.1 Primary map



The images above show the map projected in three orthogonal directions.

### 5.2 Central slices [i](#)


#### 5.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

### 5.3 Largest variance slices [i](#)


#### 5.3.1 Primary map



X Index: 61



Y Index: 91




Z Index: 86


The images above show the largest variance slices of the map in three orthogonal directions.

### 5.4 Orthogonal standard-deviation projections (False-color) [i](#)


#### 5.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 5.5 Orthogonal surface views [i](#)

### 5.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 1.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 5.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 6 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 6.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

## 6.2 Volume estimate [i](#)



The volume at the recommended contour level is 41 nm<sup>3</sup>; this corresponds to an approximate mass of 37 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

## 6.3 Rotationally averaged power spectrum [i](#)

This section was not generated. The rotationally averaged power spectrum is only generated for cubic maps.


## 7 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 8 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-0335 and PDB model 6N3J. Per-residue inclusion information can be found in section ?? on page ??.

### 8.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 1.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 8.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 8.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.1).

## 8.4 Atom inclusion [i](#)



At the recommended contour level, 0% of all backbone atoms, 0% of all non-hydrogen atoms, are inside the map.

## 8.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (1.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.0000	0.0000
A	0.0000	0.0000
B	0.0000	0.0000
C	0.0000	0.0000
D	0.0000	0.0000
E	0.0000	0.0000
F	0.0000	0.0000

