



Full wwPDB X-ray Structure Validation Report

Feb 20, 2024 – 03:09 PM EST

PDB ID : 4N58
Title : Crystal Structure of Pectocin M2 at 1.86 Angstroms
Authors : Grinter, R.; Roszak, A.W.; Zeth, K.; Cogdell, C.J.; Walker, D.
Deposited on : 2013-10-09
Resolution : 1.86 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.86 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2469 (1.86-1.86)
Clashscore	141614	2625 (1.86-1.86)
Ramachandran outliers	138981	2592 (1.86-1.86)
Sidechain outliers	138945	2592 (1.86-1.86)
RSRZ outliers	127900	2436 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	279	 2% 82% 11% •• 5%
1	B	279	 3% 80% 13% • 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	A	312	-	X	-	-
4	GOL	A	315	-	-	-	X
4	GOL	A	322	-	-	X	-
4	GOL	B	314	-	-	X	-
4	GOL	B	316	-	-	-	X
4	GOL	B	320	-	-	-	X
5	MPD	A	325	-	X	-	-

2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 5000 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pectocin M2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	266	Total 2088	C 1313	N 344	O 423	S 8	0	5	0
1	B	266	Total 2085	C 1309	N 343	O 424	S 9	0	4	0

- Molecule 2 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	Fe	S		
2	A	1	Total 4	Fe 2	S 2	0	0
2	B	1	Total 4	Fe 2	S 2	0	0

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total 6	C 3	O 3	0	0
4	A	1	Total 6	C 3	O 3	0	0
4	A	1	Total 6	C 3	O 3	0	0
4	A	1	Total 6	C 3	O 3	0	0
4	A	1	Total 6	C 3	O 3	0	0
4	A	1	Total 6	C 3	O 3	0	0
4	A	1	Total 6	C 3	O 3	0	0
4	A	1	Total 6	C 3	O 3	0	0
4	A	1	Total 6	C 3	O 3	0	0
4	B	1	Total 6	C 3	O 3	0	0
4	B	1	Total 6	C 3	O 3	0	0
4	B	1	Total 6	C 3	O 3	0	0
4	B	1	Total 6	C 3	O 3	0	0
4	B	1	Total 6	C 3	O 3	0	0
4	B	1	Total 6	C 3	O 3	0	0
4	B	1	Total 6	C 3	O 3	0	0
4	B	1	Total 6	C 3	O 3	0	0
4	B	1	Total 6	C 3	O 3	0	0
4	B	1	Total 6	C 3	O 3	0	0
4	B	1	Total 6	C 3	O 3	0	0
4	B	1	Total 6	C 3	O 3	0	0
4	B	1	Total 6	C 3	O 3	0	0
4	B	1	Total 6	C 3	O 3	0	0
4	B	1	Total 6	C 3	O 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			8	6	2		
5	A	1	Total	C	O	0	0
			8	6	2		
5	A	1	Total	C	O	0	0
			8	6	2		
5	A	1	Total	C	O	0	0
			8	6	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 8 6 2	0	0
5	A	1	Total C O 8 6 2	0	0
5	B	1	Total C O 8 6 2	0	0
5	B	1	Total C O 8 6 2	0	0
5	B	1	Total C O 8 6 2	0	0
5	B	1	Total C O 8 6 2	0	0

- Molecule 6 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total Cl 1 1	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	230	Total O 230 230	0	0
7	B	208	Total O 208 208	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Pectocin M2



- Molecule 1: Pectocin M2



4 Data and refinement statistics i

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	117.45Å 117.45Å 128.45Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	58.79 – 1.86 58.73 – 1.86	Depositor EDS
% Data completeness (in resolution range)	100.0 (58.79-1.86) 100.0 (58.73-1.86)	Depositor EDS
R_{merge}	0.03	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.72 (at 1.86Å)	Xtrriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.168 , 0.197 0.176 , 0.203	Depositor DCC
R_{free} test set	4306 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	36.5	Xtrriage
Anisotropy	0.458	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 63.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.023 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	5000	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 66.00 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.4851e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MPD, GOL, CL, FES, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.23	5/2138 (0.2%)	1.15	12/2893 (0.4%)
1	B	1.21	5/2129 (0.2%)	1.13	12/2881 (0.4%)
All	All	1.22	10/4267 (0.2%)	1.14	24/5774 (0.4%)

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	76	CYS	CB-SG	-8.14	1.68	1.82
1	A	267	GLU	CD-OE1	-7.96	1.16	1.25
1	A	77	SER	CB-OG	6.74	1.51	1.42
1	B	197	GLY	N-CA	5.77	1.54	1.46
1	A	121	GLU	CD-OE2	5.67	1.31	1.25
1	B	267	GLU	CG-CD	5.63	1.60	1.51
1	A	217	TYR	CE1-CZ	5.62	1.45	1.38
1	B	204	GLU	CD-OE1	5.53	1.31	1.25
1	B	197	GLY	CA-C	5.43	1.60	1.51
1	B	217	TYR	CG-CD1	5.28	1.46	1.39

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	202	ARG	NE-CZ-NH1	10.04	125.32	120.30
1	A	258	ARG	NE-CZ-NH2	-8.46	116.07	120.30
1	B	56	ASP	CB-CG-OD1	8.20	125.68	118.30
1	B	258	ARG	CG-CD-NE	-7.78	95.46	111.80
1	A	144	ARG	NE-CZ-NH1	7.62	124.11	120.30
1	A	258	ARG	CG-CD-NE	-7.57	95.90	111.80
1	B	258	ARG	NE-CZ-NH2	-7.13	116.73	120.30
1	A	56	ASP	CB-CG-OD1	6.92	124.53	118.30
1	B	229	ASP	CB-CG-OD1	6.85	124.47	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	272	LEU	CB-CG-CD2	-6.27	100.33	111.00
1	A	202	ARG	NE-CZ-NH2	-6.01	117.29	120.30
1	B	180	ASP	CB-CG-OD1	5.95	123.65	118.30
1	A	216	GLN	CA-CB-CG	-5.93	100.36	113.40
1	B	212	ASP	CB-CG-OD1	5.93	123.63	118.30
1	A	26	GLU	OE1-CD-OE2	5.74	130.18	123.30
1	B	118	ARG	NE-CZ-NH1	5.71	123.15	120.30
1	A	176	ASP	CB-CG-OD2	-5.58	113.28	118.30
1	A	272	LEU	CA-CB-CG	-5.49	102.67	115.30
1	B	56	ASP	CB-CG-OD2	-5.44	113.40	118.30
1	B	156	ASN	CB-CA-C	-5.44	99.53	110.40
1	B	144	ARG	NE-CZ-NH1	5.38	122.99	120.30
1	B	222	ARG	NE-CZ-NH2	-5.31	117.65	120.30
1	B	267	GLU	CB-CA-C	-5.26	99.88	110.40
1	A	183	ARG	NE-CZ-NH1	-5.18	117.71	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2088	0	2020	30	0
1	B	2085	0	2002	31	0
2	A	4	0	0	0	0
2	B	4	0	0	0	0
3	A	40	0	0	3	0
3	B	50	0	0	1	0
4	A	90	0	120	15	0
4	B	120	0	160	14	0
5	A	48	0	84	13	0
5	B	32	0	55	6	0
6	A	1	0	0	0	0
7	A	230	0	0	3	0
7	B	208	0	0	3	0
All	All	5000	0	4441	76	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:236[A]:ARG:HH11	1:B:236[A]:ARG:HG3	1.15	1.10
1:B:171:ASN:HA	4:B:314:GOL:H12	1.44	0.98
5:A:328:MPD:H52	7:A:510:HOH:O	1.65	0.95
1:B:212:ASP:HB3	5:B:335:MPD:H4	1.54	0.90
1:B:236[A]:ARG:HH11	1:B:236[A]:ARG:CG	1.91	0.83
1:B:211:SER:HB3	5:B:335:MPD:H32	1.64	0.79
1:A:174[B]:ARG:O	1:A:174[B]:ARG:HG2	1.83	0.78
5:A:327:MPD:H53	5:A:327:MPD:HM1	1.66	0.77
4:A:312:GOL:O3	5:A:325:MPD:H13	1.86	0.74
1:B:172:VAL:H	4:B:314:GOL:H11	1.53	0.71
1:B:171:ASN:HA	4:B:314:GOL:C1	2.21	0.70
1:A:229:ASP:OD2	4:A:315:GOL:H32	1.92	0.69
1:B:94:LEU:HD21	4:B:317:GOL:H31	1.74	0.69
1:A:216:GLN:HG3	1:A:217:TYR:N	2.07	0.68
1:A:174[A]:ARG:O	4:A:313:GOL:H12	1.96	0.66
1:B:172:VAL:H	4:B:314:GOL:C1	2.10	0.64
5:A:327:MPD:H13	7:A:628:HOH:O	1.98	0.64
1:B:198:ASN:O	4:B:328:GOL:H12	1.98	0.62
1:B:236[A]:ARG:HG3	1:B:236[A]:ARG:NH1	1.97	0.61
5:B:335:MPD:HM1	7:B:519:HOH:O	1.99	0.61
1:A:229:ASP:OD2	4:A:315:GOL:C3	2.49	0.60
1:A:110:ASN:ND2	1:A:117:PRO:HA	2.16	0.60
5:A:327:MPD:HM1	5:A:327:MPD:C5	2.31	0.59
1:B:116:LEU:HD13	1:B:117:PRO:HD2	1.84	0.59
1:B:18:PRO:HB2	1:B:20:ASP:OD1	2.02	0.59
1:B:251:SER:N	4:B:317:GOL:O1	2.29	0.58
1:B:17:VAL:HG22	1:B:79:PRO:HG3	1.86	0.58
1:B:4:TYR:HE2	1:B:19:ASP:HB3	1.69	0.58
1:A:97:PHE:CB	4:A:322:GOL:H31	2.36	0.56
1:B:218:GLU:OE1	4:B:329:GOL:O2	2.23	0.55
1:B:13:ALA:HB1	1:B:15:ILE:HD11	1.86	0.55
1:A:180:ASP:HB2	4:A:318:GOL:H2	1.88	0.55
4:B:330:GOL:O1	5:B:333:MPD:C5	2.54	0.55
1:A:110:ASN:HD21	1:A:117:PRO:HA	1.70	0.55
1:A:271:LYS:HZ2	5:A:329:MPD:HM1	1.71	0.55
1:A:258:ARG:NH2	3:A:304:SO4:O2	2.39	0.54
1:A:65:GLU:N	3:A:302:SO4:O1	2.31	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:312:GOL:C3	5:A:325:MPD:H13	2.38	0.53
1:B:4:TYR:CE2	1:B:19:ASP:HB3	2.44	0.53
1:A:5:LYS:HD3	1:A:16:GLU:HG2	1.90	0.53
1:A:211[A]:SER:HB3	5:A:325:MPD:HM3	1.91	0.52
1:A:98:GLU:OE2	4:A:322:GOL:H12	2.10	0.52
1:A:271:LYS:NZ	5:A:329:MPD:HM1	2.26	0.51
1:A:272:LEU:H	1:A:272:LEU:HD23	1.75	0.51
1:A:91[B]:ASP:OD1	5:A:327:MPD:O2	2.29	0.51
1:A:211[B]:SER:HB2	5:A:325:MPD:HM3	1.93	0.51
5:A:326:MPD:O4	5:A:326:MPD:CM	2.59	0.50
5:A:326:MPD:O4	5:A:326:MPD:HM1	2.11	0.50
1:A:82:ASP:H	4:A:311:GOL:H2	1.76	0.49
1:B:116:LEU:HD13	1:B:117:PRO:CD	2.42	0.49
4:B:314:GOL:O3	4:B:323:GOL:H31	2.13	0.48
1:B:258:ARG:NH2	3:B:303:SO4:O2	2.44	0.48
5:B:335:MPD:HM3	7:B:549:HOH:O	2.13	0.48
1:B:198:ASN:H	1:B:236[A]:ARG:NH2	2.12	0.47
1:A:98:GLU:OE1	4:A:322:GOL:H12	2.16	0.46
1:B:3:THR:OG1	1:B:18:PRO:HA	2.16	0.46
1:B:172:VAL:N	4:B:314:GOL:H11	2.26	0.46
1:A:197:GLY:HA3	1:A:236[B]:ARG:HE	1.82	0.45
1:A:117:PRO:O	1:A:118:ARG:C	2.53	0.44
1:A:174[A]:ARG:HD2	7:A:610:HOH:O	2.17	0.44
1:A:231:ASN:HB2	4:A:315:GOL:H11	1.99	0.44
1:B:236[A]:ARG:CG	1:B:236[A]:ARG:NH1	2.60	0.44
4:B:312:GOL:H32	7:B:429:HOH:O	2.17	0.43
1:B:5:LYS:HE2	1:B:7:LYS:CE	2.49	0.43
1:A:223:SER:O	4:A:319:GOL:H31	2.18	0.42
1:B:198:ASN:H	1:B:236[A]:ARG:HH21	1.68	0.42
1:A:98:GLU:CD	4:A:322:GOL:H12	2.39	0.42
1:B:218:GLU:HB3	4:B:329:GOL:H2	2.01	0.42
3:A:303:SO4:O1	4:A:322:GOL:O2	2.36	0.42
1:B:13:ALA:HB1	1:B:15:ILE:CD1	2.50	0.42
1:A:146:ILE:O	1:A:259:ILE:HA	2.20	0.42
1:A:135:HIS:CE1	1:A:144:ARG:HD3	2.56	0.41
5:B:333:MPD:H12	5:B:333:MPD:H52	2.03	0.41
1:B:216[A]:GLN:HG2	4:B:329:GOL:H12	2.02	0.41
1:A:97:PHE:HB2	4:A:322:GOL:C1	2.51	0.40
1:B:15:ILE:HD13	1:B:27:PHE:CE2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	267/279 (96%)	263 (98%)	4 (2%)	0	100	100
1	B	266/279 (95%)	260 (98%)	6 (2%)	0	100	100
All	All	533/558 (96%)	523 (98%)	10 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	231/239 (97%)	227 (98%)	4 (2%)	60	47
1	B	230/239 (96%)	217 (94%)	13 (6%)	20	6
All	All	461/478 (96%)	444 (96%)	17 (4%)	40	17

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	236[A]	ARG
1	A	236[B]	ARG
1	A	258	ARG
1	A	272	LEU
1	B	3	THR
1	B	17	VAL
1	B	21	LYS
1	B	30	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	39	ARG
1	B	107	GLU
1	B	110	ASN
1	B	116	LEU
1	B	216[A]	GLN
1	B	216[B]	GLN
1	B	236[A]	ARG
1	B	236[B]	ARG
1	B	273	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	268	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 66 ligands modelled in this entry, 1 is monoatomic - leaving 65 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	B	314	-	5,5,5	0.73	0	5,5,5	1.38	1 (20%)
4	GOL	B	327	-	5,5,5	0.94	0	5,5,5	1.06	0
4	GOL	B	329	-	5,5,5	0.29	0	5,5,5	0.93	0
4	GOL	B	330	-	5,5,5	0.33	0	5,5,5	1.11	0
4	GOL	A	321	-	5,5,5	0.45	0	5,5,5	0.17	0
3	SO4	B	306	-	4,4,4	0.15	0	6,6,6	0.67	0
4	GOL	A	313	-	5,5,5	1.09	0	5,5,5	2.45	1 (20%)
3	SO4	B	304	-	4,4,4	0.51	0	6,6,6	0.93	0
5	MPD	B	332	-	7,7,7	0.65	0	9,10,10	1.13	0
4	GOL	B	331	-	5,5,5	0.71	0	5,5,5	1.22	1 (20%)
3	SO4	A	302	-	4,4,4	0.42	0	6,6,6	0.63	0
4	GOL	B	312	-	5,5,5	1.07	0	5,5,5	1.34	1 (20%)
3	SO4	B	310	-	4,4,4	0.50	0	6,6,6	0.56	0
3	SO4	A	307	-	4,4,4	0.58	0	6,6,6	0.91	0
3	SO4	B	308	-	4,4,4	0.32	0	6,6,6	0.36	0
3	SO4	A	309	-	4,4,4	0.42	0	6,6,6	0.51	0
4	GOL	A	315	-	5,5,5	0.54	0	5,5,5	0.63	0
4	GOL	A	323	-	5,5,5	0.24	0	5,5,5	0.83	0
4	GOL	B	322	-	5,5,5	0.60	0	5,5,5	0.94	0
4	GOL	A	311	-	5,5,5	0.46	0	5,5,5	0.53	0
4	GOL	B	326	-	5,5,5	1.10	0	5,5,5	0.85	0
5	MPD	B	335	-	7,7,7	1.64	1 (14%)	9,10,10	1.22	1 (11%)
5	MPD	A	328	-	7,7,7	1.36	1 (14%)	9,10,10	1.96	3 (33%)
2	FES	A	301	1	0,4,4	-	-	-	-	-
5	MPD	A	329	-	7,7,7	0.65	0	9,10,10	1.18	1 (11%)
3	SO4	A	306	-	4,4,4	0.64	0	6,6,6	0.59	0
4	GOL	B	324	-	5,5,5	0.29	0	5,5,5	0.43	0
4	GOL	A	320	-	5,5,5	0.31	0	5,5,5	1.25	0
5	MPD	B	334	-	7,7,7	1.06	0	9,10,10	1.23	1 (11%)
4	GOL	A	316	-	5,5,5	0.41	0	5,5,5	0.56	0
3	SO4	B	307	-	4,4,4	0.60	0	6,6,6	1.98	3 (50%)
3	SO4	A	308	-	4,4,4	0.23	0	6,6,6	1.01	0
4	GOL	B	328	-	5,5,5	0.67	0	5,5,5	1.01	0
4	GOL	A	318	-	5,5,5	0.43	0	5,5,5	1.19	1 (20%)
4	GOL	A	312	-	5,5,5	1.07	0	5,5,5	1.77	2 (40%)
3	SO4	B	305	-	4,4,4	0.23	0	6,6,6	0.77	0
4	GOL	A	317	-	5,5,5	0.51	0	5,5,5	1.40	0
3	SO4	A	304	-	4,4,4	0.33	0	6,6,6	0.52	0
4	GOL	B	313	-	5,5,5	0.65	0	5,5,5	1.04	0
3	SO4	B	302	-	4,4,4	0.28	0	6,6,6	1.45	1 (16%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	A	324	-	5,5,5	0.39	0	5,5,5	0.53	0
4	GOL	A	310	-	5,5,5	0.66	0	5,5,5	1.38	1 (20%)
4	GOL	B	320	-	5,5,5	0.42	0	5,5,5	0.38	0
4	GOL	B	321	-	5,5,5	0.37	0	5,5,5	1.60	2 (40%)
5	MPD	B	333	-	7,7,7	0.52	0	9,10,10	0.56	0
4	GOL	B	323	-	5,5,5	0.77	0	5,5,5	1.48	2 (40%)
5	MPD	A	327	-	7,7,7	0.74	0	9,10,10	1.44	2 (22%)
4	GOL	B	317	-	5,5,5	0.38	0	5,5,5	1.14	1 (20%)
4	GOL	B	319	-	5,5,5	0.33	0	5,5,5	0.68	0
5	MPD	A	330	-	7,7,7	0.91	0	9,10,10	0.79	0
4	GOL	B	325	-	5,5,5	0.32	0	5,5,5	0.89	0
3	SO4	B	309	-	4,4,4	0.42	0	6,6,6	0.23	0
3	SO4	A	305	-	4,4,4	0.57	0	6,6,6	1.18	0
4	GOL	B	316	-	5,5,5	0.51	0	5,5,5	0.58	0
4	GOL	A	314	-	5,5,5	1.14	0	5,5,5	3.59	3 (60%)
4	GOL	B	318	-	5,5,5	0.24	0	5,5,5	0.62	0
3	SO4	B	303	-	4,4,4	0.36	0	6,6,6	0.38	0
3	SO4	B	311	-	4,4,4	0.38	0	6,6,6	0.45	0
5	MPD	A	325	-	7,7,7	1.55	1 (14%)	9,10,10	3.30	5 (55%)
4	GOL	B	315	-	5,5,5	0.19	0	5,5,5	0.50	0
2	FES	B	301	1	0,4,4	-	-	-	-	-
4	GOL	A	319	-	5,5,5	0.16	0	5,5,5	0.42	0
4	GOL	A	322	-	5,5,5	0.56	0	5,5,5	1.08	0
5	MPD	A	326	-	7,7,7	0.45	0	9,10,10	0.84	0
3	SO4	A	303	-	4,4,4	0.25	0	6,6,6	0.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	B	314	-	-	2/4/4/4	-
4	GOL	B	327	-	-	4/4/4/4	-
4	GOL	B	329	-	-	2/4/4/4	-
4	GOL	B	330	-	-	4/4/4/4	-
4	GOL	A	321	-	-	4/4/4/4	-
5	MPD	B	332	-	-	3/5/5/5	-
4	GOL	A	313	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	B	331	-	-	3/4/4/4	-
4	GOL	B	312	-	-	4/4/4/4	-
4	GOL	A	315	-	-	0/4/4/4	-
4	GOL	A	323	-	-	2/4/4/4	-
4	GOL	B	322	-	-	4/4/4/4	-
4	GOL	A	311	-	-	2/4/4/4	-
4	GOL	B	326	-	-	4/4/4/4	-
5	MPD	B	335	-	-	2/5/5/5	-
5	MPD	A	328	-	-	4/5/5/5	-
5	MPD	A	329	-	-	4/5/5/5	-
2	FES	A	301	1	-	-	0/1/1/1
4	GOL	B	324	-	-	3/4/4/4	-
4	GOL	A	320	-	-	2/4/4/4	-
5	MPD	B	334	-	-	1/5/5/5	-
4	GOL	A	316	-	-	3/4/4/4	-
4	GOL	B	328	-	-	2/4/4/4	-
4	GOL	A	318	-	-	4/4/4/4	-
4	GOL	A	312	-	-	4/4/4/4	-
4	GOL	A	317	-	-	2/4/4/4	-
4	GOL	B	313	-	-	2/4/4/4	-
4	GOL	A	324	-	-	2/4/4/4	-
4	GOL	A	310	-	-	3/4/4/4	-
4	GOL	B	320	-	-	2/4/4/4	-
4	GOL	B	321	-	-	2/4/4/4	-
5	MPD	B	333	-	-	1/5/5/5	-
4	GOL	B	323	-	-	2/4/4/4	-
5	MPD	A	327	-	-	2/5/5/5	-
4	GOL	B	317	-	-	0/4/4/4	-
4	GOL	B	319	-	-	3/4/4/4	-
5	MPD	A	330	-	-	4/5/5/5	-
4	GOL	B	325	-	-	2/4/4/4	-
4	GOL	B	316	-	-	2/4/4/4	-
4	GOL	A	314	-	-	0/4/4/4	-
4	GOL	B	318	-	-	0/4/4/4	-
5	MPD	A	325	-	-	4/5/5/5	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	B	315	-	-	3/4/4/4	-
2	FES	B	301	1	-	-	0/1/1/1
4	GOL	A	319	-	-	3/4/4/4	-
4	GOL	A	322	-	-	4/4/4/4	-
5	MPD	A	326	-	-	0/5/5/5	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	335	MPD	O2-C2	-3.50	1.35	1.44
5	A	325	MPD	C3-C2	3.08	1.62	1.53
5	A	328	MPD	C3-C2	2.20	1.59	1.53

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	325	MPD	CM-C2-C1	8.05	127.36	110.57
4	A	314	GOL	O2-C2-C3	5.43	133.04	109.12
4	A	313	GOL	C3-C2-C1	-5.16	91.64	111.70
4	A	314	GOL	O1-C1-C2	4.98	134.07	110.20
5	A	328	MPD	O4-C4-C3	4.40	129.13	111.36
5	A	325	MPD	O2-C2-C3	3.76	123.90	109.80
5	A	327	MPD	O2-C2-CM	-3.63	96.44	108.08
3	B	302	SO4	O4-S-O1	2.99	124.89	109.31
3	B	307	SO4	O3-S-O1	-2.95	93.94	109.31
4	A	312	GOL	O2-C2-C1	2.93	122.05	109.12
5	A	328	MPD	O2-C2-C3	2.78	120.25	109.80
4	B	314	GOL	C3-C2-C1	-2.75	101.01	111.70
5	B	334	MPD	CM-C2-C1	-2.75	104.85	110.57
5	A	325	MPD	C1-C2-C3	-2.68	97.49	109.96
4	A	314	GOL	O2-C2-C1	-2.63	97.56	109.12
4	B	331	GOL	O2-C2-C1	2.61	120.63	109.12
3	B	307	SO4	O3-S-O2	-2.58	95.85	109.31
5	B	335	MPD	O2-C2-C3	-2.56	100.17	109.80
4	B	321	GOL	O1-C1-C2	-2.52	98.10	110.20
4	A	318	GOL	O1-C1-C2	-2.43	98.55	110.20
4	A	310	GOL	O1-C1-C2	2.35	121.48	110.20
4	B	323	GOL	O2-C2-C1	2.33	119.40	109.12
5	A	329	MPD	O2-C2-CM	-2.30	100.70	108.08
3	B	307	SO4	O2-S-O1	2.29	126.37	109.43
4	B	312	GOL	O3-C3-C2	-2.24	99.47	110.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	328	MPD	O2-C2-C1	-2.12	101.27	108.08
5	A	325	MPD	O4-C4-C5	-2.12	100.20	109.38
5	A	327	MPD	CM-C2-C1	2.08	114.90	110.57
4	A	312	GOL	O2-C2-C3	-2.07	100.00	109.12
5	A	325	MPD	O2-C2-CM	-2.04	101.52	108.08
4	B	317	GOL	O1-C1-C2	-2.02	100.49	110.20
4	B	321	GOL	O2-C2-C1	-2.02	100.23	109.12
4	B	323	GOL	C3-C2-C1	-2.01	103.88	111.70

There are no chirality outliers.

All (112) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	310	GOL	O1-C1-C2-C3
4	A	311	GOL	C1-C2-C3-O3
4	A	311	GOL	O2-C2-C3-O3
4	A	312	GOL	O1-C1-C2-C3
4	A	312	GOL	O2-C2-C3-O3
4	A	313	GOL	O1-C1-C2-C3
4	A	316	GOL	C1-C2-C3-O3
4	A	317	GOL	O1-C1-C2-C3
4	A	318	GOL	O1-C1-C2-C3
4	A	320	GOL	C1-C2-C3-O3
4	A	321	GOL	O1-C1-C2-C3
4	A	321	GOL	C1-C2-C3-O3
4	A	321	GOL	O2-C2-C3-O3
4	A	322	GOL	O1-C1-C2-C3
4	A	322	GOL	C1-C2-C3-O3
4	A	323	GOL	C1-C2-C3-O3
4	B	312	GOL	C1-C2-C3-O3
4	B	314	GOL	O1-C1-C2-O2
4	B	314	GOL	O1-C1-C2-C3
4	B	315	GOL	C1-C2-C3-O3
4	B	316	GOL	C1-C2-C3-O3
4	B	319	GOL	O1-C1-C2-C3
4	B	320	GOL	O1-C1-C2-C3
4	B	321	GOL	C1-C2-C3-O3
4	B	321	GOL	O2-C2-C3-O3
4	B	322	GOL	C1-C2-C3-O3
4	B	324	GOL	O1-C1-C2-C3
4	B	325	GOL	O1-C1-C2-C3
4	B	326	GOL	O1-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	B	326	GOL	C1-C2-C3-O3
4	B	327	GOL	C1-C2-C3-O3
4	B	329	GOL	O1-C1-C2-O2
4	B	330	GOL	C1-C2-C3-O3
4	B	331	GOL	O1-C1-C2-C3
5	A	325	MPD	C2-C3-C4-C5
5	A	328	MPD	O2-C2-C3-C4
5	A	328	MPD	CM-C2-C3-C4
5	A	329	MPD	C1-C2-C3-C4
5	A	329	MPD	O2-C2-C3-C4
5	A	329	MPD	C2-C3-C4-O4
5	A	330	MPD	C1-C2-C3-C4
5	A	330	MPD	O2-C2-C3-C4
5	B	333	MPD	C2-C3-C4-O4
5	B	335	MPD	C2-C3-C4-O4
4	A	323	GOL	O2-C2-C3-O3
4	B	315	GOL	O2-C2-C3-O3
4	B	331	GOL	O1-C1-C2-O2
4	A	312	GOL	C1-C2-C3-O3
4	A	318	GOL	C1-C2-C3-O3
4	A	319	GOL	C1-C2-C3-O3
4	B	312	GOL	O1-C1-C2-C3
4	B	313	GOL	O1-C1-C2-C3
4	B	322	GOL	O1-C1-C2-C3
4	B	323	GOL	C1-C2-C3-O3
4	B	327	GOL	O1-C1-C2-C3
4	B	328	GOL	C1-C2-C3-O3
4	B	329	GOL	O1-C1-C2-C3
4	A	312	GOL	O1-C1-C2-O2
4	A	313	GOL	O1-C1-C2-O2
4	A	316	GOL	O2-C2-C3-O3
4	A	317	GOL	O1-C1-C2-O2
4	A	318	GOL	O1-C1-C2-O2
4	A	320	GOL	O2-C2-C3-O3
4	A	321	GOL	O1-C1-C2-O2
4	B	312	GOL	O1-C1-C2-O2
4	B	316	GOL	O2-C2-C3-O3
4	B	322	GOL	O2-C2-C3-O3
4	B	323	GOL	O2-C2-C3-O3
4	B	325	GOL	O1-C1-C2-O2
4	B	326	GOL	O1-C1-C2-O2
4	B	330	GOL	O2-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	310	GOL	O1-C1-C2-O2
4	A	322	GOL	O1-C1-C2-O2
4	B	312	GOL	O2-C2-C3-O3
4	B	320	GOL	O1-C1-C2-O2
4	B	322	GOL	O1-C1-C2-O2
4	B	324	GOL	O1-C1-C2-O2
4	B	327	GOL	O1-C1-C2-O2
4	B	327	GOL	O2-C2-C3-O3
4	B	328	GOL	O2-C2-C3-O3
4	A	318	GOL	O2-C2-C3-O3
4	B	330	GOL	O1-C1-C2-O2
5	B	332	MPD	O2-C2-C3-C4
4	A	310	GOL	O2-C2-C3-O3
4	A	319	GOL	O1-C1-C2-O2
4	A	319	GOL	O2-C2-C3-O3
4	B	319	GOL	O1-C1-C2-O2
4	B	326	GOL	O2-C2-C3-O3
4	B	330	GOL	O1-C1-C2-C3
5	A	327	MPD	C2-C3-C4-C5
5	B	334	MPD	C2-C3-C4-C5
5	B	335	MPD	C2-C3-C4-C5
5	A	328	MPD	C2-C3-C4-O4
5	A	325	MPD	C1-C2-C3-C4
5	A	325	MPD	CM-C2-C3-C4
5	A	328	MPD	C1-C2-C3-C4
5	A	329	MPD	CM-C2-C3-C4
5	B	332	MPD	C1-C2-C3-C4
5	B	332	MPD	CM-C2-C3-C4
4	A	322	GOL	O2-C2-C3-O3
4	A	324	GOL	O2-C2-C3-O3
4	A	324	GOL	O1-C1-C2-C3
4	B	324	GOL	C1-C2-C3-O3
4	B	315	GOL	O1-C1-C2-C3
4	B	319	GOL	C1-C2-C3-O3
5	A	327	MPD	O2-C2-C3-C4
4	B	313	GOL	O1-C1-C2-O2
4	A	316	GOL	O1-C1-C2-O2
5	A	330	MPD	C2-C3-C4-C5
4	B	331	GOL	O2-C2-C3-O3
5	A	325	MPD	C2-C3-C4-O4
5	A	330	MPD	C2-C3-C4-O4

There are no ring outliers.

25 monomers are involved in 48 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	314	GOL	6	0
4	B	329	GOL	3	0
4	B	330	GOL	1	0
4	A	313	GOL	1	0
3	A	302	SO4	1	0
4	B	312	GOL	1	0
4	A	315	GOL	3	0
4	A	311	GOL	1	0
5	B	335	MPD	4	0
5	A	328	MPD	1	0
5	A	329	MPD	2	0
4	B	328	GOL	1	0
4	A	318	GOL	1	0
4	A	312	GOL	2	0
3	A	304	SO4	1	0
5	B	333	MPD	2	0
4	B	323	GOL	1	0
5	A	327	MPD	4	0
4	B	317	GOL	2	0
3	B	303	SO4	1	0
5	A	325	MPD	4	0
4	A	319	GOL	1	0
4	A	322	GOL	6	0
5	A	326	MPD	2	0
3	A	303	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	266/279 (95%)	-0.04	5 (1%) 66 66	29, 40, 62, 105	0
1	B	266/279 (95%)	0.02	9 (3%) 45 42	31, 43, 76, 85	0
All	All	532/558 (95%)	-0.01	14 (2%) 56 54	29, 41, 74, 105	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	116	LEU	8.3
1	B	116	LEU	6.2
1	A	108	PHE	4.0
1	B	108	PHE	3.9
1	A	236[A]	ARG	3.2
1	A	117	PRO	3.0
1	B	3	THR	2.9
1	B	236[A]	ARG	2.6
1	B	117	PRO	2.6
1	B	19	ASP	2.3
1	B	107	GLU	2.3
1	A	272	LEU	2.2
1	B	110	ASN	2.0
1	B	123	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands i

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	B	316	6/6	0.07	0.48	113,128,131,133	0
4	GOL	A	324	6/6	0.21	0.34	94,101,107,109	6
4	GOL	A	316	6/6	0.61	0.22	68,95,101,104	0
4	GOL	B	320	6/6	0.62	0.42	84,105,106,106	0
4	GOL	B	326	6/6	0.64	0.17	71,85,86,91	0
4	GOL	A	317	6/6	0.65	0.32	52,52,56,62	6
4	GOL	A	321	6/6	0.67	0.28	100,106,111,113	0
4	GOL	A	314	6/6	0.68	0.26	31,37,50,60	6
3	SO4	B	311	5/5	0.68	0.34	82,88,89,93	5
4	GOL	B	325	6/6	0.69	0.34	69,71,72,73	6
4	GOL	B	313	6/6	0.69	0.24	51,63,74,83	0
5	MPD	B	333	8/8	0.74	0.26	77,83,91,92	0
5	MPD	A	330	8/8	0.75	0.22	67,79,84,95	0
4	GOL	B	328	6/6	0.76	0.20	52,53,67,68	6
5	MPD	A	327	8/8	0.76	0.35	29,65,74,74	8
5	MPD	A	329	8/8	0.76	0.24	62,67,76,83	0
4	GOL	A	318	6/6	0.76	0.19	53,73,78,85	6
4	GOL	A	323	6/6	0.76	0.23	90,91,97,98	0
6	CL	A	331	1/1	0.76	0.11	84,84,84,84	0
5	MPD	B	334	8/8	0.78	0.19	54,89,91,92	0
4	GOL	B	315	6/6	0.78	0.16	76,83,91,98	0
4	GOL	B	322	6/6	0.79	0.26	57,77,80,80	6
4	GOL	A	315	6/6	0.79	0.46	57,75,80,80	6
4	GOL	B	329	6/6	0.79	0.23	39,65,71,71	6
3	SO4	B	309	5/5	0.81	0.26	76,82,91,96	5
4	GOL	B	319	6/6	0.81	0.24	65,76,86,94	0
3	SO4	B	310	5/5	0.82	0.18	53,63,77,82	5
4	GOL	B	327	6/6	0.83	0.18	39,54,58,62	6
4	GOL	B	318	6/6	0.83	0.16	81,102,106,113	0
3	SO4	A	309	5/5	0.83	0.23	74,87,94,103	0
4	GOL	B	324	6/6	0.84	0.27	55,90,92,95	6
5	MPD	B	335	8/8	0.84	0.20	39,55,62,71	8
4	GOL	B	317	6/6	0.84	0.30	51,69,75,77	6
4	GOL	B	314	6/6	0.85	0.16	33,45,49,54	6
5	MPD	A	328	8/8	0.85	0.19	39,55,61,62	8
4	GOL	A	322	6/6	0.85	0.28	37,57,66,71	6
4	GOL	B	330	6/6	0.85	0.24	50,72,75,76	6

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	GOL	A	320	6/6	0.86	0.23	47,76,77,79	6
4	GOL	A	310	6/6	0.87	0.14	45,52,58,64	6
5	MPD	A	325	8/8	0.88	0.20	36,50,80,86	0
3	SO4	B	306	5/5	0.89	0.18	49,61,66,77	5
4	GOL	B	331	6/6	0.90	0.15	47,57,63,63	0
4	GOL	B	323	6/6	0.90	0.19	37,41,59,72	6
4	GOL	A	311	6/6	0.90	0.35	46,56,66,70	6
4	GOL	A	313	6/6	0.90	0.21	33,37,45,59	6
3	SO4	B	308	5/5	0.90	0.12	61,81,95,99	5
3	SO4	B	305	5/5	0.91	0.26	46,65,72,81	5
4	GOL	B	312	6/6	0.92	0.13	49,64,71,76	0
5	MPD	B	332	8/8	0.92	0.15	39,46,51,60	5
4	GOL	A	312	6/6	0.93	0.24	31,39,50,53	6
5	MPD	A	326	8/8	0.94	0.19	51,68,74,87	3
3	SO4	A	306	5/5	0.94	0.10	50,55,63,76	5
3	SO4	A	307	5/5	0.94	0.13	36,51,65,66	5
3	SO4	A	302	5/5	0.94	0.13	59,64,74,79	5
3	SO4	B	304	5/5	0.94	0.11	39,57,67,71	5
4	GOL	B	321	6/6	0.95	0.07	73,79,91,93	0
3	SO4	A	308	5/5	0.95	0.18	42,66,71,77	5
3	SO4	A	303	5/5	0.96	0.12	44,55,61,72	5
3	SO4	A	305	5/5	0.96	0.11	36,56,58,71	5
3	SO4	A	304	5/5	0.97	0.07	58,70,74,85	5
3	SO4	B	302	5/5	0.97	0.14	40,53,58,70	5
4	GOL	A	319	6/6	0.97	0.10	50,62,70,74	0
3	SO4	B	303	5/5	0.98	0.08	54,62,67,81	5
3	SO4	B	307	5/5	0.98	0.09	50,54,59,66	0
2	FES	A	301	4/4	0.99	0.14	29,30,31,31	0
2	FES	B	301	4/4	1.00	0.14	34,34,34,35	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.