



Full wwPDB X-ray Structure Validation Report i

Sep 9, 2020 – 01:39 PM BST

PDB ID : 5N9X
Title : Structure of adenylation domain THR1 involved in the biosynthesis of 4-chlorothreonine in Streptomyces SP.OH-5093, ligand bound structure
Authors : Savino, C.; Vallone, B.; Scaglione, A.; Parisi, G.; Montemiglio, L.C.; Fullone, M.R.; Grgurina, I.
Deposited on : 2017-02-27
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.14.3.dev2
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.14.3.dev2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition (i)


There are 6 unique types of molecules in this entry. The entry contains 7901 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenylation domain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	489	3824	2421	691	703	9	0	8	0
1	B	486	3810	2407	693	701	9	0	9	0

- Molecule 2 is THREONINE (three-letter code: THR) (formula: C₄H₉NO₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O			
2	A	1	8	4	1	3		0	0

- Molecule 3 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: C₁₀H₁₆N₅O₁₃P₃).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	31	10	5	13	3	0	0

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total Mg		0	0
			1	1		

- Molecule 5 is [[(2 {R},3 {S},4 {R},5 {R})-5-(6-aminopurin-9-yl)-3,4-bis(oxidanyl)oxolan-2-yl]methoxy-oxidanyl-phosphoryl] (2 {S},3 {R})-2-azanyl-3-oxidanyl-butanoate (three-letter code: 8QN) (formula: C₁₄H₂₁N₆O₉P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
5	B	1	30	14	6	9	1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
6	A	113	113	113	0	0
6	B	84	84	84	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Adenylation domain



- Molecule 1: Adenylation domain



4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	179.02Å 52.52Å 110.12Å 90.00° 105.95° 90.00°	Depositor
Resolution (Å)	46.87 – 2.40 46.87 – 2.40	Depositor EDS
% Data completeness (in resolution range)	92.2 (46.87-2.40) 97.6 (46.87-2.40)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	2.94 (at 2.39Å)	Xtriage
Refinement program	PHENIX dev_1647	Depositor
R , R_{free}	0.199 , 0.276 0.201 , 0.275	Depositor DCC
R_{free} test set	1913 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	28.5	Xtriage
Anisotropy	0.357	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 40.1	EDS
L-test for twinning ²	$< L > = 0.47$, $< L^2 > = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	7901	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 19.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG, 8QN, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z > 5	RMSZ	# Z > 5
1	A	0.50	2/3924 (0.1%)	0.67	2/5349 (0.0%)
1	B	0.52	1/3908 (0.0%)	0.67	3/5317 (0.1%)
All	All	0.51	3/7832 (0.0%)	0.67	5/10666 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	2
All	All	0	4

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	446	PRO	N-CD	5.08	1.54	1.47
1	A	174[A]	PRO	N-CD	5.00	1.54	1.47
1	A	174[B]	PRO	N-CD	5.00	1.54	1.47

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	173[A]	ARG	C-N-CD	5.62	140.20	128.40
1	A	173[B]	ARG	C-N-CD	5.62	140.20	128.40
1	B	481	ASP	CB-CG-OD1	5.62	123.35	118.30
1	B	445	HIS	C-N-CD	5.54	140.03	128.40
1	B	424	LEU	CA-CB-CG	5.15	127.14	115.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	174[A]	PRO	Mainchain
1	A	174[B]	PRO	Mainchain
1	B	170	THR	Peptide
1	B	172	GLY	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3824	0	3790	63	0
1	B	3810	0	3784	78	0
2	A	8	0	6	1	0
3	A	31	0	12	5	0
4	A	1	0	0	0	0
5	B	30	0	0	2	0
6	A	113	0	0	5	0
6	B	84	0	0	1	0
All	All	7901	0	7592	140	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (140) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:429[B]:ARG:HG2	1:B:429[B]:ARG:HH11	1.41	0.85
1:A:232:PRO:O	1:A:237:ARG:NH2	2.10	0.85
1:B:441:ALA:O	1:B:444:THR:OG1	1.95	0.84
1:B:238:THR:HG23	1:B:241:GLU:HB2	1.64	0.80
1:A:173[A]:ARG:HH11	1:A:173[A]:ARG:HG2	1.44	0.80
1:A:246:VAL:HA	1:A:251:ILE:HD12	1.65	0.77
1:B:258:PRO:HD2	1:B:286[A]:GLU:HG3	1.67	0.76
1:B:42:GLU:OE2	1:B:143:ARG:NH2	2.17	0.76
1:B:339:ARG:NH2	1:B:413:GLY:O	2.18	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:173[A]:ARG:NH1	1:A:173[A]:ARG:HG2	2.01	0.73
1:A:313:ILE:HG22	3:A:602:ATP:H5'1	1.70	0.73
1:B:406:ASP:OD1	1:B:421:ARG:NH1	2.22	0.71
1:B:421:ARG:NH1	5:B:601:8QN:O3'	2.24	0.71
1:B:421:ARG:HB2	1:B:424:LEU:HG	1.76	0.68
1:B:74:ARG:HG2	1:B:74:ARG:HH11	1.59	0.66
1:B:235:THR:HG22	1:B:241:GLU:HB3	1.76	0.66
1:A:294:ARG:NH1	1:A:330:LEU:O	2.29	0.66
1:A:173[B]:ARG:HG3	1:B:112:THR:CG2	2.27	0.65
1:B:26:ARG:HD3	6:B:732:HOH:O	1.96	0.65
3:A:602:ATP:O1B	3:A:602:ATP:H4'	2.00	0.61
1:B:216:TRP:HB2	1:B:318:VAL:HG11	1.82	0.61
1:A:173[B]:ARG:HG2	1:A:174[B]:PRO:HD2	1.81	0.61
1:A:490:LYS:HE2	1:A:498:GLN:OE1	2.00	0.61
1:A:447:ALA:HB3	1:A:480:PRO:HG3	1.82	0.60
1:B:429[B]:ARG:HH11	1:B:429[B]:ARG:CG	2.13	0.60
1:B:481:ASP:OD1	1:B:484:ALA:N	2.31	0.59
1:B:175[A]:LYS:HB3	1:B:175[A]:LYS:HZ2	1.68	0.58
1:B:452:VAL:HG13	1:B:508:LEU:HD13	1.86	0.56
1:A:99:ASP:O	1:A:102:ASN:HB2	2.06	0.56
1:B:231:LEU:HD13	1:B:236:ALA:HA	1.88	0.56
1:B:238:THR:O	1:B:242:THR:HG23	2.05	0.55
1:A:281:VAL:HB	1:A:307:LEU:HD12	1.87	0.55
1:A:173[B]:ARG:HG2	1:A:174[B]:PRO:CD	2.36	0.55
1:A:123:PRO:HB2	1:A:129:TYR:HE1	1.72	0.54
1:A:428:LEU:HG	1:A:429:ARG:HG3	1.89	0.54
1:A:126:ILE:HG22	1:A:129:TYR:CZ	2.43	0.54
1:B:452:VAL:HG11	1:B:516:ALA:HB1	1.90	0.54
1:B:38:HIS:CE1	1:B:249:ARG:HE	2.26	0.54
1:A:526:ASP:O	1:A:529:ARG:HG2	2.09	0.53
1:B:486:ARG:HG3	1:B:502:TYR:CE1	2.44	0.53
1:B:458:PHE:CE1	1:B:464:ARG:HB2	2.43	0.53
1:A:173[A]:ARG:H	1:A:173[A]:ARG:HH11	1.57	0.52
1:A:244:ARG:HD2	1:A:271:GLU:OE2	2.09	0.52
1:A:133:LEU:HD23	1:A:135:THR:HG22	1.92	0.52
1:A:173[A]:ARG:HG3	1:A:378:ARG:NH2	2.25	0.52
1:A:204:LEU:HD13	1:A:251:ILE:HD11	1.92	0.52
1:A:173[B]:ARG:HG2	1:A:174[B]:PRO:N	2.24	0.52
1:B:429[B]:ARG:HG2	1:B:429[B]:ARG:NH1	2.17	0.51
1:B:38:HIS:NE2	1:B:43:LYS:HE2	2.25	0.51
1:B:285:GLY:O	1:B:515:LYS:NZ	2.44	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:526:ASP:HA	1:B:529:ARG:HD3	1.94	0.50
1:A:528:ARG:O	1:A:528:ARG:HG3	2.12	0.50
1:A:126:ILE:HG13	1:A:127:PRO:HD2	1.93	0.50
1:B:429[B]:ARG:CG	1:B:429[B]:ARG:NH1	2.72	0.49
1:B:175[A]:LYS:NZ	1:B:175[A]:LYS:HB3	2.26	0.49
1:B:269:LEU:HD11	1:B:295:PRO:O	2.11	0.49
1:B:427:LYS:HD2	1:B:432[B]:ARG:CZ	2.43	0.49
1:B:42:GLU:CD	1:B:143:ARG:HH22	2.14	0.49
1:A:126:ILE:HG22	1:A:129:TYR:CE1	2.48	0.49
1:A:313:ILE:HD12	1:A:402:TYR:CE2	2.48	0.49
1:B:267:ALA:O	1:B:271:GLU:HB3	2.13	0.49
1:B:159:GLN:HG2	1:B:180:ARG:NH1	2.27	0.48
1:A:346:HIS:ND1	6:A:701:HOH:O	2.19	0.48
1:A:443:ARG:NH1	6:A:713:HOH:O	2.44	0.48
1:A:265:THR:HG21	6:A:720:HOH:O	2.14	0.47
1:B:16:PHE:N	1:B:16:PHE:CD1	2.81	0.47
1:B:421:ARG:NH1	5:B:601:8QN:O2'	2.47	0.47
1:B:38:HIS:ND1	1:B:227:GLU:OE2	2.47	0.47
1:B:347:ARG:NE	1:B:355:ASP:OD1	2.41	0.46
1:A:173[A]:ARG:HB3	1:B:112:THR:CG2	2.44	0.46
1:A:207:HIS:NE2	6:A:710:HOH:O	2.36	0.46
1:B:510:ARG:HD3	1:B:514:GLY:O	2.15	0.46
1:B:456:HIS:NE2	1:B:526:ASP:OD1	2.46	0.46
1:B:488:HIS:O	1:B:491:THR:HB	2.15	0.46
1:A:44:ILE:HG23	1:A:48:LEU:HD23	1.97	0.46
1:B:268:VAL:O	1:B:272:GLY:N	2.49	0.46
1:A:26:ARG:HD2	6:A:736:HOH:O	2.14	0.46
1:A:465:LEU:HB3	1:A:499:PRO:HA	1.98	0.46
1:A:173[B]:ARG:HG3	1:B:112:THR:HG22	1.95	0.46
1:A:490:LYS:HA	1:A:498:GLN:NE2	2.31	0.46
1:B:173:ARG:HG2	1:B:174:PRO:HD3	1.98	0.46
1:A:106:ARG:HE	1:A:110:ILE:HD11	1.81	0.45
1:A:313:ILE:HG23	3:A:602:ATP:H3'	1.97	0.45
1:A:109:PHE:CE2	1:A:174[A]:PRO:HD2	2.52	0.45
1:B:70:ARG:HG2	1:B:164:ILE:HD12	1.99	0.45
1:A:314:THR:N	3:A:602:ATP:O1A	2.42	0.45
1:A:173[A]:ARG:HG3	1:A:378:ARG:HH21	1.82	0.45
1:B:123:PRO:HG3	1:B:133:LEU:HD21	1.98	0.45
1:A:444:THR:HG22	1:A:488:HIS:NE2	2.32	0.44
1:B:265:THR:O	1:B:269:LEU:N	2.40	0.44
1:A:246:VAL:HG12	1:A:275:LEU:HD22	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:429[A]:ARG:O	1:B:431[A]:HIS:CE1	2.70	0.44
1:A:247:ARG:HB2	1:A:275:LEU:HD23	1.99	0.44
1:B:349:VAL:HG21	1:B:365:TRP:CE2	2.51	0.44
1:A:173[A]:ARG:CG	1:A:173[A]:ARG:HH11	2.14	0.44
1:B:486:ARG:HG3	1:B:502:TYR:HE1	1.80	0.44
1:A:234:TRP:CE3	1:A:237:ARG:HB2	2.53	0.44
1:B:19:THR:HA	1:B:181:HIS:HB3	2.00	0.43
1:A:123:PRO:HD2	1:A:133:LEU:HD21	2.00	0.43
1:A:164:ILE:HG12	1:A:178:PRO:HB3	2.00	0.43
1:B:427:LYS:HD2	1:B:432[B]:ARG:NE	2.33	0.43
1:A:103:PRO:HA	1:A:104:PRO:HD3	1.94	0.43
1:A:381:LEU:HA	1:A:381:LEU:HD12	1.93	0.43
1:B:46:TYR:CZ	1:B:225:GLY:HA2	2.53	0.43
1:B:527:GLU:O	1:B:527:GLU:HG3	2.19	0.43
1:B:74:ARG:NH1	1:B:100:ILE:HD13	2.34	0.42
2:A:601:THR:OXT	3:A:602:ATP:PA	2.77	0.42
1:B:175[A]:LYS:HE2	1:B:381:LEU:HD23	2.00	0.42
1:A:74:ARG:NH2	1:A:100:ILE:HG23	2.35	0.42
1:B:363:GLU:OE2	1:B:403:HIS:HB3	2.20	0.42
1:A:123:PRO:HB2	1:A:129:TYR:CE1	2.53	0.42
1:B:361:PRO:HB3	1:B:419:GLN:NE2	2.35	0.42
1:A:35:THR:HG21	1:A:43:LYS:HG2	2.01	0.42
1:B:174:PRO:HA	1:B:512:ILE:HD11	2.01	0.42
1:A:180:ARG:NH1	1:A:373:GLU:OE2	2.53	0.42
1:B:452:VAL:HG11	1:B:516:ALA:CB	2.49	0.42
1:B:465:LEU:HD23	1:B:465:LEU:HA	1.81	0.41
1:A:180:ARG:CZ	1:A:373:GLU:HG3	2.50	0.41
1:B:311:TYR:HB3	1:B:321:THR:OG1	2.19	0.41
1:A:445:HIS:ND1	1:A:446:PRO:HD2	2.35	0.41
1:A:173[B]:ARG:HD2	1:A:378:ARG:NH2	2.34	0.41
1:A:454:TRP:CZ2	1:A:522:ALA:HA	2.56	0.41
1:B:31:MET:HB3	1:B:34:ARG:HG3	2.03	0.41
1:B:428[A]:LEU:HD11	1:B:429[A]:ARG:NH1	2.34	0.41
1:B:75:MET:SD	1:B:136:GLU:HG3	2.60	0.41
1:B:122:ASP:HA	1:B:123:PRO:HD3	1.74	0.41
1:A:388:THR:HG22	1:A:398:PRO:HG2	2.03	0.41
1:A:442:VAL:HG13	1:A:485:LEU:HD11	2.03	0.41
1:B:435:LEU:HA	1:B:435:LEU:HD23	1.93	0.41
1:B:459:ALA:HB3	1:B:462:ASP:HB3	2.02	0.41
1:B:74:ARG:HB2	1:B:98:LEU:HD12	2.02	0.41
1:B:462:ASP:OD2	1:B:464:ARG:NH2	2.54	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:221:ALA:HA	1:B:226:ALA:HB3	2.02	0.41
1:B:299:ARG:HH11	1:B:299:ARG:HG3	1.86	0.41
1:A:265:THR:HG22	1:A:269:LEU:HD22	2.03	0.40
1:B:16:PHE:CZ	1:B:26:ARG:NE	2.89	0.40
1:B:306:HIS:ND1	1:B:324:ARG:HD2	2.36	0.40
1:B:177:VAL:HG11	1:B:315:GLU:HA	2.03	0.40
1:A:465:LEU:HA	1:A:465:LEU:HD23	1.84	0.40
1:B:288:LEU:O	1:B:335:SER:OG	2.30	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	487/529 (92%)	474 (97%)	13 (3%)	0	100 100
1	B	483/529 (91%)	471 (98%)	12 (2%)	0	100 100
All	All	970/1058 (92%)	945 (97%)	25 (3%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	396/420 (94%)	387 (98%)	9 (2%)	50 70

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	B	394/420 (94%)	369 (94%)	25 (6%)	18 28
All	All	790/840 (94%)	756 (96%)	34 (4%)	39 46

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	171[A]	THR
1	A	171[B]	THR
1	A	173[A]	ARG
1	A	173[B]	ARG
1	A	213	PHE
1	A	307	LEU
1	A	313	ILE
1	A	500	SER
1	A	507	GLU
1	B	58	ASP
1	B	146	GLU
1	B	175[A]	LYS
1	B	175[B]	LYS
1	B	213	PHE
1	B	235	THR
1	B	286[A]	GLU
1	B	286[B]	GLU
1	B	287	LYS
1	B	308[A]	ILE
1	B	308[B]	ILE
1	B	342	PRO
1	B	381	LEU
1	B	423	ASP
1	B	427	LYS
1	B	428[A]	LEU
1	B	428[B]	LEU
1	B	429[A]	ARG
1	B	429[B]	ARG
1	B	432[A]	ARG
1	B	432[B]	ARG
1	B	457[A]	GLU
1	B	457[B]	GLU
1	B	511	THR
1	B	512	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no

such sidechains identified.

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 4 ligands modelled in this entry, 1 is monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ATP	A	602	4	26,33,33	1.12	2 (7%)	31,52,52	1.40	5 (16%)
5	8QN	B	601	-	27,32,32	1.03	2 (7%)	30,48,48	1.16	3 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ATP	A	602	4	-	6/18/38/38	0/3/3/3
5	8QN	B	601	-	-	7/17/39/39	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	602	ATP	C5-C4	2.93	1.48	1.40
5	B	601	8QN	C5-C4	2.80	1.48	1.40
5	B	601	8QN	C2-N3	2.36	1.35	1.32
3	A	602	ATP	C2-N3	2.19	1.35	1.32

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	602	ATP	PA-O3A-PB	-3.63	120.36	132.83
3	A	602	ATP	C3'-C2'-C1'	3.09	105.63	100.98
5	B	601	8QN	C4-C5-N7	-2.86	106.42	109.40
5	B	601	8QN	CB-CA-C	-2.67	107.07	110.31
5	B	601	8QN	C3'-C2'-C1'	2.27	104.39	100.98
3	A	602	ATP	C4-C5-N7	-2.14	107.17	109.40
3	A	602	ATP	N3-C2-N1	-2.05	125.48	128.68
3	A	602	ATP	PB-O3B-PG	-2.04	125.82	132.83

There are no chirality outliers.

All (13) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	602	ATP	C5'-O5'-PA-O1A
5	B	601	8QN	O-C-CA-N
5	B	601	8QN	C-CA-CB-CG2
3	A	602	ATP	C3'-C4'-C5'-O5'
3	A	602	ATP	PB-O3A-PA-O1A
5	B	601	8QN	O-C-CA-CB
5	B	601	8QN	O3P-C-CA-CB
3	A	602	ATP	C5'-O5'-PA-O3A
3	A	602	ATP	C5'-O5'-PA-O2A
5	B	601	8QN	N-CA-CB-CG2
3	A	602	ATP	PB-O3A-PA-O5'
5	B	601	8QN	C5'-O5'-P10-O1P
5	B	601	8QN	O3P-C-CA-N


There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	602	ATP	5	0
5	B	601	8QN	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	489/529 (92%)	-0.04	14 (2%) 51 50	9, 25, 48, 93	0
1	B	486/529 (91%)	0.09	18 (3%) 41 41	9, 28, 54, 72	0
All	All	975/1058 (92%)	0.02	32 (3%) 46 45	9, 26, 51, 93	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	127	PRO	6.5
1	B	171	THR	5.8
1	A	171[A]	THR	5.6
1	A	236	ALA	4.9
1	B	172	GLY	4.8
1	A	129	TYR	4.2
1	B	270	GLY	4.2
1	B	461	GLY	4.1
1	B	145	ARG	3.9
1	B	428[A]	LEU	3.8
1	B	459	ALA	3.7
1	A	233	TYR	3.7
1	B	432[A]	ARG	3.6
1	B	429[A]	ARG	3.5
1	A	126	ILE	3.2
1	A	130	THR	3.2
1	A	128	GLU	3.2
1	B	130	THR	3.0
1	A	172[A]	GLY	3.0
1	B	101	ARG	2.9
1	B	152	GLY	2.8
1	A	170[A]	THR	2.8
1	B	122	ASP	2.7
1	B	39	ILE	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	173[A]	ARG	2.6
1	A	101	ARG	2.5
1	B	16	PHE	2.4
1	B	412	ALA	2.4
1	B	431[A]	HIS	2.4
1	A	17	GLY	2.3
1	B	430[A]	GLY	2.2
1	A	429	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.


6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MG	A	603	1/1	0.73	0.22	54,54,54,54	0
3	ATP	A	602	31/31	0.88	0.17	12,29,69,74	0
5	8QN	B	601	30/30	0.91	0.15	21,35,47,48	0
2	THR	A	601	8/8	0.92	0.13	14,20,28,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.