



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 2, 2023 – 11:49 AM EDT

PDB ID : 6N93
Title : Methylmalonyl-CoA decarboxylase in complex with 2-nitronate-propionyl-ox
a(dethia)-CoA
Authors : Stunkard, L.M.; Dixon, A.D.; Huth, T.J.; Lohman, J.R.
Deposited on : 2018-11-30
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : **FAILED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 15344 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Methylmalonyl-CoA decarboxylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	260	2172	1397	365	397	13	0	24	0
1	B	260	2129	1366	360	391	12	0	13	0
1	C	260	2143	1373	366	392	12	0	17	0
1	D	260	2123	1365	357	389	12	0	16	0
1	E	260	2134	1372	357	393	12	0	19	0
1	F	260	2153	1388	363	390	12	0	21	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2	ALA	SER	engineered mutation	UNP P52045
B	2	ALA	SER	engineered mutation	UNP P52045
C	2	ALA	SER	engineered mutation	UNP P52045
D	2	ALA	SER	engineered mutation	UNP P52045
E	2	ALA	SER	engineered mutation	UNP P52045
F	2	ALA	SER	engineered mutation	UNP P52045

- Molecule 2 is [1-[2-[3-[[2 {R}]-4-[[[2 {R},3 {S},4 {R},5 {R}]-5-(6-aminopurin-9-yl)-4-oxidanyl-3-phosphonoxy-oxolan-2-yl]methoxy-oxidanyl-phosphoryl]oxy-oxidanyl-phosphoryl]oxy-3,3-dimethyl-2-oxidanyl-butanoyl]amino]propanoylamino]ethoxy]-1-oxidanylidene-propan-2-ylidene]-bis(oxidanidyl)azanium (three-letter code: KGA) (formula: C₂₄H₃₈N₈O₂₀P₃).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	48	21	7	17	3	0	0
2	B	1	48	21	7	17	3	0	0
2	C	1	48	21	7	17	3	0	0
2	C	1	31	10	5	13	3	0	1
2	D	1	86	37	12	31	6	0	1
2	E	1	55	24	8	20	3	0	0
2	E	1	31	10	5	13	3	0	1
2	F	1	55	24	8	20	3	0	0
2	F	1	31	10	5	13	3	0	1

- Molecule 3 is NICKEL (II) ION (three-letter code: NI) (formula: Ni).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ni	0	0
			1	1		
3	D	1	Total	Ni	0	0
			1	1		
3	F	1	Total	Ni	0	0
			1	1		

- Molecule 4 is IMIDAZOLE (three-letter code: IMD) (formula: $C_3H_5N_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C N 5 3 2	0	0
4	D	1	Total C N 5 3 2	0	0
4	F	1	Total C N 5 3 2	0	0

- Molecule 5 is POTASSIUM ION (three-letter code: K) (formula: K).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	C	1	Total K 1 1	0	0

- Molecule 6 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: $C_8H_{18}O_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	C	O	0	0
			13	8	5		

- Molecule 7 is (2E)-2-(hydroxyimino)propanoic acid (three-letter code: KG7) (formula: $C_3H_5NO_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	F	1	Total	C	N	O	0	0
			7	3	1	3		

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	346	Total 357	O 357	0	13
8	B	323	Total 332	O 332	0	11
8	C	316	Total 326	O 326	0	16
8	D	320	Total 328	O 328	0	9
8	E	328	Total 337	O 337	0	11
8	F	332	Total 338	O 338	0	11

MolProbity and EDS failed to run properly - this section is therefore empty.

3 Data and refinement statistics

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	87.18Å 114.65Å 194.55Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	28.68 – 1.70	Depositor
% Data completeness (in resolution range)	86.2 (28.68-1.70)	Depositor
R_{merge}	0.11	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.10 (at 1.69Å)	Xtrriage
Refinement program	REFMAC 5.8.0230	Depositor
R, R_{free}	0.153 , 0.184	Depositor
Wilson B-factor (Å ²)	15.1	Xtrriage
Anisotropy	0.056	Xtrriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	15344	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

4 Model quality [i](#)

4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

4.6 Ligand geometry [i](#)

Of 19 ligands modelled in this entry, 4 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	KGA	E	301	-	45,57,57	1.51	3 (6%)	56,85,85	1.11	4 (7%)
4	IMD	F	305	3	3,5,5	0.23	0	4,5,5	0.48	0
4	IMD	D	303	-	3,5,5	0.22	0	4,5,5	0.71	0
2	KGA	D	302[A]	-	42,50,57	0.85	2 (4%)	53,75,85	1.69	10 (18%)
2	KGA	F	301	-	45,57,57	1.75	3 (6%)	56,85,85	1.67	11 (19%)
2	KGA	B	301	-	42,50,57	0.82	1 (2%)	53,75,85	1.69	11 (20%)
2	KGA	C	303[A]	-	28,33,57	1.17	3 (10%)	35,52,85	1.30	4 (11%)
2	KGA	E	302[A]	-	28,33,57	1.42	6 (21%)	35,52,85	1.51	6 (17%)
6	PG4	C	304	5	12,12,12	0.26	0	11,11,11	0.22	0
2	KGA	F	303[A]	-	28,33,57	1.39	5 (17%)	35,52,85	1.43	6 (17%)
7	KG7	F	304	3	6,6,6	1.84	1 (16%)	7,7,7	3.44	6 (85%)
2	KGA	A	301	-	42,50,57	1.12	3 (7%)	53,75,85	1.62	12 (22%)
2	KGA	C	301	-	42,50,57	1.02	2 (4%)	53,75,85	1.47	8 (15%)
2	KGA	D	302[B]	-	42,50,57	0.88	2 (4%)	53,75,85	1.63	10 (18%)
4	IMD	A	303	3	3,5,5	0.21	0	4,5,5	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	KGA	E	301	-	-	0/49/75/75	0/3/3/3
4	IMD	F	305	3	-	-	0/1/1/1
4	IMD	D	303	-	-	-	0/1/1/1
2	KGA	D	302[A]	-	-	12/44/64/75	0/3/3/3
2	KGA	F	301	-	-	4/49/75/75	0/3/3/3
2	KGA	B	301	-	-	25/44/64/75	0/3/3/3
2	KGA	C	303[A]	-	-	5/17/37/75	0/3/3/3
2	KGA	E	302[A]	-	-	2/17/37/75	0/3/3/3
6	PG4	C	304	5	-	1/10/10/10	-
2	KGA	F	303[A]	-	-	1/17/37/75	0/3/3/3
7	KG7	F	304	3	-	0/6/6/6	-
2	KGA	A	301	-	-	4/44/64/75	0/3/3/3
2	KGA	C	301	-	-	5/44/64/75	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	KGA	D	302[B]	-	-	10/44/64/75	0/3/3/3
4	IMD	A	303	3	-	-	0/1/1/1

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	301	KGA	O-CS1	9.65	1.51	1.33
2	E	301	KGA	O-CS1	7.62	1.47	1.33
2	A	301	KGA	O4'-C1'	4.24	1.47	1.41
7	F	304	KG7	CS3-CS2	3.98	1.57	1.49
2	E	301	KGA	O4'-C1'	3.35	1.45	1.41
2	F	303[A]	KGA	C5-C4	3.25	1.49	1.40
2	E	301	KGA	P3-O3'	3.25	1.65	1.59
2	F	301	KGA	O4'-C1'	3.03	1.45	1.41
2	F	303[A]	KGA	O4'-C1'	3.00	1.45	1.41
2	E	302[A]	KGA	O4'-C1'	2.92	1.45	1.41
2	C	303[A]	KGA	C5-C4	2.88	1.48	1.40
2	E	302[A]	KGA	P3-O3'	2.82	1.64	1.59
2	E	302[A]	KGA	C2-N3	2.80	1.36	1.32
2	A	301	KGA	P3-O3'	2.74	1.64	1.59
2	A	301	KGA	C5-C4	2.74	1.48	1.40
2	D	302[A]	KGA	O4'-C1'	2.73	1.44	1.41
2	E	302[A]	KGA	C4-N3	2.71	1.39	1.35
2	E	302[A]	KGA	C5-C4	2.61	1.47	1.40
2	F	303[A]	KGA	C2'-C1'	-2.60	1.49	1.53
2	F	303[A]	KGA	C2-N3	2.59	1.36	1.32
2	C	301	KGA	C5-C4	2.59	1.47	1.40
2	B	301	KGA	O4'-C1'	2.55	1.44	1.41
2	D	302[B]	KGA	O4'-C1'	2.49	1.44	1.41
2	F	301	KGA	C5-C4	2.48	1.47	1.40
2	D	302[B]	KGA	C5-C4	2.26	1.46	1.40
2	C	303[A]	KGA	C2-N3	2.24	1.35	1.32
2	F	303[A]	KGA	P2-O7	2.24	1.63	1.54
2	C	303[A]	KGA	C2'-C1'	-2.17	1.50	1.53
2	C	301	KGA	O4'-C1'	2.17	1.44	1.41
2	E	302[A]	KGA	P2-O7	2.16	1.63	1.54
2	D	302[A]	KGA	C5-C4	2.11	1.46	1.40

All (88) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	301	KGA	CP1-O-CS1	6.83	129.66	116.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	F	304	KG7	CS3-CS2-CS1	6.00	124.00	118.17
2	E	302[A]	KGA	N3-C2-N1	-4.99	120.88	128.68
2	A	301	KGA	CP7-CP6-NP2	-4.34	107.94	116.58
2	D	302[A]	KGA	CP4-CP3-NP1	4.22	123.52	116.42
2	D	302[B]	KGA	CP4-CP3-NP1	4.22	123.52	116.42
2	C	303[A]	KGA	N3-C2-N1	-4.03	122.38	128.68
2	D	302[A]	KGA	CP5-NP2-CP6	3.90	129.55	122.59
7	F	304	KG7	O-CS1-CS2	-3.89	116.42	121.38
2	F	303[A]	KGA	N3-C2-N1	-3.80	122.74	128.68
2	D	302[B]	KGA	CP5-NP2-CP6	3.76	129.30	122.59
2	D	302[A]	KGA	CP9-CPA-CP7	3.76	115.34	108.82
2	B	301	KGA	N3-C2-N1	-3.70	122.89	128.68
2	D	302[A]	KGA	N3-C2-N1	-3.64	122.99	128.68
2	E	301	KGA	CP1-O-CS1	3.63	123.54	116.58
2	E	301	KGA	CP9-CPA-CP7	3.59	115.04	108.82
2	B	301	KGA	P2-O6-P1	-3.56	120.62	132.83
2	B	301	KGA	CP5-NP2-CP6	-3.55	116.26	122.59
2	E	302[A]	KGA	C1'-N9-C4	-3.49	120.51	126.64
2	F	303[A]	KGA	C4-C5-N7	-3.48	105.77	109.40
2	F	301	KGA	CP5-CP4-CP3	-3.44	106.63	112.36
2	C	301	KGA	CP9-CPA-CP7	3.42	114.74	108.82
2	B	301	KGA	C1'-N9-C4	-3.40	120.67	126.64
2	B	301	KGA	CP8-CPA-CPB	-3.34	102.78	108.23
2	A	301	KGA	C1'-N9-C4	-3.33	120.79	126.64
2	C	301	KGA	CP9-CPA-CPB	-3.29	102.86	108.23
2	C	303[A]	KGA	P1-O6-P2	-3.27	121.59	132.83
2	D	302[B]	KGA	N3-C2-N1	-3.24	123.62	128.68
2	D	302[B]	KGA	CP9-CPA-CP7	3.22	114.40	108.82
2	D	302[A]	KGA	OP1-CP3-CP4	-3.20	116.17	122.02
2	D	302[B]	KGA	OP1-CP3-CP4	-3.20	116.17	122.02
2	E	301	KGA	C4-C5-N7	-3.19	106.07	109.40
2	D	302[B]	KGA	P2-O6-P1	-3.16	121.97	132.83
2	A	301	KGA	OP2-CP6-NP2	3.11	129.67	122.99
2	F	301	KGA	C2'-C3'-C4'	3.09	108.69	103.22
2	A	301	KGA	O4'-C1'-C2'	3.07	111.42	106.93
2	B	301	KGA	CP8-CPA-CP7	3.07	114.14	108.82
2	D	302[B]	KGA	CP7-CP6-NP2	3.03	122.61	116.58
2	C	301	KGA	C4-C5-N7	-3.02	106.25	109.40
2	B	301	KGA	CP7-CP6-NP2	-3.01	110.58	116.58
2	F	301	KGA	N3-C2-N1	-3.00	123.99	128.68
2	D	302[A]	KGA	CP7-CP6-NP2	3.00	122.54	116.58
2	F	303[A]	KGA	C1'-N9-C4	-2.96	121.44	126.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	301	KGA	O7-CPB-CPA	-2.94	105.81	110.55
7	F	304	KG7	OS1-CS1-CS2	2.93	122.70	116.35
2	F	303[A]	KGA	C2-N1-C6	2.90	123.71	118.75
2	C	301	KGA	CP2-NP1-CP3	2.89	128.20	122.84
2	C	303[A]	KGA	C2-N1-C6	2.87	123.66	118.75
7	F	304	KG7	OS4-NS4-CS2	2.84	121.52	112.28
7	F	304	KG7	CS3-CS2-NS4	-2.81	118.84	124.68
2	A	301	KGA	N3-C2-N1	-2.80	124.30	128.68
2	F	301	KGA	CS3-CS2-CS1	2.74	125.80	119.89
2	B	301	KGA	CP4-CP3-NP1	-2.71	111.86	116.42
2	A	301	KGA	N6-C6-N1	2.67	124.12	118.57
2	E	301	KGA	N3-C2-N1	-2.63	124.56	128.68
2	F	303[A]	KGA	O7-P2-O6	2.57	113.25	104.64
2	C	301	KGA	N3-C2-N1	-2.56	124.68	128.68
2	F	301	KGA	C4-C5-N7	-2.54	106.76	109.40
2	E	302[A]	KGA	C2-N1-C6	2.53	123.08	118.75
2	D	302[A]	KGA	CP1-CP2-NP1	-2.51	106.00	111.64
2	D	302[B]	KGA	CP1-CP2-NP1	-2.51	106.00	111.64
2	D	302[A]	KGA	C4-C5-N7	-2.48	106.81	109.40
2	C	301	KGA	O4'-C1'-C2'	-2.42	103.39	106.93
7	F	304	KG7	CS1-CS2-NS4	2.42	117.15	114.59
2	B	301	KGA	OP1-CP3-NP1	2.39	127.52	123.01
2	E	302[A]	KGA	O32-P3-O33	2.38	116.72	107.64
2	C	301	KGA	O4'-C4'-C5'	2.37	117.18	109.37
2	F	301	KGA	O5'-C5'-C4'	-2.35	100.92	108.99
2	D	302[B]	KGA	C1'-N9-C4	-2.32	122.56	126.64
2	A	301	KGA	CP4-CP5-NP2	2.32	116.57	111.90
2	D	302[A]	KGA	C2-N1-C6	2.27	122.63	118.75
2	F	301	KGA	P2-O6-P1	-2.26	125.06	132.83
2	B	301	KGA	N6-C6-N1	2.24	123.22	118.57
2	D	302[A]	KGA	CP4-CP5-NP2	-2.23	107.39	111.90
2	D	302[B]	KGA	CP4-CP5-NP2	-2.23	107.39	111.90
2	A	301	KGA	C2-N1-C6	2.23	122.57	118.75
2	E	302[A]	KGA	N6-C6-N1	2.22	123.19	118.57
2	B	301	KGA	O4'-C1'-C2'	2.22	110.17	106.93
2	A	301	KGA	CP5-CP4-CP3	-2.17	108.74	112.36
2	C	301	KGA	CP7-CP6-NP2	2.16	120.88	116.58
2	F	301	KGA	OP1-CP3-CP4	-2.11	118.16	122.02
2	E	302[A]	KGA	O4'-C1'-C2'	2.07	109.95	106.93
2	F	301	KGA	O2'-C2'-C3'	2.06	117.03	111.17
2	A	301	KGA	O5'-P1-O12	2.03	117.02	109.07
2	A	301	KGA	O32-P3-O31	2.02	118.60	110.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	KGA	CP1-CP2-NP1	2.02	116.19	111.64
2	C	303[A]	KGA	N6-C6-N1	2.02	122.76	118.57
2	F	303[A]	KGA	O4'-C1'-C2'	-2.02	103.98	106.93

There are no chirality outliers.

All (69) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	301	KGA	OP3-CP7-CPA-CPB
2	B	301	KGA	CP6-CP7-CPA-CPB
2	B	301	KGA	OP3-CP7-CPA-CP9
2	B	301	KGA	CP6-CP7-CPA-CP9
2	B	301	KGA	OP3-CP7-CPA-CP8
2	B	301	KGA	CP6-CP7-CPA-CP8
2	B	301	KGA	OP2-CP6-CP7-OP3
2	B	301	KGA	NP2-CP6-CP7-OP3
2	B	301	KGA	CP7-CP6-NP2-CP5
2	B	301	KGA	CP3-CP4-CP5-NP2
2	C	301	KGA	CP6-CP7-CPA-CPB
2	C	303[A]	KGA	P1-O6-P2-O22
2	C	303[A]	KGA	P1-O6-P2-O7
2	D	302[A]	KGA	C4'-C3'-O3'-P3
2	D	302[A]	KGA	C3'-O3'-P3-O31
2	D	302[A]	KGA	CP7-CP6-NP2-CP5
2	D	302[A]	KGA	CP3-CP4-CP5-NP2
2	D	302[A]	KGA	CP4-CP3-NP1-CP2
2	D	302[A]	KGA	OP1-CP3-NP1-CP2
2	D	302[B]	KGA	C5'-O5'-P1-O11
2	D	302[B]	KGA	C5'-O5'-P1-O12
2	D	302[B]	KGA	C5'-O5'-P1-O6
2	D	302[B]	KGA	P1-O6-P2-O7
2	D	302[B]	KGA	CP7-CP6-NP2-CP5
2	D	302[B]	KGA	CP3-CP4-CP5-NP2
2	D	302[B]	KGA	CP4-CP3-NP1-CP2
2	D	302[B]	KGA	OP1-CP3-NP1-CP2
2	F	301	KGA	O-CS1-CS2-CS3
2	F	303[A]	KGA	P2-O6-P1-O5'
2	A	301	KGA	CP4-CP5-NP2-CP6
2	D	302[A]	KGA	OP2-CP6-NP2-CP5
2	D	302[B]	KGA	OP2-CP6-NP2-CP5
2	B	301	KGA	C3'-C4'-C5'-O5'
2	B	301	KGA	O4'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	C	303[A]	KGA	C4'-C3'-O3'-P3
2	B	301	KGA	CP8-CPA-CPB-O7
2	D	302[A]	KGA	O-CP1-CP2-NP1
2	D	302[B]	KGA	O-CP1-CP2-NP1
2	A	301	KGA	CP4-CP3-NP1-CP2
2	C	301	KGA	O-CP1-CP2-NP1
2	C	303[A]	KGA	P2-O6-P1-O5'
2	D	302[A]	KGA	P1-O6-P2-O7
2	F	301	KGA	P1-O6-P2-O7
2	B	301	KGA	CP4-CP3-NP1-CP2
2	F	301	KGA	OS1-CS1-CS2-CS3
2	C	301	KGA	CP6-CP7-CPA-CP8
2	B	301	KGA	C5'-O5'-P1-O6
2	B	301	KGA	CPB-O7-P2-O6
2	C	301	KGA	C5'-O5'-P1-O6
2	D	302[A]	KGA	C3'-O3'-P3-O33
2	E	302[A]	KGA	C3'-O3'-P3-O33
2	B	301	KGA	P1-O6-P2-O22
2	D	302[A]	KGA	P2-O6-P1-O12
2	B	301	KGA	C5'-O5'-P1-O12
2	B	301	KGA	CP7-CPA-CPB-O7
2	B	301	KGA	CP9-CPA-CPB-O7
2	C	303[A]	KGA	C2'-C3'-O3'-P3
2	A	301	KGA	O-CP1-CP2-NP1
2	F	301	KGA	CP4-CP5-NP2-CP6
2	B	301	KGA	NP2-CP6-CP7-CPA
6	C	304	PG4	C3-C4-O3-C5
2	C	301	KGA	CP6-CP7-CPA-CP9
2	A	301	KGA	P2-O6-P1-O11
2	B	301	KGA	P1-O6-P2-O21
2	D	302[A]	KGA	P1-O6-P2-O22
2	B	301	KGA	CPA-CPB-O7-P2
2	B	301	KGA	C5'-O5'-P1-O11
2	B	301	KGA	CPB-O7-P2-O22
2	E	302[A]	KGA	C5'-O5'-P1-O12


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is


within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














4.7 Other polymers [i](#)

There are no such residues in this entry.

4.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

5 Fit of model and data [i](#)

5.1 Protein, DNA and RNA chains [i](#)

EDS failed to run properly - this section is therefore empty.

5.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS failed to run properly - this section is therefore empty.

5.3 Carbohydrates [i](#)

EDS failed to run properly - this section is therefore empty.

5.4 Ligands [i](#)

EDS failed to run properly - this section is therefore empty.

5.5 Other polymers [i](#)

EDS failed to run properly - this section is therefore empty.