

Full wwPDB X-ray Structure Validation Report (i)

Jul 31, 2023 – 12:30 AM EDT

PDB ID	:	1NOD
Title	:	MURINE INDUCIBLE NITRIC OXIDE SYNTHASE OXYGENASE DIMER
		(DELTA 65) WITH TETRAHYDROBIOPTERIN AND SUBSTRATE L-
		ARGININE
Authors	:	Crane, B.R.; Arvai, A.S.; Getzoff, E.D.; Stuehr, D.J.; Tainer, J.A.
Deposited on	:	1998-03-05
Resolution	:	2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.34

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Matria	Whole archive	Similar resolution
Metric	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455(2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Note EDS was not executed.

Mol	Chain	Length	Quality of chain					
1	А	423	57%	36% •••				
1	В	423	58%	35% •••				

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	H4B	В	902	Х	-	-	-



1NOD

2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 7208 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called NITRIC OXIDE SYNTHASE.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	А	414	Total 3373	C 2162	N 582	O 609	S 20	0	0	0
1	В	413	Total 3368	C 2159	N 581	O 608	S 20	0	0	0

• Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 3 is ARGININE (three-letter code: ARG) (formula: $C_6H_{15}N_4O_2$).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total C N O 12 6 4 2	0	0
3	В	1	Total C N O 12 6 4 2	0	0

• Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues		Ate	\mathbf{oms}			ZeroOcc	AltConf
4	А	1	Total 43	С 34	Fe 1	N 4	0 4	0	0



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf		
4	В	1	Total	С	Fe	Ν	0	0	0
4	D	1	43	34	1	4	4	0	0

• Molecule 5 is 5,6,7,8-TETRAHYDROBIOPTERIN (three-letter code: H4B) (formula: $C_9H_{15}N_5O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	Total C N O 17 9 5 3	0	0
5	В	1	Total C N O 17 9 5 3	0	0

• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	148	Total O 148 148	0	0
6	В	170	Total O 170 170	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.



• Molecule 1: NITRIC OXIDE SYNTHASE



4 Data and refinement statistics (i)

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants	213.00Å 213.00Å 114.20Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 - 2.60	Depositor
% Data completeness	95.3 (20.00-2.60)	Depositor
(in resolution range)	55.5 (20.00 2.00)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
Refinement program	X-PLOR 3.8	Depositor
R, R_{free}	0.229 , 0.288	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	7208	wwPDB-VP
Average B, all atoms $(Å^2)$	64.0	wwPDB-VP



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: H4B, HEM, SO4 $\,$

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bo	nd angles
MIOI	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.40	0/3471	0.69	2/4719~(0.0%)
1	В	0.40	0/3466	0.67	1/4712~(0.0%)
All	All	0.40	0/6937	0.68	3/9431~(0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
1	А	365	GLY	N-CA-C	-6.03	98.03	113.10
1	А	171	GLY	N-CA-C	-5.21	100.07	113.10
1	В	365	GLY	N-CA-C	-5.21	100.08	113.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3373	0	3267	144	0
1	В	3368	0	3265	133	0
2	А	5	0	0	1	0
3	А	12	0	12	2	0
3	В	12	0	12	2	0
4	А	43	0	30	1	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	В	43	0	30	2	0
5	А	17	0	14	1	0
5	В	17	0	14	1	0
6	А	148	0	0	16	0
6	В	170	0	0	16	0
All	All	7208	0	6644	282	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (282) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

A + 1	A + a	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
3:B:906:ARG:NH1	6:B:1192:HOH:O	1.62	1.29
3:A:906:ARG:NH1	6:A:1136:HOH:O	1.62	1.06
1:A:266:MET:SD	1:A:272:ARG:HD3	2.02	0.99
1:B:356:LEU:HD13	1:B:357:GLU:H	1.33	0.90
1:A:221:ILE:HG21	1:A:301:LEU:HD21	1.54	0.89
1:B:77:GLN:HE21	1:B:77:GLN:HA	1.39	0.86
1:B:243:GLN:HB2	1:B:356:LEU:HD12	1.58	0.86
1:B:356:LEU:HD13	1:B:357:GLU:N	1.95	0.80
1:A:285:ILE:HD11	1:A:291:PRO:HB3	1.63	0.79
1:A:144:TYR:HE2	1:A:179:GLU:HA	1.48	0.79
1:B:252:ARG:HG3	1:B:252:ARG:HH11	1.48	0.78
1:B:244:ARG:HA	6:B:1070:HOH:O	1.84	0.76
1:A:163:VAL:O	1:A:167:ILE:HG13	1.87	0.75
1:B:159:ARG:O	1:B:163:VAL:HG23	1.86	0.75
1:A:192:PRO:HA	1:A:197:ARG:HH12	1.52	0.75
1:A:144:TYR:CE2	1:A:179:GLU:HA	2.21	0.74
1:A:448:ARG:HD2	2:A:907:SO4:O2	1.86	0.73
1:B:134:LEU:HD13	1:B:138:ILE:HD11	1.70	0.72
1:B:330:TYR:HD2	1:B:332:TRP:CZ2	2.08	0.71
1:A:176:THR:OG1	1:A:179:GLU:HG3	1.91	0.70
1:B:252:ARG:HD3	1:B:359:PRO:HB2	1.72	0.70
1:A:252:ARG:HD3	1:A:359:PRO:HB2	1.73	0.70
1:B:221:ILE:HG21	1:B:301:LEU:HD21	1.73	0.70
1:B:464:GLY:O	1:B:467:THR:HB	1.91	0.70
1:A:368:MET:HE2	1:A:433:ALA:CB	2.23	0.69
1:B:221:ILE:HD12	1:B:303:LEU:HD21	1.72	0.69
1:A:470:PHE:HD1	1:A:471:HIS:HD2	1.39	0.69
1:A:134:LEU:HB3	1:A:135:PRO:HD3	1.75	0.68



	the o	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:350:LEU:HB2	1:A:486:GLN:NE2	2.08	0.67
1:B:127:PRO:HG3	1:B:246:ASP:HA	1.75	0.66
1:B:467:THR:CG2	1:B:469:VAL:HG22	2.25	0.66
1:B:243:GLN:HB2	1:B:356:LEU:CD1	2.27	0.65
1:A:134:LEU:O	1:A:138:ILE:HG12	1.97	0.64
1:A:116:PRO:HG2	1:A:119:LEU:HB2	1.79	0.64
1:B:467:THR:HG22	1:B:469:VAL:HG22	1.80	0.64
1:A:459:VAL:HG22	1:A:469:VAL:HG23	1.78	0.64
1:A:470:PHE:HD1	1:A:471:HIS:CD2	2.16	0.63
1:A:266:MET:HB3	1:A:267:PRO:HD2	1.81	0.63
1:B:348:ASN:HB2	6:B:1123:HOH:O	1.99	0.62
1:B:417:LEU:HD21	1:B:429:ASP:HB3	1.82	0.61
1:B:239:THR:HG23	1:B:362:PRO:HG2	1.83	0.61
1:B:243:GLN:HB3	1:B:358:PHE:CE2	2.36	0.60
1:B:251:PHE:O	1:B:360:ALA:HB2	2.00	0.60
1:A:144:TYR:O	1:A:147:SER:HB3	2.02	0.60
1:A:153:ILE:O	1:A:157:LEU:HD13	2.01	0.60
1:A:251:PHE:O	1:A:360:ALA:HB2	2.02	0.60
1:A:438:MET:HE3	1:A:469:VAL:HA	1.83	0.60
1:A:368:MET:HE2	1:A:433:ALA:HB3	1.83	0.59
1:A:298:VAL:HG21	1:A:320:VAL:HG11	1.84	0.59
1:B:188:TRP:CE3	1:B:200:TRP:HA	2.37	0.59
1:A:360:ALA:HA	6:A:1038:HOH:O	2.03	0.59
1:A:417:LEU:HD21	1:A:429:ASP:HB3	1.85	0.59
1:A:303:LEU:O	1:A:310:PRO:HA	2.03	0.58
1:A:330:TYR:HD2	1:A:332:TRP:CZ2	2.20	0.58
1:A:314:GLU:HG3	6:A:1149:HOH:O	2.04	0.58
1:B:195:ILE:HG13	6:B:1137:HOH:O	2.04	0.57
1:A:453:ALA:HB3	1:A:474:MET:HB2	1.87	0.57
1:A:405:LYS:O	1:A:409:VAL:HG23	2.05	0.56
1:B:167:ILE:HG23	1:B:171:GLY:O	2.06	0.56
1:B:330:TYR:HD2	1:B:332:TRP:HZ2	1.52	0.56
1:B:350:LEU:HB2	1:B:486:GLN:NE2	2.20	0.56
1:A:195:ILE:HD12	1:A:368:MET:CE	2.36	0.56
1:A:252:ARG:NH2	1:A:489:PRO:HD3	2.20	0.56
1:A:350:LEU:HD21	1:A:357:GLU:HB2	1.86	0.55
1:B:154:GLU:HA	1:B:157:LEU:HD12	1.88	0.55
1:B:134:LEU:CD1	1:B:138:ILE:HD11	2.37	0.55
1:B:252:ARG:CD	1:B:359:PRO:HB2	2.37	0.55
1:B:303:LEU:N	1:B:303:LEU:HD12	2.22	0.55
1:A:127:PRO:O	1:A:129:PRO:HD3	2.07	0.55



	the o	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:304:GLN:O	1:A:304:GLN:HG3	2.06	0.55
1:B:301:LEU:HB3	1:B:303:LEU:HD11	1.88	0.55
1:B:144:TYR:CE2	1:B:179:GLU:HA	2.42	0.55
1:A:387:GLU:HB3	6:A:1085:HOH:O	2.07	0.54
1:A:348:ASN:HB2	6:A:1092:HOH:O	2.08	0.54
1:A:159:ARG:O	1:A:163:VAL:HG23	2.06	0.54
1:A:188:TRP:CE3	1:A:200:TRP:HA	2.42	0.54
1:A:305:ALA:O	1:A:307:GLY:N	2.40	0.54
1:B:89:ILE:HD12	6:B:1125:HOH:O	2.08	0.54
1:B:493:HIS:HD2	1:B:495:TRP:CD1	2.26	0.54
1:B:285:ILE:CD1	1:B:291:PRO:HB3	2.38	0.54
1:B:327:HIS:ND1	1:B:328:PRO:HD2	2.23	0.54
1:A:266:MET:SD	1:A:272:ARG:CD	2.89	0.54
1:A:340:TRP:HZ3	1:A:383:TYR:CE1	2.26	0.54
1:B:252:ARG:HG3	1:B:252:ARG:NH1	2.20	0.54
1:A:163:VAL:HG12	1:A:167:ILE:HD11	1.89	0.53
1:A:257:GLN:HB2	1:A:345:ALA:O	2.08	0.53
1:B:366:TRP:H	4:B:901:HEM:HAB	1.73	0.53
1:B:272:ARG:HH11	1:B:295:ARG:HG3	1.74	0.53
1:B:361:CYS:O	1:B:361:CYS:SG	2.66	0.53
1:B:378:CYS:SG	1:B:386:LEU:HD23	2.48	0.53
1:B:210:ASN:C	1:B:210:ASN:HD22	2.12	0.53
1:B:188:TRP:O	1:B:197:ARG:HD2	2.09	0.53
1:A:192:PRO:HA	1:A:197:ARG:NH1	2.23	0.52
1:B:163:VAL:O	1:B:167:ILE:HG13	2.09	0.52
1:A:195:ILE:HD12	1:A:368:MET:HE3	1.91	0.52
1:A:385:ILE:HD11	1:A:412:ILE:HD13	1.90	0.52
1:A:239:THR:HG23	1:A:362:PRO:HG2	1.90	0.52
1:A:120:THR:HG22	1:A:121:ARG:N	2.25	0.52
1:A:141:ILE:HD11	1:A:163:VAL:HG21	1.92	0.52
1:B:134:LEU:HB3	1:B:135:PRO:HD3	1.90	0.52
1:A:217:MET:HG2	1:A:241:PHE:CE2	2.44	0.52
1:A:446:ARG:HG2	1:A:446:ARG:HH11	1.74	0.52
1:A:149:LYS:C	1:A:150:GLU:HG2	2.31	0.52
1:B:457:TRP:HA	5:B:902:H4B:N1	2.24	0.51
1:A:217:MET:HE3	1:A:303:LEU:HB3	1.92	0.51
1:B:368:MET:HA	1:B:428:MET:O	2.11	0.51
1:A:140:PHE:CE2	1:A:175:LEU:HD21	2.46	0.51
1:B:272:ARG:NH1	1:B:295:ARG:HG3	2.25	0.51
1:A:180:LEU:HB2	6:A:1110:HOH:O	2.11	0.51
1:B:459:VAL:HG22	1:B:469:VAL:HG23	1.92	0.51



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:333:PHE:CE2	1:A:415:ALA:HB1	2.46	0.51
1:B:213:THR:OG1	1:B:216:GLU:HB2	2.10	0.51
1:B:141:ILE:HD13	1:B:163:VAL:HG21	1.93	0.50
1:A:80:ARG:NH2	6:A:1060:HOH:O	2.45	0.50
1:A:368:MET:O	1:A:371:GLU:HG3	2.11	0.50
1:B:302:VAL:C	1:B:303:LEU:HD12	2.31	0.50
1:A:244:ARG:HA	6:A:1019:HOH:O	2.10	0.50
1:B:285:ILE:HD11	1:B:291:PRO:HB3	1.94	0.50
1:B:360:ALA:HA	6:B:1096:HOH:O	2.12	0.50
1:A:217:MET:HA	1:A:241:PHE:HE2	1.77	0.49
1:A:193:ARG:HB3	1:A:457:TRP:CE3	2.47	0.49
1:A:291:PRO:HB2	1:A:293:TYR:CE2	2.47	0.49
1:A:343:LEU:HD12	1:A:344:PRO:HD2	1.94	0.49
1:A:134:LEU:HD12	1:A:138:ILE:HD11	1.95	0.49
1:A:241:PHE:HB3	1:A:242:PRO:CD	2.42	0.49
1:A:149:LYS:O	1:A:150:GLU:HG2	2.12	0.49
1:B:233:ASN:ND2	6:B:1068:HOH:O	2.46	0.49
1:B:190:ASN:O	1:B:192:PRO:HD3	2.13	0.49
1:A:148:PHE:HB2	6:A:1108:HOH:O	2.13	0.49
1:B:99:THR:CG2	1:B:100:SER:N	2.75	0.49
1:A:221:ILE:HD12	1:A:303:LEU:HD21	1.94	0.48
1:A:266:MET:CB	1:A:267:PRO:HD2	2.41	0.48
1:A:370:THR:HA	1:A:374:VAL:HG23	1.95	0.48
1:A:464:GLY:O	1:A:467:THR:HB	2.13	0.48
1:B:467:THR:HG21	1:B:469:VAL:HG22	1.95	0.48
1:A:132:GLU:O	1:A:135:PRO:HD2	2.12	0.48
1:B:99:THR:HG22	1:B:100:SER:N	2.28	0.48
1:A:467:THR:CG2	1:A:469:VAL:HG22	2.44	0.48
1:B:330:TYR:N	1:B:330:TYR:CD1	2.81	0.48
1:B:166:GLU:HG2	1:B:173:TYR:HB2	1.95	0.48
1:B:239:THR:CG2	1:B:362:PRO:HG2	2.43	0.48
1:A:77:GLN:O	1:A:96:HIS:HE1	1.96	0.48
1:A:470:PHE:CD1	1:A:471:HIS:CD2	3.01	0.48
1:B:96:HIS:C	1:B:98:ALA:H	2.17	0.48
1:B:77:GLN:HA	1:B:77:GLN:NE2	2.19	0.48
1:A:258:LEU:HB2	1:A:345:ALA:HB3	1.96	0.48
1:B:330:TYR:N	1:B:330:TYR:HD1	2.12	0.47
1:A:99:THR:CG2	1:A:100:SER:N	2.78	0.47
4:B:901:HEM:HBC2	4:B:901:HEM:HMC2	1.97	0.47
1:B:260:ARG:CG	1:B:277:THR:HG21	2.45	0.47
1:A:482:PHE:HB3	1:A:484:TYR:CE1	2.50	0.47



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:191:ALA:O	1:B:197:ARG:NH1	2.47	0.47
1:A:191:ALA:C	1:A:197:ARG:HH11	2.16	0.47
1:B:332:TRP:O	1:B:335:GLU:HB2	2.15	0.47
1:A:375:ARG:NH1	1:A:379:ASP:OD2	2.48	0.47
1:B:110:LEU:CD1	1:B:113:ILE:HG13	2.45	0.47
1:A:164:THR:O	1:A:168:GLU:HG2	2.15	0.46
1:A:191:ALA:O	1:A:197:ARG:NH1	2.32	0.46
4:A:901:HEM:HBC2	4:A:901:HEM:HMC1	1.97	0.46
1:B:191:ALA:O	1:B:197:ARG:HD3	2.15	0.46
1:A:84:TRP:NE1	1:A:114:MET:HG3	2.30	0.46
1:A:89:ILE:HD12	6:A:1060:HOH:O	2.15	0.46
1:B:77:GLN:O	1:B:96:HIS:HE1	1.98	0.46
1:B:172:THR:OG1	1:B:173:TYR:N	2.48	0.46
1:A:78:TYR:C	1:A:78:TYR:CD1	2.89	0.46
1:B:266:MET:HB3	1:B:267:PRO:HD2	1.97	0.46
1:A:176:THR:O	1:A:179:GLU:HB2	2.16	0.46
1:A:148:PHE:HD1	1:A:149:LYS:O	1.98	0.46
1:B:197:ARG:NH2	1:B:452:PRO:O	2.47	0.46
1:A:96:HIS:C	1:A:98:ALA:H	2.20	0.45
1:A:140:PHE:HE2	1:A:175:LEU:CD2	2.29	0.45
1:B:116:PRO:HG2	1:B:119:LEU:HB2	1.97	0.45
1:A:163:VAL:HG13	1:A:173:TYR:CD2	2.52	0.45
1:A:250:ASP:HA	6:A:1018:HOH:O	2.17	0.45
1:B:78:TYR:CD1	1:B:78:TYR:C	2.90	0.45
1:A:157:LEU:HA	1:A:160:LEU:HD12	1.98	0.45
1:A:217:MET:CE	1:A:303:LEU:HB3	2.47	0.45
1:B:250:ASP:N	1:B:306:ASP:O	2.49	0.45
1:B:381:GLN:HA	6:B:1148:HOH:O	2.16	0.45
1:A:144:TYR:CE2	1:A:179:GLU:HG2	2.52	0.45
1:B:325:MET:HB2	1:B:338:LEU:HB2	1.97	0.45
1:B:348:ASN:C	1:B:348:ASN:HD22	2.19	0.45
1:A:488:GLU:HA	1:A:489:PRO:HD2	1.80	0.45
3:A:906:ARG:HE	3:A:906:ARG:HB2	1.66	0.45
1:A:372:ILE:HA	1:A:376:ASP:HB2	1.98	0.45
1:A:434:SER:HB3	1:A:467:THR:HG23	1.99	0.45
1:A:410:THR:O	1:A:414:VAL:HG22	2.17	0.45
1:B:206:PHE:HE2	1:B:224:HIS:HA	1.82	0.45
1:B:263:GLY:O	1:B:278:LEU:HD23	2.17	0.45
1:B:405:LYS:O	1:B:409:VAL:HG12	2.17	0.45
1:A:260:ARG:HD2	1:A:341:TYR:OH	2.17	0.44
1:B:241:PHE:HB3	1:B:242:PRO:CD	2.47	0.44



	A L	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:470:PHE:HD1	1:B:471:HIS:ND1	2.15	0.44
1:B:492:THR:HG23	1:B:492:THR:O	2.17	0.44
1:A:316:PRO:HD2	1:A:319:LEU:HD12	1.98	0.44
1:B:441:MET:HE3	1:B:441:MET:HB3	1.83	0.44
1:B:453:ALA:HB3	1:B:474:MET:HB2	1.98	0.44
1:B:249:HIS:C	1:B:306:ASP:O	2.55	0.44
1:A:138:ILE:HG22	1:A:160:LEU:HD22	1.99	0.44
1:A:333:PHE:HB3	6:A:1070:HOH:O	2.17	0.44
1:B:264:TYR:CE1	1:B:293:TYR:HA	2.53	0.44
1:B:305:ALA:O	1:B:306:ASP:C	2.55	0.44
1:A:154:GLU:HB2	6:A:1141:HOH:O	2.18	0.44
1:B:80:ARG:NH2	6:B:1125:HOH:O	2.50	0.44
1:B:195:ILE:HG12	1:B:458:LEU:HD22	1.99	0.44
1:B:252:ARG:HH22	1:B:489:PRO:HD3	1.83	0.44
1:A:181:ILE:HA	1:A:205:VAL:HG21	2.00	0.44
1:A:249:HIS:C	1:A:306:ASP:O	2.56	0.44
1:B:230:ASN:HB3	1:B:233:ASN:O	2.18	0.43
1:B:92:ASP:OD1	1:B:95:HIS:HD2	2.01	0.43
1:B:153:ILE:HG22	1:B:154:GLU:N	2.32	0.43
1:A:243:GLN:HB3	1:A:358:PHE:CE2	2.53	0.43
1:A:254:TRP:CZ3	1:A:490:TRP:HB3	2.52	0.43
1:B:488:GLU:HA	1:B:489:PRO:HD2	1.76	0.43
1:A:388:GLU:HA	1:A:391:ARG:HB2	2.01	0.43
1:B:195:ILE:O	1:B:195:ILE:HG22	2.17	0.43
1:B:275:ALA:HB3	1:B:381:GLN:O	2.19	0.43
1:B:301:LEU:HD13	1:B:315:ILE:HD11	2.00	0.43
1:A:213:THR:HB	6:A:1032:HOH:O	2.19	0.43
1:A:241:PHE:HB3	1:A:242:PRO:HD2	1.99	0.43
1:B:95:HIS:HE1	6:B:1129:HOH:O	2.02	0.43
1:A:99:THR:HG23	1:A:100:SER:N	2.34	0.43
1:B:260:ARG:HD2	1:B:341:TYR:OH	2.19	0.43
1:B:423:GLN:HB3	6:B:1102:HOH:O	2.18	0.43
1:B:209:ARG:O	1:B:242:PRO:HG3	2.19	0.42
1:B:333:PHE:HB3	6:B:1146:HOH:O	2.18	0.42
1:B:356:LEU:HD22	1:B:356:LEU:HA	1.63	0.42
1:B:379:ASP:HB3	1:B:381:GLN:HG2	2.01	0.42
1:A:382:ARG:HG3	1:A:382:ARG:HH11	1.82	0.42
1:A:434:SER:CB	1:A:467:THR:HG23	2.49	0.42
1:B:438:MET:HG3	1:B:468:PRO:HB2	2.01	0.42
1:A:285:ILE:HD13	1:A:285:ILE:HA	1.89	0.42
3:B:906:ARG:HE	3:B:906:ARG:HB2	1.62	0.42



	A L	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:254:TRP:HB2	1:A:302:VAL:HB	2.00	0.42
1:A:374:VAL:HG11	1:A:462:VAL:HG13	2.01	0.42
1:B:289:TRP:O	1:B:291:PRO:HD3	2.20	0.42
1:B:410:THR:O	1:B:414:VAL:HG22	2.19	0.42
1:B:226:LEU:HD23	1:B:226:LEU:O	2.19	0.42
1:B:474:MET:HG3	6:B:1104:HOH:O	2.20	0.42
1:A:140:PHE:CE2	1:A:175:LEU:CD2	3.02	0.42
1:A:254:TRP:N	1:A:254:TRP:CD1	2.88	0.42
1:B:350:LEU:HD21	1:B:357:GLU:HB2	2.02	0.42
1:B:260:ARG:HG2	1:B:277:THR:HG21	2.02	0.42
1:B:411:GLU:O	1:B:414:VAL:HG23	2.19	0.42
1:B:437:PHE:O	1:B:440:HIS:HB3	2.19	0.42
1:A:95:HIS:O	1:A:98:ALA:HB2	2.19	0.41
1:A:252:ARG:CD	1:A:359:PRO:HB2	2.48	0.41
1:A:350:LEU:C	1:A:350:LEU:HD23	2.41	0.41
1:B:193:ARG:HB3	1:B:457:TRP:CE3	2.55	0.41
1:A:289:TRP:O	1:A:291:PRO:HD3	2.21	0.41
1:A:456:ILE:CG2	5:A:902:H4B:H71	2.49	0.41
1:B:141:ILE:CD1	1:B:163:VAL:HG21	2.50	0.41
1:B:110:LEU:HB2	6:B:1195:HOH:O	2.21	0.41
1:B:386:LEU:HB2	6:B:1118:HOH:O	2.21	0.41
1:A:238:ILE:HG13	1:A:362:PRO:O	2.20	0.41
1:A:258:LEU:HD12	1:A:258:LEU:HA	1.79	0.41
1:B:349:MET:C	1:B:486:GLN:HE21	2.24	0.41
1:A:188:TRP:CZ3	1:A:200:TRP:HA	2.56	0.41
1:A:282:GLN:O	1:A:285:ILE:HB	2.20	0.41
1:B:152:LYS:HD2	1:B:155:GLU:OE2	2.21	0.41
1:B:223:ARG:HD3	6:B:1088:HOH:O	2.20	0.41
1:A:165:LYS:HE3	1:A:165:LYS:HB2	1.78	0.41
1:A:320:VAL:HB	6:A:1037:HOH:O	2.21	0.41
1:A:374:VAL:O	1:A:378:CYS:HB2	2.21	0.41
1:A:375:ARG:HA	1:A:375:ARG:HD2	1.99	0.41
1:A:467:THR:HG22	1:A:469:VAL:HG22	2.01	0.41
1:B:153:ILE:O	1:B:156:HIS:HB3	2.20	0.41
1:B:375:ARG:NH1	1:B:379:ASP:OD2	2.54	0.41
1:B:386:LEU:HD22	1:B:386:LEU:HA	1.89	0.41
1:A:195:ILE:HD11	6:A:1041:HOH:O	2.20	0.41
1:A:467:THR:HG22	1:A:469:VAL:H	1.86	0.41
1:A:121:ARG:HA	1:A:121:ARG:HD3	1.91	0.40
1:A:290:LYS:HA	1:A:291:PRO:HD2	1.94	0.40
1:A:293:TYR:CD2	1:B:267:PRO:HB3	2.56	0.40



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:330:TYR:CD2	1:A:332:TRP:CZ2	3.07	0.40
1:B:128:THR:HA	1:B:129:PRO:HD2	1.87	0.40
1:A:239:THR:CG2	1:A:362:PRO:HG2	2.51	0.40
1:B:253:LEU:HD21	1:B:362:PRO:HG3	2.03	0.40
1:B:323:VAL:O	1:B:339:LYS:HA	2.22	0.40
1:A:309:ASP:HB3	1:A:310:PRO:HD2	2.03	0.40
1:A:153:ILE:O	1:A:156:HIS:HB3	2.20	0.40
1:B:167:ILE:HG12	1:B:173:TYR:HB3	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percer	ntiles
1	А	410/423~(97%)	352 (86%)	49 (12%)	9(2%)	6	12
1	В	409/423~(97%)	355 (87%)	43 (10%)	11 (3%)	5	8
All	All	819/846~(97%)	707 (86%)	92 (11%)	20 (2%)	6	10

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	306	ASP
1	В	306	ASP
1	А	111	GLY
1	В	111	GLY
1	В	150	GLU
1	В	386	LEU
1	А	150	GLU
1	А	197	ARG
1	В	268	ASP
1	В	348	ASN



Mol	Chain	Res	Type
1	А	100	SER
1	А	123	PRO
1	А	348	ASN
1	В	97	LYS
1	В	293	TYR
1	А	369	GLY
1	В	243	GLN
1	В	369	GLY
1	А	307	GLY
1	В	344	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perc	entiles
1	А	361/371~(97%)	329~(91%)	32 (9%)	9	19
1	В	361/371~(97%)	325~(90%)	36 (10%)	7	14
All	All	722/742~(97%)	654 (91%)	68~(9%)	8	17

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	78	TYR
1	А	89	ILE
1	А	109	CYS
1	А	114	MET
1	А	129	PRO
1	А	138	ILE
1	А	150	GLU
1	А	154	GLU
1	А	157	LEU
1	А	161	GLU
1	А	169	THR
1	А	170	THR
1	А	177	LEU



Mol	Chain	Res	Type
1	А	180	LEU
1	А	195	ILE
1	А	250	ASP
1	А	256	SER
1	А	258	LEU
1	А	278	LEU
1	А	301	LEU
1	А	306	ASP
1	А	329	LYS
1	А	338	LEU
1	А	348	ASN
1	А	356	LEU
1	А	368	MET
1	А	386	LEU
1	А	395	LEU
1	А	406	ASP
1	А	414	VAL
1	А	446	ARG
1	А	496	GLN
1	В	77	GLN
1	В	78	TYR
1	В	89	ILE
1	В	94	LEU
1	В	109	CYS
1	В	119	LEU
1	В	128	THR
1	В	130	LEU
1	В	134	LEU
1	В	148	PHE
1	В	153	ILE
1	В	157	LEU
1	В	166	GLU
1	В	170	THR
1	В	186	MET
1	В	210	ASN
1	В	233	ASN
1	В	256	SER
1	В	258	LEU
1	В	264	TYR
1	В	292	ARG
1	В	304	GLN
1	В	306	ASP



Mol	Chain	Res	Type
1	В	324	THR
1	В	330	TYR
1	В	331	GLU
1	В	348	ASN
1	В	356	LEU
1	В	386	LEU
1	В	391	ARG
1	В	400	LEU
1	В	406	ASP
1	В	407	ARG
1	В	414	VAL
1	В	441	MET
1	В	475	LEU

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such side chains are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	96	HIS
1	А	231	ASN
1	А	233	ASN
1	А	243	GLN
1	А	348	ASN
1	А	423	GLN
1	А	471	HIS
1	А	486	GLN
1	В	77	GLN
1	В	95	HIS
1	В	96	HIS
1	В	210	ASN
1	В	231	ASN
1	В	233	ASN
1	В	257	GLN
1	В	348	ASN
1	В	486	GLN
1	В	493	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Dog Tipk	Bond lengths			B	ond ang	les
WIOI	туре	Unam	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
5	H4B	В	902	-	16,18,18	2.07	3 (18%)	11,26,26	2.09	5 (45%)
3	ARG	А	906	-	10,11,11	0.71	0	11,13,13	0.70	0
5	H4B	А	902	-	16,18,18	1.97	3 (18%)	11,26,26	2.00	5 (45%)
3	ARG	В	906	-	10,11,11	0.69	0	11,13,13	0.73	0
2	SO4	А	907	-	4,4,4	0.44	0	6,6,6	0.50	0
4	HEM	В	901	1	41,50,50	1.41	7 (17%)	45,82,82	1.60	9 (20%)
4	HEM	А	901	1	41,50,50	1.44	7 (17%)	45,82,82	1.49	8 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	H4B	В	902	-	1/1/3/5	2/8/17/17	0/2/2/2
3	ARG	А	906	-	-	2/11/11/11	-
5	H4B	А	902	-	-	2/8/17/17	0/2/2/2
3	ARG	В	906	-	-	2/11/11/11	-
4	HEM	В	901	1	-	2/12/54/54	-
4	HEM	А	901	1	-	3/12/54/54	-



1NOD

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	В	902	H4B	C7-C6	-7.03	1.45	1.52
5	А	902	H4B	C7-C6	-6.41	1.46	1.52
4	В	901	HEM	C3C-CAC	-3.70	1.40	1.47
4	А	901	HEM	C3C-CAC	-3.45	1.40	1.47
5	В	902	H4B	C7-N8	-3.38	1.39	1.44
4	А	901	HEM	C1B-NB	-3.18	1.34	1.40
5	А	902	H4B	C7-N8	-3.13	1.39	1.44
4	В	901	HEM	CAB-C3B	-3.11	1.39	1.47
4	А	901	HEM	C3C-C2C	-2.69	1.36	1.40
5	А	902	H4B	C4A-N5	-2.56	1.32	1.38
4	А	901	HEM	CAB-C3B	-2.51	1.40	1.47
4	В	901	HEM	C4B-NB	-2.43	1.33	1.38
5	В	902	H4B	C4A-N5	-2.34	1.33	1.38
4	А	901	HEM	CHC-C4B	-2.23	1.34	1.41
4	А	901	HEM	C4B-NB	-2.23	1.34	1.38
4	В	901	HEM	C3C-C2C	-2.21	1.37	1.40
4	В	901	HEM	C1B-NB	-2.12	1.36	1.40
4	A	901	HEM	C3D-C2D	-2.05	1.32	1.36
4	В	901	HEM	CHC-C4B	-2.05	1.35	1.41
4	В	901	HEM	C4D-ND	-2.00	1.36	1.40

All (20) bond length outliers are listed below:

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	В	901	HEM	C4B-CHC-C1C	4.10	127.97	122.56
4	В	901	HEM	C2C-C3C-C4C	-3.96	104.13	106.90
4	В	901	HEM	CMD-C2D-C1D	3.46	130.30	125.04
5	В	902	H4B	C4-C4A-N5	3.38	121.96	119.12
4	А	901	HEM	CBA-CAA-C2A	-3.19	107.17	112.62
5	В	902	H4B	C2-N1-C8A	3.13	121.55	114.54
4	В	901	HEM	C4C-CHD-C1D	3.12	126.68	122.56
4	В	901	HEM	CMC-C2C-C3C	3.06	130.41	124.68
4	А	901	HEM	C2C-C3C-C4C	-3.03	104.78	106.90
5	А	902	H4B	C8A-C4A-C4	2.95	117.19	114.57
5	А	902	H4B	C4-C4A-N5	2.91	121.57	119.12
5	А	902	H4B	C2-N1-C8A	2.91	121.06	114.54
4	А	901	HEM	C4C-CHD-C1D	2.85	126.31	122.56
5	В	902	H4B	C2-N3-C4	2.80	120.37	115.93
4	А	901	HEM	CMC-C2C-C3C	2.78	129.88	124.68
4	A	901	HEM	C4B-CHC-C1C	2.75	126.19	122.56
4	A	901	HEM	C4B-C3B-C2B	-2.75	104.93	107.11
5	В	902	H4B	C8A-C4A-C4	2.72	116.99	114.57



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
5	А	902	H4B	C2-N3-C4	2.72	120.25	115.93
4	А	901	HEM	C2B-C1B-NB	2.56	112.88	109.84
5	В	902	H4B	N1-C2-N3	-2.49	121.52	125.42
5	А	902	H4B	N1-C2-N3	-2.40	121.66	125.42
4	А	901	HEM	CMD-C2D-C1D	2.35	128.62	125.04
4	В	901	HEM	CAD-C3D-C2D	-2.29	123.61	127.88
4	В	901	HEM	C2B-C1B-NB	2.16	112.40	109.84
4	В	901	HEM	C3B-C2B-C1B	-2.13	104.90	106.49
4	В	901	HEM	C1D-C2D-C3D	-2.04	104.81	106.96

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	В	902	H4B	C6

All (13) torsion outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Atoms
5	А	902	H4B	C7-C6-C9-O9
5	А	902	H4B	C7-C6-C9-C10
5	В	902	H4B	C7-C6-C9-O9
5	В	902	H4B	C7-C6-C9-C10
3	А	906	ARG	NE-CD-CG-CB
3	В	906	ARG	NE-CD-CG-CB
3	В	906	ARG	CA-CB-CG-CD
3	А	906	ARG	CA-CB-CG-CD
4	А	901	HEM	C2B-C3B-CAB-CBB
4	В	901	HEM	C2B-C3B-CAB-CBB
4	А	901	HEM	C4B-C3B-CAB-CBB
4	В	901	HEM	C4B-C3B-CAB-CBB
4	А	901	HEM	CAA-CBA-CGA-O2A

There are no ring outliers.

7 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	В	902	H4B	1	0
3	А	906	ARG	2	0
5	А	902	H4B	1	0
3	В	906	ARG	2	0
2	А	907	SO4	1	0



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	В	901	HEM	2	0
4	А	901	HEM	1	0

Continued from previous page...

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates (i)

EDS was not executed - this section is therefore empty.

6.4 Ligands (i)

EDS was not executed - this section is therefore empty.

6.5 Other polymers (i)

EDS was not executed - this section is therefore empty.

