



wwPDB X-ray Structure Validation Summary Report ⓘ

Sep 30, 2021 – 11:06 am BST

PDB ID : 7O0A
Title : Bdellovibrio bacteriovorus PGI in P1211 spacegroup
Authors : Meek, R.W.; Lovering, A.L.
Deposited on : 2021-03-26
Resolution : 1.74 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.74 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	3923 (1.76-1.72)
Ramachandran outliers	138981	3878 (1.76-1.72)
Sidechain outliers	138945	3878 (1.76-1.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	428	
1	B	428	
1	C	428	
1	D	428	
1	E	428	
1	F	428	
1	G	428	
1	H	428	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ACT	E	601	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 29338 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glucose-6-phosphate isomerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	404	3222	2057	539	607	19	0	6	0
1	B	405	3278	2093	549	614	22	0	11	0
1	C	404	3263	2083	545	616	19	0	12	0
1	D	405	3287	2103	550	612	22	0	12	0
1	F	405	3233	2064	546	604	19	0	5	0
1	G	404	3245	2071	547	608	19	0	9	0
1	H	404	3242	2070	545	605	22	0	8	0
1	E	405	3290	2100	555	614	21	0	13	0

There are 160 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	409	LEU	-	expression tag	UNP Q6MPU9
A	410	VAL	-	expression tag	UNP Q6MPU9
A	411	PRO	-	expression tag	UNP Q6MPU9
A	412	ARG	-	expression tag	UNP Q6MPU9
A	413	GLY	-	expression tag	UNP Q6MPU9
A	414	SER	-	expression tag	UNP Q6MPU9
A	415	ALA	-	expression tag	UNP Q6MPU9
A	416	ALA	-	expression tag	UNP Q6MPU9
A	417	ALA	-	expression tag	UNP Q6MPU9
A	418	ALA	-	expression tag	UNP Q6MPU9
A	419	LEU	-	expression tag	UNP Q6MPU9
A	420	GLU	-	expression tag	UNP Q6MPU9
A	421	HIS	-	expression tag	UNP Q6MPU9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	422	HIS	-	expression tag	UNP Q6MPU9
A	423	HIS	-	expression tag	UNP Q6MPU9
A	424	HIS	-	expression tag	UNP Q6MPU9
A	425	HIS	-	expression tag	UNP Q6MPU9
A	426	HIS	-	expression tag	UNP Q6MPU9
A	427	HIS	-	expression tag	UNP Q6MPU9
A	428	HIS	-	expression tag	UNP Q6MPU9
B	409	LEU	-	expression tag	UNP Q6MPU9
B	410	VAL	-	expression tag	UNP Q6MPU9
B	411	PRO	-	expression tag	UNP Q6MPU9
B	412	ARG	-	expression tag	UNP Q6MPU9
B	413	GLY	-	expression tag	UNP Q6MPU9
B	414	SER	-	expression tag	UNP Q6MPU9
B	415	ALA	-	expression tag	UNP Q6MPU9
B	416	ALA	-	expression tag	UNP Q6MPU9
B	417	ALA	-	expression tag	UNP Q6MPU9
B	418	ALA	-	expression tag	UNP Q6MPU9
B	419	LEU	-	expression tag	UNP Q6MPU9
B	420	GLU	-	expression tag	UNP Q6MPU9
B	421	HIS	-	expression tag	UNP Q6MPU9
B	422	HIS	-	expression tag	UNP Q6MPU9
B	423	HIS	-	expression tag	UNP Q6MPU9
B	424	HIS	-	expression tag	UNP Q6MPU9
B	425	HIS	-	expression tag	UNP Q6MPU9
B	426	HIS	-	expression tag	UNP Q6MPU9
B	427	HIS	-	expression tag	UNP Q6MPU9
B	428	HIS	-	expression tag	UNP Q6MPU9
C	409	LEU	-	expression tag	UNP Q6MPU9
C	410	VAL	-	expression tag	UNP Q6MPU9
C	411	PRO	-	expression tag	UNP Q6MPU9
C	412	ARG	-	expression tag	UNP Q6MPU9
C	413	GLY	-	expression tag	UNP Q6MPU9
C	414	SER	-	expression tag	UNP Q6MPU9
C	415	ALA	-	expression tag	UNP Q6MPU9
C	416	ALA	-	expression tag	UNP Q6MPU9
C	417	ALA	-	expression tag	UNP Q6MPU9
C	418	ALA	-	expression tag	UNP Q6MPU9
C	419	LEU	-	expression tag	UNP Q6MPU9
C	420	GLU	-	expression tag	UNP Q6MPU9
C	421	HIS	-	expression tag	UNP Q6MPU9
C	422	HIS	-	expression tag	UNP Q6MPU9
C	423	HIS	-	expression tag	UNP Q6MPU9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	424	HIS	-	expression tag	UNP Q6MPU9
C	425	HIS	-	expression tag	UNP Q6MPU9
C	426	HIS	-	expression tag	UNP Q6MPU9
C	427	HIS	-	expression tag	UNP Q6MPU9
C	428	HIS	-	expression tag	UNP Q6MPU9
D	409	LEU	-	expression tag	UNP Q6MPU9
D	410	VAL	-	expression tag	UNP Q6MPU9
D	411	PRO	-	expression tag	UNP Q6MPU9
D	412	ARG	-	expression tag	UNP Q6MPU9
D	413	GLY	-	expression tag	UNP Q6MPU9
D	414	SER	-	expression tag	UNP Q6MPU9
D	415	ALA	-	expression tag	UNP Q6MPU9
D	416	ALA	-	expression tag	UNP Q6MPU9
D	417	ALA	-	expression tag	UNP Q6MPU9
D	418	ALA	-	expression tag	UNP Q6MPU9
D	419	LEU	-	expression tag	UNP Q6MPU9
D	420	GLU	-	expression tag	UNP Q6MPU9
D	421	HIS	-	expression tag	UNP Q6MPU9
D	422	HIS	-	expression tag	UNP Q6MPU9
D	423	HIS	-	expression tag	UNP Q6MPU9
D	424	HIS	-	expression tag	UNP Q6MPU9
D	425	HIS	-	expression tag	UNP Q6MPU9
D	426	HIS	-	expression tag	UNP Q6MPU9
D	427	HIS	-	expression tag	UNP Q6MPU9
D	428	HIS	-	expression tag	UNP Q6MPU9
F	409	LEU	-	expression tag	UNP Q6MPU9
F	410	VAL	-	expression tag	UNP Q6MPU9
F	411	PRO	-	expression tag	UNP Q6MPU9
F	412	ARG	-	expression tag	UNP Q6MPU9
F	413	GLY	-	expression tag	UNP Q6MPU9
F	414	SER	-	expression tag	UNP Q6MPU9
F	415	ALA	-	expression tag	UNP Q6MPU9
F	416	ALA	-	expression tag	UNP Q6MPU9
F	417	ALA	-	expression tag	UNP Q6MPU9
F	418	ALA	-	expression tag	UNP Q6MPU9
F	419	LEU	-	expression tag	UNP Q6MPU9
F	420	GLU	-	expression tag	UNP Q6MPU9
F	421	HIS	-	expression tag	UNP Q6MPU9
F	422	HIS	-	expression tag	UNP Q6MPU9
F	423	HIS	-	expression tag	UNP Q6MPU9
F	424	HIS	-	expression tag	UNP Q6MPU9
F	425	HIS	-	expression tag	UNP Q6MPU9

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	426	HIS	-	expression tag	UNP Q6MPU9
F	427	HIS	-	expression tag	UNP Q6MPU9
F	428	HIS	-	expression tag	UNP Q6MPU9
G	409	LEU	-	expression tag	UNP Q6MPU9
G	410	VAL	-	expression tag	UNP Q6MPU9
G	411	PRO	-	expression tag	UNP Q6MPU9
G	412	ARG	-	expression tag	UNP Q6MPU9
G	413	GLY	-	expression tag	UNP Q6MPU9
G	414	SER	-	expression tag	UNP Q6MPU9
G	415	ALA	-	expression tag	UNP Q6MPU9
G	416	ALA	-	expression tag	UNP Q6MPU9
G	417	ALA	-	expression tag	UNP Q6MPU9
G	418	ALA	-	expression tag	UNP Q6MPU9
G	419	LEU	-	expression tag	UNP Q6MPU9
G	420	GLU	-	expression tag	UNP Q6MPU9
G	421	HIS	-	expression tag	UNP Q6MPU9
G	422	HIS	-	expression tag	UNP Q6MPU9
G	423	HIS	-	expression tag	UNP Q6MPU9
G	424	HIS	-	expression tag	UNP Q6MPU9
G	425	HIS	-	expression tag	UNP Q6MPU9
G	426	HIS	-	expression tag	UNP Q6MPU9
G	427	HIS	-	expression tag	UNP Q6MPU9
G	428	HIS	-	expression tag	UNP Q6MPU9
H	409	LEU	-	expression tag	UNP Q6MPU9
H	410	VAL	-	expression tag	UNP Q6MPU9
H	411	PRO	-	expression tag	UNP Q6MPU9
H	412	ARG	-	expression tag	UNP Q6MPU9
H	413	GLY	-	expression tag	UNP Q6MPU9
H	414	SER	-	expression tag	UNP Q6MPU9
H	415	ALA	-	expression tag	UNP Q6MPU9
H	416	ALA	-	expression tag	UNP Q6MPU9
H	417	ALA	-	expression tag	UNP Q6MPU9
H	418	ALA	-	expression tag	UNP Q6MPU9
H	419	LEU	-	expression tag	UNP Q6MPU9
H	420	GLU	-	expression tag	UNP Q6MPU9
H	421	HIS	-	expression tag	UNP Q6MPU9
H	422	HIS	-	expression tag	UNP Q6MPU9
H	423	HIS	-	expression tag	UNP Q6MPU9
H	424	HIS	-	expression tag	UNP Q6MPU9
H	425	HIS	-	expression tag	UNP Q6MPU9
H	426	HIS	-	expression tag	UNP Q6MPU9
H	427	HIS	-	expression tag	UNP Q6MPU9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	428	HIS	-	expression tag	UNP Q6MPU9
E	409	LEU	-	expression tag	UNP Q6MPU9
E	410	VAL	-	expression tag	UNP Q6MPU9
E	411	PRO	-	expression tag	UNP Q6MPU9
E	412	ARG	-	expression tag	UNP Q6MPU9
E	413	GLY	-	expression tag	UNP Q6MPU9
E	414	SER	-	expression tag	UNP Q6MPU9
E	415	ALA	-	expression tag	UNP Q6MPU9
E	416	ALA	-	expression tag	UNP Q6MPU9
E	417	ALA	-	expression tag	UNP Q6MPU9
E	418	ALA	-	expression tag	UNP Q6MPU9
E	419	LEU	-	expression tag	UNP Q6MPU9
E	420	GLU	-	expression tag	UNP Q6MPU9
E	421	HIS	-	expression tag	UNP Q6MPU9
E	422	HIS	-	expression tag	UNP Q6MPU9
E	423	HIS	-	expression tag	UNP Q6MPU9
E	424	HIS	-	expression tag	UNP Q6MPU9
E	425	HIS	-	expression tag	UNP Q6MPU9
E	426	HIS	-	expression tag	UNP Q6MPU9
E	427	HIS	-	expression tag	UNP Q6MPU9
E	428	HIS	-	expression tag	UNP Q6MPU9

- Molecule 2 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	D	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		
3	F	1	Total	C	O	0	0
			4	2	2		
3	E	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	399	Total	O	0	0
			399	399		
4	B	410	Total	O	0	0
			410	410		
4	C	412	Total	O	0	0
			412	412		
4	D	463	Total	O	0	0
			463	463		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	F	449	Total 449	O 449	0	0
4	G	408	Total 408	O 408	0	0
4	H	340	Total 340	O 340	0	0
4	E	373	Total 373	O 373	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


Note EDS was not executed.


- Molecule 1: Glucose-6-phosphate isomerase

Chain A: 





- Molecule 1: Glucose-6-phosphate isomerase

Chain B: 




- Molecule 1: Glucose-6-phosphate isomerase


Chain C: 





- Molecule 1: Glucose-6-phosphate isomerase

Chain D: 







• Molecule 1: Glucose-6-phosphate isomerase



• Molecule 1: Glucose-6-phosphate isomerase



• Molecule 1: Glucose-6-phosphate isomerase



• Molecule 1: Glucose-6-phosphate isomerase



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	137.92Å 118.10Å 138.98Å 90.00° 118.41° 90.00°	Depositor
Resolution (Å)	59.54 – 1.74	Depositor
% Data completeness (in resolution range)	98.7 (59.54-1.74)	Depositor
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.222 , 0.253	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	29338	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.69	0/3289	0.73	0/4434
1	B	0.69	0/3342	0.73	0/4502
1	C	0.68	0/3333	0.71	0/4494
1	D	0.72	0/3354	0.74	0/4515
1	E	0.68	0/3354	0.74	0/4516
1	F	0.69	0/3294	0.73	0/4438
1	G	0.67	0/3312	0.72	0/4462
1	H	0.67	0/3306	0.72	0/4453
All	All	0.69	0/26584	0.73	0/35814

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3222	0	3264	19	0
1	B	3278	0	3328	27	0
1	C	3263	0	3304	25	0
1	D	3287	0	3352	38	0
1	E	3290	0	3349	15	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3233	0	3285	23	0
1	G	3245	0	3298	15	0
1	H	3242	0	3293	20	0
2	C	4	0	6	0	0
2	D	4	0	6	0	0
3	D	8	0	6	1	0
3	E	4	0	3	3	0
3	F	4	0	3	0	0
4	A	399	0	0	4	0
4	B	410	0	0	7	0
4	C	412	0	0	8	0
4	D	463	0	0	11	0
4	E	373	0	0	3	0
4	F	449	0	0	6	0
4	G	408	0	0	6	0
4	H	340	0	0	5	0
All	All	29338	0	26497	159	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 159 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:244[B]:LYS:NZ	4:D:601:HOH:O	1.57	1.27
1:C:34:GLU:OE1	1:D:17:SER:HB3	1.81	0.80
1:D:3:VAL:C	1:D:4[C]:MET:CA	2.49	0.79
1:E:219[B]:THR:HG21	1:E:372:PHE:HZ	1.46	0.79
1:B:244[B]:LYS:HE2	4:B:578:HOH:O	1.81	0.78

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	408/428 (95%)	401 (98%)	7 (2%)	0	100	100
1	B	415/428 (97%)	409 (99%)	6 (1%)	0	100	100
1	C	414/428 (97%)	407 (98%)	7 (2%)	0	100	100
1	D	416/428 (97%)	410 (99%)	6 (1%)	0	100	100
1	E	416/428 (97%)	408 (98%)	8 (2%)	0	100	100
1	F	408/428 (95%)	401 (98%)	7 (2%)	0	100	100
1	G	411/428 (96%)	403 (98%)	8 (2%)	0	100	100
1	H	410/428 (96%)	402 (98%)	8 (2%)	0	100	100
All	All	3298/3424 (96%)	3241 (98%)	57 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	353/365 (97%)	351 (99%)	2 (1%)	86	79
1	B	360/365 (99%)	354 (98%)	6 (2%)	60	41
1	C	359/365 (98%)	353 (98%)	6 (2%)	60	41
1	D	361/365 (99%)	358 (99%)	3 (1%)	81	72
1	E	361/365 (99%)	356 (99%)	5 (1%)	67	50
1	F	353/365 (97%)	352 (100%)	1 (0%)	92	89
1	G	356/365 (98%)	355 (100%)	1 (0%)	92	89
1	H	355/365 (97%)	352 (99%)	3 (1%)	81	72
All	All	2858/2920 (98%)	2831 (99%)	27 (1%)	81	67

5 of 27 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	49[A]	GLN
1	F	190	MET
1	E	190	MET
1	D	190	MET
1	G	190	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	48	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	ACT	D	502	-	1,3,3	1.67	0	0,3,3	-	-
3	ACT	E	601	-	1,3,3	3.39	1 (100%)	0,3,3	-	-
2	EDO	C	501	-	3,3,3	0.58	0	2,2,2	0.34	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	EDO	D	503	-	3,3,3	0.41	0	2,2,2	0.18	0
3	ACT	F	501	-	1,3,3	3.16	1 (100%)	0,3,3	-	-
3	ACT	D	501	-	1,3,3	1.96	0	0,3,3	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	C	501	-	-	0/1/1/1	-
2	EDO	D	503	-	-	0/1/1/1	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	601	ACT	CH3-C	3.39	1.53	1.48
3	F	501	ACT	CH3-C	3.16	1.52	1.48

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	502	ACT	1	0
3	E	601	ACT	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.